

# Carla Torrent

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7341294/publications.pdf>

Version: 2024-02-01

138  
papers

11,537  
citations

26630

56  
h-index

28297

105  
g-index

150  
all docs

150  
docs citations

150  
times ranked

6080  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2023, 16, 184-191.       | 1.8 | 14        |
| 2  | Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I. <i>Psychological Medicine</i> , 2023, 53, 3065-3076.  | 4.5 | 2         |
| 3  | The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2022, 52, 526-537.   | 4.5 | 17        |
| 4  | Identifying social cognition subgroups in euthymic patients with bipolar disorder: a cluster analytical approach. <i>Psychological Medicine</i> , 2022, 52, 159-168.  | 4.5 | 13        |
| 5  | Long-term outcome predictors after functional remediation in patients with bipolar disorder. <i>Psychological Medicine</i> , 2022, 52, 314-322.   | 4.5 | 5         |
| 6  | Efficacy of an integrative approach for bipolar disorder: preliminary results from a randomized controlled trial. <i>Psychological Medicine</i> , 2022, 52, 4094-4105.  | 4.5 | 12        |
| 7  | Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022, 296, 208-215.   | 4.1 | 6         |
| 8  | Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. <i>Journal of Affective Disorders</i> , 2022, 298, 522-531.   | 4.1 | 8         |
| 9  | Cognition in older adults with bipolar disorder: An ISBD task force systematic review and meta-analysis based on a comprehensive neuropsychological assessment. <i>Bipolar Disorders</i> , 2022, 24, 115-136.                                   | 1.9 | 24        |
| 10 | Functional Remediation for Older Adults with Bipolar Disorder (FROA-BD): Study protocol for a randomized controlled trial. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2022, , .   | 1.8 | 2         |
| 11 | Aging in bipolar disorder: Cognitive performance and clinical factors based on an adulthood-lifespan perspective. <i>Journal of Affective Disorders</i> , 2022, 312, 292-302.   | 4.1 | 6         |
| 12 | Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGE-MIX study. <i>Bipolar Disorders</i> , 2021, 23, 391-399.  | 1.9 | 7         |
| 13 | Effects of the COVID-19 pandemic and lockdown in Spain: comparison between community controls and patients with a psychiatric disorder. Preliminary results from the BRIS-MHC STUDY.. <i>Journal of Affective Disorders</i> , 2021, 281, 13-23. | 4.1 | 70        |
| 14 | Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2021, 14, 50-64.  | 1.8 | 6         |
| 15 | Resilience and mental health during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021, 283, 156-164.  | 4.1 | 98        |
| 16 | Commentary on "The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary" <i>Bipolar Disorders</i> , 2021, 23, 513-514.                                      | 1.9 | 2         |
| 17 | The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021, 47, 98-111.   | 0.7 | 21        |
| 18 | Self-reported neurocognitive symptoms during COVID-19 lockdown and its associated factors in a sample of psychiatric patients. Results from the BRIS-MHC study. <i>European Neuropsychopharmacology</i> , 2021, 53, 7-18.                       | 0.7 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.  | 2.2 | 6         |
| 20 | Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 237, 31-39.   | 2.0 | 10        |
| 21 | P.0412 Does sex really matter in cognitive and psychological functioning in bipolar disorder?. <i>European Neuropsychopharmacology</i> , 2021, 53, S298-S299.  | 0.7 | 0         |
| 22 | T27. COGNITIVE RESERVE IN CHILD AND ADOLESCENT OFFSPRING OF PATIENTS DIANOSSED WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2020, 46, S241-S242.  | 4.3 | 0         |
| 23 | Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De PsiquiatrAa Y Salud Mental (English Edition)</i> , 2020, 13, 165-173. | 0.3 | 0         |
| 24 | &lt;p&gt;Clinical and Neurocognitive Predictors of Functional Outcome in Depressed Patients with Partial Response to Treatment: One Year Follow-Up Study&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 589-595.  | 2.2 | 10        |
| 25 | A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 274, 1113-1121.  | 4.1 | 12        |
| 26 | Neuropsychological development in the child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder: A two-year follow-up comparative study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 103, 109972.                    | 4.8 | 11        |
| 27 | Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De PsiquiatrAa Y Salud Mental</i> , 2020, 13, 165-173.                   | 1.8 | 5         |
| 28 | Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2019, 8, 1046.   | 2.4 | 25        |
| 29 | Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. <i>Journal of Clinical Medicine</i> , 2019, 8, 586.  | 2.4 | 31        |
| 30 | Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. <i>European Neuropsychopharmacology</i> , 2019, 29, 701-710.   | 0.7 | 10        |
| 31 | Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.   | 3.1 | 25        |
| 32 | Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019, 249, 199-207.  | 4.1 | 11        |
| 33 | Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 369-380.  | 4.5 | 26        |
| 34 | Meta-analysis of Voxel-Based Neuroimaging Studies using Seed-based d Mapping with Permutation of Subject Images (SDM-PSI). <i>Journal of Visualized Experiments</i> , 2019, , .  | 0.3 | 56        |
| 35 | Heterogeneity of functional outcomes in patients with bipolar disorder: a clusterâ€analytic approach. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 516-527.  | 4.5 | 81        |
| 36 | Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 64-74.  | 2.0 | 13        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154.                                | 4.5 | 60        |
| 38 | Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 749-755. | 3.2 | 24        |
| 39 | F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018, 44, S222-S223.   | 4.3 | 0         |
| 40 | Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018, 28, 863-874.  | 0.7 | 16        |
| 41 | Cognitive reserve as an outcome predictor: first-episode affective versus non-affective psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 441-455.  | 4.5 | 66        |
| 42 | Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018, 238, 297-304.   | 4.1 | 26        |
| 43 | Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 210, 280-286.          | 4.1 | 50        |
| 44 | Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.                                 | 0.7 | 26        |
| 45 | Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 670-680.   | 2.1 | 174       |
| 46 | Functional Impairment in Older Adults With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 443-447.   | 1.0 | 19        |
| 47 | Social cognition in bipolar disorder: Focus on emotional intelligence. <i>Journal of Affective Disorders</i> , 2017, 217, 210-217.  | 4.1 | 23        |
| 48 | Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 571-582.   | 4.5 | 24        |
| 49 | Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 363-374.  | 1.9 | 49        |
| 50 | High Cognitive Reserve in Bipolar Disorders as a Moderator of Neurocognitive Impairment. <i>European Psychiatry</i> , 2017, 41, S116-S116.  | 0.2 | 0         |
| 51 | High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017, 208, 621-627.  | 4.1 | 51        |
| 52 | Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.   | 4.5 | 103       |
| 53 | Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 57-64.   | 4.5 | 33        |
| 54 | Euthymia is not always euthymia: Clinical status of bipolar patients after 6 months of clinical remission. <i>European Psychiatry</i> , 2016, 33, S125-S125.  | 0.2 | 2         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301.                              | 4.5  | 43        |
| 56 | Functional remediation: the pathway from remission to recovery in bipolar disorder. <i>World Psychiatry</i> , 2016, 15, 288-289.   | 10.4 | 42        |
| 57 | Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016, 245, 66-73.                     | 3.3  | 13        |
| 58 | The impact of cognitive reserve in the outcome of first-episode psychoses: 2-year follow-up study. <i>European Neuropsychopharmacology</i> , 2016, 26, 1638-1648.                              | 0.7  | 89        |
| 59 | Neuropsychological and neuroimaging underpinnings of schizoaffective disorder: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 16-30.                                  | 4.5  | 36        |
| 60 | Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , 2016, 18, 288-299.  | 1.9  | 83        |
| 61 | Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2016, 75, 14-21.           | 3.1  | 18        |
| 62 | European Psychiatric Association Guidance on psychotherapy in chronic depression across Europe. <i>European Psychiatry</i> , 2016, 33, 18-36.  | 0.2  | 119       |
| 63 | Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.                                | 2.8  | 95        |
| 64 | Lifting the burden of bipolar disorder: The role of psychotherapies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 754-755.  | 2.3  | 1         |
| 65 | Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015, 30, 99-105.   | 0.2  | 28        |
| 66 | Risk factors for rapid cycling in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 549-559.  | 1.9  | 29        |
| 67 | Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.   | 3.1  | 39        |
| 68 | Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.               | 0.7  | 52        |
| 69 | Restoring Functioning in Bipolar Disorder. <i>Harvard Review of Psychiatry</i> , 2014, 22, 326-330.  | 2.1  | 12        |
| 70 | The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 247-254. | 3.2  | 34        |
| 71 | Clinical implications of predominant polarity and the polarity index in bipolar disorder: a naturalistic study. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 366-374.                    | 4.5  | 74        |
| 72 | P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2014, 24, S436-S437.                  | 0.7  | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 50-54. | 4.1 | 71        |
| 74 | Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.                          | 4.1 | 43        |
| 75 | Cognition and functioning in bipolar disorder. , 2014, , 1-14.   |     | 1         |
| 76 | Biological rhythm disturbance in remitted bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 6.  | 2.2 | 43        |
| 77 | Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013, 150, 29-36.                             | 4.1 | 116       |
| 78 | Towards a clinical staging for bipolar disorder: Defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013, 144, 65-71.                              | 4.1 | 105       |
| 79 | Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.         | 4.5 | 481       |
| 80 | Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.                                 | 7.2 | 269       |
| 81 | Neurocognitive Impairment Across the Bipolar Spectrum. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 194-200.   | 3.9 | 70        |
| 82 | Subthreshold symptoms in bipolar disorder: Impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012, 136, 650-659.                               | 4.1 | 156       |
| 83 | Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 309-317.   | 4.5 | 78        |
| 84 | Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 654-663.  | 1.9 | 39        |
| 85 | Long-Term Outcome of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e899-e905.  | 2.2 | 143       |
| 86 | Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011, 52, 613-622.  | 3.1 | 91        |
| 87 | Six-month functional outcome of a bipolar disorder cohort in the context of a specialized care program. <i>Bipolar Disorders</i> , 2011, 13, 679-686.  | 1.9 | 67        |
| 88 | Mania and depression. Mixed, not stirred. <i>Journal of Affective Disorders</i> , 2011, 133, 105-113.  | 4.1 | 75        |
| 89 | Are bipolar II patients cognitively impaired? A systematic review. <i>Psychological Medicine</i> , 2011, 41, 1791-1803.  | 4.5 | 65        |
| 90 | Functional Remediation for Bipolar Disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 112-116.  | 1.2 | 82        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: A long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010, 121, 156-160.               | 4.1 | 273       |
| 92  | Postpartum bipolar episodes are not distinct from spontaneous episodes: Implications for DSM-V. <i>Journal of Affective Disorders</i> , 2010, 126, 61-64.  | 4.1 | 11        |
| 93  | Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Annals of General Psychiatry</i> , 2010, 9, .  | 2.7 | 1         |
| 94  | Functional Impairment and Disability across Mood States in Bipolar Disorder. <i>Value in Health</i> , 2010, 13, 984-988.   | 0.3 | 161       |
| 95  | Has number of previous episodes any effect on response to group psychoeducation in bipolar patients? A 5-year follow-up <i>post hoc</i> analysis. <i>Acta Neuropsychiatrica</i> , 2010, 22, 50-53. | 2.1 | 81        |
| 96  | Effects of recurrence on the cognitive performance of patients with bipolar I disorder: implications for relapse prevention and treatment adherence. <i>Bipolar Disorders</i> , 2010, 12, 557-567. | 1.9 | 185       |
| 97  | The role and impact of contextual factors on functioning in patients with bipolar disorder. <i>Disability and Rehabilitation</i> , 2010, 32, S94-S104.   | 1.8 | 33        |
| 98  | Lithium Treatment Effects on the Neuropsychological Functioning of Patients With Bipolar I Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1055-1060.                                  | 2.2 | 68        |
| 99  | Abnormal temperament in patients with morbid obesity seeking surgical treatment. <i>Journal of Affective Disorders</i> , 2009, 118, 155-160.   | 4.1 | 34        |
| 100 | Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009, 11, 401-409.  | 1.9 | 156       |
| 101 | Functioning and Disability in Bipolar Disorder: An Extensive Review. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 285-297.  | 8.8 | 348       |
| 102 | Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .  | 0.2 | 0         |
| 103 | Neurocognitive Dysfunctions in Euthymic Bipolar Patients With and Without Prior History of Alcohol Use. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1120-1127.                               | 2.2 | 67        |
| 104 | Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1017-1023.   | 2.2 | 108       |
| 105 | Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 4-18.  | 4.5 | 151       |
| 106 | Impact of caregiver group psychoeducation on the course and outcome of bipolar patients in remission: a randomized controlled trial. <i>Bipolar Disorders</i> , 2008, 10, 511-519.                 | 1.9 | 168       |
| 107 | Ziprasidone in the Treatment of Affective Disorders: A Review. <i>CNS Neuroscience and Therapeutics</i> , 2008, 14, 278-286.   | 3.9 | 23        |
| 108 | Ethical questions in human clinical psychopharmacology: should the focus be on placebo administration?. <i>Journal of Psychopharmacology</i> , 2008, 22, 590-597.                                  | 4.0 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Validation of the Barcelona Bipolar Eating Disorder Scale for Bipolar Patients with Eating Disturbances. <i>Psychopathology</i> , 2008, 41, 379-387.                        | 1.5 | 27        |
| 110 | Neurocognitive Impairment in Bipolar Patients With and Without History of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 233-239.                             | 2.2 | 142       |
| 111 | Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 5.      | 1.2 | 605       |
| 112 | S.09.05 Psycho education and cognitive remediation of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2007, 17, S191.   | 0.7 | 0         |
| 113 | Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007, 9, 103-113.  | 1.9 | 497       |
| 114 | Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 453-460. | 4.5 | 53        |
| 115 | Specificity of Cognitive Deficits in Bipolar Disorder versus Schizophrenia. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 72-84.                                      | 8.8 | 185       |
| 116 | Cognitive Functioning in Bipolar Patients Receiving Lamotrigine. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 178-181.   | 1.4 | 49        |
| 117 | What really matters to bipolar patients' caregivers: Sources of family burden. <i>Journal of Affective Disorders</i> , 2006, 94, 157-163.                                   | 4.1 | 104       |
| 118 | Cognitive impairment in bipolar II disorder. <i>British Journal of Psychiatry</i> , 2006, 189, 254-259.   | 2.8 | 226       |
| 119 | Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 227-234.                   | 2.3 | 44        |
| 120 | Persistent Cognitive Dysfunctions in Bipolar I Disorder and Schizophrenic Patients: A 3-Year Follow-Up Study. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 113-119.  | 8.8 | 143       |
| 121 | Do Cognitive Complaints in Euthymic Bipolar Patients Reflect Objective Cognitive Impairment?. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 295-302.                  | 8.8 | 130       |
| 122 | Neuropsychological disturbances and cerebral blood flow in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 227-234.                   | 2.3 | 12        |
| 123 | Impact of a Psychoeducational Family Intervention on Caregivers of Stabilized Bipolar Patients. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 312-319.                | 8.8 | 149       |
| 124 | Cognitive impairment in euthymic bipolar patients: implications for clinical and functional outcome. <i>Bipolar Disorders</i> , 2004, 6, 224-232.                           | 1.9 | 517       |
| 125 | Psychoeducation in bipolar patients with comorbid personality disorders. <i>Bipolar Disorders</i> , 2004, 6, 294-298.   | 1.9 | 100       |
| 126 | Acute and continuation risperidone monotherapy in mania. <i>Human Psychopharmacology</i> , 2004, 19, 41-45.   | 1.5 | 30        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Cognitive Function Across Manic or Hypomanic, Depressed, and Euthymic States in Bipolar Disorder. American Journal of Psychiatry, 2004, 161, 262-270.   | 7.2  | 943       |
| 128 | Effects on Weight and Outcome of Long-term Olanzapine-Topiramate Combination Treatment in Bipolar Disorder. Journal of Clinical Psychopharmacology, 2004, 24, 374-378.                          | 1.4  | 57        |
| 129 | A Randomized Trial on the Efficacy of Group Psychoeducation in the Prophylaxis of Recurrences in Bipolar Patients Whose Disease Is in Remission. Archives of General Psychiatry, 2003, 60, 402. | 12.3 | 701       |
| 130 | Adjunctive topiramate in bipolar II disorder. World Journal of Biological Psychiatry, 2003, 4, 172-176.   | 2.6  | 18        |
| 131 | 1-Year Follow-Up of Patients Treated With Risperidone and Topiramate for a Manic Episode. Journal of Clinical Psychiatry, 2003, 64, 834-839.  | 2.2  | 29        |
| 132 | Psychoeducation Efficacy in Bipolar Disorders. Journal of Clinical Psychiatry, 2003, 64, 1101-1105.   | 2.2  | 239       |
| 133 | Neuropsychological Performance in Depressed and Euthymic Bipolar Patients. Neuropsychobiology, 2002, 46, 16-21.   | 1.9  | 67        |
| 134 | Use of Topiramate in Treatment-Resistant Bipolar Spectrum Disorders. Journal of Clinical Psychopharmacology, 2002, 22, 431-435.   | 1.4  | 67        |
| 135 | Quetiapine in the treatment of rapid cycling bipolar disorder. Bipolar Disorders, 2002, 4, 335-340.   | 1.9  | 74        |
| 136 | Cognitive remediation in psychiatric disorders. , 0, , 15-22.   |      | 0         |
| 137 | Functional remediation in bipolar disorder. , 0, , 23-30.   |      | 1         |
| 138 | Functional remediation program: sessions and content. , 0, , 31-106.  |      | 0         |