

John Furler, Fracgp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7343209/publications.pdf>

Version: 2024-02-01

129
papers

3,377
citations

201674

27
h-index

175258

52
g-index

130
all docs

130
docs citations

130
times ranked

5365
citing authors

#	ARTICLE	IF	CITATIONS
1	Health equity and COVID-19: global perspectives. <i>International Journal for Equity in Health</i> , 2020, 19, 104.	3.5	442
2	The effect of financial incentives on the quality of health care provided by primary care physicians. <i>The Cochrane Library</i> , 2011, , CD008451.	2.8	355
3	The Participatory Zeitgeist: an explanatory theoretical model of change in an era of coproduction and codesign in healthcare improvement. <i>Medical Humanities</i> , 2019, 45, 247-257.	1.2	161
4	A randomised control trial of a self-management program for people with a chronic illness from Vietnamese, Chinese, Italian and Greek backgrounds. <i>Patient Education and Counseling</i> , 2006, 64, 360-368.	2.2	116
5	National Heart Foundation of Australia and the Cardiac Society of Australia and New Zealand. <i>Heart Lung and Circulation</i> , 2005, 14, 275-291.	0.4	115
6	Multimorbidity and the inverse care law in primary care. <i>BMJ</i> , The, 2012, 344, e4152-e4152.	6.0	96
7	Equity of access to primary healthcare for vulnerable populations: the IMPACT international online survey of innovations. <i>International Journal for Equity in Health</i> , 2016, 15, 64.	3.5	96
8	The inverse care law revisited: impact of disadvantaged location on accessing longer GP consultation times. <i>Medical Journal of Australia</i> , 2002, 177, 80-83.	1.7	95
9	Telemedicine interventions for gestational diabetes mellitus: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, 1-9.	2.8	90
10	Effectiveness of general practice based, practice nurse led telephone coaching on glycaemic control of type 2 diabetes: the Patient Engagement And Coaching for Health (PEACH) pragmatic cluster randomised controlled trial. <i>BMJ</i> , The, 2013, 347, f5272-f5272.	6.0	80
11	Successful chronic disease care for Aboriginal Australians requires cultural competence. <i>Australian and New Zealand Journal of Public Health</i> , 2011, 35, 238-248.	1.8	68
12	The emotional context of self-management in chronic illness: A qualitative study of the role of health professional support in the self-management of type 2 diabetes. <i>BMC Health Services Research</i> , 2008, 8, 214.	2.2	65
13	Prevalence of normal weight obesity and its associated cardio-metabolic risk factors – Results from the baseline data of the Kerala Diabetes Prevention Program (KDPP). <i>PLoS ONE</i> , 2020, 15, e0237974.	2.5	56
14	The CORE study protocol: a stepped wedge cluster randomised controlled trial to test a co-design technique to optimise psychosocial recovery outcomes for people affected by mental illness in the community mental health setting. <i>BMJ Open</i> , 2015, 5, e006688-e006688.	1.9	53
15	Normal Weight Obesity: An Underrecognized Problem in Individuals of South Asian Descent. <i>Clinical Therapeutics</i> , 2019, 41, 1638-1642.	2.5	50
16	Supporting insulin initiation in type 2 diabetes in primary care: results of the Stepping Up pragmatic cluster randomised controlled clinical trial. <i>BMJ: British Medical Journal</i> , 2017, 356, j783.	2.3	46
17	A systematic review of interventions to enhance access to best practice primary health care for chronic disease management, prevention and episodic care. <i>BMC Health Services Research</i> , 2012, 12, 415.	2.2	44
18	Continuous glucose monitoring: a review of the evidence, opportunities for future use and ongoing challenges. <i>Internal Medicine Journal</i> , 2018, 48, 499-508.	0.8	43

#	ARTICLE	IF	CITATIONS
19	Participant demographics reported in "Table 1" of randomised controlled trials: a case of "inverse evidence"? International Journal for Equity in Health, 2012, 11, 14.	3.5	42
20	Multimorbidity, mortality, and HbA1c in type 2 diabetes: A cohort study with UK and Taiwanese cohorts. PLoS Medicine, 2020, 17, e1003094.	8.4	37
21	Patient Engagement and Coaching for Health: The PEACH study – a cluster randomised controlled trial using the telephone to coach people with type 2 diabetes to engage with their GPs to improve diabetes care: a study protocol. BMC Family Practice, 2007, 8, 20.	2.9	36
22	Time to care: tackling health inequalities through primary care. Family Practice, 2011, 28, 1-3.	1.9	33
23	Using technology to support care in gestational diabetes mellitus: Quantitative outcomes of an exploratory randomised control trial of adjunct telemedicine for gestational diabetes mellitus (TeleGDM). Diabetes Research and Clinical Practice, 2018, 142, 276-285.	2.8	33
24	The BMI – adiposity conundrum in South Asian populations: need for further research. Journal of Biosocial Science, 2019, 51, 619-621.	1.2	33
25	Associations between multimorbidity, all-cause mortality and glycaemia in people with type 2 diabetes: A systematic review. PLoS ONE, 2018, 13, e0209585.	2.5	32
26	Negotiations of distress between East Timorese and Vietnamese refugees and their family doctors in Melbourne. Sociology of Health and Illness, 2010, 32, 511-527.	2.1	30
27	Stepping up: a nurse-led model of care for insulin initiation for people with type 2 diabetes. Family Practice, 2014, 31, 349-356.	1.9	30
28	Use of professional-mode flash glucose monitoring, at 3-month intervals, in adults with type 2 diabetes in general practice (GP-OSMOTIC): a pragmatic, open-label, 12-month, randomised controlled trial. Lancet Diabetes and Endocrinology, 2020, 8, 17-26.	11.4	30
29	Roles and relationships between health professionals involved in insulin initiation for people with type 2 diabetes in the general practice setting: a qualitative study drawing on relational coordination theory. BMC Family Practice, 2014, 15, 20.	2.9	29
30	Bridging the Gap: using an interrupted time series design to evaluate systems reform addressing refugee maternal and child health inequalities. Implementation Science, 2015, 10, 62.	6.9	29
31	Insulin in general practice - barriers and enablers for timely initiation. Australian Family Physician, 2011, 40, 617-21.	0.5	29
32	Hypoglycemia in People with Type 2 Diabetes and CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 844-853.	4.5	28
33	Quit in General Practice: a cluster randomised trial of enhanced in-practice support for smoking cessation. BMC Family Practice, 2010, 11, 59.	2.9	27
34	Implementing pay-for-performance in Australian primary care: lessons from the United Kingdom and the United States. Medical Journal of Australia, 2010, 193, 408-411.	1.7	27
35	Patients' experience of using primary care services in the context of Indonesian universal health coverage reforms. Asia Pacific Family Medicine, 2017, 16, 4.	0.4	27
36	Quit in general practice: a cluster randomized trial of enhanced in-practice support for smoking cessation. Family Practice, 2015, 32, 173-180.	1.9	26

#	ARTICLE	IF	CITATIONS
37	The ethics of everyday practice in primary medical care: responding to social health inequities. <i>Philosophy, Ethics, and Humanities in Medicine</i> , 2010, 5, 6.	1.5	24
38	Equity and long-term condition self-management. <i>Chronic Illness</i> , 2011, 7, 3-5.	1.5	24
39	Obesity indicators that best predict type 2 diabetes in an Indian population: insights from the Kerala Diabetes Prevention Program. <i>Journal of Nutritional Science</i> , 2020, 9, e15.	1.9	23
40	An exploratory trial of basal and prandial insulin initiation and titration for type 2 diabetes in primary care with adjunct retrospective continuous glucose monitoring: INITIATION study. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, 247-255.	2.8	22
41	The Politics of Conducting Research on Depression in a Cross-Cultural Context. <i>Qualitative Health Research</i> , 2009, 19, 708-717.	2.1	21
42	Advancing engagement methods for trials: the CORE study relational model of engagement for a stepped wedge cluster randomised controlled trial of experience-based co-design for people living with severe mental illnesses. <i>Trials</i> , 2017, 18, 169.	1.6	21
43	Ethnicity-specific cut-offs that predict co-morbidities: the way forward for optimal utility of obesity indicators. <i>Journal of Biosocial Science</i> , 2019, 51, 624-626.	1.2	20
44	Developments in Australian general practice 2000-2002: what did these contribute to a well functioning and comprehensive Primary Health Care System?. <i>Australia and New Zealand Health Policy</i> , 2006, 3, 1.	2.2	19
45	Genetics of obesity in consanguineous populations – A road map to provide novel insights in the molecular basis and management of obesity. <i>EBioMedicine</i> , 2019, 40, 33-34.	6.1	19
46	Managing Depression Among Ethnic Communities: A Qualitative Study. <i>Annals of Family Medicine</i> , 2010, 8, 231-236.	1.9	18
47	Challenging evidence and assumptions: is there a role for self-monitoring of blood glucose in people with type 2 diabetes not using insulin?. <i>Current Medical Research and Opinion</i> , 2013, 29, 161-168.	1.9	18
48	Screening and diagnosis of chronic kidney disease in people with type 2 diabetes attending Australian general practice. <i>Australian Journal of Primary Health</i> , 2018, 24, 280.	0.9	18
49	Cultural respect in general practice: a cluster randomised controlled trial. <i>Medical Journal of Australia</i> , 2019, 210, 263-268.	1.7	17
50	Effect of a Peer-led Lifestyle Intervention on Individuals With Normal Weight Obesity: Insights From the Kerala Diabetes Prevention Program. <i>Clinical Therapeutics</i> , 2020, 42, 1618-1624.	2.5	17
51	<p>Metabolic Score for Visceral Fat (METS-VF) Estimation – A Novel Cost-Effective Obesity Indicator for Visceral Adipose Tissue Estimation<p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 3261-3267.	2.4	17
52	Stress, culture and –home–™: social context in Turkish and Arabic-speaking Australians™ views of diabetes prevention. <i>Health Promotion Journal of Australia</i> , 2007, 18, 63-68.	1.2	16
53	Under-Reporting of Socioeconomic Status of Patients in Stroke Trials. <i>Stroke</i> , 2013, 44, 2920-2922.	2.0	16
54	Process evaluation of a practice nurse-led smoking cessation trial in Australian general practice: views of general practitioners and practice nurses. <i>Family Practice</i> , 2015, 32, cmv041.	1.9	16

#	ARTICLE	IF	CITATIONS
55	Willingness to initiate insulin among adults with type 2 diabetes in Australian primary care: Results from the Stepping Up Study. <i>Diabetes Research and Clinical Practice</i> , 2016, 114, 126-135.	2.8	16
56	Overcoming clinical inertia in insulin initiation in primary care for patients with type 2 diabetes: 24-month follow-up of the Stepping Up cluster randomised controlled trial. <i>Primary Care Diabetes</i> , 2017, 11, 474-481.	1.8	16
57	Balancing Opposing Forces—A Nested Process Evaluation Study Protocol for a Stepped Wedge Designed Cluster Randomized Controlled Trial of an Experience Based Codesign Intervention. <i>International Journal of Qualitative Methods</i> , The, 2016, 15, 160940691667221.	2.8	15
58	Can primary care team-based transition to insulin improve outcomes in adults with type 2 diabetes: the stepping up to insulin cluster randomized controlled trial protocol. <i>Implementation Science</i> , 2014, 9, 20.	6.9	14
59	Testing times! Choosing Wisely when it comes to monitoring type 2 diabetes. <i>Medical Journal of Australia</i> , 2015, 203, 354-356.	1.7	13
60	Knowing and telling: how African-Australians living with chronic hepatitis B understand hepatocellular carcinoma risk and surveillance. <i>Australian Journal of Primary Health</i> , 2018, 24, 141.	0.9	12
61	The CORE study—An adapted mental health experience codesign intervention to improve psychosocial recovery for people with severe mental illness: A stepped wedge cluster randomized—controlled trial. <i>Health Expectations</i> , 2021, 24, 1948-1961.	2.6	12
62	The —cost—of treating to target: cross-sectional analysis of patients with poorly controlled type 2 diabetes in Australian general practice. <i>BMC Family Practice</i> , 2013, 14, 32.	2.9	11
63	Prescribing of diabetes medications to people with type 2 diabetes and chronic kidney disease: a national cross-sectional study. <i>BMC Family Practice</i> , 2019, 20, 29.	2.9	10
64	Prescribing for people with type 2 diabetes and renal impairment in Australian general practice: A national cross sectional study. <i>Primary Care Diabetes</i> , 2019, 13, 113-121.	1.8	10
65	Women, clinician and IT staff perspectives on telehealth for enhanced gestational diabetes mellitus management in an Australian rural/regional setting. <i>Rural and Remote Health</i> , 2021, 21, 5983.	0.5	10
66	Development and validation of the Diabetes Management Orientation Scale (DMOS): Assessing culturally related approaches to diabetes self-management. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 24-30.	2.8	9
67	Factors Influencing Access to Urban General Practices and Primary Health Care by Aboriginal Australians—A Qualitative Study. <i>AlterNative</i> , 2012, 8, 66-84.	1.5	9
68	Relational coordination amongst health professionals involved in insulin initiation for people with type 2 diabetes in general practice: an exploratory survey. <i>BMC Health Services Research</i> , 2014, 14, 515.	2.2	9
69	A room with a view: a metaphor analysis of Vietnamese women—s representations of living with depression using photo elicitation. <i>Visual Studies</i> , 2018, 33, 251-263.	0.5	9
70	Socioeconomic status and time in glucose target range in people with type 2 diabetes: a baseline analysis of the GP-OSMOTIC study. <i>BMC Endocrine Disorders</i> , 2018, 18, 47.	2.2	9
71	How can primary care increase equity in health?. <i>NSW Public Health Bulletin</i> , 2002, 13, 35.	0.3	9
72	Telemedicine for Gestational Diabetes Mellitus (TeleGDM): A Mixed-Method Study Protocol of Effects of a Web-Based GDM Support System on Health Service Utilization, Maternal and Fetal Outcomes, Costs, and User Experience. <i>JMIR Research Protocols</i> , 2016, 5, e163.	1.0	9

#	ARTICLE	IF	CITATIONS
73	Health inequalities, physician citizens and professional medical associations: an Australian case study. <i>BMC Medicine</i> , 2007, 5, 23.	5.5	8
74	Leaders, leadership and future primary care clinical research. <i>BMC Family Practice</i> , 2008, 9, 52.	2.9	8
75	Perceptions of Health and Diabetes in a Melbourne South Sudanese Community. <i>Journal of Immigrant and Minority Health</i> , 2011, 13, 914-918.	1.6	8
76	An exploratory trial of insulin initiation and titration among patients with type 2 diabetes in the primary care setting with retrospective continuous glucose monitoring as an adjunct: INITIATION study protocol. <i>BMC Family Practice</i> , 2014, 15, 82.	2.9	8
77	Predictors of insulin uptake among adults with type 2 diabetes in the Stepping Up Study. <i>Diabetes Research and Clinical Practice</i> , 2017, 133, 204-210.	2.8	8
78	GP-OSMOTIC trial protocol: an individually randomised controlled trial to determine the effect of retrospective continuous glucose monitoring (r-CGM) on HbA1c in adults with type 2 diabetes in general practice. <i>BMJ Open</i> , 2018, 8, e021435.	1.9	8
79	Associations between multimorbidity and glycaemia (HbA1c) in people with type 2 diabetes: cross-sectional study in Australian general practice. <i>BMJ Open</i> , 2020, 10, e039625.	1.9	8
80	Primary care prevention of the cardiovascular health crisis for people with severe mental illnesses: The elephant in the room. <i>Australian Journal of General Practice</i> , 2018, 47, 846-850.	0.8	8
81	Interventions in Primary Care and their contributions to improving equity in health. <i>International Journal for Equity in Health</i> , 2015, 14, 153.	3.5	7
82	Cultural adaptation of a patient decision-aid for insulin therapy. <i>BMJ Open</i> , 2020, 10, e033791.	1.9	7
83	Written plans: an overlooked mechanism to develop recovery-oriented primary care for depression?. <i>Australian Journal of Primary Health</i> , 2014, 20, 241.	0.9	7
84	Prevention and socioeconomic disadvantage. <i>Australian Family Physician</i> , 2005, 34, 821-4.	0.5	7
85	The Brisbane International Initiative: fostering leadership and international collaboration in primary care research. <i>Medical Journal of Australia</i> , 2008, 189, 100-102.	1.7	6
86	What does it cost to establish a practice-based clinical trial in general practice?. <i>Medical Journal of Australia</i> , 2009, 191, 492-495.	1.7	6
87	The delivery of a telephone coaching programme to people with type 2 diabetes by practice nurses in Victoria, Australia: a qualitative evaluation. <i>Journal of Nursing and Healthcare of Chronic Illness</i> , 2011, 3, 419-426.	0.5	6
88	“Is insulin right for me?”: Feasibility of a pilot randomised controlled trial and acceptability of a web-based intervention to reduce psychological barriers to insulin therapy among adults with type 2 diabetes. <i>Diabetic Medicine</i> , 2022, 39, e14759.	2.3	6
89	Social determinants of health and health inequalities: what role for general practice?. <i>Health Promotion Journal of Australia</i> , 2006, 17, 264-265.	1.2	5
90	Impact of multimorbidity count on all-cause mortality and glycaemic outcomes in people with type 2 diabetes: a systematic review protocol. <i>BMJ Open</i> , 2018, 8, e021100.	1.9	5

#	ARTICLE	IF	CITATIONS
91	Guiding Glucose Management Discussions Among Adults With Type 2 Diabetes in General Practice: Development and Pretesting of a Clinical Decision Support Tool Prototype Embedded in an Electronic Medical Record. <i>JMIR Formative Research</i> , 2020, 4, e17785.	1.4	5
92	Optimizing Care and Outcomes for People with Type 2 Diabetes – Lessons from a Translational Research Program on Insulin Initiation in General Practice. <i>Frontiers in Medicine</i> , 2015, 1, 60.	2.6	4
93	Potentially preventable hospitalisations: are they a useful marker of access to and experience of care in general practice among people with type 2 diabetes?. <i>Australian Journal of Primary Health</i> , 2015, 21, 214.	0.9	4
94	Update on the General Practice Optimising Structured Monitoring to Improve Clinical Outcomes in Type 2 Diabetes (GP-OSMOTIC) trial: statistical analysis plan for a multi-centre randomised controlled trial. <i>Trials</i> , 2019, 20, 93.	1.6	4
95	Positive reinforcement by general practitioners is associated with greater physical activity in adults with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000701.	2.8	4
96	“Is Insulin Right for Me?” Development of a theory-informed, web-based resource for reducing psychological barriers to insulin therapy in type 2 diabetes. <i>BMJ Open</i> , 2021, 11, e045853.	1.9	4
97	Patient social and economic circumstances – GP perceptions and their influence on management. <i>Australian Family Physician</i> , 2005, 34, 189-92.	0.5	4
98	Equity of Access to Quality of Care in Family Medicine. <i>International Journal of Family Medicine</i> , 2011, 2011, 1-2.	1.2	3
99	An International Society and Journal for Equity in Health: 10 years on. <i>International Journal for Equity in Health</i> , 2011, 10, 11.	3.5	3
100	Factors associated with relational coordination between health professionals involved in insulin initiation in the general practice setting for people with type 2 diabetes. <i>Journal of Advanced Nursing</i> , 2015, 71, 2176-2188.	3.3	3
101	Looking forward to the next 15 years: innovation and new pathways for research in health equity. <i>International Journal for Equity in Health</i> , 2017, 16, 35.	3.5	3
102	The assertive cardiac care trial: A randomised controlled trial of a coproduced assertive cardiac care intervention to reduce absolute cardiovascular disease risk in people with severe mental illness in the primary care setting. <i>Contemporary Clinical Trials</i> , 2020, 97, 106143.	1.8	3
103	Managing Severe Chronic Breathlessness in Chronic Obstructive Pulmonary Disease Is Challenging for General Practitioners. <i>American Journal of Hospice and Palliative Medicine</i> , 2021, 38, 472-479.	1.4	3
104	The challenge of liver cancer surveillance in general practice: Do recall and reminder systems hold the answer?. <i>Australian Family Physician</i> , 2017, 46, 859-864.	0.5	3
105	Web-based intervention to reduce psychological barriers to insulin therapy among adults with non-insulin-treated type 2 diabetes: study protocol for a two-armed randomised controlled trial of “Is insulin right for me?”. <i>BMJ Open</i> , 2022, 12, e051524.	1.9	3
106	What role for Divisions of General Practice in addressing health inequity within their communities?. <i>Medical Journal of Australia</i> , 2000, 173, 79-79.	1.7	2
107	Comment on Connor et al. Randomized Trial of Telephone Outreach to Improve Medication Adherence and Metabolic Control in Adults With Diabetes. <i>Diabetes Care</i> 2014;37:3317-3324. <i>Diabetes Care</i> , 2015, 38, e45-e45.	8.6	2
108	Enhancing general practice referrals for women of refugee background to maternity care. <i>Australian Journal of Primary Health</i> , 2018, 24, 123.	0.9	2

#	ARTICLE	IF	CITATIONS
109	Hepatitis B contact tracing: what works?. Australian Journal of Primary Health, 2018, 24, 470.	0.9	2
110	Multimorbidity, glycaemic variability and time in target range in people with type 2 diabetes: A baseline analysis of the GP-OSMOTIC trial. Diabetes Research and Clinical Practice, 2020, 169, 108451.	2.8	2
111	Antiepileptic Drugs, Polypharmacy, and Quality of Life in People Living with Epilepsy Managed in General Practice. International Journal of Epilepsy, 2020, 06, 24-29.	0.5	2
112	Health inequalities in general practice. Australian Family Physician, 2003, 32, 47-50.	0.5	2
113	Editorial Issue 4 2011: Rethinking health inequities at a time of reform: a lost opportunity?. Australian Journal of Primary Health, 2011, 17, 297.	0.9	1
114	Changes in health services usage associated with insulin initiation in primary care. Australian Journal of Primary Health, 2018, 24, 155.	0.9	1
115	“For me, it didn’t seem as drastic a step as being controlled by insulin”: A qualitative investigation of expectations and experiences of non-insulin injectable therapy among adults with type 2 diabetes. Diabetic Medicine, 2021, , e14681.	2.3	1
116	Reforming Primary Care in Australia: A Narrative Review of the Evidence from Five Comparator Countries. Australian Journal of Primary Health, 2007, 13, 38.	0.9	1
117	An online resource supporting refugee healthcare in Australian general practice: An exploratory study. Australian Journal of General Practice, 2018, 47, 802-806.	0.8	1
118	Cost-effectiveness of professional-mode flash glucose monitoring in general practice among adults with type 2 diabetes: Evidence from the GP-OSMOTIC trial. Diabetic Medicine, 2021, , e14747.	2.3	1
119	Mental health - cultural competence. Australian Family Physician, 2010, 39, 206-8.	0.5	1
120	UK health inequalities: the class system is alive and well. Medical Journal of Australia, 2004, 181, 583-584.	1.7	0
121	Professional flash glucose monitoring and health service utilisation in type 2 diabetes: A secondary analysis of the GP-OSMOTIC study. Primary Care Diabetes, 2021, 15, 178-183.	1.8	0
122	Impact of quarterly professional-mode flash glucose monitoring in adults with type 2 diabetes in general practice (GP-OSMOTIC): Secondary psychological and self-care outcomes of a pragmatic, open-label, 12-month, randomised controlled trial. Diabetes Research and Clinical Practice, 2021, 179, 108994.	2.8	0
123	Ethics committees: is the tail wagging the dog?. Medical Journal of Australia, 1993, 158, 140-142.	1.7	0
124	Identifying Risk for Diabetes in Adolescence (IRDA): A pilot study in general practice. Australian Family Physician, 2016, 45, 582-6.	0.5	0
125	Title is missing!. , 2020, 17, e1003094.		0
126	Title is missing!. , 2020, 17, e1003094.		0

#	ARTICLE	IF	CITATIONS
127	Title is missing!. , 2020, 17, e1003094.		0
128	Title is missing!. , 2020, 17, e1003094.		0
129	Title is missing!.. , 2020, 17, e1003094.		0