

John Furler, Fracgp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7343209/publications.pdf>

Version: 2024-02-01

129
papers

3,377
citations

201674

27
h-index

175258

52
g-index

130
all docs

130
docs citations

130
times ranked

5365
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Web-based intervention to reduce psychological barriers to insulin therapy among adults with non-insulin-treated type 2 diabetes: study protocol for a two-armed randomised controlled trial of <i>Is insulin right for me?</i> TM . <i>BMJ Open</i> , 2022, 12, e051524. | 1.9 | 3 |
| 2 | <i>Is insulin right for me?</i> TM : Feasibility of a pilot randomised controlled trial and acceptability of a web-based intervention to reduce psychological barriers to insulin therapy among adults with type 2 diabetes. <i>Diabetic Medicine</i> , 2022, 39, e14759. | 2.3 | 6 |
| 3 | Managing Severe Chronic Breathlessness in Chronic Obstructive Pulmonary Disease Is Challenging for General Practitioners. <i>American Journal of Hospice and Palliative Medicine</i> , 2021, 38, 472-479. | 1.4 | 3 |
| 4 | Professional flash glucose monitoring and health service utilisation in type 2 diabetes: A secondary analysis of the GP-OSMOTIC study. <i>Primary Care Diabetes</i> , 2021, 15, 178-183. | 1.8 | 0 |
| 5 | Women, clinician and IT staff perspectives on telehealth for enhanced gestational diabetes mellitus management in an Australian rural/regional setting. <i>Rural and Remote Health</i> , 2021, 21, 5983. | 0.5 | 10 |
| 6 | The CORE study—An adapted mental health experience codesign intervention to improve psychosocial recovery for people with severe mental illness: A stepped wedge cluster randomized-controlled trial. <i>Health Expectations</i> , 2021, 24, 1948-1961. | 2.6 | 12 |
| 7 | <i>Is Insulin Right for Me?</i> TM Development of a theory-informed, web-based resource for reducing psychological barriers to insulin therapy in type 2 diabetes. <i>BMJ Open</i> , 2021, 11, e045853. | 1.9 | 4 |
| 8 | Impact of quarterly professional-mode flash glucose monitoring in adults with type 2 diabetes in general practice (GP-OSMOTIC): Secondary psychological and self-care outcomes of a pragmatic, open-label, 12-month, randomised controlled trial. <i>Diabetes Research and Clinical Practice</i> , 2021, 179, 108994. | 2.8 | 0 |
| 9 | <i>For me, it didn't seem as drastic a step as being controlled by insulin</i> TM : A qualitative investigation of expectations and experiences of non-insulin injectable therapy among adults with type 2 diabetes. <i>Diabetic Medicine</i> , 2021, , e14681. | 2.3 | 1 |
| 10 | Cost-effectiveness of professional-mode flash glucose monitoring in general practice among adults with type 2 diabetes: Evidence from the GP-OSMOTIC trial. <i>Diabetic Medicine</i> , 2021, , e14747. | 2.3 | 1 |
| 11 | Use of professional-mode flash glucose monitoring, at 3-month intervals, in adults with type 2 diabetes in general practice (GP-OSMOTIC): a pragmatic, open-label, 12-month, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 17-26. | 11.4 | 30 |
| 12 | Effect of a Peer-led Lifestyle Intervention on Individuals With Normal Weight Obesity: Insights From the Kerala Diabetes Prevention Program. <i>Clinical Therapeutics</i> , 2020, 42, 1618-1624. | 2.5 | 17 |
| 13 | Metabolic Score for Visceral Fat (METS-VF) Estimation—A Novel Cost-Effective Obesity Indicator for Visceral Adipose Tissue Estimation. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 3261-3267. | 2.4 | 17 |
| 14 | Multimorbidity, glycaemic variability and time in target range in people with type 2 diabetes: A baseline analysis of the GP-OSMOTIC trial. <i>Diabetes Research and Clinical Practice</i> , 2020, 169, 108451. | 2.8 | 2 |
| 15 | Prevalence of normal weight obesity and its associated cardio-metabolic risk factors—Results from the baseline data of the Kerala Diabetes Prevention Program (KDPP). <i>PLoS ONE</i> , 2020, 15, e0237974. | 2.5 | 56 |
| 16 | The assertive cardiac care trial: A randomised controlled trial of a coproduced assertive cardiac care intervention to reduce absolute cardiovascular disease risk in people with severe mental illness in the primary care setting. <i>Contemporary Clinical Trials</i> , 2020, 97, 106143. | 1.8 | 3 |
| 17 | Multimorbidity, mortality, and HbA1c in type 2 diabetes: A cohort study with UK and Taiwanese cohorts. <i>PLoS Medicine</i> , 2020, 17, e1003094. | 8.4 | 37 |
| 18 | Antiepileptic Drugs, Polypharmacy, and Quality of Life in People Living with Epilepsy Managed in General Practice. <i>International Journal of Epilepsy</i> , 2020, 06, 24-29. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cultural adaptation of a patient decision-aid for insulin therapy. <i>BMJ Open</i> , 2020, 10, e033791. | 1.9 | 7 |
| 20 | Health equity and COVID-19: global perspectives. <i>International Journal for Equity in Health</i> , 2020, 19, 104. | 3.5 | 442 |
| 21 | Obesity indicators that best predict type 2 diabetes in an Indian population: insights from the Kerala Diabetes Prevention Program. <i>Journal of Nutritional Science</i> , 2020, 9, e15. | 1.9 | 23 |
| 22 | Associations between multimorbidity and glycaemia (HbA1c) in people with type 2 diabetes: cross-sectional study in Australian general practice. <i>BMJ Open</i> , 2020, 10, e039625. | 1.9 | 8 |
| 23 | Guiding Glucose Management Discussions Among Adults With Type 2 Diabetes in General Practice: Development and Pretesting of a Clinical Decision Support Tool Prototype Embedded in an Electronic Medical Record. <i>JMIR Formative Research</i> , 2020, 4, e17785. | 1.4 | 5 |
| 24 | Title is missing!. , 2020, 17, e1003094. | | 0 |
| 25 | Title is missing!. , 2020, 17, e1003094. | | 0 |
| 26 | Title is missing!. , 2020, 17, e1003094. | | 0 |
| 27 | Title is missing!. , 2020, 17, e1003094. | | 0 |
| 28 | Title is missing!. , 2020, 17, e1003094. | | 0 |
| 29 | Normal Weight Obesity: An Underrecognized Problem in Individuals of South Asian Descent. <i>Clinical Therapeutics</i> , 2019, 41, 1638-1642. | 2.5 | 50 |
| 30 | Update on the General Practice Optimising Structured Monitoring to Improve Clinical Outcomes in Type 2 Diabetes (GP-OSMOTIC) trial: statistical analysis plan for a multi-centre randomised controlled trial. <i>Trials</i> , 2019, 20, 93. | 1.6 | 4 |
| 31 | Genetics of obesity in consanguineous populations – A road map to provide novel insights in the molecular basis and management of obesity. <i>EBioMedicine</i> , 2019, 40, 33-34. | 6.1 | 19 |
| 32 | The BMI – adiposity conundrum in South Asian populations: need for further research. <i>Journal of Biosocial Science</i> , 2019, 51, 619-621. | 1.2 | 33 |
| 33 | Hypoglycemia in People with Type 2 Diabetes and CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 844-853. | 4.5 | 28 |
| 34 | Ethnicity-specific cut-offs that predict co-morbidities: the way forward for optimal utility of obesity indicators. <i>Journal of Biosocial Science</i> , 2019, 51, 624-626. | 1.2 | 20 |
| 35 | Prescribing of diabetes medications to people with type 2 diabetes and chronic kidney disease: a national cross-sectional study. <i>BMC Family Practice</i> , 2019, 20, 29. | 2.9 | 10 |
| 36 | Cultural respect in general practice: a cluster randomised controlled trial. <i>Medical Journal of Australia</i> , 2019, 210, 263-268. | 1.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Positive reinforcement by general practitioners is associated with greater physical activity in adults with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000701. | 2.8 | 4 |
| 38 | The Participatory Zeitgeist: an explanatory theoretical model of change in an era of coproduction and codesign in healthcare improvement. <i>Medical Humanities</i> , 2019, 45, 247-257. | 1.2 | 161 |
| 39 | Prescribing for people with type 2 diabetes and renal impairment in Australian general practice: A national cross sectional study. <i>Primary Care Diabetes</i> , 2019, 13, 113-121. | 1.8 | 10 |
| 40 | Continuous glucose monitoring: a review of the evidence, opportunities for future use and ongoing challenges. <i>Internal Medicine Journal</i> , 2018, 48, 499-508. | 0.8 | 43 |
| 41 | Impact of multimorbidity count on all-cause mortality and glycaemic outcomes in people with type 2 diabetes: a systematic review protocol. <i>BMJ Open</i> , 2018, 8, e021100. | 1.9 | 5 |
| 42 | Associations between multimorbidity, all-cause mortality and glycaemia in people with type 2 diabetes: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0209585. | 2.5 | 32 |
| 43 | Enhancing general practice referrals for women of refugee background to maternity care. <i>Australian Journal of Primary Health</i> , 2018, 24, 123. | 0.9 | 2 |
| 44 | Changes in health services usage associated with insulin initiation in primary care. <i>Australian Journal of Primary Health</i> , 2018, 24, 155. | 0.9 | 1 |
| 45 | Hepatitis B contact tracing: what works?. <i>Australian Journal of Primary Health</i> , 2018, 24, 470. | 0.9 | 2 |
| 46 | A room with a view: a metaphor analysis of Vietnamese women's representations of living with depression using photo elicitation. <i>Visual Studies</i> , 2018, 33, 251-263. | 0.5 | 9 |
| 47 | Socioeconomic status and time in glucose target range in people with type 2 diabetes: a baseline analysis of the GP-OSMOTIC study. <i>BMC Endocrine Disorders</i> , 2018, 18, 47. | 2.2 | 9 |
| 48 | GP-OSMOTIC trial protocol: an individually randomised controlled trial to determine the effect of retrospective continuous glucose monitoring (r-CGM) on HbA1c in adults with type 2 diabetes in general practice. <i>BMJ Open</i> , 2018, 8, e021435. | 1.9 | 8 |
| 49 | Screening and diagnosis of chronic kidney disease in people with type 2 diabetes attending Australian general practice. <i>Australian Journal of Primary Health</i> , 2018, 24, 280. | 0.9 | 18 |
| 50 | Using technology to support care in gestational diabetes mellitus: Quantitative outcomes of an exploratory randomised control trial of adjunct telemedicine for gestational diabetes mellitus (TeleGDM). <i>Diabetes Research and Clinical Practice</i> , 2018, 142, 276-285. | 2.8 | 33 |
| 51 | Knowing and telling: how African-Australians living with chronic hepatitis B understand hepatocellular carcinoma risk and surveillance. <i>Australian Journal of Primary Health</i> , 2018, 24, 141. | 0.9 | 12 |
| 52 | Primary care prevention of the cardiovascular health crisis for people with severe mental illnesses: The elephant in the room. <i>Australian Journal of General Practice</i> , 2018, 47, 846-850. | 0.8 | 8 |
| 53 | An online resource supporting refugee healthcare in Australian general practice: An exploratory study. <i>Australian Journal of General Practice</i> , 2018, 47, 802-806. | 0.8 | 1 |
| 54 | Predictors of insulin uptake among adults with type 2 diabetes in the Stepping Up Study. <i>Diabetes Research and Clinical Practice</i> , 2017, 133, 204-210. | 2.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Overcoming clinical inertia in insulin initiation in primary care for patients with type 2 diabetes: 24-month follow-up of the Stepping Up cluster randomised controlled trial. <i>Primary Care Diabetes</i> , 2017, 11, 474-481. | 1.8 | 16 |
| 56 | Patients' experience of using primary care services in the context of Indonesian universal health coverage reforms. <i>Asia Pacific Family Medicine</i> , 2017, 16, 4. | 0.4 | 27 |
| 57 | Looking forward to the next 15 years: innovation and new pathways for research in health equity. <i>International Journal for Equity in Health</i> , 2017, 16, 35. | 3.5 | 3 |
| 58 | Advancing engagement methods for trials: the CORE study relational model of engagement for a stepped wedge cluster randomised controlled trial of experience-based co-design for people living with severe mental illnesses. <i>Trials</i> , 2017, 18, 169. | 1.6 | 21 |
| 59 | Supporting insulin initiation in type 2 diabetes in primary care: results of the Stepping Up pragmatic cluster randomised controlled clinical trial. <i>BMJ: British Medical Journal</i> , 2017, 356, j783. | 2.3 | 46 |
| 60 | The challenge of liver cancer surveillance in general practice: Do recall and reminder systems hold the answer?. <i>Australian Family Physician</i> , 2017, 46, 859-864. | 0.5 | 3 |
| 61 | Balancing Opposing Forces: A Nested Process Evaluation Study Protocol for a Stepped Wedge Designed Cluster Randomized Controlled Trial of an Experience Based Codesign Intervention. <i>International Journal of Qualitative Methods</i> , The, 2016, 15, 160940691667221. | 2.8 | 15 |
| 62 | Equity of access to primary healthcare for vulnerable populations: the IMPACT international online survey of innovations. <i>International Journal for Equity in Health</i> , 2016, 15, 64. | 3.5 | 96 |
| 63 | Willingness to initiate insulin among adults with type 2 diabetes in Australian primary care: Results from the Stepping Up Study. <i>Diabetes Research and Clinical Practice</i> , 2016, 114, 126-135. | 2.8 | 16 |
| 64 | Telemedicine for Gestational Diabetes Mellitus (TeleGDM): A Mixed-Method Study Protocol of Effects of a Web-Based GDM Support System on Health Service Utilization, Maternal and Fetal Outcomes, Costs, and User Experience. <i>JMIR Research Protocols</i> , 2016, 5, e163. | 1.0 | 9 |
| 65 | Identifying Risk for Diabetes in Adolescence (IRDA): A pilot study in general practice. <i>Australian Family Physician</i> , 2016, 45, 582-6. | 0.5 | 0 |
| 66 | Interventions in Primary Care and their contributions to improving equity in health. <i>International Journal for Equity in Health</i> , 2015, 14, 153. | 3.5 | 7 |
| 67 | Bridging the Gap: using an interrupted time series design to evaluate systems reform addressing refugee maternal and child health inequalities. <i>Implementation Science</i> , 2015, 10, 62. | 6.9 | 29 |
| 68 | Factors associated with relational coordination between health professionals involved in insulin initiation in the general practice setting for people with type 2 diabetes. <i>Journal of Advanced Nursing</i> , 2015, 71, 2176-2188. | 3.3 | 3 |
| 69 | Optimizing Care and Outcomes for People with Type 2 Diabetes: Lessons from a Translational Research Program on Insulin Initiation in General Practice. <i>Frontiers in Medicine</i> , 2015, 1, 60. | 2.6 | 4 |
| 70 | Testing times! Choosing Wisely when it comes to monitoring type 2 diabetes. <i>Medical Journal of Australia</i> , 2015, 203, 354-356. | 1.7 | 13 |
| 71 | The CORE study protocol: a stepped wedge cluster randomised controlled trial to test a co-design technique to optimise psychosocial recovery outcomes for people affected by mental illness in the community mental health setting. <i>BMJ Open</i> , 2015, 5, e006688-e006688. | 1.9 | 53 |
| 72 | Potentially preventable hospitalisations: are they a useful marker of access to and experience of care in general practice among people with type 2 diabetes?. <i>Australian Journal of Primary Health</i> , 2015, 21, 214. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Process evaluation of a practice nurse-led smoking cessation trial in Australian general practice: views of general practitioners and practice nurses. <i>Family Practice</i> , 2015, 32, cmv041. | 1.9 | 16 |
| 74 | Comment on Oâ€™Connor et al. Randomized Trial of Telephone Outreach to Improve Medication Adherence and Metabolic Control in Adults With Diabetes. <i>Diabetes Care</i> 2014;37:3317â€“3324. <i>Diabetes Care</i> , 2015, 38, e45-e45. | 8.6 | 2 |
| 75 | Telemedicine interventions for gestational diabetes mellitus: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, 1-9. | 2.8 | 90 |
| 76 | Quit in general practice: a cluster randomized trial of enhanced in-practice support for smoking cessation. <i>Family Practice</i> , 2015, 32, 173-180. | 1.9 | 26 |
| 77 | Relational coordination amongst health professionals involved in insulin initiation for people with type 2 diabetes in general practice: an exploratory survey. <i>BMC Health Services Research</i> , 2014, 14, 515. | 2.2 | 9 |
| 78 | Stepping up: a nurse-led model of care for insulin initiation for people with type 2 diabetes. <i>Family Practice</i> , 2014, 31, 349-356. | 1.9 | 30 |
| 79 | Can primary care team-based transition to insulin improve outcomes in adults with type 2 diabetes: the stepping up to insulin cluster randomized controlled trial protocol. <i>Implementation Science</i> , 2014, 9, 20. | 6.9 | 14 |
| 80 | Roles and relationships between health professionals involved in insulin initiation for people with type 2 diabetes in the general practice setting: a qualitative study drawing on relational coordination theory. <i>BMC Family Practice</i> , 2014, 15, 20. | 2.9 | 29 |
| 81 | An exploratory trial of basal and prandial insulin initiation and titration for type 2 diabetes in primary care with adjunct retrospective continuous glucose monitoring: INITIATION study. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, 247-255. | 2.8 | 22 |
| 82 | An exploratory trial of insulin initiation and titration among patients with type 2 diabetes in the primary care setting with retrospective continuous glucose monitoring as an adjunct: INITIATION study protocol. <i>BMC Family Practice</i> , 2014, 15, 82. | 2.9 | 8 |
| 83 | Written plans: an overlooked mechanism to develop recovery-oriented primary care for depression?. <i>Australian Journal of Primary Health</i> , 2014, 20, 241. | 0.9 | 7 |
| 84 | The â€œcostâ€ of treating to target: cross-sectional analysis of patients with poorly controlled type 2 diabetes in Australian general practice. <i>BMC Family Practice</i> , 2013, 14, 32. | 2.9 | 11 |
| 85 | Challenging evidence and assumptions: is there a role for self-monitoring of blood glucose in people with type 2 diabetes not using insulin?. <i>Current Medical Research and Opinion</i> , 2013, 29, 161-168. | 1.9 | 18 |
| 86 | Under-Reporting of Socioeconomic Status of Patients in Stroke Trials. <i>Stroke</i> , 2013, 44, 2920-2922. | 2.0 | 16 |
| 87 | Effectiveness of general practice based, practice nurse led telephone coaching on glycaemic control of type 2 diabetes: the Patient Engagement And Coaching for Health (PEACH) pragmatic cluster randomised controlled trial. <i>BMJ, The</i> , 2013, 347, f5272-f5272. | 6.0 | 80 |
| 88 | Multimorbidity and the inverse care law in primary care. <i>BMJ, The</i> , 2012, 344, e4152-e4152. | 6.0 | 96 |
| 89 | Factors Influencing Access to Urban General Practices and Primary Health Care by Aboriginal Australiansâ€™ A Qualitative Study. <i>AlterNative</i> , 2012, 8, 66-84. | 1.5 | 9 |
| 90 | A systematic review of interventions to enhance access to best practice primary health care for chronic disease management, prevention and episodic care. <i>BMC Health Services Research</i> , 2012, 12, 415. | 2.2 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Participant demographics reported in "Table 1" of randomised controlled trials: a case of "inverse evidence"? International Journal for Equity in Health, 2012, 11, 14. | 3.5 | 42 |
| 92 | The effect of financial incentives on the quality of health care provided by primary care physicians. The Cochrane Library, 2011, , CD008451. | 2.8 | 355 |
| 93 | Editorial Issue 4 2011: Rethinking health inequities at a time of reform: a lost opportunity?. Australian Journal of Primary Health, 2011, 17, 297. | 0.9 | 1 |
| 94 | Equity of Access to Quality of Care in Family Medicine. International Journal of Family Medicine, 2011, 2011, 1-2. | 1.2 | 3 |
| 95 | Successful chronic disease care for Aboriginal Australians requires cultural competence. Australian and New Zealand Journal of Public Health, 2011, 35, 238-248. | 1.8 | 68 |
| 96 | The delivery of a telephone coaching programme to people with type 2 diabetes by practice nurses in Victoria, Australia: a qualitative evaluation. Journal of Nursing and Healthcare of Chronic Illness, 2011, 3, 419-426. | 0.5 | 6 |
| 97 | Perceptions of Health and Diabetes in a Melbourne South Sudanese Community. Journal of Immigrant and Minority Health, 2011, 13, 914-918. | 1.6 | 8 |
| 98 | An International Society and Journal for Equity in Health: 10 years on. International Journal for Equity in Health, 2011, 10, 11. | 3.5 | 3 |
| 99 | Equity and long-term condition self-management. Chronic Illness, 2011, 7, 3-5. | 1.5 | 24 |
| 100 | Time to care: tackling health inequalities through primary care. Family Practice, 2011, 28, 1-3. | 1.9 | 33 |
| 101 | Insulin in general practice - barriers and enablers for timely initiation. Australian Family Physician, 2011, 40, 617-21. | 0.5 | 29 |
| 102 | Quit in General Practice: a cluster randomised trial of enhanced in-practice support for smoking cessation. BMC Family Practice, 2010, 11, 59. | 2.9 | 27 |
| 103 | The ethics of everyday practice in primary medical care: responding to social health inequities. Philosophy, Ethics, and Humanities in Medicine, 2010, 5, 6. | 1.5 | 24 |
| 104 | Implementing pay-for-performance in Australian primary care: lessons from the United Kingdom and the United States. Medical Journal of Australia, 2010, 193, 408-411. | 1.7 | 27 |
| 105 | Managing Depression Among Ethnic Communities: A Qualitative Study. Annals of Family Medicine, 2010, 8, 231-236. | 1.9 | 18 |
| 106 | Negotiations of distress between East Timorese and Vietnamese refugees and their family doctors in Melbourne. Sociology of Health and Illness, 2010, 32, 511-527. | 2.1 | 30 |
| 107 | Mental health - cultural competence. Australian Family Physician, 2010, 39, 206-8. | 0.5 | 1 |
| 108 | What does it cost to establish a practice-based clinical trial in general practice?. Medical Journal of Australia, 2009, 191, 492-495. | 1.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The Politics of Conducting Research on Depression in a Cross-Cultural Context. <i>Qualitative Health Research</i> , 2009, 19, 708-717. | 2.1 | 21 |
| 110 | Development and validation of the Diabetes Management Orientation Scale (DMOS): Assessing culturally related approaches to diabetes self-management. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 24-30. | 2.8 | 9 |
| 111 | Leaders, leadership and future primary care clinical research. <i>BMC Family Practice</i> , 2008, 9, 52. | 2.9 | 8 |
| 112 | The emotional context of self-management in chronic illness: A qualitative study of the role of health professional support in the self-management of type 2 diabetes. <i>BMC Health Services Research</i> , 2008, 8, 214. | 2.2 | 65 |
| 113 | The Brisbane International Initiative: fostering leadership and international collaboration in primary care research. <i>Medical Journal of Australia</i> , 2008, 189, 100-102. | 1.7 | 6 |
| 114 | Stress, culture and "home": social context in Turkish and Arabic-speaking Australians' views of diabetes prevention. <i>Health Promotion Journal of Australia</i> , 2007, 18, 63-68. | 1.2 | 16 |
| 115 | Patient Engagement and Coaching for Health: The PEACH study "a cluster randomised controlled trial using the telephone to coach people with type 2 diabetes to engage with their GPs to improve diabetes care: a study protocol. <i>BMC Family Practice</i> , 2007, 8, 20. | 2.9 | 36 |
| 116 | Health inequalities, physician citizens and professional medical associations: an Australian case study. <i>BMC Medicine</i> , 2007, 5, 23. | 5.5 | 8 |
| 117 | Reforming Primary Care in Australia: A Narrative Review of the Evidence from Five Comparator Countries. <i>Australian Journal of Primary Health</i> , 2007, 13, 38. | 0.9 | 1 |
| 118 | Social determinants of health and health inequalities: what role for general practice?. <i>Health Promotion Journal of Australia</i> , 2006, 17, 264-265. | 1.2 | 5 |
| 119 | A randomised control trial of a self-management program for people with a chronic illness from Vietnamese, Chinese, Italian and Greek backgrounds. <i>Patient Education and Counseling</i> , 2006, 64, 360-368. | 2.2 | 116 |
| 120 | Developments in Australian general practice 2000-2002: what did these contribute to a well functioning and comprehensive Primary Health Care System?. <i>Australia and New Zealand Health Policy</i> , 2006, 3, 1. | 2.2 | 19 |
| 121 | National Heart Foundation of Australia and the Cardiac Society of Australia and New Zealand. <i>Heart Lung and Circulation</i> , 2005, 14, 275-291. | 0.4 | 115 |
| 122 | Patient social and economic circumstances--GP perceptions and their influence on management. <i>Australian Family Physician</i> , 2005, 34, 189-92. | 0.5 | 4 |
| 123 | Prevention and socioeconomic disadvantage. <i>Australian Family Physician</i> , 2005, 34, 821-4. | 0.5 | 7 |
| 124 | UK health inequalities: the class system is alive and well. <i>Medical Journal of Australia</i> , 2004, 181, 583-584. | 1.7 | 0 |
| 125 | Health inequalities in general practice. <i>Australian Family Physician</i> , 2003, 32, 47-50. | 0.5 | 2 |
| 126 | The inverse care law revisited: impact of disadvantaged location on accessing longer GP consultation times. <i>Medical Journal of Australia</i> , 2002, 177, 80-83. | 1.7 | 95 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | How can primary care increase equity in health?. NSW Public Health Bulletin, 2002, 13, 35. | 0.3 | 9 |
| 128 | What role for Divisions of General Practice in addressing health inequity within their communities?. Medical Journal of Australia, 2000, 173, 79-79. | 1.7 | 2 |
| 129 | Ethics committees: is the tail wagging the dog?. Medical Journal of Australia, 1993, 158, 140-142. | 1.7 | 0 |