## Rhonda Small

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7346037/publications.pdf Version: 2024-02-01

		87888	85541
134	5,714	38	71
papers	citations	h-index	g-index
137	137	137	5273
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Vietnamese midwives' experiences of working in maternity care – A qualitative study in the Hanoi region. Sexual and Reproductive Healthcare, 2022, 31, 100695.	1.2	5
2	Midwives' communication with non-Swedish-speaking women giving birth: A survey from a multicultural setting in Sweden. European Journal of Midwifery, 2022, 6, 1-8.	1.1	1
3	Language-supported labor ward visits for pregnant migrant women: Staff experiences in a Swedish hospital. European Journal of Midwifery, 2022, 6, 1-9.	1.1	0
4	The community-based bilingual doula – A new actor filling gaps in labour care for migrant women. Findings from a qualitative study of midwives' and obstetricians' experiences. Sexual and Reproductive Healthcare, 2021, 28, 100614.	1.2	6
5	Group Pregnancy Care for refugee background women: a codesigned, multimethod evaluation protocol applying a community engagement framework and an interrupted time series design. BMJ Open, 2021, 11, e048271.	1.9	7
6	Maternal health care professionals' experiences and views on the use of obstetric ultrasound in Rwanda: A cross-sectional study. BMC Health Services Research, 2021, 21, 789.	2.2	1
7	Women's experiences of infant feeding support: Findings from a cross-sectional survey in Victoria, Australia. Women and Birth, 2021, 34, e505-e513.	2.0	9
8	Community-based bilingual doulas for migrant women in labour and birth – findings from a Swedish register-based cohort study. BMC Pregnancy and Childbirth, 2020, 20, 721.	2.4	9
9	Community-based doula support for migrant women during labour and birth: study protocol for a randomised controlled trial in Stockholm, Sweden (NCT03461640). BMJ Open, 2020, 10, e031290.	1.9	9
10	Epidural analgesia for labour pain in nulliparous women in Norway in relation to maternal country of birth and migration related factors. Sexual and Reproductive Healthcare, 2020, 26, 100553.	1.2	9
11	Country of first birth and neonatal outcomes in migrant and Norwegian-born parous women in Norway: a population-based study. BMC Health Services Research, 2020, 20, 540.	2.2	8
12	Sub-optimal use of ultrasound examinations may result in underperformance of Vietnamese maternity care – A qualitative study of midwives' experiences and views. Sexual and Reproductive Healthcare, 2020, 24, 100508.	1.2	6
13	Paternal country of origin and adverse neonatal outcomes in births to foreign-born women in Norway: A population-based cohort study. PLoS Medicine, 2020, 17, e1003395.	8.4	8
14	Title is missing!. , 2020, 17, e1003395.		0
15	Title is missing!. , 2020, 17, e1003395.		0
16	Title is missing!. , 2020, 17, e1003395.		0
17	Title is missing!. , 2020, 17, e1003395.		0
18	Title is missing!. , 2020, 17, e1003395.		0

Rhonda	SMALL
<b>I</b> CHORON	

#	Article	IF	CITATIONS
19	Title is missing!. , 2020, 17, e1003395.		0
20	Title is missing!. , 2020, 17, e1003395.		0
21	Women's views and experiences of publicly-funded homebirth programs in Victoria, Australia: A cross-sectional survey. Women and Birth, 2019, 32, 221-230.	2.0	11
22	Preconception Folic Acid Supplement Use in Immigrant Women (1999–2016). Nutrients, 2019, 11, 2300.	4.1	8
23	Stillbirth in relation to maternal country of birth and other migration related factors: a population-based study in Norway. BMC Pregnancy and Childbirth, 2019, 19, 5.	2.4	44
24	A much valued tool that also brings ethical dilemmas - a qualitative study of Norwegian midwives' experiences and views on the role of obstetric ultrasound. BMC Pregnancy and Childbirth, 2019, 19, 33.	2.4	11
25	Antenatal care for Somali-born women in Sweden: Perspectives from mothers, fathers and midwives. Midwifery, 2019, 74, 107-115.	2.3	32
26	Proactive Peer (Mother-to-Mother) Breastfeeding Support by Telephone (Ringing up About) Tj ETQq0 0 0 rgBT /Ov EClinicalMedicine, 2019, 8, 20-28.	verlock 10 7.1	) Tf 50 467 T 45
27	Health professionals' experiences and views on obstetric ultrasound in Vietnam: a regional, cross-sectional study. BMJ Open, 2019, 9, e031761.	1.9	8
28	Rationale, development and feasibility of group antenatal care for immigrant women in Sweden: a study protocol for the Hooyo Project. BMJ Open, 2019, 9, e030314.	1.9	6
29	Birthweight of babies born to migrant mothers - What role do integration policies play?. SSM - Population Health, 2019, 9, 100503.	2.7	9
30	Peer supporters' experiences on an Australian perinatal mental health helpline. Health Promotion International, 2019, 34, 479-489.	1.8	10
31	â€~Without ultrasound you can't reach the best decision' – Midwives' experiences and views of the of ultrasound in maternity care in Dar Es Salaam, Tanzania. Sexual and Reproductive Healthcare, 2018, 15, 28-34.	role 1.2	16
32	Norwegian obstetricians' experiences of the use of ultrasound in pregnancy management. A qualitative study. Sexual and Reproductive Healthcare, 2018, 15, 69-76.	1.2	8
33	Length of residence and caesarean section in migrant women in Sweden: a population-based study. European Journal of Public Health, 2018, 28, 1073-1079.	0.3	4
34	Risk of unplanned caesarean birth in Vietnamese-born women in Victoria, Australia: A cross-sectional study. Women and Birth, 2018, 31, 496-504.	2.0	4
35	Health professionals' experiences and views on obstetric ultrasound in Rwanda: A cross-sectional study. PLoS ONE, 2018, 13, e0208387.	2.5	24
36	Preeclampsia by maternal reasons for immigration: a population-based study. BMC Pregnancy and Childbirth, 2018, 18, 423.	2.4	17

#	Article	IF	CITATIONS
37	Maternal height and risk of caesarean section in singleton births in Sweden—A population-based study using data from the Swedish Pregnancy Register 2011 to 2016. PLoS ONE, 2018, 13, e0198124.	2.5	39
38	Characteristics of women calling the PANDA Perinatal Anxiety & Depression Australia National Helpline: a cross-sectional study. Archives of Women's Mental Health, 2018, 21, 801-812.	2.6	9
39	Trial of labour and vaginal birth after previous caesarean section: A population based study of Eastern African immigrants in Victoria, Australia. Midwifery, 2017, 46, 8-16.	2.3	2
40	Supporting the updated definition of pain. But what about labour pain?. Pain, 2017, 158, 990-991.	4.2	12
41	Episiotomy and severe perineal trauma among Eastern African immigrant women giving birth in public maternity care: A population based study in Victoria, Australia. Women and Birth, 2017, 30, 282-290.	2.0	25
42	The meaning of labour pain: how the social environment and other contextual factors shape women's experiences. BMC Pregnancy and Childbirth, 2017, 17, 157.	2.4	49
43	Caesarean Birth is Associated with Both Maternal and Paternal Origin in Immigrants in Sweden: a Populationâ€Based Study. Paediatric and Perinatal Epidemiology, 2017, 31, 509-521.	1.7	23
44	Improved maternity care if midwives learn to perform ultrasound: a qualitative study of Rwandan midwives' experiences and views of obstetric ultrasound. Global Health Action, 2017, 10, 1350451.	1.9	30
45	Variations in firstâ€time caesarean birth between Eastern African immigrants and Australianâ€born women in public care: A populationâ€based investigation in Victoria. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2017, 57, 294-301.	1.0	5
46	Implementation and evaluation of community-based drop-in centres for breastfeeding support in Victoria, Australia. International Breastfeeding Journal, 2017, 12, 46.	2.6	5
47	Fathers' satisfaction with two different models of antenatal care in Sweden – Findings from a quasi-experimental study. Midwifery, 2017, 50, 201-207.	2.3	10
48	Reflections on maternal health care within the Victorian Maternal and Child Health Service. Australian Journal of Primary Health, 2016, 22, 77.	0.9	46
49	Understanding sustained domestic violence identification in maternal and child health nurse care: process evaluation from a 2â€year followâ€up of the MOVE trial. Journal of Advanced Nursing, 2016, 72, 533-544.	3.3	31
50	Physicians' experiences and views on the role of obstetric ultrasound in rural and urban Rwanda: a qualitative study. Tropical Medicine and International Health, 2016, 21, 895-906.	2.3	22
51	Numeric Scoring of Pain Still Has Value. Annals of Emergency Medicine, 2016, 67, 679-680.	0.6	7
52	International migration as a determinant of emergency caesarean. Women and Birth, 2016, 29, e89-e98.	2.0	16
53	Caesarean births among migrant women in high-income countries. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 32, 88-99.	2.8	32
54	Publicly-funded home birth in Victoria, Australia: Exploring the views and experiences of midwives and doctors. Midwifery, 2016, 35, 24-30.	2.3	19

#	Article	IF	CITATIONS
55	Frequency of "Time for Self―Is a Significant Predictor of Postnatal Depressive Symptoms: Results from a Prospective Pregnancy Cohort Study. Birth, 2016, 43, 58-67.	2.2	9
56	Increasing possibilities – Increasing dilemmas: A qualitative study of Swedish midwives' experiences of ultrasound use in pregnancy. Midwifery, 2016, 42, 46-53.	2.3	23
57	â€~Essential but not always available when needed' – an interview study of physicians' experiences and views regarding use of obstetric ultrasound in Tanzania. Global Health Action, 2016, 9, 31062.	1.9	20
58	Supporting breastfeeding In Local Communities (SILC) in Victoria, Australia: a cluster randomised controlled trial. BMJ Open, 2016, 6, e008292.	1.9	18
59	Perinatal health outcomes of East African immigrant populations in Victoria, Australia: a population based study. BMC Pregnancy and Childbirth, 2016, 16, 86.	2.4	39
60	Frequency, severity and persistence of postnatal dyspareunia to 18 months post partum: A cohort study. Midwifery, 2016, 34, 15-20.	2.3	25
61	†Women think pregnancy management means obstetric ultrasound': Vietnamese obstetricians' views o the use of ultrasound during pregnancy. Clobal Health Action, 2015, 8, 28405.	n 1.9	18
62	Exploring the views and experiences of callers to the PANDA Post and Antenatal Depression Association Australian National Perinatal Depression Helpline: a cross-sectional survey. BMC Pregnancy and Childbirth, 2015, 15, 209.	2.4	10
63	Debriefing interventions for the prevention of psychological trauma in women following childbirth. The Cochrane Library, 2015, , CD007194.	2.8	73
64	Two sides of the same coin – an interview study of Swedish obstetricians' experiences using ultrasound in pregnancy management. BMC Pregnancy and Childbirth, 2015, 15, 304.	2.4	12
65	Bridging the Gap: using an interrupted time series design to evaluate systems reform addressing refugee maternal and child health inequalities. Implementation Science, 2015, 10, 62.	6.9	29
66	Ultrasound's â€~window on the womb' brings ethical challenges for balancing maternal and fetal health interests: obstetricians' experiences in Australia. BMC Medical Ethics, 2015, 16, 31.	2.4	13
67	Maternal and child health nurse screening and care for mothers experiencing domestic violence (MOVE): a cluster randomised trial. BMC Medicine, 2015, 13, 150.	5.5	56
68	Severe maternal morbidity associated with maternal birthplace in three high-immigration settings. European Journal of Public Health, 2015, 25, 620-625.	0.3	66
69	Immigrant Afghan women× <sup>3</sup> s emotional well-being after birth and use of health services in Melbourne, Australia. Midwifery, 2015, 31, 671-677.	2.3	24
70	Applying normalization process theory to understand implementation of a family violence screening and care model in maternal and child health nursing practice: a mixed method process evaluation of a randomised controlled trial. Implementation Science, 2015, 10, 39.	6.9	91
71	Maternity services are not meeting the needs of immigrant women of non-English speaking background: Results of two consecutive Australian population based studies. Midwifery, 2015, 31, 664-670.	2.3	51
72	Assessment of pain associated with childbirth: Women× <sup>3</sup> s perspectives, preferences and solutions. Midwifery, 2015, 31, 708-712.	2.3	27

#	Article	IF	CITATIONS
73	A routine tool with far-reaching influence: Australian midwives' views on the use of ultrasound during pregnancy. BMC Pregnancy and Childbirth, 2015, 15, 195.	2.4	22
74	Measuring Perinatal Health Equity and Migration Indicators for International Comparisons. Health Care for Women International, 2015, 36, 684-710.	1.1	5
75	Improving Population-Level Maternal Health: A Hard Nut to Crack? Long Term Findings and Reflections on a 16-Community Randomised Trial in Australia to Improve Maternal Emotional and Physical Health after Birth [ISRCTN03464021]. PLoS ONE, 2014, 9, e88457.	2.5	7
76	Preventing and reducing violence against women: innovation in community-level studies. BMC Medicine, 2014, 12, 155.	5.5	10
77	Supporting breastfeeding In Local Communities (SILC): protocol for a cluster randomised controlled trial. BMC Pregnancy and Childbirth, 2014, 14, 346.	2.4	10
78	†Ultrasound is an invaluable third eye, but it can't see everything': a qualitative study with obstetricians in Australia. BMC Pregnancy and Childbirth, 2014, 14, 363.	2.4	32
79	Women× <sup>3</sup> s experiences of labour pain and the role of the mind: An exploratory study. Midwifery, 2014, 30, 1029-1035.	2.3	55
80	Ringing Up about Breastfeeding: a randomised controlled trial exploring early telephone peer support for breastfeeding (RUBY) – trial protocol. BMC Pregnancy and Childbirth, 2014, 14, 177.	2.4	16
81	Development of the Migrant Friendly Maternity Care Questionnaire (MFMCQ) for migrants to Western societies: an international Delphi consensus process. BMC Pregnancy and Childbirth, 2014, 14, 200.	2.4	40
82	Immigrant and non-immigrant women's experiences of maternity care: a systematic and comparative review of studies in five countries. BMC Pregnancy and Childbirth, 2014, 14, 152.	2.4	157
83	International migration and caesarean birth: a systematic review and meta-analysis. BMC Pregnancy and Childbirth, 2013, 13, 27.	2.4	100
84	A population-based study of overweight and obesity in expectant parents: socio-demographic patterns and within-couple associations. BMC Public Health, 2013, 13, 923.	2.9	13
85	Interventions for supporting pregnant women's decision-making about mode of birth after a caesarean. The Cochrane Library, 2013, , CD010041.	2.8	36
86	Using documents to investigate links between implementation and sustainability in a complex community intervention: The PRISM study. Social Science and Medicine, 2012, 75, 1222-1229.	3.8	18
87	Women's views and experiences of maternity care: A study of immigrant Afghan women in Melbourne, Australia. Midwifery, 2012, 28, 198-203.	2.3	52
88	Improving child health promotion practices in multiple sectors – outcomes of the Swedish Salut Programme. BMC Public Health, 2012, 12, 920.	2.9	28
89	Enhanced maternal and child health nurse care for women experiencing intimate partner/family violence: protocol for MOVE, a cluster randomised trial of screening and referral in primary health care. BMC Public Health, 2012, 12, 811.	2.9	22
90	Lived experience of gestational diabetes mellitus among immigrant South Asian women in Australia. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2011, 51, 360-364.	1.0	86

#	Article	IF	CITATIONS
91	Giving offspring a healthy start: parents' experiences of health promotion and lifestyle change during pregnancy and early parenthood. BMC Public Health, 2011, 11, 936.	2.9	119
92	Mothers' AdvocateS In the Community (MOSAIC)- non-professional mentor support to reduce intimate partner violence and depression in mothers: a cluster randomised trial in primary care. BMC Public Health, 2011, 11, 178.	2.9	104
93	The power of social connection and support in improving health: lessons from social support interventions with childbearing women. BMC Public Health, 2011, 11, S4.	2.9	55
94	Life with a new baby: How do immigrant and Australianâ€born women's experiences compare?. Australian and New Zealand Journal of Public Health, 2010, 34, 412-421.	1.8	47
95	A handsâ€on experience of the voice of customer analysis in maternity care from Iran. International Journal of Health Care Quality Assurance, 2010, 23, 153-170.	0.9	23
96	Migration to western industrialised countries and perinatal health: A systematic review. Social Science and Medicine, 2009, 69, 934-946.	3.8	268
97	MOSAIC (MOthers' Advocates In the Community): protocol and sample description of a cluster randomised trial of mentor mother support to reduce intimate partner violence among pregnant or recent mothers. BMC Public Health, 2009, 9, 159.	2.9	40
98	Stillbirths and infant deaths among migrants in industrialized countries. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 134-148.	2.8	167
99	Researching labour and birth events using health information records: methodological challenges. Midwifery, 2009, 25, 701-710.	2.3	12
100	Somali women and their pregnancy outcomes postmigration: data from six receiving countries. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 1630-1640.	2.3	165
101	Developing evidence-based maternity care in Iran: a quality improvement study. BMC Pregnancy and Childbirth, 2008, 8, 20.	2.4	24
102	Intimate partner violence in Vietnam and among Vietnamese diaspora communities in western societies: A comprehensive review. Journal of Family Studies, 2008, 14, 167-182.	1.5	12
103	A hierarchy of evidence for assessing qualitative health research. Journal of Clinical Epidemiology, 2007, 60, 43-49.	5.0	415
104	Reduction of maternal depression: much remains to be done. Lancet, The, 2007, 370, 1593-1595.	13.7	8
105	Screening for postnatal depression: not a simple task. Australian and New Zealand Journal of Public Health, 2007, 31, 57-61.	1.8	19
106	The essential role of social theory in qualitative public health research. Australian and New Zealand Journal of Public Health, 2007, 31, 438-443.	1.8	45
107	Generating best evidence from qualitative research: the role of data analysis. Australian and New Zealand Journal of Public Health, 2007, 31, 545-550.	1.8	562
108	Study highlighted important issues. Australian and New Zealand Journal of Public Health, 2007, 31, 286-287.	1.8	0

#	Article	IF	CITATIONS
109	The performance of the Edinburgh Postnatal Depression Scale in English speaking and non-English speaking populations in Australia. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 70-78.	3.1	61
110	PRISM (Program of Resources, Information and Support for Mothers): a community-randomised trial to reduce depression and improve women's physical health six months after birth [ISRCTN03464021]. BMC Public Health, 2006, 6, 37.	2.9	58
111	Midwife-led debriefing after operative birth: four to six year follow-up of a randomised trial [ISRCTN24648614]. BMC Medicine, 2006, 4, 3.	5.5	14
112	PRISM: Mounting a communityâ€randomised trial. Establishing partnerships with local government. Australian and New Zealand Journal of Public Health, 2004, 28, 471-475.	1.8	5
113	Early discharge: no evidence of adverse outcomes in three consecutive population-based Australian surveys of recent mothers, conducted in 1989, 1994 and 2000. Paediatric and Perinatal Epidemiology, 2004, 18, 202-213.	1.7	45
114	Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM. Contemporary Clinical Trials, 2004, 25, 235-250.	1.9	24
115	Conceptual clarity in international collaborations: A point of departure for policy-relevant research on discrimination. Journal of International Migration and Integration, 2004, 5, 477-494.	1.4	0
116	Association between depression and abuse by partners of women attending general practice: descriptive, cross sectional survey. BMJ: British Medical Journal, 2004, 328, 621-624.	2.3	187
117	PRISM (Program of Resources, Information and Support for Mothers) Protocol for a community-randomised trial [ISRCTN03464021]. BMC Public Health, 2003, 3, 36.	2.9	36
118	Cross-cultural experiences of maternal depression: associations and contributing factors for Vietnamese, Turkish and Filipino immigrant women in Victoria, Australia. Ethnicity and Health, 2003, 8, 189-206.	2.5	104
119	How useful is the concept of somatization in cross-cultural studies of maternal depression? A contribution from the Mothers in a New Country (MINC) study. Journal of Psychosomatic Obstetrics and Gynaecology, 2003, 24, 45-52.	2.1	14
120	Early postnatal discharge from hospital for healthy mothers and term infants. The Cochrane Library, 2002, , CD002958.	2.8	109
121	Immigrant Women's Views About Care During Labor and Birth: An Australian Study of Vietnamese, Turkish, and Filipino Women. Birth, 2002, 29, 266-277.	2.2	87
122	Randomised controlled trial of midwife led debriefing to reduce maternal depression after operative childbirth. BMJ: British Medical Journal, 2000, 321, 1043-1047.	2.3	176
123	Cross-cultural research: trying to do it better 2. Enhancing data quality. Australian and New Zealand Journal of Public Health, 1999, 23, 385-389.	1.8	42
124	Cross-cultural research: trying to do it better 2. Enhancing data quality. Australian and New Zealand Journal of Public Health, 1999, 23, 390-395.	1.8	52
125	Mothers in a New Country: The Role of Culture and Communication in Vietnamese, Turkish and Filipino Women's Experiences of Giving Birth in Australia. Women and Health, 1999, 28, 77-101.	1.0	95
126	Support, sensitivity, satisfaction: Filipino, Turkish and Vietnamese women's experiences of postnatal hospital stay. Midwifery, 1998, 14, 144-154.	2.3	62

#	Article	IF	CITATIONS
127	Shared antenatal care fails to rate well with women of nonâ€Englishâ€speaking backgrounds. Medical Journal of Australia, 1998, 168, 15-18.	1.7	22
128	Early discharge and risk for postnatal depression. Medical Journal of Australia, 1998, 168, 419-419.	1.7	0
129	Being a †̃good mother'. Journal of Reproductive and Infant Psychology, 1997, 15, 185-200.	1.8	37
130	Depression After Childbirth: The Views of Medical Students and Women Compared. Birth, 1997, 24, 109-115.	2.2	24
131	Depression after childbirth. Medical Journal of Australia, 1994, 161, 473-477.	1.7	50
132	Missing voices: What women say and do about depression after childbirth. Journal of Reproductive and Infant Psychology, 1994, 12, 89-103.	1.8	85
133	Birth events, birth experiences and social differences in postnatal depression. Australian Journal of Public Health, 1994, 18, 176-184.	0.2	177
134	To stay or not to stay: are fears about shorter postnatal hospital stays justified?. Midwifery, 1992, 8, 170-177.	2.3	25