

Shoji Kawamura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7348482/publications.pdf>

Version: 2024-02-01

84
papers

3,842
citations

117625

34
h-index

144013

57
g-index

85
all docs

85
docs citations

85
times ranked

2162
citing authors

#	ARTICLE	IF	CITATIONS
1	Should I stay or should I go now: dispersal decisions and reproductive success in male white-faced capuchins (<i>Cebus imitator</i>). <i>Behavioral Ecology and Sociobiology</i> , 2022, 76, .	1.4	2
2	Variation and heritability of retinal cone ratios in a free-ranging population of rhesus macaques. <i>Evolution; International Journal of Organic Evolution</i> , 2022, 76, 1776-1789.	2.3	5
3	The genomics of ecological flexibility, large brains, and long lives in capuchin monkeys revealed with fecalFACS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	34
4	Color vision and niche partitioning in a diverse neotropical primate community in lowland Amazonian Ecuador. <i>Ecology and Evolution</i> , 2021, 11, 5742-5758.	1.9	4
5	Evolution of the primate glutamate taste sensor from a nucleotide sensor. <i>Current Biology</i> , 2021, 31, 4641-4649.e5.	3.9	28
6	Orthologous Divergence and Paralogous Anticonvergence in Molecular Evolution of Triplicated Green Opsin Genes in Medaka Fish, Genus <i>Oryzias</i> . <i>Genome Biology and Evolution</i> , 2020, 12, 911-923.	2.5	6
7	Infant cannibalism in wild white-faced capuchin monkeys. <i>Ecology and Evolution</i> , 2020, 10, 12679-12684.	1.9	5
8	Primate life history, social dynamics, ecology, and conservation: Contributions from long-term research in Área de Conservación Guanacaste, Costa Rica. <i>Biotropica</i> , 2020, 52, 1041-1064.	1.6	22
9	Fruit scent and observer colour vision shape food-selection strategies in wild capuchin monkeys. <i>Nature Communications</i> , 2019, 10, 2407.	12.8	34
10	Endocrine regulation of multichromatic color vision. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 16882-16891.	7.1	39
11	Genetic and plastic variation in opsin gene expression, light sensitivity, and female response to visual signals in the guppy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 12247-12252.	7.1	17
12	Colour Vision Genetics Learned from New World Monkeys in Santa Rosa, Costa Rica. <i>Developments in Primatology</i> , 2018, , 257-277.	0.1	1
13	The Effects of Dispersal and Reproductive Patterns on the Evolution of Male Sociality in White-Faced Capuchins. <i>Developments in Primatology</i> , 2018, , 117-132.	0.1	7
14	Female sociality and sexual conflict shape offspring survival in a Neotropical primate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1892-1897.	7.1	54
15	Howler monkey foraging ecology suggests convergent evolution of routine trichromacy as an adaptation for folivory. <i>Ecology and Evolution</i> , 2017, 7, 1421-1434.	1.9	22
16	Trichromacy increases fruit intake rates of wild capuchins (<i>Cebus capucinus imitator</i>). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10402-10407.	7.1	55
17	Infant mortality in white-faced capuchins: The impact of alpha male replacements. <i>American Journal of Primatology</i> , 2017, 79, e22725.	1.7	15
18	Inbreeding avoidance and female mate choice shape reproductive skew in capuchin monkeys (<i>Cebus</i>). <i>Evolution</i> , 2017, 71, 1000-1010.	3.9	24

#	ARTICLE	IF	CITATIONS
19	Evolution of Genes for Color Vision and the Chemical Senses in Primates. <i>Evolutionary Studies</i> , 2017, , 181-216.	0.1	13
20	Variation in ligand responses of the bitter taste receptors TAS2R1 and TAS2R4 among New World monkeys. <i>BMC Evolutionary Biology</i> , 2016, 16, 208.	3.2	11
21	Effects of light environment during growth on the expression of cone opsin genes and behavioral spectral sensitivities in guppies (Poecilia reticulata). <i>BMC Evolutionary Biology</i> , 2016, 16, 106.	3.2	24
22	Color vision diversity and significance in primates inferred from genetic and field studies. <i>Genes and Genomics</i> , 2016, 38, 779-791.	1.4	33
23	Spectral sensitivity of guppy visual pigments reconstituted in vitro to resolve association of opsins with cone cell types. <i>Vision Research</i> , 2016, 127, 67-73.	1.4	32
24	Paternal kin recognition and infant care in white-faced capuchins (<i>Cebus capucinus</i>). <i>American Journal of Primatology</i> , 2016, 78, 659-668.	1.7	14
25	Euarchontan Opsin Variation Brings New Focus to Primate Origins. <i>Molecular Biology and Evolution</i> , 2016, 33, 1029-1041.	8.9	22
26	Spatially differentiated expression of quadruplicated green-sensitive RH2 opsin genes in zebrafish is determined by proximal regulatory regions and gene order to the locus control region. <i>BMC Genetics</i> , 2015, 16, 130.	2.7	17
27	Retinoic Acid Signaling Regulates Differential Expression of the Tandemly-Duplicated Long Wavelength-Sensitive Cone Opsin Genes in Zebrafish. <i>PLoS Genetics</i> , 2015, 11, e1005483.	3.5	50
28	Allonursing in white-faced capuchins (<i>Cebus capucinus</i>) provides evidence for cooperative care of infants. <i>Behaviour</i> , 2015, 152, 1841-1869.	0.8	21
29	Molecular and functional characterization of opsins in barfin flounder (<i>Verasper moseri</i>). <i>Gene</i> , 2015, 556, 182-191.	2.2	30
30	The Heterozygote Superiority Hypothesis for Polymorphic Color Vision Is Not Supported by Long-Term Fitness Data from Wild Neotropical Monkeys. <i>PLoS ONE</i> , 2014, 9, e84872.	2.5	23
31	Color Vision Variation as Evidenced by Hybrid L/M Opsin Genes in Wild Populations of Trichromatic <i>Alouatta</i> New World Monkeys. <i>International Journal of Primatology</i> , 2014, 35, 71-87.	1.9	30
32	Evolutionary renovation of L/M opsin polymorphism confers a fruit discrimination advantage to ateline New World monkeys. <i>Molecular Ecology</i> , 2014, 23, 1799-1812.	3.9	72
33	The effect of male parallel dispersal on the kin composition of groups in white-faced capuchins. <i>Animal Behaviour</i> , 2014, 96, 9-17.	1.9	30
34	Infanticides during periods of social stability: kinship, resumption of ovarian cycling, and mating access in white-faced capuchins (<i>Cebus capucinus</i>). <i>Neotropical Primates</i> , 2014, 21, 192-196.	0.1	8
35	Characterization of transgenic zebrafish lines that express GFP in the retina, pineal gland, olfactory bulb, hatching gland, and optic tectum. <i>Gene Expression Patterns</i> , 2013, 13, 150-159.	0.8	14
36	Inferred L/M cone opsin polymorphism of ancestral tarsiers sheds dim light on the origin of anthropoid primates. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20130189.	2.6	34

#	ARTICLE	IF	CITATIONS
37	Male philopatry in spider monkeys revisited. <i>American Journal of Physical Anthropology</i> , 2013, 152, 86-95.	2.1	19
38	Cone photoreceptor types in zebrafish are generated by symmetric terminal divisions of dedicated precursors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 15109-15114.	7.1	197
39	Bipolar cell photoreceptor connectivity in the zebrafish (<i>Danio rerio</i>) retina. <i>Journal of Comparative Neurology</i> , 2012, 520, 3786-3802.	1.6	86
40	Polymorphism and Adaptation of Primate Colour Vision. , 2012, , 225-241.		7
41	Why Aye-eyes See Blue. <i>American Journal of Primatology</i> , 2012, 74, 185-192.	1.7	91
42	The IgE gene in primates exhibits extraordinary evolutionary diversity. <i>Immunogenetics</i> , 2012, 64, 279-287.	2.4	13
43	Polymorphic Color Vision in Primates: Evolutionary Considerations. <i>Primate Monographs</i> , 2012, , 93-120.	0.8	33
44	Gene conversion and purifying selection shape nucleotide variation in gibbon L/M opsin genes. <i>BMC Evolutionary Biology</i> , 2011, 11, 312.	3.2	31
45	Evolutionary Diversification of Visual Opsin Genes in Fish and Primates. <i>Primate Monographs</i> , 2011, , 329-349.	0.8	5
46	Ontogeny of cone photoreceptor mosaics in zebrafish. <i>Journal of Comparative Neurology</i> , 2010, 518, 4182-4195.	1.6	131
47	Can color vision variation explain sex differences in invertebrate foraging by capuchin monkeys?. <i>Environmental Epigenetics</i> , 2010, 56, 300-312.	1.8	57
48	An Explicit Signature of Balancing Selection for Color-Vision Variation in New World Monkeys. <i>Molecular Biology and Evolution</i> , 2010, 27, 453-464.	8.9	84
49	A Single Enhancer Regulating the Differential Expression of Duplicated Red-Sensitive Opsin Genes in Zebrafish. <i>PLoS Genetics</i> , 2010, 6, e1001245.	3.5	70
50	éŒä½“ã,ãf—ã,ãf³é*ä¼ãã•è%ò²è šã©éŒ²ãŒ—ãšæS~æŒŒi¼šéšé;žã•éœšé•é;žã«æ³”ç;•ã—ãĴ. Hikaku Seiri Seikagaku (Comparative Phy		
51	Medaka: a promising model animal for comparative population genomics. <i>BMC Research Notes</i> , 2009, 2, 88.	1.4	18
52	Interplay of olfaction and vision in fruit foraging of spider monkeys. <i>Animal Behaviour</i> , 2009, 77, 1421-1426.	1.9	69
53	Fig Foraging by Dichromatic and Trichromatic <i>Cebus capucinus</i> in a Tropical Dry Forest. <i>International Journal of Primatology</i> , 2009, 30, 753-775.	1.9	73
54	Genetic differentiation among local populations of medaka fish (<i>Oryzias latipes</i>) evaluated through grid- and deme-based sampling. <i>Gene</i> , 2009, 443, 170-177.	2.2	18

#	ARTICLE	IF	CITATIONS
55	Polymorphic color vision in white-faced capuchins (<i>Cebus capucinus</i>): Is there foraging niche divergence among phenotypes?. <i>Behavioral Ecology and Sociobiology</i> , 2008, 62, 659-670.	1.4	57
56	Identification of cis-Acting Elements Repressing Blue Opsin Expression in Zebrafish UV Cones and Pineal Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 31625-31632.	3.4	54
57	Importance of Achromatic Contrast in Short-Range Fruit Foraging of Primates. <i>PLoS ONE</i> , 2008, 3, e3356.	2.5	91
58	Identification of a locus control region for quadruplicated green-sensitive opsin genes in zebrafish. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12813-12818.	7.1	70
59	A genetically explicit model of speciation by sensory drive within a continuous population in aquatic environments. <i>BMC Evolutionary Biology</i> , 2007, 7, 99.	3.2	43
60	Effects of colour vision phenotype on insect capture by a free-ranging population of white-faced capuchins, <i>Cebus capucinus</i> . <i>Animal Behaviour</i> , 2007, 73, 205-214.	1.9	141
61	Nok plays an essential role in maintaining the integrity of the outer nuclear layer in the zebrafish retina. <i>Experimental Eye Research</i> , 2006, 83, 31-44.	2.6	41
62	Functional characterization of visual opsin repertoire in Medaka (<i>Oryzias latipes</i>). <i>Gene</i> , 2006, 371, 268-278.	2.2	129
63	Advantage of dichromats over trichromats in discrimination of color-camouflaged stimuli in nonhuman primates. <i>American Journal of Primatology</i> , 2005, 67, 425-436.	1.7	78
64	Color-vision polymorphism in wild capuchins (<i>Cebus capucinus</i>) and spider monkeys (<i>Ateles geoffroyi</i>) in Costa Rica. <i>American Journal of Primatology</i> , 2005, 67, 447-461.	1.7	67
65	Demonstration of a genotype-phenotype correlation in the polymorphic color vision of a non-callitrichine New World monkey, capuchin (<i>Cebus apella</i>). <i>American Journal of Primatology</i> , 2005, 67, 471-485.	1.7	41
66	Temporal and spatial changes in the expression pattern of multiple red and green subtype opsin genes during zebrafish development. <i>Journal of Experimental Biology</i> , 2005, 208, 1337-1345.	1.7	146
67	Reconstitution of Ancestral Green Visual Pigments of Zebrafish and Molecular Mechanism of Their Spectral Differentiation. <i>Molecular Biology and Evolution</i> , 2005, 22, 1001-1010.	8.9	53
68	Spectral Differentiation of Blue Opsins between Phylogenetically Close but Ecologically Distant Goldfish and Zebrafish. <i>Journal of Biological Chemistry</i> , 2005, 280, 9460-9466.	3.4	35
69	Coupling and decoupling of evolutionary mode between X- and Y-chromosomal red-green opsin genes in owl monkeys. <i>Gene</i> , 2005, 352, 82-91.	2.2	8
70	Evolutionarily conserved and divergent regulatory sequences in the fish rod opsin promoter. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2005, 141, 391-399.	1.6	8
71	Ancestral Loss of Short Wave-Sensitive Cone Visual Pigment in Lorisiform Prosimians, Contrasting with Its Strict Conservation in Other Prosimians. <i>Journal of Molecular Evolution</i> , 2004, 58, 314-321.	1.8	112
72	Mutagenesis and reconstitution of middle-to-long-wave-sensitive visual pigments of New World monkeys for testing the tuning effect of residues at sites 229 and 233. <i>Vision Research</i> , 2004, 44, 2225-2231.	1.4	49

#	ARTICLE	IF	CITATIONS
73	Mutagenesis and reconstitution of middle-to-long-wave-sensitive visual pigments of New World monkeys for testing the tuning effect of residues at sites 229 and 233. <i>Vision Research</i> , 2004, 44, 2225-2231.	1.4	3
74	Absorption spectra of reconstituted visual pigments of a nocturnal prosimian, <i>Otolemur crassicaudatus</i> . <i>Gene</i> , 2003, 321, 131-135.	2.2	7
75	Fluorescence visualization of ultraviolet-sensitive cone photoreceptor development in living zebrafish. <i>FEBS Letters</i> , 2003, 553, 90-94.	2.8	101
76	Gene Duplication and Spectral Diversification of Cone Visual Pigments of Zebrafish. <i>Genetics</i> , 2003, 163, 663-675.	2.9	246
77	Y-chromosomal red-green opsin genes of nocturnal New World monkey1. <i>FEBS Letters</i> , 2002, 530, 70-72.	2.8	13
78	Visualization of rod photoreceptor development using GFP-transgenic zebrafish. <i>Genesis</i> , 2002, 34, 215-220.	1.6	74
79	Genomic and spectral analyses of long to middle wavelength-sensitive visual pigments of common marmoset (<i>Callithrix jacchus</i>). <i>Gene</i> , 2001, 269, 45-51.	2.2	34
80	Genetic Analyses of Visual Pigments of the Pigeon (<i>Columba livia</i>). <i>Genetics</i> , 1999, 153, 1839-1850.	2.9	51
81	Functional characterization of visual and nonvisual pigments of American chameleon (<i>Anolis Tj</i> ETQq1 1 0.784314 _{rgBT} /Overlock 10	1.4	110
82	Expression of visual and nonvisual opsins in American chameleon. <i>Vision Research</i> , 1997, 37, 1867-1871.	1.4	76
83	Paralogous origin of the rhodopsinlike opsin genes in lizards. <i>Journal of Molecular Evolution</i> , 1995, 40, 594-600.	1.8	16
84	Molecular characterization of the red visual pigment gene of the American chameleon (<i>Anolis Tj</i> ETQq0 0 0 rgBT /Overlock 10 Tf 50 302	2.8	29