## Enrica Chiadroni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7348606/publications.pdf

Version: 2024-02-01

177 papers 4,704 citations

34 h-index 65 g-index

177 all docs

177 docs citations

177 times ranked

3096 citing authors

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Operation of a free-electron laser from the extreme ultraviolet to the water window. Nature Photonics, 2007, 1, 336-342.  | 31.4 | 1,455     |
| 2  | First operation of a free-electron laser generating GW power radiation at 32Ânm wavelength. European Physical Journal D, 2006, 37, 297-303.   | 1.3  | 301       |
| 3  | SPARC_LAB present and future. Nuclear Instruments & Methods in Physics Research B, 2013, 309, 183-188.  | 1.4  | 124       |
| 4  | Strong nonlinear terahertz response induced by Dirac surface states in Bi2Se3 topological insulator. Nature Communications, 2016, 7, 11421.   | 12.8 | 124       |
| 5  | Experimental Demonstration of Emittance Compensation with Velocity Bunching. Physical Review Letters, 2010, 104, 054801.  | 7.8  | 111       |
| 6  | Intrinsic normalized emittance growth in laser-driven electron accelerators. Physical Review Special Topics: Accelerators and Beams, 2013, 16, .  | 1.8  | 97        |
| 7  | High-Gain Harmonic-Generation Free-Electron Laser Seeded by Harmonics Generated in Gas. Physical Review Letters, 2011, 107, 224801.   | 7.8  | 76        |
| 8  | Observation of Time-Domain Modulation of Free-Electron-Laser Pulses by Multipeaked Electron-Energy Spectrum. Physical Review Letters, 2013, 111, 114802.  | 7.8  | 68        |
| 9  | Self-Amplified Spontaneous Emission Free-Electron Laser with an Energy-Chirped Electron Beam and Undulator Tapering. Physical Review Letters, 2011, 106, 144801.  | 7.8  | 66        |
| 10 | EuPRAXIA Conceptual Design Report. European Physical Journal: Special Topics, 2020, 229, 3675-4284.   | 2.6  | 64        |
| 11 | Laser comb with velocity bunching: Preliminary results at SPARC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 637, S43-S46. | 1.6  | 62        |
| 12 | Laser-driven electron beamlines generated by coupling laser-plasma sources with conventional transport systems. Journal of Applied Physics, 2012, 112, .  | 2.5  | 62        |
| 13 | Electron Linac design to drive bright Compton back-scattering gamma-ray sources. Journal of Applied Physics, 2013, 113, 194508.   | 2.5  | 61        |
| 14 | Self-amplified spontaneous emission for a single pass free-electron laser. Physical Review Special Topics: Accelerators and Beams, 2011, 14, .  | 1.8  | 60        |
| 15 | Horizon 2020 EuPRAXIA design study. Journal of Physics: Conference Series, 2017, 874, 012029.   | 0.4  | 60        |
| 16 | Direct Measurement of the Double Emittance Minimum in the Beam Dynamics of the Sparc High-Brightness Photoinjector. Physical Review Letters, 2007, 99, 234801.  | 7.8  | 59        |
| 17 | The SPARC linear accelerator based terahertz source. Applied Physics Letters, 2013, 102, .  | 3.3  | 57        |
| 18 | Characterization of the THz radiation source at the Frascati linear accelerator. Review of Scientific Instruments, 2013, 84, 022703.  | 1.3  | 57        |

| #  | Article  | IF          | CITATIONS |
|----|--|-------------|-----------|
| 19 | The SPARC project: a high-brightness electron beam source at LNF to drive a SASE-FEL experiment.<br>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers,<br>Detectors and Associated Equipment, 2003, 507, 345-349.                | 1.6         | 50        |
| 20 | Superradiant Cascade in a Seeded Free-Electron Laser. Physical Review Letters, 2013, 110, 044801.  | 7.8         | 46        |
| 21 | EuPRAXIA@SPARC_LAB Design study towards a compact FEL facility at LNF. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 134-138.  | 1.6         | 46        |
| 22 | The External-Injection experiment at the SPARC_LAB facility. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 740, 60-66.  | 1.6         | 45        |
| 23 | Experimental characterization of active plasma lensing for electron beams. Applied Physics Letters, 2017, 110, .   | 3.3         | 42        |
| 24 | Chromatic effects in quadrupole scan emittance measurements. Physical Review Special Topics: Accelerators and Beams, 2012, 15, .   | 1.8         | 41        |
| 25 | Longitudinal Phase-Space Manipulation with Beam-Driven Plasma Wakefields. Physical Review Letters, 2019, 122, 114801.  | 7.8         | 41        |
| 26 | High brightness electron beam emittance evolution measurements in an rf photoinjector. Physical Review Special Topics: Accelerators and Beams, 2008, $11$ , .  | 1.8         | 39        |
| 27 | Dosimetry of very high energy electrons (VHEE) for radiotherapy applications: using radiochromic film measurements and Monte Carlo simulations. Physics in Medicine and Biology, 2014, 59, 5811-5829.  | 3.0         | 39        |
| 28 | Focusing of High-Brightness Electron Beams with Active-Plasma Lenses. Physical Review Letters, 2018, 121, 174801.  | 7.8         | 39        |
| 29 | High-Order-Harmonic Generation and Superradiance in a Seeded Free-Electron Laser. Physical Review Letters, 2012, 108, 164801.  | 7.8         | 38        |
| 30 | The SPARC_LAB Thomson source. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 237-242.   | 1.6         | 36        |
| 31 | Efficient modeling of plasma wakefield acceleration in quasi-non-linear-regimes with the hybrid code<br>Architect. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators,<br>Spectrometers, Detectors and Associated Equipment, 2016, 829, 386-391. | 1.6         | 36        |
| 32 | Free-electron lasing with compact beam-driven plasma wakefield accelerator. Nature, 2022, 605, 659-662.  | 27.8        | 36        |
| 33 | Large-bandwidth two-color free-electron laser driven by a comb-like electron beam. New Journal of Physics, 2014, 16, 033018.   | 2.9         | 35        |
| 34 | Beam manipulation with velocity bunching for PWFA applications. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 17-23.   | 1.6         | 35        |
| 35 | Femtosecond dynamics of energetic electrons in high intensity laser-matter interactions. Scientific Reports, 2016, 6, 35000.   | <b>3.</b> 3 | 32        |
| 36 | Energy spread minimization in a beam-driven plasma wakefield accelerator. Nature Physics, 2021, 17, 499-503.   | 16.7        | 30        |

| #  | Article   | lF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Experimental characterization of the effects induced by passive plasma lens on high brightness electron bunches. Applied Physics Letters, 2017, 111, .  | 3.3 | 29        |
| 38 | Femtosecond timing-jitter between photo-cathode laser and ultra-short electron bunches by means of hybrid compression. New Journal of Physics, 2016, 18, 083033.  | 2.9 | 26        |
| 39 | Six-dimensional measurements of trains of high brightness electron bunches. Physical Review Special Topics: Accelerators and Beams, 2015, 18, .   | 1.8 | 26        |
| 40 | Trace-space reconstruction of low-emittance electron beams through betatron radiation in laser-plasma accelerators. Physical Review Accelerators and Beams, 2017, 20, .   | 1.6 | 25        |
| 41 | Status of the SPARC project. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 528, 586-590.   | 1.6 | 24        |
| 42 | First single-shot and non-intercepting longitudinal bunch diagnostics for comb-like beam by means of Electro-Optic Sampling. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 740, 216-221. | 1.6 | 24        |
| 43 | Phase space analysis of velocity bunched beams. Physical Review Special Topics: Accelerators and Beams, 2011, 14, .   | 1.8 | 22        |
| 44 | Two-Color Radiation Generated in a Seeded Free-Electron Laser with Two Electron Beams. Physical Review Letters, 2015, 115, 014801.  | 7.8 | 22        |
| 45 | Time-domain measurement of a self-amplified spontaneous emission free-electron laser with an energy-chirped electron beam and undulator tapering. Applied Physics Letters, 2012, 101, 134102.   | 3.3 | 20        |
| 46 | Challenges in plasma and laser wakefield accelerated beams diagnostic. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 720, 153-156.   | 1.6 | 20        |
| 47 | The FLAME laser at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 452-455.  | 1.6 | 20        |
| 48 | Nonintercepting electron beam size monitor using optical diffraction radiation interference. Physical Review Special Topics: Accelerators and Beams, 2011, 14, .  | 1.8 | 19        |
| 49 | Mapping the transverse coherence of the self amplified spontaneous emission of a free-electron laser with the heterodyne speckle method. Optics Express, 2014, 22, 30013.   | 3.4 | 18        |
| 50 | Asymmetric lateral coherence of betatron radiation emitted in laser-driven light sources. Europhysics Letters, 2015, 111, 44003.  | 2.0 | 17        |
| 51 | Tailoring of Highly Intense THz Radiation Through High Brightness Electron Beams Longitudinal<br>Manipulation. Applied Sciences (Switzerland), 2016, 6, 56.   | 2.5 | 17        |
| 52 | Sub-picosecond snapshots of fast electrons from high intensity laser-matter interactions. Optics Express, 2016, 24, 29512.  | 3.4 | 17        |
| 53 | Plasma production for electron acceleration by resonant plasma wave. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 254-259.   | 1.6 | 17        |
| 54 | Controlling nonlinear longitudinal space charge oscillations for high peak current bunch train generation. Physical Review Special Topics: Accelerators and Beams, 2013, 16, .  | 1.8 | 16        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Transformer ratio studies for single bunch plasma wakefield acceleration. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 740, 242-245.                          | 1.6 | 16        |
| 56 | Compact and tunable focusing device for plasma wakefield acceleration. Review of Scientific Instruments, 2018, 89, 033302.  | 1.3 | 16        |
| 57 | Spectroscopic measurements of plasma emission light for plasma-based acceleration experiments. Journal of Instrumentation, 2016, 11, C09015-C09015.   | 1.2 | 15        |
| 58 | Ultrafast evolution of electric fields from high-intensity laser-matter interactions. Scientific Reports, 2018, 8, 3243.  | 3.3 | 15        |
| 59 | Overview of plasma lens experiments and recent results at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 16-20.                                 | 1.6 | 15        |
| 60 | Seeding experiments at SPARC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2008, 593, 132-136.  | 1.6 | 14        |
| 61 | Analogical optical modeling of the asymmetric lateral coherence of betatron radiation. Optics Express, 2015, 23, 29912.   | 3.4 | 14        |
| 62 | Coherence properties and diagnostics of betatron radiation emitted by an externally-injected electron beam propagating in a plasma channel. Nuclear Instruments & Methods in Physics Research B, 2015, 355, 217-220.                                    | 1.4 | 14        |
| 63 | Beam manipulation for resonant plasma wakefield acceleration. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 865, 139-143.                                      | 1.6 | 14        |
| 64 | Novel Single-Shot Diagnostics for Electrons from Laser-Plasma Interaction at SPARC_LAB. Quantum Beam Science, 2017, 1, 13.  | 1.2 | 14        |
| 65 | Characterisation of Pb thin films prepared by the nanosecond pulsed laser deposition technique for photocathode application. Thin Solid Films, 2015, 579, 50-56.  | 1.8 | 13        |
| 66 | Stability study for matching in laser driven plasma acceleration. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 67-72.                                    | 1.6 | 13        |
| 67 | EuPRAXIA@SPARC_LAB: The high-brightness RF photo-injector layout proposal. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 282-285.                         | 1.6 | 13        |
| 68 | Design and characterization of a movable emittance meter for low-energy electron beams. Review of Scientific Instruments, 2006, 77, 093301.   | 1.3 | 12        |
| 69 | Nano-machining, surface analysis and emittance measurements of a copper photocathode at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 233-238. | 1.6 | 12        |
| 70 | The Potential of EuPRAXIA@SPARC_LAB for Radiation Based Techniques. Condensed Matter, 2019, 4, 30.  | 1.8 | 12        |
| 71 | Observations and diagnostics in high brightness beams. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 343-347.   | 1.6 | 11        |
| 72 | Electro-Optical Detection of Coherent Radiation Induced by Relativistic Electron Bunches in the Near and Far Fields. Physical Review Applied, 2018, 9, .  | 3.8 | 11        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Status of the Horizon 2020 EuPRAXIA conceptual design study*. Journal of Physics: Conference Series, 2019, 1350, 012059.   | 0.4 | 11        |
| 74 | Conceptual design of a high-brightness linac for soft X-ray SASE-FEL source. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2003, 507, 502-506.  | 1.6 | 10        |
| 75 | First non-intercepting emittance measurement by means of optical diffraction radiation interference. New Journal of Physics, 2014, 16, 113029.   | 2.9 | 10        |
| 76 | Measurement of power spectral density of broad-spectrum visible light with heterodyne near field scattering and its scalability to betatron radiation. Optics Express, 2015, 23, 32888.  | 3.4 | 10        |
| 77 | Novel schemes for the optimization of the SPARC narrow band THz source. Review of Scientific Instruments, 2015, 86, 073301.  | 1.3 | 10        |
| 78 | A systematic study of the asymmetric lateral coherence of radiation emitted by ultra-relativistic particles in laser-driven accelerators. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 839, 1-5. | 1.6 | 10        |
| 79 | IRIDE: Interdisciplinary research infrastructure based on dual electron linacs and lasers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 740, 138-146.  | 1.6 | 9         |
| 80 | Two Color FEL Driven by a Comb-like Electron Beam Distribution. Physics Procedia, 2014, 52, 27-35.   | 1.2 | 9         |
| 81 | Laser pulse shaping for high gradient accelerators. Nuclear Instruments and Methods in Physics<br>Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829,<br>446-451.   | 1.6 | 9         |
| 82 | First measurements of betatron radiation at FLAME laser facility. Nuclear Instruments & Methods in Physics Research B, 2017, 402, 388-392.   | 1.4 | 9         |
| 83 | Single-shot non-intercepting profile monitor of plasma-accelerated electron beams with nanometric resolution. Applied Physics Letters, 2017, 111, .  | 3.3 | 9         |
| 84 | Characterization of self-injected electron beams from LWFA experiments at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 118-122.  | 1.6 | 9         |
| 85 | Zemax simulations describing collective effects in transition and diffraction radiation. Optics Express, 2018, 26, 5075.   | 3.4 | 9         |
| 86 | Plasma boosted electron beams for driving Free Electron Lasers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 54-57.   | 1.6 | 9         |
| 87 | The SPARC/X SASE-FEL Projects. Laser and Particle Beams, 2004, 22, 341-350.  | 1.0 | 8         |
| 88 | The THz Radiation Source at the SPARC Facility. Journal of Physics: Conference Series, 2012, 359, 012018.  | 0.4 | 8         |
| 89 | Electron density measurement in gas discharge plasmas by optical and acoustic methods. Journal of Instrumentation, $2016, 11, C08003-C08003$ .   | 1.2 | 8         |
| 90 | Deposition of Y thin films by nanosecond UV pulsed laser ablation for photocathode application. Thin Solid Films, 2016, 603, 441-445.  | 1.8 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Laser–capillary interaction for the EXIN project. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 309-313.   | 1.6 | 8         |
| 92  | Temperature analysis in the shock waves regime for gas-filled plasma capillaries in plasma-based accelerators. Journal of Instrumentation, 2019, 14, C03002-C03002.  | 1.2 | 8         |
| 93  | Plasma lens-based beam extraction and removal system for plasma wakefield acceleration experiments. Physical Review Accelerators and Beams, 2019, 22, .  | 1.6 | 8         |
| 94  | Design of a plasma discharge circuit for particle wakefield acceleration. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 740, 193-196.                             | 1.6 | 7         |
| 95  | Tight comparison of Mg and Y thin film photocathodes obtained by the pulsed laser deposition technique. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 836, 57-60. | 1.6 | 7         |
| 96  | Pulsed laser deposition of yttrium photocathode suitable for use in radio-frequency guns. Applied Physics A: Materials Science and Processing, 2017, 123, 1.   | 2.3 | 7         |
| 97  | EUPRAXIA@SPARC_LAB: Beam dynamics studies for the X-band Linac. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 314-317.                                       | 1.6 | 7         |
| 98  | 3D-printed capillary for hydrogen filled discharge for plasma based experiments in RF-based electron linac accelerator. Review of Scientific Instruments, 2018, 89, 083502.  | 1.3 | 7         |
| 99  | EuPRAXIA – a compact, cost-efficient particle and radiation source. AIP Conference Proceedings, 2019, ,  | 0.4 | 7         |
| 100 | A Versatile THz Source from High-Brightness Electron Beams: Generation and Characterization. Condensed Matter, 2020, 5, 40.  | 1.8 | 7         |
| 101 | Transverse emittance diagnostics for high brightness electron beams. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 865, 63-66.                                    | 1.6 | 6         |
| 102 | Frontiers of beam diagnostics in plasma accelerators: Measuring the ultra-fast and ultra-cold. Physics of Plasmas, 2018, 25, 056704.   | 1.9 | 6         |
| 103 | Free Electron Laser in the water window with plasma driven electron beams. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 303-308.                            | 1.6 | 6         |
| 104 | Tapering of plasma density ramp profiles for adiabatic lens experiments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 339-342.                              | 1.6 | 6         |
| 105 | Preliminary RF design of an X-band linac for the EuPRAXIA@SPARC_LAB project. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 243-246.                          | 1.6 | 6         |
| 106 | First emittance measurement of the beam-driven plasma wakefield accelerated electron beam. Physical Review Accelerators and Beams, 2021, 24, .   | 1.6 | 6         |
| 107 | Non-intercepting electron beam transverse diagnostics with optical diffraction radiation at the DESY FLASH facility. Nuclear Instruments & Methods in Physics Research B, 2008, 266, 3789-3796.  | 1.4 | 5         |
| 108 | Analysis methodology of movable emittance-meter measurements for low energy electron beams. Review of Scientific Instruments, 2008, 79, 013303.  | 1.3 | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Phase control effects in optical diffraction radiation from a slit. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 614, 163-168.  | 1.6 | 5         |
| 110 | The THz radiation source at SPARC. Journal of Physics: Conference Series, 2012, 357, 012034.  | 0.4 | 5         |
| 111 | Structural and morphological properties of metallic thin films grown by pulsed laser deposition for photocathode application. Applied Physics A: Materials Science and Processing, 2016, 122, 1.  | 2.3 | 5         |
| 112 | Betatron radiation based diagnostics for plasma wakefield accelerated electron beams at the SPARC_LAB test facility. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 330-333.             | 1.6 | 5         |
| 113 | Simulation design for forthcoming high quality plasma wakefield acceleration experiment in linear regime at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 71-75.             | 1.6 | 5         |
| 114 | Numerical studies on capillary discharges as focusing elements for electron beams. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 404-407.   | 1.6 | 5         |
| 115 | Recent results at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 139-144.   | 1.6 | 5         |
| 116 | Characterization of plasma sources for plasma-based accelerators. Journal of Instrumentation, 2020, 15, C09055-C09055.  | 1.2 | 5         |
| 117 | Innovative single-shot diagnostics for electrons accelerated through laser-plasma interaction at FLAME. Proceedings of SPIE, 2017, , .  | 0.8 | 4         |
| 118 | Gas-filled capillaries for plasma-based accelerators. Journal of Physics: Conference Series, 2017, 874, 012036.   | 0.4 | 4         |
| 119 | Innovative single-shot diagnostics for electrons from laser wakefield acceleration at FLAME. Journal of Physics: Conference Series, 2017, 874, 012035.  | 0.4 | 4         |
| 120 | Toward a plasma-based accelerator at high beam energy with high beam charge and high beam quality. Physical Review Accelerators and Beams, 2020, 23, .  | 1.6 | 4         |
| 121 | Experimental results with the SPARC emittance-meter. , 2007, , .  |     | 3         |
| 122 | Effects of transverse electron beam size on transition radiation angular distribution. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2012, 673, 56-63.   | 1.6 | 3         |
| 123 | Self-amplified spontaneous emission free electron laser devices and nonideal electron beam transport. Physical Review Special Topics: Accelerators and Beams, 2014, 17, .   | 1.8 | 3         |
| 124 | Generation and characterization of ultra-short electron beams for single spike infrared FEL radiation at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 865, 43-46.                | 1.6 | 3         |
| 125 | RF injector design studies for the trailing witness bunch for a plasma-based user facility. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 229-232.                                      | 1.6 | 3         |
| 126 | Design of high brightness Plasma Wakefield Acceleration experiment at SPARC_LAB test facility with particle-in-cell simulations. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 408-413. | 1.6 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | From SPARC_LAB to EuPRAXIA@SPARC_LAB. Instruments, 2019, 3, 45.  | 1.8 | 3         |
| 128 | Photoemission studies of yttrium photocathodes by using the visible radiation. Physical Review Accelerators and Beams, 2020, 23, .   | 1.6 | 3         |
| 129 | Comparison between sparc e-meter measurements and simulations. , 2007, , .   |     | 2         |
| 130 | External-injection Experiment at SPARC_LAB. Physics Procedia, 2014, 52, 90-99.   | 1.2 | 2         |
| 131 | Intense terahertz pulses from SPARC_LAB coherent radiation source. Proceedings of SPIE, 2015, , .  | 0.8 | 2         |
| 132 | The SPARC_LAB femtosecond synchronization for electron and photon pulsed beams. Proceedings of SPIE, 2015, , .   | 0.8 | 2         |
| 133 | Note: Nanosecond LED-based source for optical modeling of scintillators illuminated by partially coherent X-ray radiation. Review of Scientific Instruments, 2016, 87, 126104.   | 1.3 | 2         |
| 134 | Plasma density characterization at SPARC_LAB through Stark broadening of Hydrogen spectral lines. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 326-329. | 1.6 | 2         |
| 135 | Wake fields effects in dielectric capillary. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 247-251.  | 1.6 | 2         |
| 136 | Conceptual design of electron beam diagnostics for high brightness plasma accelerator. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 350-354.            | 1.6 | 2         |
| 137 | Adiabatic plasma lens experiments at SPARC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 471-475.   | 1.6 | 2         |
| 138 | Evolution of the electric fields induced in high intensity laser–matter interactions. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 398-401.             | 1.6 | 2         |
| 139 | Eupraxia, A Step Toward A Plasma-Wakefield Based Accelerator With High Beam Quality. Journal of Physics: Conference Series, 2019, 1350, 012068.  | 0.4 | 2         |
| 140 | Angstrom wavelength FEL driven by 5 GeV LWFA beam with external injection. Journal of Physics: Conference Series, 2020, 1596, 012004.  | 0.4 | 2         |
| 141 | Photon beam line of the water window FEL for the EuPRAXIA@SPARC_LAB project. Journal of Physics: Conference Series, 2020, 1596, 012039.  | 0.4 | 2         |
| 142 | Time-resolved study of nonlinear photoemission in radio-frequency photoinjectors. Optics Letters, 2021, 46, 2844.  | 3.3 | 2         |
| 143 | Misalignment measurement of femtosecond electron bunches with THz repetition rate. Physical Review Accelerators and Beams, 2017, 20, .   | 1.6 | 2         |
| 144 | Status of the SPARC Project. , 0, , .  |     | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | COMMISSIONING OF THE SPARC MOVABLE EMITTANCE METER AND ITS FIRST OPERATION AT PITZ. International Journal of Modern Physics A, 2007, 22, 4146-4157.  | 1.5 | 1         |
| 146 | Status of the sparc-x project., 2007,,.  |     | 1         |
| 147 | Non-intercepting electron beam transverse diagnostics with Optical Diffraction Radiation at the DESY FLASH Facility., 2007,,.  |     | 1         |
| 148 | Non-intercepting diagnostic for high brightness electron beams using Optical Diffraction Radiation Interference (ODRI). Journal of Physics: Conference Series, 2012, 357, 012019.  | 0.4 | 1         |
| 149 | The SPARC_LAB high peak power THz source: Different methods of generation and characterization. , 2013, , .  |     | 1         |
| 150 | Pre-wave zone studies of Coherent Transition and Diffraction Radiation. Nuclear Instruments & Methods in Physics Research B, 2015, 355, 144-149.   | 1.4 | 1         |
| 151 | Segmented undulator operation at the SPARC-FEL test facility. Proceedings of SPIE, 2015, , .   | 0.8 | 1         |
| 152 | Operational experience on the generation and control of high brightness electron bunch trains at SPARC-LAB., 2015,,.   |     | 1         |
| 153 | Beam dynamics in resonant plasma wakefield acceleration at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 109-112.                           | 1.6 | 1         |
| 154 | Study of the beam tolerance for plasma based ion channel lasers. Nuclear Instruments & Methods in Physics Research B, 2017, 402, 384-387.  | 1.4 | 1         |
| 155 | Thermal behavior of the optical transition radiation screens for the ELI-NP Compton Gamma source. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 865, 47-50. | 1.6 | 1         |
| 156 | Recent studies on single-shot diagnostics for plasma accelerators at SPARC_LAB. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 364-368.                 | 1.6 | 1         |
| 157 | Energy measurements by means of transition radiation in novel Linacs. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 355-358.                           | 1.6 | 1         |
| 158 | Plasma acceleration limitations due to betatron radiation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 463-466.                                      | 1.6 | 1         |
| 159 | Compact and tunable active-plasma lens system for witness extraction and driver removal. Journal of Physics: Conference Series, 2020, 1596, 012050.  | 0.4 | 1         |
| 160 | Electromagnetic and Beam Dynamics Studies for High Gradient Accelerators at Terahertz Frequencies. Journal of Physics: Conference Series, 2020, 1596, 012029.  | 0.4 | 1         |
| 161 | <title>SPARC/X Projects</title> .,2005,,.  |     | 0         |
| 162 | <title>Status of the &lt;emph type="1"&gt;SPARX&lt;/emph&gt; FEL project</title> ., 2007,,.  |     | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | <title>Status of the electron beam transverse diagnostics with optical diffraction radiation at FLASH, DESY</title> ., 2007,,.  |     | 0         |
| 164 | DIFFRACTION RADIATION AS A DIAGNOSTICS TOOL AT FLASH., 2010,,.  |     | 0         |
| 165 | Production of high power terahertz radiation through the SPARC Free-Electron Laser. , 2010, , .   |     | 0         |
| 166 | NEW EXPERIMENTAL RESULTS WITH OPTICAL DIFFRACTION RADIATION DIAGNOSTICS. International Journal of Modern Physics A, 2010, 25, 189-200.  | 1.5 | 0         |
| 167 | A survey of the Italian research in solid state physics by infrared spectroscopy with electron-beam sources. Journal of Physics: Conference Series, 2012, 359, 012001.  | 0.4 | 0         |
| 168 | Far- and near-field approximation for diffraction radiation. Nuclear Instruments & Methods in Physics Research B, 2013, 309, 194-197.   | 1.4 | 0         |
| 169 | Issues with Phase Space Characterization of Laser-plasma Generated Electron Beams. Physics Procedia, 2014, 52, 75-79.   | 1.2 | 0         |
| 170 | 6D electron beam diagnostics at SPARC_LAB. Proceedings of SPIE, 2015, , .   | 0.8 | 0         |
| 171 | Seeded FEL with two energy level electron beam distribution at SPARC_LAB. Proceedings of SPIE, 2015, ,  | 0.8 | 0         |
| 172 | Summary of WG5: High-gradient plasma structures and advanced beam diagnostics. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 829, 301-303.             | 1.6 | 0         |
| 173 | Unified Analysis for Calculating the Incoherent Spontaneous Emission of Cooperative Radiations *. Chinese Physics Letters, 2017, 34, 114101.  | 3.3 | 0         |
| 174 | Quantum-mechanical analysis of low-gain free-electron laser oscillators. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 889, 47-56.                     | 1.6 | 0         |
| 175 | Plasma ramps caused by outflow in gas-filled capillaries. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 346-349.                                  | 1.6 | 0         |
| 176 | Layout considerations for a future electron plasma research accelerator facility EuPRAXIA. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 909, 111-113. | 1.6 | 0         |
| 177 | Towards the detection of nanometric emittances in plasma accelerators. Journal of Instrumentation, 2019, 14, C02004-C02004.   | 1.2 | 0         |