
William G Frankle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7351246/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Increased Synaptic Dopamine Function in Associative Regions of the Striatum in Schizophrenia. Archives of General Psychiatry, 2010, 67, 231. | 13.8 | 468 |
| 2 | Cocaine Dependence and D2 Receptor Availability in the Functional Subdivisions of the Striatum: Relationship with Cocaine-Seeking Behavior. Neuropsychopharmacology, 2004, 29, 1190-1202. | 2.8 | 261 |
| 3 | Brain Serotonin Transporter Distribution in Subjects With Impulsive Aggressivity: A Positron Emission Study With [11C]McN 5652. American Journal of Psychiatry, 2005, 162, 915-923. | 4.0 | 246 |
| 4 | COMT genotype predicts cortical-limbic D1 receptor availability measured with [11C]NNC112 and PET. Molecular Psychiatry, 2008, 13, 821-827. | 4.1 | 182 |
| 5 | Altered Prefrontal Dopaminergic Function in Chronic Recreational Ketamine Users. American Journal of Psychiatry, 2005, 162, 2352-2359. | 4.0 | 149 |
| 6 | Positron emission tomography imaging of amphetamineâ€induced dopamine release in the human cortex: A comparative evaluation of the high affinity dopamine D _{2/3} radiotracers [¹¹ C]FLB 457 and [¹¹ C]fallypride. Synapse, 2009, 63, 447-461. | 0.6 | 127 |
| 7 | Comparative evaluation of serotonin transporter radioligands 11C-DASB and 11C-McN 5652 in healthy humans. Journal of Nuclear Medicine, 2004, 45, 682-94. | 2.8 | 114 |
| 8 | In Vivo Measurement of GABA Transmission in Healthy Subjects and Schizophrenia Patients. American Journal of Psychiatry, 2015, 172, 1148-1159. | 4.0 | 92 |
| 9 | A Comparative Evaluation of the Dopamine D _{2/3} Agonist Radiotracer [¹¹ C](â^)- <i>N</i> -Propyl-norapomorphine and Antagonist [¹¹ C]Raclopride to Measure Amphetamine-Induced Dopamine Release in the Human Striatum. Journal of Pharmacology and Experimental Therapeutics, 2010, 333, 533-539. | 1.3 | 78 |
| 10 | Tiagabine Increases [11C]flumazenil Binding in Cortical Brain Regions in Healthy Control Subjects. Neuropsychopharmacology, 2009, 34, 624-633. | 2.8 | 70 |
| 11 | Estimation of serotonin transporter parameters with 11C-DASB in healthy humans: reproducibility and comparison of methods. Journal of Nuclear Medicine, 2006, 47, 815-26. | 2.8 | 69 |
| 12 | Serotonin Transporter Availability in Patients with Schizophrenia: A Positron Emission Tomography Imaging Study with [11C]DASB. Biological Psychiatry, 2005, 57, 1510-1516. | 0.7 | 64 |
| 13 | Serotonin 1A receptor availability in patients with schizophrenia and schizo-affective disorder: a positron emission tomography imaging study with [11C]WAY 100635. Psychopharmacology, 2006, 189, 155-164. | 1.5 | 60 |
| 14 | Decreased Prefrontal Cortical Dopamine Transmission in Alcoholism. American Journal of Psychiatry, 2014, 171, 881-888. | 4.0 | 55 |
| 15 | Neuroreceptor imaging in psychiatric disorders. Annals of Nuclear Medicine, 2002, 16, 437-446. | 1.2 | 54 |
| 16 | [11C]NNC 112 Selectivity for Dopamine D1 and Serotonin 5-HT2A Receptors: A PET Study in Healthy Human Subjects. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 1733-1741. | 2.4 | 47 |
| 17 | In Vivo Evidence for Low Striatal Vesicular Monoamine Transporter 2 (VMAT2) Availability in Cocaine Abusers. American Journal of Psychiatry, 2012, 169, 55-63. | 4.0 | 44 |
| 18 | The 5-HT 2A receptor and serotonin transporter in Asperger's Disorder: A PET study with [11 C]MDL 100907 and [11 C]DASB. Psychiatry Research - Neuroimaging, 2011, 194, 230-234. | 0.9 | 41 |

WILLIAM G FRANKLE

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Positron emission tomography imaging of dopamine D2/3 receptors in the human cortex with [¹¹ C]FLB 457: Reproducibility studies. Synapse, 2011, 65, 35-40. | 0.6 | 41 |
| 20 | [11C]flumazenil Binding Is Increased in a Dose-Dependent Manner with Tiagabine-Induced Elevations in GABA Levels. PLoS ONE, 2012, 7, e32443. | 1.1 | 37 |
| 21 | Evaluation of dopamine D _{2/3} specific binding in the cerebellum for the positron emission tomography radiotracer [¹¹ C]FLB 457: Implications for measuring cortical dopamine release. Synapse, 2011, 65, 991-997. | 0.6 | 35 |
| 22 | Comment on Analyses and Conclusions of "Microglial Activity in People at Ultra High Risk of Psychosis and in Schizophrenia: An [¹¹ C]PBR28 PET Brain Imaging Study― American Journal of Psychiatry, 2016, 173, 536-537. | 4.0 | 26 |
| 23 | Neuroreceptor Imaging Studies in Schizophrenia. Harvard Review of Psychiatry, 2007, 15, 212-232. | 0.9 | 24 |
| 24 | Positron emission tomography imaging of D _{2/3} agonist binding in healthy human subjects with the radiotracer [¹¹ C]â€ <i>N</i> â€propylâ€norapomorphine: Preliminary evaluation and reproducibility studies. Synapse, 2009, 63, 574-584. | 0.6 | 24 |
| 25 | Amphetamine-Induced Striatal Dopamine Release Measured With an Agonist Radiotracer inÂSchizophrenia. Biological Psychiatry, 2018, 83, 707-714. | 0.7 | 24 |
| 26 | Prefrontal and Striatal Dopamine Release Are Inversely Correlated in Schizophrenia. Biological Psychiatry, 2022, 92, 791-799. | 0.7 | 17 |
| 27 | Neuroreceptor Imaging in Psychiatry: Theory and Applications. International Review of Neurobiology, 2005, 67, 385-440. | 0.9 | 15 |
| 28 | In-patient psychiatry management of COVID-19: rates of asymptomatic infection and on-unit transmission. BJPsych Open, 2020, 6, e99. | 0.3 | 15 |
| 29 | No effect of dopamine depletion on the binding of the high-affinity D2/3 radiotracer [11C]FLB 457 in the human cortex. Synapse, 2010, 64, 879-885. | 0.6 | 14 |
| 30 | Measurement of the serotonin 1A receptor availability in patients with schizophrenia during treatment with the antipsychotic medication ziprasidone. Journal of Psychopharmacology, 2011, 25, 734-743. | 2.0 | 9 |
| 31 | Brain translocator protein occupancy by ONOâ€2952 in healthy adults: A Phase 1 PET study using [¹¹ C]PBR28. Synapse, 2017, 71, e21970. | 0.6 | 7 |
| 32 | An openâ€label positron emission tomography study to evaluate serotonin transporter occupancy following escalating dosing regimens of (<i>R</i>)â€(–)â€ <i>O</i> â€desmethylvenlafaxine and racemic <i>O</i> â€desmethylvenlafaxine. Synapse, 2018, 72, e22021. | 0.6 | 6 |
| 33 | Distinguishing Schizophrenia Subtypes: Can Dopamine Imaging Improve the Signal-to-Noise Ratio?. Biological Psychiatry, 2020, 87, 197-199. | 0.7 | 6 |
| 34 | lmaging Cortical Dopamine Transmission in Cocaine Dependence: A [11C]FLB 457–Amphetamine Positron Emission Tomography Study. Biological Psychiatry, 2020, 88, 788-796. | 0.7 | 5 |
| 35 | Cortical Dopamine Transmission as Measured with the [11C]FLB 457 – Amphetamine PET Imaging Paradigm Is Not Influenced by COMT Genotype. PLoS ONE, 2016, 11, e0157867. | 1.1 | 5 |
| 36 | Failure to detect amphetamineâ€induced dopamine release in the cortex with [¹¹ C]FLB 457 positron emission tomography (PET): Methodological considerations. Synapse, 2018, 72, e22037. | 0.6 | 4 |