

# Andre Sourander

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7353775/publications.pdf>

Version: 2024-02-01

261  
papers

10,599  
citations

31976

53  
h-index

45317

90  
g-index

272  
all docs

272  
docs citations

272  
times ranked

10869  
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychosocial Risk Factors Associated With Cyberbullying Among Adolescents. <i>Archives of General Psychiatry</i> , 2010, 67, 720.	12.3	561
2	Childhood Bullying Behaviors as a Risk for Suicide Attempts and Completed Suicides: A Population-Based Birth Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 254-261.	0.5	346
3	What Is the Early Adulthood Outcome of Boys Who Bully or Are Bullied in Childhood? The Finnish "From a Boy to a Man" Study. <i>Pediatrics</i> , 2007, 120, 397-404.	2.1	327
4	The Association of Suicide and Bullying in Childhood to Young Adulthood: A Review of Cross-Sectional and Longitudinal Research Findings. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 282-288.	1.9	321
5	Association of Genetic and Environmental Factors With Autism in a 5-Country Cohort. <i>JAMA Psychiatry</i> , 2019, 76, 1035.	11.0	319
6	Persistence of bullying from childhood to adolescence—a longitudinal 8-year follow-up study. <i>Child Abuse and Neglect</i> , 2000, 24, 873-881.	2.6	284
7	Bullying by peers in childhood and effects on psychopathology, suicidality, and criminality in adulthood. <i>Lancet Psychiatry</i> , 2015, 2, 930-941.	7.4	178
8	Preterm Birth and Poor Fetal Growth as Risk Factors of Attention-Deficit/Hyperactivity Disorder. <i>Pediatrics</i> , 2015, 136, e599-e608.	2.1	171
9	The Strengths and Difficulties Self-Report Questionnaire as a screening instrument in Norwegian community samples. <i>European Child and Adolescent Psychiatry</i> , 2004, 13, 73-82.	4.7	170
10	Risk of Autism Spectrum Disorders in Low Birth Weight and Small for Gestational Age Infants. <i>Journal of Pediatrics</i> , 2012, 161, 830-836.	1.8	170
11	Gestational Exposure to Selective Serotonin Reuptake Inhibitors and Offspring Psychiatric Disorders: A National Register-Based Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 359-366.	0.5	170
12	Childhood bullying as a risk for later depression and suicidal ideation among Finnish males. <i>Journal of Affective Disorders</i> , 2008, 109, 47-55.	4.1	163
13	Preschool Psychopathology Reported by Parents in 23 Societies. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 1215-1224.	0.5	163
14	Elevated Maternal C-Reactive Protein and Increased Risk of Schizophrenia in a National Birth Cohort. <i>American Journal of Psychiatry</i> , 2014, 171, 960-968.	7.2	161
15	International Comparisons of Behavioral and Emotional Problems in Preschool Children: Parents' Reports From 24 Societies. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2011, 40, 456-467.	3.4	157
16	Childhood Predictors of Completed and Severe Suicide Attempts. <i>Archives of General Psychiatry</i> , 2009, 66, 398.	12.3	152
17	The Strengths and Difficulties Questionnaire in the Nordic countries. <i>European Child and Adolescent Psychiatry</i> , 2004, 13, 1132-9.	4.7	140
18	Childhood Predictors of Male Criminality: A Prospective Population-Based Follow-up Study From Age 8 to Late Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 578-586.	0.5	137

#	ARTICLE	IF	CITATIONS
19	Who Is at Greatest Risk of Adverse Long-Term Outcomes? The Finnish From a Boy to a Man Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 1148-1161.	0.5	133
20	Childhood Bullies and Victims and Their Risk of Criminality in Late Adolescence. <i>JAMA Pediatrics</i> , 2007, 161, 546.	3.0	132
21	Behavior Problems and Traumatic Events of Unaccompanied Refugee Minors. <i>Child Abuse and Neglect</i> , 1998, 22, 719-727.	2.6	130
22	Early predictors of deliberate self-harm among adolescents. A prospective follow-up study from age 3 to age 15. <i>Journal of Affective Disorders</i> , 2006, 93, 87-96.	4.1	118
23	Association of Selective Serotonin Reuptake Inhibitor Exposure During Pregnancy With Speech, Scholastic, and Motor Disorders in Offspring. <i>JAMA Psychiatry</i> , 2016, 73, 1163.	11.0	117
24	Childhood Bullying Behavior and Later Psychiatric Hospital and Psychopharmacologic Treatment. <i>Archives of General Psychiatry</i> , 2009, 66, 1005.	12.3	116
25	Internet-Assisted Parent Training Intervention for Disruptive Behavior in 4-Year-Old Children. <i>JAMA Psychiatry</i> , 2016, 73, 378.	11.0	111
26	Pregnancy Complications Following Prenatal Exposure to SSRIs or Maternal Psychiatric Disorders: Results From Population-Based National Register Data. <i>American Journal of Psychiatry</i> , 2015, 172, 1224-1232.	7.2	106
27	The continuity of psychopathology from early childhood to preadolescence. <i>European Child and Adolescent Psychiatry</i> , 2006, 15, 409-417.	4.7	105
28	Parental psychiatric disorders and autism spectrum disorders. <i>Psychiatry Research</i> , 2013, 207, 203-211.	3.3	94
29	Risk of Psychiatric and Neurodevelopmental Disorders Among Siblings of Proband With Autism Spectrum Disorders. <i>JAMA Psychiatry</i> , 2016, 73, 622.	11.0	94
30	Enhancing mental health literacy in young people. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 567-569.	4.7	91
31	Childhood Predictors of Psychiatric Disorders Among Boys: A Prospective Community-Based Follow-up Study From Age 8 Years to Early Adulthood. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2005, 44, 756-767.	0.5	89
32	Cross-informant agreement about bullying and victimization among eight-year-olds: whose information best predicts psychiatric caseness 10–15 years later?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 15-22.	3.1	86
33	Have There Been Changes in Children's Psychiatric Symptoms and Mental Health Service Use? A 10-Year Comparison From Finland. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 1134-1145.	0.5	81
34	Epilepsy Among Children and Adolescents with Autism Spectrum Disorders: A Population-Based Study. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 2547-2557.	2.7	80
35	Maternal thyroid autoantibody and elevated risk of autism in a national birth cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 57, 86-92.	4.8	77
36	Obstetric Risk Factors and Autism Spectrum Disorders in Finland. <i>Journal of Pediatrics</i> , 2014, 164, 358-365.	1.8	76

#	ARTICLE	IF	CITATIONS
37	Have There Been Changes in Children's Psychosomatic Symptoms? A 10-Year Comparison From Finland. <i>Pediatrics</i> , 2005, 115, e434-e442.	2.1	75
38	Distinct variants of extreme psychopathic individuals in society at large: Evidence from a population-based sample.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2014, 5, 154-163.	1.3	73
39	Suicidal thoughts and attempts among adolescents: a longitudinal 8-year follow-up study. <i>Journal of Affective Disorders</i> , 2001, 63, 59-66.	4.1	72
40	Factors associated with ideation and acts of deliberate self-harm among 18-year-old boys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 912-921.	3.1	72
41	Association of Bullying Behavior at 8 Years of Age and Use of Specialized Services for Psychiatric Disorders by 29 Years of Age. <i>JAMA Psychiatry</i> , 2016, 73, 159.	11.0	71
42	Hypothyroxinemia During Gestation and Offspring Schizophrenia in a National Birth Cohort. <i>Biological Psychiatry</i> , 2016, 79, 962-970.	1.3	69
43	Childhood predictors of externalizing and internalizing problems in adolescence. <i>European Child and Adolescent Psychiatry</i> , 2005, 14, 415-423.	4.7	66
44	Changes in Psychiatric Problems and Service Use Among 8-Year-Old Children: A 16-Year Population-Based Time-Trend Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 317-327.	0.5	66
45	Associations between Chinese adolescents subjected to traditional and cyber bullying and suicidal ideation, self-harm and suicide attempts. <i>BMC Psychiatry</i> , 2019, 19, 324.	2.6	64
46	Parental Age and Risk of Autism Spectrum Disorders in a Finnish National Birth Cohort. <i>Journal of Autism and Developmental Disorders</i> , 2013, 43, 2526-2535.	2.7	63
47	Parental Age and the Risk of Attention-Deficit/Hyperactivity Disorder: A Nationwide, Population-Based Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 487-494.e1.	0.5	63
48	Mental Health Service Use Among 18-Year-Old Adolescent Boys: A Prospective 10-Year Follow-up Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 1250-1258.	0.5	60
49	The risk of childhood autism among second-generation migrants in Finland: a caseâ€“control study. <i>BMC Pediatrics</i> , 2013, 13, 171.	1.7	60
50	Prenatal Nicotine Exposure and Risk of Schizophrenia Among Offspring in a National Birth Cohort. <i>American Journal of Psychiatry</i> , 2016, 173, 799-806.	7.2	60
51	Temporal changes in the incidence of treated psychiatric and neurodevelopmental disorders during adolescence: an analysis of two national Finnish birth cohorts. <i>Lancet Psychiatry</i> , 2018, 5, 227-236.	7.4	60
52	Smoking during Pregnancy and Risk of Autism Spectrum Disorder in a Finnish National Birth Cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2013, 27, 266-274.	1.7	59
53	Cyberbullying and adolescent mental health. <i>International Journal of Adolescent Medicine and Health</i> , 2012, 24, 27-35.	1.3	58
54	Psychosocial determinants of headache, abdominal pain, and sleep problems in a community sample of Finnish adolescents. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 301-313.	4.7	57

#	ARTICLE	IF	CITATIONS
55	Separate and interactive contributions of weak inhibitory control and threat sensitivity to prediction of suicide risk. <i>Psychiatry Research</i> , 2015, 226, 461-466.	3.3	57
56	Association of Maternal Insecticide Levels With Autism in Offspring From a National Birth Cohort. <i>American Journal of Psychiatry</i> , 2018, 175, 1094-1101.	7.2	56
57	Predicting Service Use for Mental Health Problems Among Young Children. <i>Pediatrics</i> , 2014, 133, 1054-1060.	2.1	55
58	Alcohol use in families: a 15-year prospective follow-up study. <i>Addiction</i> , 2006, 101, 984-992.	3.3	54
59	Demographic Characteristics and Psychiatric Comorbidity of Children and Adolescents Diagnosed with ADHD in Specialized Healthcare. <i>Child Psychiatry and Human Development</i> , 2016, 47, 574-582.	1.9	54
60	Changes in adolescents mental health and use of alcohol and tobacco: a 10-year time-trend study of Finnish adolescents. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 665-671.	4.7	53
61	Perinatal factors and the risk of bipolar disorder in Finland. <i>Journal of Affective Disorders</i> , 2014, 155, 75-80.	4.1	53
62	Refugee families during asylum seeking. <i>Nordic Journal of Psychiatry</i> , 2003, 57, 203-207.	1.3	52
63	Factors associated with depressive symptoms among 18-year-old boys: a prospective 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2004, 83, 143-154.	4.1	48
64	Child Mental Health Problems and Obesity in Early Adulthood. <i>Journal of Pediatrics</i> , 2010, 156, 93-97.	1.8	47
65	Finnish Prenatal Study of Autism and Autism Spectrum Disorders (FIPS-A): Overview and Design. <i>Journal of Autism and Developmental Disorders</i> , 2011, 41, 1090-1096.	2.7	47
66	New Insights into How Serotonin Selective Reuptake Inhibitors Shape the Developing Brain. <i>Birth Defects Research</i> , 2017, 109, 924-932.	1.5	47
67	Police-registered offenses and psychiatric disorders among young males. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 477-484.	3.1	45
68	Prevalence Changes of Pain, Sleep Problems and Fatigue Among 8-Year-Old Children: Years 1989, 1999, and 2005*. <i>Journal of Pediatric Psychology</i> , 2012, 37, 307-318.	2.1	45
69	Loneliness and friendships among eight-year-old children: time-trends over a 24-year period. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 171-179.	5.2	44
70	Bullying at age eight and criminality in adulthood: findings from the Finnish Nationwide 1981 Birth Cohort Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1211-1219.	3.1	42
71	Relative age within the school year and diagnosis of attention-deficit hyperactivity disorder: a nationwide population-based study. <i>Lancet Psychiatry</i> , 2017, 4, 868-875.	7.4	41
72	Recurrence Risk of Autism in Siblings and Cousins: A Multinational, Population-Based Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 866-875.	0.5	41

#	ARTICLE	IF	CITATIONS
73	Recognition of psychiatric disorders, and self-perceived problems. A follow-up study from age 8 to age 18. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005, 46, 1124-1134.	5.2	39
74	A nationwide register study of the characteristics, incidence and validity of diagnosed Tourette syndrome and other tic disorders. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 984-990.	1.5	39
75	Parental psychopathology and offspring attention-deficit/hyperactivity disorder in a nationwide sample. <i>Journal of Psychiatric Research</i> , 2017, 94, 124-130.	3.1	38
76	Childhood predictors of drunkenness in late adolescence among males: a 10-year population-based follow-up study. <i>Addiction</i> , 2006, 101, 512-521.	3.3	37
77	Self-reported psychopathology, adaptive functioning and sense of coherence, and psychiatric diagnosis among young men. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 523-531.	3.1	37
78	Early Childhood Psychological Problems Predict a Poor Sense of Coherence in Adolescents. <i>Journal of Health Psychology</i> , 2009, 14, 587-600.	2.3	37
79	Increased Risk of Autism Spectrum Disorders at Short and Long Interpregnancy Intervals in Finland. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 1074-1081.e4.	0.5	37
80	Prenatal maternal representations: Mothers at psychosocial risk. <i>Infant Mental Health Journal</i> , 2001, 22, 529-544.	1.8	36
81	Prenatal Cotinine Levels and ADHD Among Offspring. <i>Pediatrics</i> , 2019, 143, .	2.1	36
82	Maternal Vitamin D Levels and the Risk of Offspring Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 142-151.e2.	0.5	36
83	Suicidal ideation and suicide attempts among child and adolescent psychiatric inpatients in Finland. <i>Journal of Affective Disorders</i> , 2003, 76, 211-221.	4.1	35
84	Prenatal toxoplasmosis antibody and childhood autism. <i>Autism Research</i> , 2017, 10, 769-777.	3.8	35
85	Time trends of Finnish adolescents' mental health and use of alcohol and cigarettes from 1998 to 2014. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1633-1643.	4.7	35
86	Victimization by traditional bullying and cyberbullying and the combination of these among adolescents in 13 European and Asian countries. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1391-1404.	4.7	35
87	Association between immigrant background and ADHD: a nationwide population-based case-control study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016, 57, 967-975.	5.2	34
88	Mood, Latitude, and Seasonality Among Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999, 38, 1271-1276.	0.5	32
89	Use of and Need for Professional Help for Emotional and Behavioral Problems Among Preadolescents: A Prospective Cohort Study of 3- to 12-Year-Old Children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 974-983.	0.5	32
90	Risk factors for impaired maternal bonding when infants are 3 months old: a longitudinal population based study from Japan. <i>BMC Psychiatry</i> , 2019, 19, 87.	2.6	32

#	ARTICLE	IF	CITATIONS
91	Prenatal smoking exposure and neuropsychiatric comorbidity of ADHD: a Finnish nationwide population-based cohort study. <i>BMC Psychiatry</i> , 2016, 16, 306.	2.6	31
92	Unmet needs of child and adolescent psychiatrists among Asian and European countries: does the Human Development Index (HDI) count?. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 5-8.	4.7	31
93	The International Collaboration for Autism Registry Epidemiology (iCARE): Multinational Registry-Based Investigations of Autism Risk Factors and Trends. <i>Journal of Autism and Developmental Disorders</i> , 2013, 43, 2650-2663.	2.7	30
94	Suicidal ideation and behavior in children's homes. <i>Nordic Journal of Psychiatry</i> , 2003, 57, 131-137.	1.3	29
95	Childhood predictors of becoming a teenage mother among Finnish girls. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1319-1325.	2.8	29
96	Criminal offending among males and females between ages 15 and 30 in a population-based nationwide 1981 birth cohort: Results from the FinnCrime Study. <i>Journal of Adolescence</i> , 2014, 37, 1269-1279.	2.4	29
97	Lower Apgar scores and Caesarean sections are related to attention-deficit/hyperactivity disorder. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 1750-1758.	1.5	29
98	Risk for Premature Mortality and Intentional Self-harm in Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 3098-3108.	2.7	29
99	Parental age and the risk of bipolar disorders. <i>Bipolar Disorders</i> , 2014, 16, 624-632.	1.9	28
100	Changes in Mental Health, Bullying Behavior, and Service Use Among Eight-Year-Old Children Over 24 Years. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 717-725.e2.	0.5	28
101	Birth seasonality and risk of autism spectrum disorder. <i>European Journal of Epidemiology</i> , 2019, 34, 785-792.	5.7	28
102	Early predictors of parent- and self-reported perceived global psychological difficulties among adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 173-182.	3.1	27
103	Remote population-based intervention for disruptive behavior at age four: study protocol for a randomized trial of Internet-assisted parent training (Strongest Families Finland-Canada). <i>BMC Public Health</i> , 2013, 13, 985.	2.9	27
104	The incidence of diagnosed autism spectrum disorders in Finland. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 472-480.	1.3	27
105	Bullying and victimisation are common in four-year-old children and are associated with somatic symptoms and conduct and peer problems. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 522-528.	1.5	27
106	Web-Based Parent Training Intervention With Telephone Coaching for Disruptive Behavior in 4-Year-Old Children in Real-World Practice: Implementation Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e11446.	4.3	27
107	Parent, teacher, and clinical ratings on admission to child psychiatric inpatient treatment: A study of cross-informant correlations using the CBCL, Rutter scales, and the CGAS. <i>Nordic Journal of Psychiatry</i> , 1997, 51, 365-370.	1.3	26
108	Childhood predictors of later psychiatric hospital treatment: findings from the Finnish 1981 birth cohort study. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 823-833.	4.7	26

#	ARTICLE	IF	CITATIONS
109	Specialized Service Use for Psychiatric and Neurodevelopmental Disorders by Age 14 in Finland. <i>Psychiatric Services</i> , 2014, 65, 367-373.	2.0	26
110	Cross-cultural, population-based study on adolescent body image and eating distress in Japan and Finland. <i>Scandinavian Journal of Psychology</i> , 2019, 60, 67-76.	1.5	26
111	Registered psychiatric service use, self-harm and suicides of children and young people aged 0-24 before and during the COVID-19 pandemic: a systematic review. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2022, 16, 15.	2.5	26
112	Life events, self-reported psychopathology and sense of coherence among young men: A population-based study. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 464-471.	1.3	25
113	Psychiatric symptoms experienced by adolescents in Nepal following the 2015 earthquakes. <i>Journal of Affective Disorders</i> , 2018, 234, 239-246.	4.1	25
114	Maternal Vitamin D Levels During Pregnancy and Offspring Autism Spectrum Disorder. <i>Biological Psychiatry</i> , 2021, 90, 790-797.	1.3	25
115	Prenatal Maternal Smoking and Tourette Syndrome: A Nationwide Register Study. <i>Child Psychiatry and Human Development</i> , 2016, 47, 75-82.	1.9	24
116	Two-Year Follow-Up of Internet and Telephone Assisted Parent Training for Disruptive Behavior at Age 4. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 658-668.e1.	0.5	24
117	Traditional Victims and Cyber victims: Prevalence, Overlap, and Association with Mental Health Among Adolescents in Singapore. <i>School Mental Health</i> , 2020, 12, 145-155.	2.1	24
118	The association between congenital anomalies and autism spectrum disorders in a Finnish national birth cohort. <i>Developmental Medicine and Child Neurology</i> , 2015, 57, 75-80.	2.1	23
119	Childhood bullying as a predictor for becoming a teenage mother in Finland. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 49-55.	4.7	22
120	The involuntary treatment of adolescent psychiatric inpatients: A nationwide survey from Finland. <i>Journal of Adolescence</i> , 2008, 31, 407-419.	2.4	20
121	Clinical decision support systems in child and adolescent psychiatry: a systematic review. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1309-1317.	4.7	20
122	Attention-deficit/hyperactivity disorder and risk for psychiatric and neurodevelopmental disorders in siblings. <i>Psychological Medicine</i> , 2019, 49, 84-91.	4.5	20
123	Maternal serum C-reactive protein (CRP) and offspring attention deficit hyperactivity disorder (ADHD). <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 239-247.	4.7	20
124	Childhood Predictors of Use and Costs of Antidepressant Medication by Age 24 Years: Findings from the Finnish Nationwide 1981 Birth Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011, 50, 406-415.e1.	0.5	19
125	Infant and childhood neurodevelopmental outcomes following prenatal exposure to selective serotonin reuptake inhibitors: overview and design of a Finnish Register-Based Study (FinESSI). <i>BMC Psychiatry</i> , 2012, 12, 217.	2.6	19
126	Proband and Familial Autoimmune Diseases Are Associated With Proband Diagnosis of Autism Spectrum Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 496-505.	0.5	19

#	ARTICLE	IF	CITATIONS
127	Finnish Prenatal Study of Bipolar Disorders (FIPS-B): Overview, design and description of the sample. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 169-179.	1.3	18
128	Is maternal smoking during pregnancy associated with bipolar disorder in offspring?. <i>Journal of Affective Disorders</i> , 2015, 171, 132-136.	4.1	18
129	Obstetric and Neonatal Adversities, Parity, and Tourette Syndrome: A Nationwide Registry. <i>Journal of Pediatrics</i> , 2016, 171, 213-219.	1.8	18
130	Feeling Unsafe at School and Associated Mental Health Difficulties among Children and Adolescents: A Systematic Review. <i>Children</i> , 2021, 8, 232.	1.5	18
131	Psychiatric disorders diagnosed in adolescence and subsequent long-term exclusion from education, employment or training: longitudinal national birth cohort study. <i>British Journal of Psychiatry</i> , 2022, 220, 148-153.	2.8	18
132	Sense of coherence among Finnish young men – A cross-sectional study at military call-up. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 473-480.	1.3	17
133	Childhood antecedents of being a cigarette smoker in early adulthood. The Finnish – From a Boy to a Man™ Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009, 50, 343-351.	5.2	17
134	Variation by Diagnostic Subtype in Risk for Autism Spectrum Disorders Associated with Maternal Parity among Finnish Births. <i>Paediatric and Perinatal Epidemiology</i> , 2014, 28, 58-66.	1.7	17
135	Association between bullying behavior, perceived school safety, and self-cutting: a Japanese population-based school survey. <i>Child and Adolescent Mental Health</i> , 2018, 23, 141-147.	3.5	17
136	Changes in mental health service use among 8-year-old children: a 24-year time-trend study. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 521-530.	4.7	17
137	Guided Internet-Based Parent Training for Challenging Behavior in Children With Fetal Alcohol Spectrum Disorder (Strongest Families FASD): Study Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2015, 4, e112.	1.0	16
138	Digital mental health literacy -program for the first-year medical students™ wellbeing: a one group quasi-experimental study. <i>BMC Medical Education</i> , 2021, 21, 563.	2.4	16
139	Child psychiatric short-term inpatient treatment: CGAS as follow-up measure. <i>Child Psychiatry and Human Development</i> , 1996, 27, 93-104.	1.9	15
140	Victimization and bullying among 8-year-old Finnish children. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 463-472.	4.7	15
141	Psychotropic drug and polypharmacy use among adolescents and young adults: Findings from the Finnish 1981 Nationwide Birth Cohort Study. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 336-342.	1.3	15
142	Do Headache and Abdominal Pain in Childhood Predict Suicides and Severe Suicide Attempts? Finnish Nationwide 1981 Birth Cohort Study. <i>Child Psychiatry and Human Development</i> , 2014, 45, 110-118.	1.9	15
143	Maternal socio-economic status based on occupation and autism spectrum disorders: A national case-control study. <i>Nordic Journal of Psychiatry</i> , 2015, 69, 523-530.	1.3	15
144	Crime and mortality in a population-based nationwide 1981 birth cohort: Results from the FinnCrime study. <i>Criminal Behaviour and Mental Health</i> , 2017, 27, 15-26.	0.8	15

#	ARTICLE	IF	CITATIONS
145	Parental Psychopathology and Tourette Syndrome/Chronic Tic Disorder in Offspring: A Nationwide Case-Control Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 297-303.e4.	0.5	15
146	Violence and child mental health in Brazil: The Itaboraí-Youth Study methods and findings. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1605.	2.1	15
147	Finnish-born children of immigrants are more likely to be diagnosed with developmental disorders related to speech and language, academic skills and coordination. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 1409-1417.	1.5	15
148	Did Bullying Victimization Decrease After Nationwide School-Based Antibullying Program? A Time-Trend Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 531-540.	0.5	15
149	Early risk factors for postpartum depression: A longitudinal Japanese population-based study. <i>Journal of Affective Disorders</i> , 2020, 269, 148-153.	4.1	15
150	Psychosocial correlates of police-registered youth crime. A Finnish population-based study. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 292-300.	1.3	14
151	The Association Between Autism Spectrum Disorders and Congenital Anomalies by Organ Systems in a Finnish National Birth Cohort. <i>Journal of Autism and Developmental Disorders</i> , 2015, 45, 3195-3203.	2.7	14
152	Parental migration and Asperger's syndrome. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 941-948.	4.7	14
153	Social risk factors for speech, scholastic and coordination disorders: a nationwide register-based study. <i>BMC Public Health</i> , 2018, 18, 739.	2.9	14
154	Time trends in the incidence of diagnosed depression among people aged 5–25 years living in Finland 1995–2012. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 475-481.	1.3	14
155	Generic and crime type specific correlates of youth crime: a Finnish population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 903-914.	3.1	13
156	Maternal exposure to sexually transmitted infections and schizophrenia among offspring. <i>Schizophrenia Research</i> , 2015, 166, 255-260.	2.0	13
157	Genetic variants within the serotonin transporter associated with familial risk for major depression. <i>Psychiatry Research</i> , 2015, 228, 170-173.	3.3	13
158	Register-based study of the incidence, comorbidities and demographics of obsessive-compulsive disorder in specialist healthcare. <i>BMC Psychiatry</i> , 2017, 17, 64.	2.6	13
159	Prenatal and perinatal risk factors for anxiety disorders among children and adolescents: A systematic review. <i>Journal of Affective Disorders</i> , 2020, 277, 85-93.	4.1	13
160	Childhood psychopathology and sense of coherence at age 18: findings from the Finnish from a boy to a man study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 1097-1105.	3.1	12
161	Parental and comorbid epilepsy in persons with bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 188, 107-111.	4.1	12
162	Changes in the clinical features of child and adolescent psychiatric inpatients: a nationwide time-trend study from Finland. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 436-441.	1.3	12

#	ARTICLE	IF	CITATIONS
163	Obesity, Underweight, and Smoking Are Associated with Worse Cardiorespiratory Fitness in Finnish Healthy Young Men: A Population-Based Study. <i>Frontiers in Public Health</i> , 2017, 5, 206.	2.7	12
164	The impact of parental psychopathology and sociodemographic factors in selective mutism - a nationwide population-based study. <i>BMC Psychiatry</i> , 2020, 20, 221.	2.6	12
165	The long-term cost of childhood conduct problems: Finnish Nationwide 1981 Birth Cohort Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 683-692.	5.2	12
166	Psychopharmacological Treatment of Child and Adolescent Psychiatric Inpatients in Finland. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2002, 12, 147-155.	1.3	11
167	Factors associated with reported childhood depressive symptoms at age 8 and later self-reported depressive symptoms among boys at age 18. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 207-218.	3.1	11
168	Do Antenatal and Postnatal Parental Psychological Distress, and Recognized Need of Help Predict Preadolescent's Psychiatric Symptoms? The Finnish Family Competence Cohort Study. <i>Child Psychiatry and Human Development</i> , 2013, 44, 305-319.	1.9	11
169	Suicidality among child and adolescent psychiatric inpatients: time trend study comparing 2000 and 2011. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1223-1230.	4.7	11
170	Preterm Birth Is Associated With Depression From Childhood to Early Adulthood. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 1127-1136.	0.5	11
171	Parent-reported competence and emotional and behavioral problems in Finnish adolescents. <i>Nordic Journal of Psychiatry</i> , 2001, 55, 337-341.	1.3	10
172	Combined psychopharmacological treatment among child and adolescent inpatients in Finland. <i>European Child and Adolescent Psychiatry</i> , 2004, 13, 179-84.	4.7	10
173	Bipolar disorder and parental psychopathology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1973-1984.	3.1	10
174	Autism with Intellectual Disability Related to Dynamics of Head Circumference Growth during Early Infancy. <i>Biological Psychiatry</i> , 2015, 77, 833-840.	1.3	10
175	Parental and comorbid migraine in individuals with bipolar disorder: A nationwide register study. <i>Journal of Affective Disorders</i> , 2016, 206, 109-114.	4.1	10
176	Parental age and the risk of obsessive compulsive disorder and Tourette syndrome / chronic tic disorder in a nationwide population-based sample. <i>Journal of Affective Disorders</i> , 2017, 223, 101-105.	4.1	10
177	Gestational maternal C-reactive protein and risk of bipolar disorder among young individuals in a Nationwide Birth Cohort. <i>Journal of Affective Disorders</i> , 2017, 208, 41-46.	4.1	10
178	National time trend changes in psychotropic medication of child and adolescent psychiatric inpatients across Finland. <i>Child and Adolescent Mental Health</i> , 2018, 23, 63-70.	3.5	10
179	Public health nurses' experiences of assessing disruptive behaviour in children and supporting the use of an Internet-based parent training programme. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 34, 420-427.	2.1	10
180	Frequent behavioural challenges in children with fetal alcohol spectrum disorder: a needs-based assessment reported by caregivers and clinicians. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2014, 21, e405-20.	1.4	10

#	ARTICLE	IF	CITATIONS
181	A Short-Term, Family-Oriented, Child and Adolescent Psychiatric Inpatient Treatment Program. <i>Family Process</i> , 1996, 35, 103-111.	2.6	9
182	Therapeutic holding in child and adolescent psychiatric inpatient treatment. <i>Nordic Journal of Psychiatry</i> , 1996, 50, 375-379.	1.3	9
183	Ideology of Nursing Care in Child Psychiatric Inpatient Treatment. <i>Nursing Ethics</i> , 2007, 14, 583-596.	3.4	9
184	Childhood Predictors of Military Fitness: A Prospective, Community-Based, Follow-up Study from Age 8 to Age 18. <i>Military Medicine</i> , 2008, 173, 146-154.	0.8	9
185	Parental immigration and offspring post-traumatic stress disorder: A nationwide population-based register study. <i>Journal of Affective Disorders</i> , 2019, 249, 294-300.	4.1	9
186	Follow-up of short-term child psychiatric inpatient treatment. <i>Nordic Journal of Psychiatry</i> , 1995, 49, 95-101.	1.3	8
187	Pain at age eight as a predictor of antidepressant medication use by age 24: Findings from the Finnish nationwide 1981 birth cohort study. <i>Journal of Affective Disorders</i> , 2012, 138, 153-159.	4.1	8
188	Association between childhood psychosocial factors and induced abortion. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 166, 190-195.	1.1	8
189	Help-seeking behaviour among Finnish adolescent males. <i>Nordic Journal of Psychiatry</i> , 2015, 69, 605-612.	1.3	8
190	Relative age and specific learning disorder diagnoses: A Finnish population-based cohort study. <i>JCPP Advances</i> , 2021, 1, e12001.	2.4	8
191	The clinical course of children treated in a short-term inpatient programme. <i>Child Psychiatry and Human Development</i> , 2002, 33, 75-88.	1.9	7
192	Have psychiatric problems of children in children's homes increased?. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 481-485.	1.3	7
193	Opinions About Mental Illness Among Adolescents: The Impact of a Mental Health Educational Intervention. <i>School Mental Health</i> , 2016, 8, 268-277.	2.1	7
194	Serotonin signaling modulates the effects of familial risk for depression on cortical thickness. <i>Psychiatry Research - Neuroimaging</i> , 2016, 248, 83-93.	1.8	7
195	Parental and child factors associated with participation in a randomised control trial of an Internet-assisted parent training programme. <i>Child and Adolescent Mental Health</i> , 2018, 23, 71-77.	3.5	7
196	Recurrent depression in childhood and adolescence and low childhood socioeconomic status predict low cardiorespiratory fitness in early adulthood. <i>Journal of Affective Disorders</i> , 2020, 266, 782-792.	4.1	7
197	Children's Relative Age and ADHD Medication Use: A Finnish Population-Based Study. <i>Pediatrics</i> , 2020, 146, .	2.1	7
198	Post-traumatic Stress and Depressive Symptoms Among Adolescents After the 2015 Earthquake in Nepal: A Longitudinal Study. <i>Child Psychiatry and Human Development</i> , 2022, 53, 430-439.	1.9	7

#	ARTICLE	IF	CITATIONS
199	Maternal serum persistent organic pollutant exposure and offspring diagnosed ADHD in a national birth cohort. <i>Environmental Research</i> , 2022, 212, 113145.	7.5	7
200	What predicts illicit drug use versus police-registered drug offending?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 697-704.	3.1	6
201	Use of antidepressants among 0-26 year olds in Finland during 1997-2007. <i>European Journal of Psychiatry</i> , 2011, 25, 164-172.	1.3	6
202	What is the long-term outcome of boys who steal at age eight? Findings from the Finnish nationwide "From A Boy To A Man" birth cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1391-1400.	3.1	6
203	Psychosocial factors associated with becoming a young father in Finland: a nationwide longitudinal study. <i>BMC Public Health</i> , 2012, 12, 560.	2.9	6
204	Treatment duration with selective serotonin reuptake inhibitors among children and adolescents in Finland: a nationwide register study. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1109-1117.	1.9	6
205	Parental Risk Factors among Children with Reactive Attachment Disorder Referred to Specialized Services: A Nationwide Population-Based Study. <i>Child Psychiatry and Human Development</i> , 2019, 50, 546-556.	1.9	6
206	A biomarker-based study of prenatal smoking exposure and autism in a Finnish national birth cohort. <i>Autism Research</i> , 2021, 14, 2444-2453.	3.8	6
207	Parental psychological problems were associated with higher screen time and the use of mature-rated media in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2022, 111, 825-833.	1.5	6
208	Parent and teacher reports of problem behaviors in child psychiatric inpatients: Cross-informant correlations on admission and at 5-month follow-up. <i>Child Psychiatry and Human Development</i> , 1995, 26, 85-95.	1.9	5
209	Sense of coherence and criminal offences among young males. Findings from the Finnish from a boy to a man study. <i>Nordic Psychology</i> , 2009, 61, 4-13.	0.8	5
210	Time-trend changes and psychological risk factors for soiling: findings from the Finnish 16-year time-trend study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 1276-1280.	1.5	5
211	Brief Report: Syndromes in Autistic Children in a Finnish Birth Cohort. <i>Journal of Autism and Developmental Disorders</i> , 2016, 46, 2780-2784.	2.7	5
212	Parental suicide attempts and offspring's risk of attempting or dying by suicide: does the timing of a parental suicide attempt matter?. <i>Psychological Medicine</i> , 2021, , 1-10.	4.5	5
213	The association between treated psychiatric and neurodevelopmental disorders and out-of-home care among Finnish children born in 1997. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1789-1798.	4.7	5
214	Psychosocial Difficulties and Help-Seeking Behaviors in Singapore Adolescents Involved in Cyberbullying. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2021, 24, 737-744.	3.9	5
215	Effectiveness of an Internet-Based and Telephone-Assisted Training for Parents of 4-Year-Old Children With Disruptive Behavior: Implementation Research. <i>Journal of Medical Internet Research</i> , 2022, 24, e27900.	4.3	5
216	Single-Session, Internet-Based Cognitive Behavioral Therapy to Improve Parenting Skills to Help Children Cope With Anxiety During the COVID-19 Pandemic: Feasibility Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e26438.	4.3	5

#	ARTICLE	IF	CITATIONS
217	Time trends in treated incidence, sociodemographic risk factors and comorbidities: a Finnish nationwide study on anxiety disorders. <i>BMC Psychiatry</i> , 2022, 22, 144.	2.6	5
218	Childhood bullying and becoming a young father in a national cohort of Finnish boys. <i>Scandinavian Journal of Psychology</i> , 2012, 53, 461-466.	1.5	4
219	Childhood predictors of antipsychotic use among young people in Finland. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 964-971.	1.9	4
220	Bullying and victimization among 8-year-old children: A 16-year population-based time-trend study. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 171-176.	1.3	4
221	Challenges in children's enrolment to psychosocial services. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 361-363.	4.7	4
222	Perinatal risk factors and reactive attachment disorder: A nationwide population-based study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1603-1611.	1.5	4
223	Maternal serum Vitamin B12 and offspring attention-deficit/hyperactivity disorder (ADHD). <i>European Child and Adolescent Psychiatry</i> , 2020, 30, 1449-1462.	4.7	4
224	Relative age is associated with bullying victimisation and perpetration among children aged eight to nine. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 2656-2663.	1.5	4
225	Increased Risk of ADHD at Short and Long Interpregnancy Intervals in a National Birth Cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2021, 35, 392-400.	1.7	4
226	Cumulative incidences of hospital-treated psychiatric disorders are increasing in five Finnish birth cohorts. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 119-129.	4.5	4
227	Parental age and risk of depression: A nationwide, population-based case-control study. <i>Journal of Affective Disorders</i> , 2021, 282, 322-328.	4.1	4
228	Digitalized Cognitive Behavioral Interventions for Depressive Symptoms During Pregnancy: Systematic Review. <i>Journal of Medical Internet Research</i> , 2022, 24, e33337.	4.3	4
229	Socio-demographic, economic and mental health problems were risk factors for suicidal ideation among Kenyan students aged 15 plus. <i>Journal of Affective Disorders</i> , 2022, 302, 74-82.	4.1	4
230	Multi-center nationwide study on pediatric psychiatric inpatients 2000-2018: length of stay, recurrent hospitalization, functioning level, suicidality, violence and diagnostic profiles. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 835-846.	4.7	4
231	The debate on child and adolescent psychiatric research is going global. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 509-510.	4.7	3
232	Altered growth trajectory of head circumference during infancy and schizophrenia in a National Birth Cohort. <i>Schizophrenia Research</i> , 2017, 182, 115-119.	2.0	3
233	Does parental mental health moderate the effect of a telephone and internet-assisted remote parent training for disruptive 4-year-old children?. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 273-280.	1.5	3
234	Prenatal Vitamin D Levels in Maternal Sera and Offspring Specific Learning Disorders. <i>Nutrients</i> , 2021, 13, 3321.	4.1	3

#	ARTICLE	IF	CITATIONS
235	Robust data-driven identification of risk factors and their interactions: A simulation and a study of parental and demographic risk factors for schizophrenia. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, 1-11.	2.1	2
236	Ten-year changes in the psychosocial well-being, psychopathology, substance use, suicidality, bullying, and sense of coherence of 18-year-old males: a Finnish population-based time-trend study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 313-325.	4.7	2
237	Psychometric properties of the screen for child anxiety related emotional disorders (SCARED) among elementary school children in Finland. <i>Scandinavian Journal of Psychology</i> , 2021, 62, 34-40.	1.5	2
238	The Child Mental Health Treatment Gap in an Urban Low-Income Setting: Multisectoral Service Use and Correlates. <i>Psychiatric Services</i> , 2022, 73, 32-38.	2.0	2
239	Familial confounding affected the associations between maternal smoking during pregnancy and offspring speech and language, scholastic and coordination disorders. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 3275-3283.	1.5	2
240	Translation, Validity, and Reliability of Mental Health Literacy and Help-Seeking Behavior Questionnaires in Indonesia. <i>Frontiers in Psychiatry</i> , 2021, 12, 764666.	2.6	2
241	Preterm birth, poor foetal growth and anxiety disorders in a Finnish nationwide register sample. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2022, 111, 1556-1565.	1.5	2
242	Feeling Unsafe at School Among Adolescents in 13 Asian and European Countries: Occurrence and Associated Factors. <i>Frontiers in Psychiatry</i> , 2022, 13, 823609.	2.6	2
243	Perceptions of mental health among adolescents in Greece. <i>British Journal of Mental Health Nursing</i> , 2014, 3, 126-131.	0.3	1
244	Maternal Stress During Pregnancy and Offspring Depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 645-646.	0.5	1
245	Incidence and comorbidities of disruptive behavior disorders diagnosed in Finnish specialist psychiatric services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 2063-2072.	3.1	1
246	Nonsuicidal self-injury risk factors among adolescents in Japan: A population-based study. <i>Social Behavior and Personality</i> , 2021, 49, 1-11.	0.6	1
247	Internet-assisted cognitive behavioural therapy with telephone coaching for anxious Finnish children aged 10-13 years: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e045474.	1.9	1
248	Parental distress rating at the child's age of 15 years predicts probable mental diagnosis: a three-year follow-up. <i>BMC Pediatrics</i> , 2022, 22, 177.	1.7	1
249	The use of a structured child interview (Finn Disc) in a child psychiatric inpatient sample. <i>Nordic Journal of Psychiatry</i> , 1996, 50, 381-385.	1.3	0
250	Distinguishing Suicide Attempts from Nonsuicidal Self-Harming Behaviors. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 1040-1041.	0.5	0
251	Self-reported experiences as predictors for onset of psychotropic medication. A prospective study of healthy draftees. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 298-304.	1.3	0
252	Dr. Malm et al. reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 726-727.	0.5	0

#	ARTICLE	IF	CITATIONS
253	Data Selection Importance in the Study of the Association Between Maternal Smoking During Pregnancy and Schizophrenia: Response to Meier et al.. American Journal of Psychiatry, 2017, 174, 188-188.	7.2	0
254	Serotonin Reuptake Inhibitor Use During Pregnancyâ€™Reply. JAMA Psychiatry, 2017, 74, 539.	11.0	0
255	Mental health services and allocation of resources: where should the money flow? â€™ Authors' reply. Lancet Psychiatry,the, 2018, 5, e12-e13.	7.4	0
256	Dr. Sucksdorff et al. Reply. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 1167-1168.	0.5	0
257	Relative Age and the Use of Second-Generation Antipsychotics from 7 to 17 Years of Age: A Population-Based Register Study. Journal of Child and Adolescent Psychopharmacology, 2022, 32, 45-51.	1.3	0
258	Secular trends in childhood pain and comorbid psychiatric symptoms: a population-based study. Social Psychiatry and Psychiatric Epidemiology, 2022, , 1.	3.1	0
259	Bullying at 8 years and violent offenses by 31Âyears: the Finnish nationwide 1981 birth cohort study. European Child and Adolescent Psychiatry, 2022, , 1.	4.7	0
260	Teenagersâ€™™ mental health problems predict probable mental diagnosis 3Âyears later among girls, but what about the boys?. Child and Adolescent Psychiatry and Mental Health, 2022, 16, .	2.5	0
261	Associations Between Delivery Modes, Birth Outcomes and Offspring Anxiety Disorders in a Population-Based Birth Cohort of Children and Adolescents. Frontiers in Psychiatry, 0, 13, .	2.6	0