

Andre Sourander

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7353775/publications.pdf>

Version: 2024-02-01

261
papers

10,599
citations

31949

53
h-index

45285

90
g-index

272
all docs

272
docs citations

272
times ranked

10869
citing authors

#	ARTICLE	IF	CITATIONS
1	Multi-center nationwide study on pediatric psychiatric inpatients 2000â€“2018: length of stay, recurrent hospitalization, functioning level, suicidality, violence and diagnostic profiles. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 835-846.	2.8	4
2	Post-traumatic Stress and Depressive Symptoms Among Adolescents After the 2015 Earthquake in Nepal: A Longitudinal Study. <i>Child Psychiatry and Human Development</i> , 2022, 53, 430-439.	1.1	7
3	Victimization by traditional bullying and cyberbullying and the combination of these among adolescents in 13 European and Asian countries. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1391-1404.	2.8	35
4	The association between treated psychiatric and neurodevelopmental disorders and out-of-home care among Finnish children born in 1997. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1789-1798.	2.8	5
5	The Child Mental Health Treatment Gap in an Urban Low-Income Setting: Multisectoral Service Use and Correlates. <i>Psychiatric Services</i> , 2022, 73, 32-38.	1.1	2
6	The long-term cost of childhood conduct problems: Finnish Nationwide 1981 Birth Cohort Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 683-692.	3.1	12
7	Psychiatric disorders diagnosed in adolescence and subsequent long-term exclusion from education, employment or training: longitudinal national birth cohort study. <i>British Journal of Psychiatry</i> , 2022, 220, 148-153.	1.7	18
8	Relative Age and the Use of Second-Generation Antipsychotics from 7 to 17 Years of Age: A Population-Based Register Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2022, 32, 45-51.	0.7	0
9	Effectiveness of an Internet-Based and Telephone-Assisted Training for Parents of 4-Year-Old Children With Disruptive Behavior: Implementation Research. <i>Journal of Medical Internet Research</i> , 2022, 24, e27900.	2.1	5
10	Digitalized Cognitive Behavioral Interventions for Depressive Symptoms During Pregnancy: Systematic Review. <i>Journal of Medical Internet Research</i> , 2022, 24, e33337.	2.1	4
11	Parental psychological problems were associated with higher screen time and the use of mature-rated media in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2022, 111, 825-833.	0.7	6
12	Socio-demographic, economic and mental health problems were risk factors for suicidal ideation among Kenyan students aged 15 plus. <i>Journal of Affective Disorders</i> , 2022, 302, 74-82.	2.0	4
13	Registered psychiatric service use, self-harm and suicides of children and young people aged 0â€“24 before and during the COVID-19 pandemic: a systematic review. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2022, 16, 15.	1.2	26
14	Secular trends in childhood pain and comorbid psychiatric symptoms: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, , 1.	1.6	0
15	Parental distress rating at the child's age of 15â€‰years predicts probable mental diagnosis: a three-year follow-up. <i>BMC Pediatrics</i> , 2022, 22, 177.	0.7	1
16	Bullying at 8 years and violent offenses by 31Â years: the Finnish nationwide 1981 birth cohort study. <i>European Child and Adolescent Psychiatry</i> , 2022, , 1.	2.8	0
17	Maternal serum persistent organic pollutant exposure and offspring diagnosed ADHD in a national birth cohort. <i>Environmental Research</i> , 2022, 212, 113145.	3.7	7
18	Single-Session, Internet-Based Cognitive Behavioral Therapy to Improve Parenting Skills to Help Children Cope With Anxiety During the COVID-19 Pandemic: Feasibility Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e26438.	2.1	5

#	ARTICLE	IF	CITATIONS
19	Time trends in treated incidence, sociodemographic risk factors and comorbidities: a Finnish nationwide study on anxiety disorders. BMC Psychiatry, 2022, 22, 144.	1.1	5
20	Preterm birth, poor foetal growth and anxiety disorders in a Finnish nationwide register sample. Acta Paediatrica, International Journal of Paediatrics, 2022, 111, 1556-1565.	0.7	2
21	Feeling Unsafe at School Among Adolescents in 13 Asian and European Countries: Occurrence and Associated Factors. Frontiers in Psychiatry, 2022, 13, 823609.	1.3	2
22	Teenagers' mental health problems predict probable mental diagnosis 3 years later among girls, but what about the boys?. Child and Adolescent Psychiatry and Mental Health, 2022, 16, .	1.2	0
23	Preterm Birth Is Associated With Depression From Childhood to Early Adulthood. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 1127-1136.	0.3	11
24	Risk for Premature Mortality and Intentional Self-harm in Autism Spectrum Disorders. Journal of Autism and Developmental Disorders, 2021, 51, 3098-3108.	1.7	29
25	Increased Risk of ADHD at Short and Long Interpregnancy Intervals in a National Birth Cohort. Paediatric and Perinatal Epidemiology, 2021, 35, 392-400.	0.8	4
26	Ten-year changes in the psychosocial well-being, psychopathology, substance use, suicidality, bullying, and sense of coherence of 18-year-old males: a Finnish population-based time-trend study. European Child and Adolescent Psychiatry, 2021, 30, 313-325.	2.8	2
27	Cumulative incidences of hospital-treated psychiatric disorders are increasing in five Finnish birth cohorts. Acta Psychiatrica Scandinavica, 2021, 143, 119-129.	2.2	4
28	Psychometric properties of the screen for child anxiety related emotional disorders (SCARED) among elementary school children in Finland. Scandinavian Journal of Psychology, 2021, 62, 34-40.	0.8	2
29	Maternal Vitamin D Levels and the Risk of Offspring Attention-Deficit/Hyperactivity Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 142-151.e2.	0.3	36
30	Incidence and comorbidities of disruptive behavior disorders diagnosed in Finnish specialist psychiatric services. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 2063-2072.	1.6	1
31	Nonsuicidal self-injury risk factors among adolescents in Japan: A population-based study. Social Behavior and Personality, 2021, 49, 1-11.	0.3	1
32	Feeling Unsafe at School and Associated Mental Health Difficulties among Children and Adolescents: A Systematic Review. Children, 2021, 8, 232.	0.6	18
33	Parental age and risk of depression: A nationwide, population-based case-control study. Journal of Affective Disorders, 2021, 282, 322-328.	2.0	4
34	Relative age and specific learning disorder diagnoses: A Finnish population-based cohort study. JCPP Advances, 2021, 1, e12001.	1.4	8
35	Parental suicide attempts and offspring's risk of attempting or dying by suicide: does the timing of a parental suicide attempt matter?. Psychological Medicine, 2021, , 1-10.	2.7	5
36	Psychosocial Difficulties and Help-Seeking Behaviors in Singapore Adolescents Involved in Cyberbullying. Cyberpsychology, Behavior, and Social Networking, 2021, 24, 737-744.	2.1	5

#	ARTICLE	IF	CITATIONS
37	Internet-assisted cognitive behavioural therapy with telephone coaching for anxious Finnish children aged 10–13 years: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e045474.	0.8	1
38	Maternal Vitamin D Levels During Pregnancy and Offspring Autism Spectrum Disorder. <i>Biological Psychiatry</i> , 2021, 90, 790-797.	0.7	25
39	Familial confounding affected the associations between maternal smoking during pregnancy and offspring speech and language, scholastic and coordination disorders. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 3275-3283.	0.7	2
40	A biomarker-based study of prenatal smoking exposure and autism in a Finnish national birth cohort. <i>Autism Research</i> , 2021, 14, 2444-2453.	2.1	6
41	Prenatal Vitamin D Levels in Maternal Sera and Offspring Specific Learning Disorders. <i>Nutrients</i> , 2021, 13, 3321.	1.7	3
42	Dr. Sucksdorff et al. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 1167-1168.	0.3	0
43	Digital mental health literacy -program for the first-year medical students' wellbeing: a one group quasi-experimental study. <i>BMC Medical Education</i> , 2021, 21, 563.	1.0	16
44	Translation, Validity, and Reliability of Mental Health Literacy and Help-Seeking Behavior Questionnaires in Indonesia. <i>Frontiers in Psychiatry</i> , 2021, 12, 764666.	1.3	2
45	Did Bullying Victimization Decrease After Nationwide School-Based Antibullying Program? A Time-Trend Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 531-540.	0.3	15
46	Maternal serum C-reactive protein (CRP) and offspring attention deficit hyperactivity disorder (ADHD). <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 239-247.	2.8	20
47	Traditional Victims and Cybervictims: Prevalence, Overlap, and Association with Mental Health Among Adolescents in Singapore. <i>School Mental Health</i> , 2020, 12, 145-155.	1.1	24
48	Public health nurses' experiences of assessing disruptive behaviour in children and supporting the use of an Internet-based parent training programme. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 34, 420-427.	1.0	10
49	Recurrent depression in childhood and adolescence and low childhood socioeconomic status predict low cardiorespiratory fitness in early adulthood. <i>Journal of Affective Disorders</i> , 2020, 266, 782-792.	2.0	7
50	Perinatal risk factors and reactive attachment disorder: A nationwide population-based study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1603-1611.	0.7	4
51	Robust data-driven identification of risk factors and their interactions: A simulation and a study of parental and demographic risk factors for schizophrenia. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, 1-11.	1.1	2
52	Prenatal and perinatal risk factors for anxiety disorders among children and adolescents: A systematic review. <i>Journal of Affective Disorders</i> , 2020, 277, 85-93.	2.0	13
53	Children's Relative Age and ADHD Medication Use: A Finnish Population-Based Study. <i>Pediatrics</i> , 2020, 146, .	1.0	7
54	Maternal serum Vitamin B12 and offspring attention-deficit/hyperactivity disorder (ADHD). <i>European Child and Adolescent Psychiatry</i> , 2020, 30, 1449-1462.	2.8	4

#	ARTICLE	IF	CITATIONS
55	Relative age is associated with bullying victimisation and perpetration among children aged eight to nine. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 2656-2663.	0.7	4
56	The impact of parental psychopathology and sociodemographic factors in selective mutism - a nationwide population-based study. <i>BMC Psychiatry</i> , 2020, 20, 221.	1.1	12
57	Early risk factors for postpartum depression: A longitudinal Japanese population-based study. <i>Journal of Affective Disorders</i> , 2020, 269, 148-153.	2.0	15
58	Association of Genetic and Environmental Factors With Autism in a 5-Country Cohort. <i>JAMA Psychiatry</i> , 2019, 76, 1035.	6.0	319
59	Associations between Chinese adolescents subjected to traditional and cyber bullying and suicidal ideation, self-harm and suicide attempts. <i>BMC Psychiatry</i> , 2019, 19, 324.	1.1	64
60	Time trends in the incidence of diagnosed depression among people aged 5â€“25 years living in Finland 1995â€“2012. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 475-481.	0.7	14
61	Parental Risk Factors among Children with Reactive Attachment Disorder Referred to Specialized Services: A Nationwide Population-Based Study. <i>Child Psychiatry and Human Development</i> , 2019, 50, 546-556.	1.1	6
62	Birth seasonality and risk of autism spectrum disorder. <i>European Journal of Epidemiology</i> , 2019, 34, 785-792.	2.5	28
63	Recurrence Risk of Autism in Siblings and Cousins: A Multinational, Population-Based Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 866-875.	0.3	41
64	Risk factors for impaired maternal bonding when infants are 3â€‰months old: a longitudinal population based study from Japan. <i>BMC Psychiatry</i> , 2019, 19, 87.	1.1	32
65	Parental immigration and offspring post-traumatic stress disorder: A nationwide population-based register study. <i>Journal of Affective Disorders</i> , 2019, 249, 294-300.	2.0	9
66	Prenatal Cotinine Levels and ADHD Among Offspring. <i>Pediatrics</i> , 2019, 143, .	1.0	36
67	Proband and Familial Autoimmune Diseases Are Associated With Proband Diagnosis of Autism Spectrum Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 496-505.	0.3	19
68	Suicidality among child and adolescent psychiatric inpatients: time trend study comparing 2000 and 2011. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1223-1230.	2.8	11
69	Cross-cultural, population-based study on adolescent body image and eating distress in Japan and Finland. <i>Scandinavian Journal of Psychology</i> , 2019, 60, 67-76.	0.8	26
70	Changes in mental health service use among 8-year-old children: a 24-year time-trend study. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 521-530.	2.8	17
71	Attention-deficit/hyperactivity disorder and risk for psychiatric and neurodevelopmental disorders in siblings. <i>Psychological Medicine</i> , 2019, 49, 84-91.	2.7	20
72	Web-Based Parent Training Intervention With Telephone Coaching for Disruptive Behavior in 4-Year-Old Children in Real-World Practice: Implementation Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e11446.	2.1	27

#	ARTICLE	IF	CITATIONS
73	Does parental mental health moderate the effect of a telephone and internet-assisted remote parent training for disruptive 4-year-old children?. Scandinavian Journal of Psychology, 2018, 59, 273-280.	0.8	3
74	Lower Apgar scores and Caesarean sections are related to attention-deficit/hyperactivity disorder. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1750-1758.	0.7	29
75	Violence and child mental health in Brazil: The Itaboraí-Youth Study methods and findings. International Journal of Methods in Psychiatric Research, 2018, 27, e1605.	1.1	15
76	Temporal changes in the incidence of treated psychiatric and neurodevelopmental disorders during adolescence: an analysis of two national Finnish birth cohorts. Lancet Psychiatry, the, 2018, 5, 227-236.	3.7	60
77	Unmet needs of child and adolescent psychiatrists among Asian and European countries: does the Human Development Index (HDI) count?. European Child and Adolescent Psychiatry, 2018, 27, 5-8.	2.8	31
78	Time trends of Finnish adolescents' mental health and use of alcohol and cigarettes from 1998 to 2014. European Child and Adolescent Psychiatry, 2018, 27, 1633-1643.	2.8	35
79	Psychiatric symptoms experienced by adolescents in Nepal following the 2015 earthquakes. Journal of Affective Disorders, 2018, 234, 239-246.	2.0	25
80	Finnish-born children of immigrants are more likely to be diagnosed with developmental disorders related to speech and language, academic skills and coordination. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1409-1417.	0.7	15
81	Parental and child factors associated with participation in a randomised control trial of an Internet-assisted parent training programme. Child and Adolescent Mental Health, 2018, 23, 71-77.	1.8	7
82	Association between bullying behavior, perceived school safety, and self-cutting: a Japanese population-based school survey. Child and Adolescent Mental Health, 2018, 23, 141-147.	1.8	17
83	Loneliness and friendships among eight-year-old children: time-trends over a 24-year period. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2018, 59, 171-179.	3.1	44
84	National time trend changes in psychotropic medication of child and adolescent psychiatric inpatients across Finland. Child and Adolescent Mental Health, 2018, 23, 63-70.	1.8	10
85	Social risk factors for speech, scholastic and coordination disorders: a nationwide register-based study. BMC Public Health, 2018, 18, 739.	1.2	14
86	Mental health services and allocation of resources: where should the money flow? "Authors' reply. Lancet Psychiatry, the, 2018, 5, e12-e13.	3.7	0
87	Two-Year Follow-Up of Internet and Telephone Assisted Parent Training for Disruptive Behavior at Age 4. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 658-668.e1.	0.3	24
88	Association of Maternal Insecticide Levels With Autism in Offspring From a National Birth Cohort. American Journal of Psychiatry, 2018, 175, 1094-1101.	4.0	56
89	Crime and mortality in a population-based nationwide 1981 birth cohort: Results from the FinnCrime study. Criminal Behaviour and Mental Health, 2017, 27, 15-26.	0.4	15
90	Data Selection Importance in the Study of the Association Between Maternal Smoking During Pregnancy and Schizophrenia: Response to Meier et al.. American Journal of Psychiatry, 2017, 174, 188-188.	4.0	0

#	ARTICLE	IF	CITATIONS
91	Parental Psychopathology and Tourette Syndrome/Chronic Tic Disorder in Offspring: A Nationwide Case-Control Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, 297-303.e4.	0.3	15
92	Clinical decision support systems in child and adolescent psychiatry: a systematic review. European Child and Adolescent Psychiatry, 2017, 26, 1309-1317.	2.8	20
93	Register-based study of the incidence, comorbidities and demographics of obsessive-compulsive disorder in specialist healthcare. BMC Psychiatry, 2017, 17, 64.	1.1	13
94	Serotonin Reuptake Inhibitor Use During Pregnancyâ€”Reply. JAMA Psychiatry, 2017, 74, 539.	6.0	0
95	Relative age within the school year and diagnosis of attention-deficit hyperactivity disorder: a nationwide population-based study. Lancet Psychiatry, 2017, 4, 868-875.	3.7	41
96	Parental age and the risk of obsessive compulsive disorder and Tourette syndrome / chronic tic disorder in a nationwide population-based sample. Journal of Affective Disorders, 2017, 223, 101-105.	2.0	10
97	Parental psychopathology and offspring attention-deficit/hyperactivity disorder in a nationwide sample. Journal of Psychiatric Research, 2017, 94, 124-130.	1.5	38
98	New Insights into How Serotonin Selective Reuptake Inhibitors Shape the Developing Brain. Birth Defects Research, 2017, 109, 924-932.	0.8	47
99	The debate on child and adolescent psychiatric research is going global. European Child and Adolescent Psychiatry, 2017, 26, 509-510.	2.8	3
100	Gestational maternal C-Reactive protein and risk of bipolar disorder among young individuals in a Nationwide Birth Cohort. Journal of Affective Disorders, 2017, 208, 41-46.	2.0	10
101	Altered growth trajectory of head circumference during infancy and schizophrenia in a National Birth Cohort. Schizophrenia Research, 2017, 182, 115-119.	1.1	3
102	Prenatal toxoplasmosis antibody and childhood autism. Autism Research, 2017, 10, 769-777.	2.1	35
103	Obesity, Underweight, and Smoking Are Associated with Worse Cardiorespiratory Fitness in Finnish Healthy Young Men: A Population-Based Study. Frontiers in Public Health, 2017, 5, 206.	1.3	12
104	Association between immigrant background and <scp>ADHD</scp>: a nationwide populationâ€”based caseâ€”control study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 967-975.	3.1	34
105	Changes in the clinical features of child and adolescent psychiatric inpatients: a nationwide time-trend study from Finland. Nordic Journal of Psychiatry, 2016, 70, 436-441.	0.7	12
106	Obstetric and Neonatal Adversities, Parity, and Tourette Syndrome: A Nationwide Registry. Journal of Pediatrics, 2016, 171, 213-219.	0.9	18
107	Prenatal Nicotine Exposure and Risk of Schizophrenia Among Offspring in a National Birth Cohort. American Journal of Psychiatry, 2016, 173, 799-806.	4.0	60
108	Brief Report: Syndromes in Autistic Children in a Finnish Birth Cohort. Journal of Autism and Developmental Disorders, 2016, 46, 2780-2784.	1.7	5

#	ARTICLE	IF	CITATIONS
109	Internet-Assisted Parent Training Intervention for Disruptive Behavior in 4-Year-Old Children. JAMA Psychiatry, 2016, 73, 378.	6.0	111
110	Risk of Psychiatric and Neurodevelopmental Disorders Among Siblings of Proband With Autism Spectrum Disorders. JAMA Psychiatry, 2016, 73, 622.	6.0	94
111	Enhancing mental health literacy in young people. European Child and Adolescent Psychiatry, 2016, 25, 567-569.	2.8	91
112	Dr. Malm etÅal. reply:. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 726-727.	0.3	0
113	Association of Selective Serotonin Reuptake Inhibitor Exposure During Pregnancy With Speech, Scholastic, and Motor Disorders in Offspring. JAMA Psychiatry, 2016, 73, 1163.	6.0	117
114	Parental and comorbid migraine in individuals with bipolar disorder: A nationwide register study. Journal of Affective Disorders, 2016, 206, 109-114.	2.0	10
115	Prenatal smoking exposure and neuropsychiatric comorbidity of ADHD: a finnish nationwide population-based cohort study. BMC Psychiatry, 2016, 16, 306.	1.1	31
116	Maternal Stress During Pregnancy and Offspring Depression. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 645-646.	0.3	1
117	Changes in Mental Health, Bullying Behavior, and Service Use Among Eight-Year-Old Children Over 24 Years. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 717-725.e2.	0.3	28
118	Opinions About Mental Illness Among Adolescents: The Impact of a Mental Health Educational Intervention. School Mental Health, 2016, 8, 268-277.	1.1	7
119	Bullying and victimisation are common in four-year-old children and are associated with somatic symptoms and conduct and peer problems. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 522-528.	0.7	27
120	Serotonin signaling modulates the effects of familial risk for depression on cortical thickness. Psychiatry Research - Neuroimaging, 2016, 248, 83-93.	0.9	7
121	Association of Bullying Behavior at 8 Years of Age and Use of Specialized Services for Psychiatric Disorders by 29 Years of Age. JAMA Psychiatry, 2016, 73, 159.	6.0	71
122	Gestational Exposure to Selective Serotonin Reuptake Inhibitors and Offspring Psychiatric Disorders: A National Register-Based Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 359-366.	0.3	170
123	Demographic Characteristics and Psychiatric Comorbidity of Children and Adolescents Diagnosed with ADHD in Specialized Healthcare. Child Psychiatry and Human Development, 2016, 47, 574-582.	1.1	54
124	Hypothyroxinemia During Gestation and Offspring Schizophrenia in a National Birth Cohort. Biological Psychiatry, 2016, 79, 962-970.	0.7	69
125	Prenatal Maternal Smoking and Tourette Syndrome: A Nationwide Register Study. Child Psychiatry and Human Development, 2016, 47, 75-82.	1.1	24
126	Maternal socio-economic status based on occupation and autism spectrum disorders: A national case-control study. Nordic Journal of Psychiatry, 2015, 69, 523-530.	0.7	15

#	ARTICLE	IF	CITATIONS
127	Maternal exposure to sexually transmitted infections and schizophrenia among offspring. Schizophrenia Research, 2015, 166, 255-260.	1.1	13
128	Genetic variants within the serotonin transporter associated with familial risk for major depression. Psychiatry Research, 2015, 228, 170-173.	1.7	13
129	Separate and interactive contributions of weak inhibitory control and threat sensitivity to prediction of suicide risk. Psychiatry Research, 2015, 226, 461-466.	1.7	57
130	Challenges in children's enrolment to psychosocial services. European Child and Adolescent Psychiatry, 2015, 24, 361-363.	2.8	4
131	Parental Age and the Risk of Attention-Deficit/Hyperactivity Disorder: A Nationwide, Population-Based Cohort Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2015, 54, 487-494.e1.	0.3	63
132	Help-seeking behaviour among Finnish adolescent males. Nordic Journal of Psychiatry, 2015, 69, 605-612.	0.7	8
133	Bullying by peers in childhood and effects on psychopathology, suicidality, and criminality in adulthood. Lancet Psychiatry, 2015, 2, 930-941.	3.7	178
134	The Association Between Autism Spectrum Disorders and Congenital Anomalies by Organ Systems in a Finnish National Birth Cohort. Journal of Autism and Developmental Disorders, 2015, 45, 3195-3203.	1.7	14
135	Pregnancy Complications Following Prenatal Exposure to SSRIs or Maternal Psychiatric Disorders: Results From Population-Based National Register Data. American Journal of Psychiatry, 2015, 172, 1224-1232.	4.0	106
136	The association between congenital anomalies and autism spectrum disorders in a Finnish national birth cohort. Developmental Medicine and Child Neurology, 2015, 57, 75-80.	1.1	23
137	Preterm Birth and Poor Fetal Growth as Risk Factors of Attention-Deficit/Hyperactivity Disorder. Pediatrics, 2015, 136, e599-e608.	1.0	171
138	Parental and comorbid epilepsy in persons with bipolar disorder. Journal of Affective Disorders, 2015, 188, 107-111.	2.0	12
139	Autism with Intellectual Disability Related to Dynamics of Head Circumference Growth during Early Infancy. Biological Psychiatry, 2015, 77, 833-840.	0.7	10
140	Parental migration and Asperger's syndrome. European Child and Adolescent Psychiatry, 2015, 24, 941-948.	2.8	14
141	Maternal thyroid autoantibody and elevated risk of autism in a national birth cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 57, 86-92.	2.5	77
142	Is maternal smoking during pregnancy associated with bipolar disorder in offspring?. Journal of Affective Disorders, 2015, 171, 132-136.	2.0	18
143	Guided Internet-Based Parent Training for Challenging Behavior in Children With Fetal Alcohol Spectrum Disorder (Strongest Families FASD): Study Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2015, 4, e112.	0.5	16
144	Perceptions of mental health among adolescents in Greece. British Journal of Mental Health Nursing, 2014, 3, 126-131.	0.1	1

#	ARTICLE	IF	CITATIONS
145	Finnish Prenatal Study of Bipolar Disorders (FIPS-B): Overview, design and description of the sample. Nordic Journal of Psychiatry, 2014, 68, 169-179.	0.7	18
146	Specialized Service Use for Psychiatric and Neurodevelopmental Disorders by Age 14 in Finland. Psychiatric Services, 2014, 65, 367-373.	1.1	26
147	Parental age and the risk of bipolar disorders. Bipolar Disorders, 2014, 16, 624-632.	1.1	28
148	A nationwide register study of the characteristics, incidence and validity of diagnosed Tourette syndrome and other tic disorders. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, 984-990.	0.7	39
149	Variation by Diagnostic Subtype in Risk for Autism Spectrum Disorders Associated with Maternal Parity among Finnish Births. Paediatric and Perinatal Epidemiology, 2014, 28, 58-66.	0.8	17
150	Elevated Maternal C-Reactive Protein and Increased Risk of Schizophrenia in a National Birth Cohort. American Journal of Psychiatry, 2014, 171, 960-968.	4.0	161
151	The incidence of diagnosed autism spectrum disorders in Finland. Nordic Journal of Psychiatry, 2014, 68, 472-480.	0.7	27
152	Increased Risk of Autism Spectrum Disorders at Short and Long Interpregnancy Intervals in Finland. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 1074-1081.e4.	0.3	37
153	Predicting Service Use for Mental Health Problems Among Young Children. Pediatrics, 2014, 133, 1054-1060.	1.0	55
154	Criminal offending among males and females between ages 15 and 30 in a population-based nationwide 1981 birth cohort: Results from the FinnCrime Study. Journal of Adolescence, 2014, 37, 1269-1279.	1.2	29
155	Bipolar disorder and parental psychopathology. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1973-1984.	1.6	10
156	Do Headache and Abdominal Pain in Childhood Predict Suicides and Severe Suicide Attempts? Finnish Nationwide 1981 Birth Cohort Study. Child Psychiatry and Human Development, 2014, 45, 110-118.	1.1	15
157	Epilepsy Among Children and Adolescents with Autism Spectrum Disorders: A Population-Based Study. Journal of Autism and Developmental Disorders, 2014, 44, 2547-2557.	1.7	80
158	Perinatal factors and the risk of bipolar disorder in Finland. Journal of Affective Disorders, 2014, 155, 75-80.	2.0	53
159	Obstetric Risk Factors and Autism Spectrum Disorders in Finland. Journal of Pediatrics, 2014, 164, 358-365.	0.9	76
160	Distinct variants of extreme psychopathic individuals in society at large: Evidence from a population-based sample.. Personality Disorders: Theory, Research, and Treatment, 2014, 5, 154-163.	1.0	73
161	Frequent behavioural challenges in children with fetal alcohol spectrum disorder: a needs-based assessment reported by caregivers and clinicians. Journal of Population Therapeutics and Clinical Pharmacology, 2014, 21, e405-20.	1.4	10
162	The International Collaboration for Autism Registry Epidemiology (iCARE): Multinational Registry-Based Investigations of Autism Risk Factors and Trends. Journal of Autism and Developmental Disorders, 2013, 43, 2650-2663.	1.7	30

#	ARTICLE	IF	CITATIONS
163	Parental Age and Risk of Autism Spectrum Disorders in a Finnish National Birth Cohort. <i>Journal of Autism and Developmental Disorders</i> , 2013, 43, 2526-2535.	1.7	63
164	The risk of childhood autism among second-generation migrants in Finland: a case-control study. <i>BMC Pediatrics</i> , 2013, 13, 171.	0.7	60
165	Self-reported experiences as predictors for onset of psychotropic medication. A prospective study of healthy draftees. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 298-304.	0.7	0
166	Bullying and victimization among 8-year-old children: A 16-year population-based time-trend study. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 171-176.	0.7	4
167	Association between childhood psychosocial factors and induced abortion. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 166, 190-195.	0.5	8
168	Parental psychiatric disorders and autism spectrum disorders. <i>Psychiatry Research</i> , 2013, 207, 203-211.	1.7	94
169	Do Antenatal and Postnatal Parental Psychological Distress, and Recognized Need of Help Predict Preadolescent's Psychiatric Symptoms? The Finnish Family Competence Cohort Study. <i>Child Psychiatry and Human Development</i> , 2013, 44, 305-319.	1.1	11
170	Smoking during Pregnancy and Risk of Autism Spectrum Disorder in a Finnish National Birth Cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2013, 27, 266-274.	0.8	59
171	Remote population-based intervention for disruptive behavior at age four: study protocol for a randomized trial of Internet-assisted parent training (Strongest Families Finland-Canada). <i>BMC Public Health</i> , 2013, 13, 985.	1.2	27
172	Psychotropic drug and polypharmacy use among adolescents and young adults: Findings from the Finnish 1981 Nationwide Birth Cohort Study. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 336-342.	0.7	15
173	Prevalence Changes of Pain, Sleep Problems and Fatigue Among 8-Year-Old Children: Years 1989, 1999, and 2005*. <i>Journal of Pediatric Psychology</i> , 2012, 37, 307-318.	1.1	45
174	Childhood bullying and becoming a young father in a national cohort of Finnish boys. <i>Scandinavian Journal of Psychology</i> , 2012, 53, 461-466.	0.8	4
175	What is the long-term outcome of boys who steal at age eight? Findings from the Finnish nationwide "From A Boy To A Man" birth cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1391-1400.	1.6	6
176	Risk of Autism Spectrum Disorders in Low Birth Weight and Small for Gestational Age Infants. <i>Journal of Pediatrics</i> , 2012, 161, 830-836.	0.9	170
177	Psychosocial factors associated with becoming a young father in Finland: a nationwide longitudinal study. <i>BMC Public Health</i> , 2012, 12, 560.	1.2	6
178	Childhood predictors of becoming a teenage mother among Finnish girls. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1319-1325.	1.3	29
179	Changes in adolescents mental health and use of alcohol and tobacco: a 10-year time-trend study of Finnish adolescents. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 665-671.	2.8	53
180	Cyberbullying and adolescent mental health. <i>International Journal of Adolescent Medicine and Health</i> , 2012, 24, 27-35.	0.6	58

#	ARTICLE	IF	CITATIONS
181	Infant and childhood neurodevelopmental outcomes following prenatal exposure to selective serotonin reuptake inhibitors: overview and design of a Finnish Register-Based Study (FinESSI). <i>BMC Psychiatry</i> , 2012, 12, 217.	1.1	19
182	Childhood predictors of antipsychotic use among young people in Finland. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 964-971.	0.9	4
183	Treatment duration with selective serotonin reuptake inhibitors among children and adolescents in Finland: a nationwide register study. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1109-1117.	0.8	6
184	Psychosocial determinants of headache, abdominal pain, and sleep problems in a community sample of Finnish adolescents. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 301-313.	2.8	57
185	Pain at age eight as a predictor of antidepressant medication use by age 24: Findings from the Finnish nationwide 1981 birth cohort study. <i>Journal of Affective Disorders</i> , 2012, 138, 153-159.	2.0	8
186	Childhood Predictors of Use and Costs of Antidepressant Medication by Age 24 Years: Findings from the Finnish Nationwide 1981 Birth Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011, 50, 406-415.e1.	0.3	19
187	International Comparisons of Behavioral and Emotional Problems in Preschool Children: Parents' Reports From 24 Societies. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2011, 40, 456-467.	2.2	157
188	Use of antidepressants among 0-26 year olds in Finland during 1997-2007. <i>European Journal of Psychiatry</i> , 2011, 25, 164-172.	0.7	6
189	Time-trend changes and psychological risk factors for soiling: findings from the Finnish 16-year time-trend study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 1276-1280.	0.7	5
190	Finnish Prenatal Study of Autism and Autism Spectrum Disorders (FIPS-A): Overview and Design. <i>Journal of Autism and Developmental Disorders</i> , 2011, 41, 1090-1096.	1.7	47
191	Childhood bullying as a predictor for becoming a teenage mother in Finland. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 49-55.	2.8	22
192	Factors associated with reported childhood depressive symptoms at age 8 and later self-reported depressive symptoms among boys at age 18. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 207-218.	1.6	11
193	Generic and crime type specific correlates of youth crime: a Finnish population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 903-914.	1.6	13
194	Bullying at age eight and criminality in adulthood: findings from the Finnish Nationwide 1981 Birth Cohort Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1211-1219.	1.6	42
195	The Association of Suicide and Bullying in Childhood to Young Adulthood: A Review of Cross-Sectional and Longitudinal Research Findings. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 282-288.	0.9	321
196	Childhood predictors of later psychiatric hospital treatment: findings from the Finnish 1981 birth cohort study. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 823-833.	2.8	26
197	Child Mental Health Problems and Obesity in Early Adulthood. <i>Journal of Pediatrics</i> , 2010, 156, 93-97.	0.9	47
198	Psychosocial Risk Factors Associated With Cyberbullying Among Adolescents. <i>Archives of General Psychiatry</i> , 2010, 67, 720.	13.8	561

#	ARTICLE	IF	CITATIONS
199	Preschool Psychopathology Reported by Parents in 23 Societies. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 1215-1224.	0.3	163
200	Psychosocial correlates of police-registered youth crime. A Finnish population-based study. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 292-300.	0.7	14
201	Childhood Predictors of Completed and Severe Suicide Attempts. <i>Archives of General Psychiatry</i> , 2009, 66, 398.	13.8	152
202	Childhood Bullying Behavior and Later Psychiatric Hospital and Psychopharmacologic Treatment. <i>Archives of General Psychiatry</i> , 2009, 66, 1005.	13.8	116
203	Early Childhood Psychological Problems Predict a Poor Sense of Coherence in Adolescents. <i>Journal of Health Psychology</i> , 2009, 14, 587-600.	1.3	37
204	Cross-informant agreement about bullying and victimization among eight-year-olds: whose information best predicts psychiatric caseness 10-15 years later?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 15-22.	1.6	86
205	Childhood psychopathology and sense of coherence at age 18: findings from the Finnish from a boy to a man study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 1097-1105.	1.6	12
206	Childhood antecedents of being a cigarette smoker in early adulthood. The Finnish "From a Boy to a Man" Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009, 50, 343-351.	3.1	17
207	Sense of coherence and criminal offences among young males. Findings from the Finnish from a boy to a man study. <i>Nordic Psychology</i> , 2009, 61, 4-13.	0.4	5
208	Childhood Bullying Behaviors as a Risk for Suicide Attempts and Completed Suicides: A Population-Based Birth Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 254-261.	0.3	346
209	Distinguishing Suicide Attempts from Nonsuicidal Self-Harming Behaviors. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 1040-1041.	0.3	0
210	What predicts illicit drug use versus police-registered drug offending?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 697-704.	1.6	6
211	Victimization and bullying among 8-year-old Finnish children. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 463-472.	2.8	15
212	Childhood bullying as a risk for later depression and suicidal ideation among Finnish males. <i>Journal of Affective Disorders</i> , 2008, 109, 47-55.	2.0	163
213	The involuntary treatment of adolescent psychiatric inpatients - A nationwide survey from Finland. <i>Journal of Adolescence</i> , 2008, 31, 407-419.	1.2	20
214	Changes in Psychiatric Problems and Service Use Among 8-Year-Old Children: A 16-Year Population-Based Time-Trend Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 317-327.	0.3	66
215	Life events, self-reported psychopathology and sense of coherence among young men - A population-based study. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 464-471.	0.7	25
216	Childhood Predictors of Military Fitness: A Prospective, Community-Based, Follow-up Study from Age 8 to Age 18. <i>Military Medicine</i> , 2008, 173, 146-154.	0.4	9

#	ARTICLE	IF	CITATIONS
217	Ideology of Nursing Care in Child Psychiatric Inpatient Treatment. <i>Nursing Ethics</i> , 2007, 14, 583-596.	1.8	9
218	What Is the Early Adulthood Outcome of Boys Who Bully or Are Bullied in Childhood? The Finnish "From a Boy to a Man" Study. <i>Pediatrics</i> , 2007, 120, 397-404.	1.0	327
219	Childhood Bullies and Victims and Their Risk of Criminality in Late Adolescence. <i>JAMA Pediatrics</i> , 2007, 161, 546.	3.6	132
220	Who Is at Greatest Risk of Adverse Long-Term Outcomes? The Finnish From a Boy to a Man Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 1148-1161.	0.3	133
221	Police-registered offenses and psychiatric disorders among young males. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 477-484.	1.6	45
222	Childhood Predictors of Male Criminality: A Prospective Population-Based Follow-up Study From Age 8 to Late Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 578-586.	0.3	137
223	Childhood predictors of drunkenness in late adolescence among males: a 10-year population-based follow-up study. <i>Addiction</i> , 2006, 101, 512-521.	1.7	37
224	Alcohol use in families: a 15-year prospective follow-up study. <i>Addiction</i> , 2006, 101, 984-992.	1.7	54
225	The continuity of psychopathology from early childhood to preadolescence. <i>European Child and Adolescent Psychiatry</i> , 2006, 15, 409-417.	2.8	105
226	Early predictors of parent- and self-reported perceived global psychological difficulties among adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 173-182.	1.6	27
227	Self-reported psychopathology, adaptive functioning and sense of coherence, and psychiatric diagnosis among young men. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 523-531.	1.6	37
228	Early predictors of deliberate self-harm among adolescents. A prospective follow-up study from age 3 to age 15. <i>Journal of Affective Disorders</i> , 2006, 93, 87-96.	2.0	118
229	Recognition of psychiatric disorders, and self-perceived problems. A follow-up study from age 8 to age 18. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005, 46, 1124-1134.	3.1	39
230	Factors associated with ideation and acts of deliberate self-harm among 18-year-old boys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 912-921.	1.6	72
231	Childhood predictors of externalizing and internalizing problems in adolescence. <i>European Child and Adolescent Psychiatry</i> , 2005, 14, 415-423.	2.8	66
232	Have There Been Changes in Children's Psychosomatic Symptoms? A 10-Year Comparison From Finland. <i>Pediatrics</i> , 2005, 115, e434-e442.	1.0	75
233	Sense of coherence among Finnish young men "A cross-sectional study at military call-up. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 473-480.	0.7	17
234	Childhood Predictors of Psychiatric Disorders Among Boys: A Prospective Community-Based Follow-up Study From Age 8 Years to Early Adulthood. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2005, 44, 756-767.	0.3	89

#	ARTICLE	IF	CITATIONS
235	Have psychiatric problems of children in children's homes increased?. Nordic Journal of Psychiatry, 2005, 59, 481-485.	0.7	7
236	Factors associated with depressive symptoms among 18-year-old boys: a prospective 10-year follow-up study. Journal of Affective Disorders, 2004, 83, 143-154.	2.0	48
237	The Strengths and Difficulties Self-Report Questionnaire as a screening instrument in Norwegian community samples. European Child and Adolescent Psychiatry, 2004, 13, 73-82.	2.8	170
238	Combined psychopharmacological treatment among child and adolescent inpatients in Finland. European Child and Adolescent Psychiatry, 2004, 13, 179-84.	2.8	10
239	The Strengths and Difficulties Questionnaire in the Nordic countries. European Child and Adolescent Psychiatry, 2004, 13, 1132-9.	2.8	140
240	Use of and Need for Professional Help for Emotional and Behavioral Problems Among Preadolescents: A Prospective Cohort Study of 3- to 12-Year-Old Children. Journal of the American Academy of Child and Adolescent Psychiatry, 2004, 43, 974-983.	0.3	32
241	Have There Been Changes in Children's Psychiatric Symptoms and Mental Health Service Use? A 10-Year Comparison From Finland. Journal of the American Academy of Child and Adolescent Psychiatry, 2004, 43, 1134-1145.	0.3	81
242	Mental Health Service Use Among 18-Year-Old Adolescent Boys: A Prospective 10-Year Follow-up Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2004, 43, 1250-1258.	0.3	60
243	Suicidal ideation and suicide attempts among child and adolescent psychiatric inpatients in Finland. Journal of Affective Disorders, 2003, 76, 211-221.	2.0	35
244	Suicidal ideation and behavior in children's homes. Nordic Journal of Psychiatry, 2003, 57, 131-137.	0.7	29
245	Refugee families during asylum seeking. Nordic Journal of Psychiatry, 2003, 57, 203-207.	0.7	52
246	Psychopharmacological Treatment of Child and Adolescent Psychiatric Inpatients in Finland. Journal of Child and Adolescent Psychopharmacology, 2002, 12, 147-155.	0.7	11
247	The clinical course of children treated in a short-term inpatient programme. Child Psychiatry and Human Development, 2002, 33, 75-88.	1.1	7
248	Prenatal maternal representations: Mothers at psychosocial risk. Infant Mental Health Journal, 2001, 22, 529-544.	0.7	36
249	Suicidal thoughts and attempts among adolescents: a longitudinal 8-year follow-up study. Journal of Affective Disorders, 2001, 63, 59-66.	2.0	72
250	Parent-reported competence and emotional and behavioral problems in Finnish adolescents. Nordic Journal of Psychiatry, 2001, 55, 337-341.	0.7	10
251	Persistence of bullying from childhood to adolescence—a longitudinal 8-year follow-up study. Child Abuse and Neglect, 2000, 24, 873-881.	1.3	284
252	Mood, Latitude, and Seasonality Among Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 1271-1276.	0.3	32

#	ARTICLE	IF	CITATIONS
253	Behavior Problems and Traumatic Events of Unaccompanied Refugee Minors. Child Abuse and Neglect, 1998, 22, 719-727.	1.3	130
254	Parent, teacher, and clinical ratings on admission to child psychiatric inpatient treatment: A study of cross-informant correlations using the CBCL, Rutter scales, and the CGAS. Nordic Journal of Psychiatry, 1997, 51, 365-370.	0.7	26
255	Child psychiatric short-term inpatient treatment: CGAS as follow-up measure. Child Psychiatry and Human Development, 1996, 27, 93-104.	1.1	15
256	A Short-Term, Family-Oriented, Child and Adolescent Psychiatric Inpatient Treatment Program. Family Process, 1996, 35, 103-111.	1.4	9
257	Therapeutic holding in child and adolescent psychiatric inpatient treatment. Nordic Journal of Psychiatry, 1996, 50, 375-379.	0.7	9
258	The use of a structured child interview (Finn Disc) in a child psychiatric inpatient sample. Nordic Journal of Psychiatry, 1996, 50, 381-385.	0.7	0
259	Follow-up of short-term child psychiatric inpatient treatment. Nordic Journal of Psychiatry, 1995, 49, 95-101.	0.7	8
260	Parent and teacher reports of problem behaviors in child psychiatric inpatients: Cross-informant correlations on admission and at 5-month follow-up. Child Psychiatry and Human Development, 1995, 26, 85-95.	1.1	5
261	Associations Between Delivery Modes, Birth Outcomes and Offspring Anxiety Disorders in a Population-Based Birth Cohort of Children and Adolescents. Frontiers in Psychiatry, 0, 13, .	1.3	0