

Saverio Cinti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7354143/publications.pdf>

Version: 2024-02-01

229
papers

31,971
citations

8755

77
h-index

4853

174
g-index

244
all docs

244
docs citations

244
times ranked

35505
citing authors

#	ARTICLE	IF	CITATIONS
1	From Obesity to Diabetes: The Role of the Adipose Organ. Handbook of Experimental Pharmacology, 2022, , 75-92.	0.9	10
2	Visceral fat inflammation and fat embolism are associated with lung's lipidic hyaline membranes in subjects with COVID-19. International Journal of Obesity, 2022, 46, 1009-1017.	1.6	22
3	The endocrine adipose organ. Reviews in Endocrine and Metabolic Disorders, 2022, 23, 1-4.	2.6	14
4	Palmitoylethanolamide Promotes White-to-Beige Conversion and Metabolic Reprogramming of Adipocytes: Contribution of PPAR- α . Pharmaceutics, 2022, 14, 338.	2.0	8
5	Brown Fat Anatomy in Humans and Rodents. Methods in Molecular Biology, 2022, 2448, 19-42.	0.4	8
6	Ciliary neurotrophic factor is increased in the plasma of patients with obesity and its levels correlate with diabetes and inflammation indices. Scientific Reports, 2022, 12, 8331.	1.6	3
7	The density of crown-like structures in epicardial adipose tissue could play a role in cardiovascular diseases. Eating and Weight Disorders, 2022, 27, 2905-2910.	1.2	7
8	The Endocrine Adipose Organ: A System Playing a Central Role in COVID-19. Cells, 2022, 11, 2109.	1.8	6
9	Uterine leiomyoma as useful model to unveil morphometric and macromolecular collagen state and impairment in fibrotic diseases: An ex-vivo human study. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2022, 1868, 166494.	1.8	10
10	COVID-19 and Hartnup disease: an affair of intestinal amino acid malabsorption. Eating and Weight Disorders, 2021, 26, 1647-1651.	1.2	8
11	Gastric ghrelin cells in obese patients are hyperactive. International Journal of Obesity, 2021, 45, 184-194.	1.6	13
12	Epidermal Acyl-CoA-binding protein is indispensable for systemic energy homeostasis. Molecular Metabolism, 2021, 44, 101144.	3.0	13
13	Predictors of Worse Prognosis in Young and Middle-Aged Adults Hospitalized with COVID-19 Pneumonia: A Multi-Center Italian Study (COVID-UNDER50). Journal of Clinical Medicine, 2021, 10, 1218.	1.0	13
14	Mammary gland adipocytes in lactation cycle, obesity and breast cancer. Reviews in Endocrine and Metabolic Disorders, 2021, 22, 241-255.	2.6	37
15	Recruitment and remodeling of peridroplet mitochondria in human adipose tissue. Redox Biology, 2021, 46, 102087.	3.9	17
16	The Italian law on body donation: A position paper of the Italian College of Anatomists. Annals of Anatomy, 2021, 238, 151761.	1.0	13
17	The Nutritional System. Perspectives in Nursing Management and Care for Older Adults, 2021, , 215-224.	0.1	0
18	Bone density and genomic analysis unfold cold adaptation mechanisms of ancient inhabitants of Tierra del Fuego. Scientific Reports, 2021, 11, 23290.	1.6	1

#	ARTICLE	IF	CITATIONS
19	A large proportion of mediastinal and perirenal visceral fat of Siberian adult people is formed by UCPI immunoreactive multilocular and paucilocular adipocytes. <i>Journal of Physiology and Biochemistry</i> , 2020, 76, 185-192.	1.3	37
20	Optogeneticâ€induced sympathetic neuromodulation of brown adipose tissue thermogenesis. <i>FASEB Journal</i> , 2020, 34, 2765-2773.	0.2	15
21	Biomarkers of Browning in Cold Exposed Siberian Adults. <i>Nutrients</i> , 2020, 12, 2162.	1.7	3
22	Manipulation of Dietary Amino Acids Prevents and Reverses Obesity in Mice Through Multiple Mechanisms That Modulate Energy Homeostasis. <i>Diabetes</i> , 2020, 69, 2324-2339.	0.3	25
23	snRNA-seq reveals a subpopulation of adipocytes that regulates thermogenesis. <i>Nature</i> , 2020, 587, 98-102.	13.7	221
24	Galectin-3 gene deletion results in defective adipose tissue maturation and impaired insulin sensitivity and glucose homeostasis. <i>Scientific Reports</i> , 2020, 10, 20070.	1.6	6
25	Cytoplasmic ciliary inclusions can reflect an abnormal ciliogenesis in respiratory epithelium. <i>Pediatric Pulmonology</i> , 2020, 55, 1874-1875.	1.0	1
26	Bone marrow adipose tissue is a unique adipose subtype with distinct roles in glucose homeostasis. <i>Nature Communications</i> , 2020, 11, 3097.	5.8	98
27	COVID-19 and fat embolism: a hypothesis to explain the severe clinical outcome in people with obesity. <i>International Journal of Obesity</i> , 2020, 44, 1800-1802.	1.6	25
28	Ciliary Neurotrophic Factor Acts on Distinctive Hypothalamic Arcuate Neurons and Promotes Leptin Entry Into and Action on the Mouse Hypothalamus. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 140.	1.8	9
29	The Adipose Organ. , 2020, , 167-183.		0
30	Human brown adipose tissue is phenocopied by classical brown adipose tissue in physiologically humanized mice. <i>Nature Metabolism</i> , 2019, 1, 830-843.	5.1	103
31	Altered adipocyte differentiation and unbalanced autophagy in type 2 Familial Partial Lipodystrophy: an in vitro and in vivo study of adipose tissue browning. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-17.	3.2	26
32	Overexpression of cyclooxygenase-2 in adipocytes reduces fat accumulation in inguinal white adipose tissue and hepatic steatosis in high-fat fed mice. <i>Scientific Reports</i> , 2019, 9, 8979.	1.6	22
33	Anatomy and physiology of the nutritional system. <i>Molecular Aspects of Medicine</i> , 2019, 68, 101-107.	2.7	21
34	Biological Effects of Ciliary Neurotrophic Factor on hMADS Adipocytes. <i>Frontiers in Endocrinology</i> , 2019, 10, 768.	1.5	29
35	Melatonin Supplementation Decreases Hypertrophic Obesity and Inflammation Induced by High-Fat Diet in Mice. <i>Frontiers in Endocrinology</i> , 2019, 10, 750.	1.5	39
36	The Adipose Organ. <i>Endocrinology</i> , 2019, , 51-74.	0.1	1

#	ARTICLE	IF	CITATIONS
37	<i>Zic1</i> mRNA is transiently upregulated in subcutaneous fat of acutely cold-exposed mice. <i>Journal of Cellular Physiology</i> , 2019, 234, 2031-2036.	2.0	8
38	White, brown, beige and pink: A rainbow in the adipose organ. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2019, 4, 29-36.	0.6	9
39	The Lactating Adipose Organ. , 2018, , 337-383.		0
40	Murine Adipose Organ Development. , 2018, , 385-423.		0
41	Development in Humans. , 2018, , 425-455.		0
42	Murine Brown Adipose Tissue. , 2018, , 13-79.		2
43	WAT Murine. , 2018, , 107-155.		0
44	Human WAT. , 2018, , 157-179.		0
45	Mixed Areas of Adipose Organ. , 2018, , 181-203.		0
46	The Obese Adipose Organ. , 2018, , 265-305.		0
47	Mitochondria Bound to Lipid Droplets Have Unique Bioenergetics, Composition, and Dynamics that Support Lipid Droplet Expansion. <i>Cell Metabolism</i> , 2018, 27, 869-885.e6.	7.2	359
48	Brown adipose tissue whitening leads to brown adipocyte death and adipose tissue inflammation. <i>Journal of Lipid Research</i> , 2018, 59, 784-794.	2.0	184
49	The Adipose Organ. <i>Endocrinology</i> , 2018, , 1-24.	0.1	0
50	Adipose Organ Development and Remodeling. , 2018, 8, 1357-1431.		127
51	Adipocyte-secreted BMP8b mediates adrenergic-induced remodeling of the neuro-vascular network in adipose tissue. <i>Nature Communications</i> , 2018, 9, 4974.	5.8	104
52	Pink Adipocytes. <i>Trends in Endocrinology and Metabolism</i> , 2018, 29, 651-666.	3.1	80
53	Obesity, Type 2 Diabetes and the Adipose Organ. , 2018, , .		13
54	Mitochondrial fission is associated with UCP1 activity in human brite/beige adipocytes. <i>Molecular Metabolism</i> , 2018, 7, 35-44.	3.0	76

#	ARTICLE	IF	CITATIONS
55	Mammary alveolar epithelial cells convert to brown adipocytes in post-lactating mice. <i>Journal of Cellular Physiology</i> , 2017, 232, 2923-2928.	2.0	26
56	Irisin and musculoskeletal health. <i>Annals of the New York Academy of Sciences</i> , 2017, 1402, 5-9.	1.8	112
57	Human White Adipocytes Convert Into "Rainbow" Adipocytes In Vitro. <i>Journal of Cellular Physiology</i> , 2017, 232, 2887-2899.	2.0	28
58	Lack of NLRP3-inflammasome leads to gut-liver axis derangement, gut dysbiosis and a worsened phenotype in a mouse model of NAFLD. <i>Scientific Reports</i> , 2017, 7, 12200.	1.6	57
59	Muscle and adipose tissue morphology, insulin sensitivity and beta-cell function in diabetic and nondiabetic obese patients: effects of bariatric surgery. <i>Scientific Reports</i> , 2017, 7, 9007.	1.6	62
60	Irisin prevents and restores bone loss and muscle atrophy in hind-limb suspended mice. <i>Scientific Reports</i> , 2017, 7, 2811.	1.6	221
61	UCP1 protein: The molecular hub of adipose organ plasticity. <i>Biochimie</i> , 2017, 134, 71-76.	1.3	34
62	Adipocyte cannabinoid receptor CB1 regulates energy homeostasis and alternatively activated macrophages. <i>Journal of Clinical Investigation</i> , 2017, 127, 4148-4162.	3.9	128
63	Action of Administered Ciliary Neurotrophic Factor on the Mouse Dorsal Vagal Complex. <i>Frontiers in Neuroscience</i> , 2016, 10, 289.	1.4	10
64	Fto-Deficiency Affects the Gene and MicroRNA Expression Involved in Brown Adipogenesis and Browning of White Adipose Tissue in Mice. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1851.	1.8	26
65	Adipose-Specific Deficiency of Fumarate Hydratase in Mice Protects Against Obesity, Hepatic Steatosis, and Insulin Resistance. <i>Diabetes</i> , 2016, 65, 3396-3409.	0.3	24
66	p53 regulates expression of uncoupling protein 1 through binding and repression of PPAR γ 3 coactivator-1 α . <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 310, E116-E128.	1.8	26
67	Stress-induced activation of brown adipose tissue prevents obesity in conditions of low adaptive thermogenesis. <i>Molecular Metabolism</i> , 2016, 5, 19-33.	3.0	78
68	Tim Bartness, Ph.D. (1953-2015). <i>Temperature</i> , 2016, 3, 31-38.	1.7	2
69	The K ⁺ channel TASK1 modulates β -adrenergic response in brown adipose tissue through the mineralocorticoid receptor pathway. <i>FASEB Journal</i> , 2016, 30, 909-922.	0.2	33
70	Convertible visceral fat as a therapeutic target to curb obesity. <i>Nature Reviews Drug Discovery</i> , 2016, 15, 405-424.	21.5	177
71	Possible involvement of inflammatory/reparative processes in the development of uterine fibroids. <i>Cell and Tissue Research</i> , 2016, 364, 415-427.	1.5	87
72	Fat-specific Dicer deficiency accelerates aging and mitigates several effects of dietary restriction in mice. <i>Aging</i> , 2016, 8, 1201-1222.	1.4	47

#	ARTICLE	IF	CITATIONS
73	Adipocytes WNT5a mediated dedifferentiation: a possible target in pancreatic cancer microenvironment. <i>Oncotarget</i> , 2016, 7, 20223-20235.	0.8	71
74	Heart Fat Infiltration In Subjects With and Without Coronary Artery Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3364-3371.	1.8	25
75	Glial-Like Differentiation Potential of Human Mature Adipocytes. <i>Journal of Molecular Neuroscience</i> , 2015, 55, 91-98.	1.1	13
76	Plasticity of human dedifferentiated adipocytes toward endothelial cells. <i>Experimental Hematology</i> , 2015, 43, 137-146.	0.2	27
77	Insulin resistance and white adipose tissue inflammation are uncoupled in energetically challenged Fsp27-deficient mice. <i>Nature Communications</i> , 2015, 6, 5949.	5.8	87
78	Biosafety evidence for human dedifferentiated adipocytes. <i>Journal of Cellular Physiology</i> , 2015, 230, 1525-1533.	2.0	10
79	The myokine irisin increases cortical bone mass. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 12157-12162.	3.3	372
80	Activation of transcription factors STAT1 and STAT5 in the mouse median eminence after systemic ciliary neurotrophic factor administration. <i>Brain Research</i> , 2015, 1622, 217-229.	1.1	20
81	Hormone-induced mitochondrial fission is utilized by brown adipocytes as an amplification pathway for energy expenditure. <i>EMBO Journal</i> , 2014, 33, n/a-n/a.	3.5	185
82	Irisin Enhances Osteoblast Differentiation <i>In Vitro</i> . <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8.	0.6	161
83	Mineralocorticoid receptor antagonism induces browning of white adipose tissue through impairment of autophagy and prevents adipocyte dysfunction in high-fat diet fed mice. <i>FASEB Journal</i> , 2014, 28, 3745-3757.	0.2	139
84	Molecular Aspects of Adipoepithelial Transdifferentiation in Mouse Mammary Gland. <i>Stem Cells</i> , 2014, 32, 2756-2766.	1.4	47
85	Ablation of PRDM16 and Beige Adipose Causes Metabolic Dysfunction and a Subcutaneous to Visceral Fat Switch. <i>Cell</i> , 2014, 156, 304-316.	13.5	719
86	MicroRNA-26 Family Is Required for Human Adipogenesis and Drives Characteristics of Brown Adipocytes. <i>Stem Cells</i> , 2014, 32, 1578-1590.	1.4	138
87	Weight Gain Reveals Dramatic Increases in Skeletal Muscle Extracellular Matrix Remodeling. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1749-1757.	1.8	59
88	Increased density of inhibitory noradrenergic parenchymal nerve fibers in hypertrophic islets of Langerhans of obese mice. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 384-392.	1.1	17
89	Adipsin Is an Adipokine that Improves β^2 Cell Function in Diabetes. <i>Cell</i> , 2014, 158, 41-53.	13.5	284
90	Brown and white adipose tissues: intrinsic differences in gene expression and response to cold exposure in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E945-E964.	1.8	296

#	ARTICLE	IF	CITATIONS
91	RIP140 Represses the "Brown-in-White" Adipocyte Program Including a Futile Cycle of Triacylglycerol Breakdown and Synthesis. <i>Molecular Endocrinology</i> , 2014, 28, 344-356.	3.7	44
92	MECHANISMS IN ENDOCRINOLOGY: White, brown and pink adipocytes: the extraordinary plasticity of the adipose organ. <i>European Journal of Endocrinology</i> , 2014, 170, R159-R171.	1.9	199
93	Fibroblast growth factor-21 is expressed in neonatal and pheochromocytoma-induced adult human brown adipose tissue. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 312-317.	1.5	79
94	The Adipose Organ: Morphological Perspectives of Adipose Tissues. , 2014, , 123-133.		0
95	Browning of Adipose Organ. , 2014, , 83-95.		0
96	Myosteatorsis and myofibrosis: Relationship with aging, inflammation and insulin resistance. <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 411-416.	1.4	88
97	Molecular and functional characterization of human bone marrow adipocytes. <i>Experimental Hematology</i> , 2013, 41, 558-566.e2.	0.2	74
98	White-to-brown transdifferentiation of omental adipocytes in patients affected by pheochromocytoma. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 950-959.	1.2	192
99	Dynamic changes in lipid droplet-associated proteins in the "browning" of white adipose tissues. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 924-933.	1.2	100
100	Impaired Local Production of Proresolving Lipid Mediators in Obesity and 17-HDHA as a Potential Treatment for Obesity-Associated Inflammation. <i>Diabetes</i> , 2013, 62, 1945-1956.	0.3	181
101	Obese adipocytes show ultrastructural features of stressed cells and die of pyroptosis. <i>Journal of Lipid Research</i> , 2013, 54, 2423-2436.	2.0	211
102	Adult Epicardial Fat Exhibits Beige Features. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1448-E1455.	1.8	149
103	Opposite effects of a high-fat diet and calorie restriction on ciliary neurotrophic factor signaling in the mouse hypothalamus. <i>Frontiers in Neuroscience</i> , 2013, 7, 263.	1.4	20
104	Origin of Adipocyte Precursors from Adipose Vascular Endothelium. , 2013, , 131-156.		0
105	Endothelial cells of adipose tissues: A niche of adipogenesis. <i>Cell Cycle</i> , 2012, 11, 2765-2766.	1.3	16
106	Boström et al. reply. <i>Nature</i> , 2012, 488, E10-E11.	13.7	14
107	Adipose-Specific Deletion of TFAM Increases Mitochondrial Oxidation and Protects Mice against Obesity and Insulin Resistance. <i>Cell Metabolism</i> , 2012, 16, 765-776.	7.2	206
108	Zfp423 Expression Identifies Committed Preadipocytes and Localizes to Adipose Endothelial and Perivascular Cells. <i>Cell Metabolism</i> , 2012, 15, 230-239.	7.2	362

#	ARTICLE	IF	CITATIONS
109	Characterization of a novel peripheral pro-lipolytic mechanism in mice: role of VGF-derived peptide TLQP-21. <i>Biochemical Journal</i> , 2012, 441, 511-522.	1.7	56
110	Constitutive expression of ciliary neurotrophic factor in mouse hypothalamus. <i>Journal of Anatomy</i> , 2012, 220, 622-631.	0.9	16
111	The Vascular Endothelium of the Adipose Tissue Gives Rise to Both White and Brown Fat Cells. <i>Cell Metabolism</i> , 2012, 15, 222-229.	7.2	334
112	2-Arachidonoylglycerol Signaling in Forebrain Regulates Systemic Energy Metabolism. <i>Cell Metabolism</i> , 2012, 15, 299-310.	7.2	91
113	The adipose organ: white–brown adipocyte plasticity and metabolic inflammation. <i>Obesity Reviews</i> , 2012, 13, 83-96.	3.1	146
114	The adipose organ at a glance. <i>DMM Disease Models and Mechanisms</i> , 2012, 5, 588-594.	1.2	291
115	Human Dedifferentiated Adipocytes Show Similar Properties to Bone Marrow–Derived Mesenchymal Stem Cells. <i>Stem Cells</i> , 2012, 30, 965-974.	1.4	119
116	A PGC1- β -dependent myokine that drives brown-fat-like development of white fat and thermogenesis. <i>Nature</i> , 2012, 481, 463-468.	13.7	3,646
117	Cellular and molecular large–scale features of fetal adipose tissue: Is bovine perirenal adipose tissue Brown1685. <i>Journal of Cellular Physiology</i> , 2012, 227, 1688-1700.	2.0	25
118	Between brown and white: Novel aspects of adipocyte differentiation. <i>Annals of Medicine</i> , 2011, 43, 104-115.	1.5	137
119	ATGL-mediated fat catabolism regulates cardiac mitochondrial function via PPAR- β and PGC-1. <i>Nature Medicine</i> , 2011, 17, 1076-1085.	15.2	612
120	Plac8 Is an Inducer of C/EBP β Required for Brown Fat Differentiation, Thermoregulation, and Control of Body Weight. <i>Cell Metabolism</i> , 2011, 14, 658-670.	7.2	92
121	Chronic AMP-kinase activation with AICAR reduces adiposity by remodeling adipocyte metabolism and increasing leptin sensitivity. <i>Journal of Lipid Research</i> , 2011, 52, 1702-1711.	2.0	67
122	Prdm16 determines the thermogenic program of subcutaneous white adipose tissue in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 96-105.	3.9	1,036
123	In vitro aging of 3T3-L1 mouse adipocytes leads to altered metabolism and response to inflammation. <i>Biogerontology</i> , 2010, 11, 111-122.	2.0	28
124	Quantification of Intermuscular Adipose Tissue in the Erector Spinae Muscle by MRI: Agreement With Histological Evaluation. <i>Obesity</i> , 2010, 18, 2379-2384.	1.5	46
125	UCP1 Induction during Recruitment of Brown Adipocytes in White Adipose Tissue Is Dependent on Cyclooxygenase Activity. <i>PLoS ONE</i> , 2010, 5, e11391.	1.1	174
126	A Combined Transcriptomics and Lipidomics Analysis of Subcutaneous, Epididymal and Mesenteric Adipose Tissue Reveals Marked Functional Differences. <i>PLoS ONE</i> , 2010, 5, e11525.	1.1	79

#	ARTICLE	IF	CITATIONS
127	ADD1/SREBP1c activates the PGC1- β promoter in brown adipocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2010, 1801, 421-429.	1.2	20
128	Distribution and Development of Brown Adipocytes in the Murine and Human Adipose Organ. <i>Cell Metabolism</i> , 2010, 11, 253-256.	7.2	376
129	The presence of UCP1 demonstrates that metabolically active adipose tissue in the neck of adult humans truly represents brown adipose tissue. <i>FASEB Journal</i> , 2009, 23, 3113-3120.	0.2	667
130	Neuronal Protein Tyrosine Phosphatase 1B Deficiency Results in Inhibition of Hypothalamic AMPK and Isoform-Specific Activation of AMPK in Peripheral Tissues. <i>Molecular and Cellular Biology</i> , 2009, 29, 4563-4573.	1.1	72
131	Complement Abnormalities in Acquired Lipodystrophy Revisited. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 10-16.	1.8	76
132	Haploinsufficiency of the retinoblastoma protein gene reduces diet-induced obesity, insulin resistance, and hepatosteatosis in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E184-E193.	1.8	41
133	Partial lipodystrophy and insulin resistant diabetes in a patient with a homozygous nonsense mutation in <i>CIDEA</i> . <i>EMBO Molecular Medicine</i> , 2009, 1, 280-287.	3.3	235
134	In Vivo Physiological Transdifferentiation of Adult Adipose Cells. <i>Stem Cells</i> , 2009, 27, 2761-2768.	1.4	73
135	Transdifferentiation properties of adipocytes in the adipose organ. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E977-E986.	1.8	294
136	Reversible physiological transdifferentiation in the adipose organ. <i>Proceedings of the Nutrition Society</i> , 2009, 68, 340-349.	0.4	77
137	The Adipose Organ. <i>Oxidative Stress and Disease</i> , 2009, , 1-21.	0.3	0
138	The NuGO proof of principle study package: a collaborative research effort of the European Nutrigenomics Organisation. <i>Genes and Nutrition</i> , 2008, 3, 147-151.	1.2	22
139	Effects of 6-month daily supplementation with oral beta-carotene in combination or not with benzo[a]pyrene on cell-cycle markers in the lung of ferrets. <i>Journal of Nutritional Biochemistry</i> , 2008, 19, 295-304.	1.9	19
140	Reversible transdifferentiation in the adipose organ. <i>Pediatric Obesity</i> , 2008, 3, 21-26.	3.2	8
141	Leptin-dependent STAT3 phosphorylation in postnatal mouse hypothalamus. <i>Brain Research</i> , 2008, 1215, 105-115.	1.1	51
142	Adipose Organ Nerves Revealed by Immunohistochemistry#. <i>Methods in Molecular Biology</i> , 2008, 456, 83-95.	0.4	24
143	Reply to Kreier and Buijs: no sympathy for the claim of parasympathetic innervation of white adipose tissue. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 293, R550-R552.	0.9	14
144	Mitochondrial proton leak in obesity-resistant and obesity-prone mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 293, R1773-R1780.	0.9	39

#	ARTICLE	IF	CITATIONS
145	Thymus Uncoupling Protein 1 Is Exclusive to Typical Brown Adipocytes and Is Not Found in Thymocytes. <i>Journal of Histochemistry and Cytochemistry</i> , 2007, 55, 183-189.	1.3	34
146	Ectopic brown adipose tissue in muscle provides a mechanism for differences in risk of metabolic syndrome in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2366-2371.	3.3	256
147	The Adipose Organ. , 2007, , 3-19.		23
148	Brush cells in the human duodenojejunal junction: an ultrastructural study. <i>Journal of Anatomy</i> , 2007, 211, 125-131.	0.9	39
149	Functional Anatomy of the "Adipose Organ"™. , 2006, , 3-22.		1
150	White adipose tissue lacks significant vagal innervation and immunohistochemical evidence of parasympathetic innervation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006, 291, R1243-R1255.	0.9	140
151	L"organo endocrino adiposo. <i>L Endocrinologo</i> , 2006, 7, 3-10.	0.0	0
152	Hypomorphic mutation of PGC-1 ^β causes mitochondrial dysfunction and liver insulin resistance. <i>Cell Metabolism</i> , 2006, 4, 453-464.	7.2	162
153	The role of brown adipose tissue in human obesity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 569-574.	1.1	124
154	In Vivo Phenotyping of the <i>ob/ob</i> Mouse by Magnetic Resonance Imaging and ¹ H-Magnetic Resonance Spectroscopy. <i>Obesity</i> , 2006, 14, 405-414.	1.5	40
155	Unusual ultrastructural features in microvillous inclusion disease: a report of two cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 448, 805-810.	1.4	10
156	Decreased Brown Adipocyte Recruitment and Thermogenic Capacity in Mice with Impaired Peroxisome Proliferator-Activated Receptor (P465L PPAR ^β) Function. <i>Endocrinology</i> , 2006, 147, 5708-5714.	1.4	57
157	Remodeling of White Adipose Tissue after Retinoic Acid Administration in Mice. <i>Endocrinology</i> , 2006, 147, 5325-5332.	1.4	213
158	Leptin Deficiency Unmasks the Deleterious Effects of Impaired Peroxisome Proliferator-Activated Receptor ^β Function (P465L PPAR ^β) in Mice. <i>Diabetes</i> , 2006, 55, 2669-2677.	0.3	80
159	Sensory or sympathetic white adipose tissue denervation differentially affects depot growth and cellularity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 288, R1028-R1037.	0.9	95
160	The Link Between Nutritional Status and Insulin Sensitivity Is Dependent on the Adipocyte-Specific Peroxisome Proliferator-Activated Receptor- ^β Isoform. <i>Diabetes</i> , 2005, 54, 1706-1716.	0.3	157
161	Regional-dependent Increase of Sympathetic Innervation in Rat White Adipose Tissue during Prolonged Fasting. <i>Journal of Histochemistry and Cytochemistry</i> , 2005, 53, 679-687.	1.3	73
162	Adipocyte death defines macrophage localization and function in adipose tissue of obese mice and humans. <i>Journal of Lipid Research</i> , 2005, 46, 2347-2355.	2.0	2,001

#	ARTICLE	IF	CITATIONS
163	Morphology of ferret subcutaneous adipose tissue after 6-month daily supplementation with oral beta-carotene. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2005, 1740, 305-312.	1.8	23
164	Transcriptional coactivator PGC-1 β controls the energy state and contractile function of cardiac muscle. <i>Cell Metabolism</i> , 2005, 1, 259-271.	7.2	608
165	The adipose organ. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2005, 73, 9-15.	1.0	468
166	Reduction of Macrophage Infiltration and Chemoattractant Gene Expression Changes in White Adipose Tissue of Morbidly Obese Subjects After Surgery-Induced Weight Loss. <i>Diabetes</i> , 2005, 54, 2277-2286.	0.3	992
167	Retinoblastoma protein functions as a molecular switch determining white versus brown adipocyte differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 4112-4117.	3.3	244
168	Zinc- β -glycoprotein, a lipid mobilizing factor, is expressed in adipocytes and is up-regulated in mice with cancer cachexia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 2500-2505.	3.3	269
169	Presence and Distribution of Cholinergic Nerves in Rat Mediastinal Brown Adipose Tissue. <i>Journal of Histochemistry and Cytochemistry</i> , 2004, 52, 923-930.	1.3	51
170	Reversible transdifferentiation of secretory epithelial cells into adipocytes in the mammary gland. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 16801-16806.	3.3	135
171	The imprinted signaling protein XL β s is required for postnatal adaptation to feeding. <i>Nature Genetics</i> , 2004, 36, 818-826.	9.4	279
172	Defects in Adaptive Energy Metabolism with CNS-Linked Hyperactivity in PGC-1 β Null Mice. <i>Cell</i> , 2004, 119, 121-135.	13.5	1,074
173	Mosaic analysis of insulin receptor function. <i>Journal of Clinical Investigation</i> , 2004, 113, 209-219.	3.9	35
174	Sema3A and neuropilin-1 expression and distribution in rat white adipose tissue. <i>Journal of Neurocytology</i> , 2003, 32, 345-352.	1.6	18
175	β 3-Adrenoceptor knockout in C57BL/6J mice depresses the occurrence of brown adipocytes in white fat. <i>FEBS Journal</i> , 2003, 270, 699-705.	0.2	137
176	Human Metabolic Syndrome Resulting From Dominant-Negative Mutations in the Nuclear Receptor Peroxisome Proliferator-Activated Receptor- α . <i>Diabetes</i> , 2003, 52, 910-917.	0.3	412
177	CL316,243 and Cold Stress Induce Heterogeneous Expression of UCP1 mRNA and Protein in Rodent Brown Adipocytes. <i>Journal of Histochemistry and Cytochemistry</i> , 2002, 50, 21-31.	1.3	72
178	Insulin Resistance in Morbid Obesity: Reversal With Intramyocellular Fat Depletion. <i>Diabetes</i> , 2002, 51, 144-151.	0.3	464
179	Adipocyte differentiation and transdifferentiation: Plasticity of the adipose organ. <i>Journal of Endocrinological Investigation</i> , 2002, 25, 823-835.	1.8	188
180	beta AR Signaling Required for Diet-Induced Thermogenesis and Obesity Resistance. <i>Science</i> , 2002, 297, 843-845.	6.0	738

#	ARTICLE	IF	CITATIONS
181	Evidence for a functional nitric oxide synthase system in brown adipocyte nucleus. FEBS Letters, 2002, 514, 135-140.	1.3	93
182	Perinatal expression of leptin in rat stomach. Developmental Dynamics, 2002, 223, 148-154.	0.8	63
183	Obesity modulates the expression of haptoglobin in the white adipose tissue via TNF α . Journal of Cellular Physiology, 2002, 190, 251-258.	2.0	77
184	Expression of the uncoupling protein 1 from the α 2 gene promoter stimulates mitochondrial biogenesis in unilocular adipocytes in vivo. FEBS Journal, 2002, 269, 19-28.	0.2	67
185	Defective insulin secretion in pancreatic β cells lacking type 1 IGF receptor. Journal of Clinical Investigation, 2002, 110, 1011-1019.	3.9	149
186	The adipose organ: morphological perspectives of adipose tissues. Proceedings of the Nutrition Society, 2001, 60, 319-328.	0.4	188
187	Morphologic Techniques for the Study of Brown. , 2001, 155, 021-051.		41
188	Oleoyl-estrone does not have direct estrogenic effects on rats. Life Sciences, 2001, 69, 749-761.	2.0	21
189	Primary ciliary dyskinesia: Diagnosis in children with inconclusive ultrastructural evaluation. Pediatric Allergy and Immunology, 2001, 12, 274-282.	1.1	35
190	Sema3a is produced by brown adipocytes and its secretion is reduced following cold acclimation. Journal of Neurocytology, 2001, 30, 5-10.	1.6	14
191	Corticosteroid-binding globulin synthesis and distribution in rat white adipose tissue. Molecular and Cellular Biochemistry, 2001, 228, 25-31.	1.4	19
192	Expression of Human β 2-Adrenergic Receptors in Adipose Tissue of β 3-Adrenergic Receptor-deficient Mice Promotes Diet-induced Obesity. Journal of Biological Chemistry, 2000, 275, 34797-34802.	1.6	85
193	Anatomy of the adipose organ. Eating and Weight Disorders, 2000, 5, 132-142.	1.2	44
194	Expression and distribution of heme oxygenase-1 and -2 in rat brown adipose tissue: the modulatory role of the noradrenergic system. FEBS Letters, 2000, 487, 171-175.	1.3	23
195	Role of sympathetic activity in controlling the expression of vascular endothelial growth factor in brown fat cells of lean and genetically obese rats. FEBS Letters, 1999, 442, 167-172.	1.3	55
196	Mechanisms Controlling Mitochondrial Biogenesis and Respiration through the Thermogenic Coactivator PGC-1. Cell, 1999, 98, 115-124.	13.5	3,545
197	TH-, NPY-, SP-, and CGRP-immunoreactive nerves in interscapular brown adipose tissue of adult rats acclimated at different temperatures: an immunohistochemical study. Journal of Neurocytology, 1998, 27, 877-886.	1.6	83
198	Ultrastructural Immunolocalization of Leptin Receptor in Mouse Brain. Neuroendocrinology, 1998, 68, 412-419.	1.2	57

#	ARTICLE	IF	CITATIONS
199	Immunohistochemical Localization of Leptin and Uncoupling Protein in White and Brown Adipose Tissue. <i>Endocrinology</i> , 1997, 138, 797-804.	1.4	196
200	The retractile testis can be a cause of adult infertility. <i>Fertility and Sterility</i> , 1997, 68, 1051-1058.	0.5	32
201	Tyrosine hydroxylase, neuropeptide Y, substance P, calcitonin gene-related peptide and vasoactive intestinal peptide in nerves of rat periovarian adipose tissue: an immunohistochemical and ultrastructural investigation. <i>Journal of Neurocytology</i> , 1996, 25, 125-136.	1.6	111
202	Fasting inhibits natriuretic peptides clearance receptor expression in rat adipose tissue. <i>Journal of Hypertension</i> , 1995, 13, 1241-1246.	0.3	91
203	Ultrastructure of human parathyroid cells in health and disease. <i>Microscopy Research and Technique</i> , 1995, 32, 164-179.	1.2	21
204	Hairy Cell Leukemia: An Ultrastructural Study of Hairy Cells before and after Interferon Therapy. <i>Tumori</i> , 1995, 81, 249-255.	0.6	5
205	Skin abnormalities and autonomic involvement in the early stage of amyotrophic lateral sclerosis. <i>Journal of the Neurological Sciences</i> , 1994, 126, 54-61.	0.3	28
206	Quantitative evaluations of gap junctions in old rat brown adipose tissue after cold acclimation: A freeze-fracture and ultra-structural study. <i>Tissue and Cell</i> , 1994, 26, 667-676.	1.0	10
207	Immunohistochemical identification of the uncoupling protein in human hibernoma. <i>Biology of the Cell</i> , 1994, 80, 75-78.	0.7	27
208	S-100 Protein in Rat Brown Adipose Tissue under Different Functional Conditions: A Morphological, Immunocytochemical, and Immunochemical Study. <i>Experimental Cell Research</i> , 1993, 208, 226-231.	1.2	34
209	Ultrastructural Modifications in one Case of Hairy Cell Leukemia during Alpha-Interferon Therapy. <i>Tumori</i> , 1992, 78, 190-197.	0.6	6
210	Morphological Studies of the Adipocyte Precursor in White Adipose Tissue. <i>Pediatric and Adolescent Medicine</i> , 1992, 2, 133-135.	0.4	0
211	Morphological and Functional Aspects of Brown Adipose Tissue. <i>Pediatric and Adolescent Medicine</i> , 1992, 2, 125-132.	0.4	3
212	Parathyroid glands in primary hyperparathyroidism: An ultrastructural morphometric study of 25 cases. <i>Journal of Pathology</i> , 1992, 167, 283-290.	2.1	10
213	Ultrastructural Morphology of Folliculo-Stellate Cells in Human Pituitary Adenomas. <i>Ultrastructural Pathology</i> , 1991, 15, 241-248.	0.4	11
214	Increased Tight Junction Width in Two Children with Crohn's Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1990, 11, 123-127.	0.9	23
215	Morphometric evaluation of intracytoplasmic lipid in normal and pathological parathyroid glands. <i>Journal of Pathology</i> , 1990, 160, 31-34.	2.1	5
216	S-100 protein in white preadipocytes: An Immunoelectronmicroscopic study. <i>The Anatomical Record</i> , 1989, 224, 466-472.	2.3	33

#	ARTICLE	IF	CITATIONS
217	Immunoelectron microscopical identification of the uncoupling protein in brown adipose tissue mitochondria. <i>Biology of the Cell</i> , 1989, 67, 359-362.	0.7	33
218	Immunoelectron microscopical identification of the uncoupling protein in brown adipose tissue mitochondria. <i>Biology of the Cell</i> , 1989, 67, 359-362.	0.7	6
219	Unresponsive Enteropathy Associated with Circulating Enterocyte Autoantibodies in a Boy with Common Variable Hypogammaglobulinemia and Type I Diabetes. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1988, 7, 608-673.	0.9	45
220	Correlated ultrastructural and immunological findings in CD8+ and CD4+ peripheral T-cell lymphomas. <i>Medical Oncology and Tumor Pharmacotherapy</i> , 1988, 5, 173-80.	1.0	2
221	Evidence of immune deposits and of basement membrane alterations in dermal vessels of normal skin of patients with essential mixed cryoglobulinemia. <i>Arthritis and Rheumatism</i> , 1987, 30, 884-893.	6.7	8
222	Parathyroid glands in primary hyperparathyroidism: An ultrastructural study of 50 cases. <i>Human Pathology</i> , 1986, 17, 1036-1046.	1.1	13
223	Liposarcoma: An Ultrastructural Study of 15 Cases. <i>American Journal of Clinical Pathology</i> , 1986, 85, 649-667.	0.4	38
224	Ultrastructural Findings in the Jejunal Mucosa of Children With IgA Deficiency. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1986, 5, 892-898.	0.9	6
225	An ultrastructural morphometric analysis of the adenohipophysis of lactating rats. <i>The Anatomical Record</i> , 1985, 212, 381-390.	2.3	16
226	An Ultrastructural Study on Muciparous Microcysts of the Human Adenohipophysis. <i>Cells Tissues Organs</i> , 1985, 121, 94-98.	1.3	2
227	Ultrastructural Features of Cultured Mature Adipocyte Precursors from Adipose Tissue in Multiple Symmetric Lipomatosis. <i>Ultrastructural Pathology</i> , 1983, 5, 145-152.	0.4	18
228	Electron Microscopy Applied to Fine-Needle Aspiration. A Report of Six Cases from Various Sites. <i>Tumori</i> , 1983, 69, 423-435.	0.6	2
229	RER-Associated Structure in Parathyroid Glands Removed Because of Tertiary Hyperparathyroidism. <i>Ultrastructural Pathology</i> , 1982, 3, 263-268.	0.4	9