## Michael Kashgarian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7354266/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Development and external validation of a diagnostic model for biopsy-proven acute interstitial nephritis using electronic health record data. Nephrology Dialysis Transplantation, 2022, 37, 2214-2222.	0.7	11
2	Urine interleukin-9 and tumor necrosis factor-α for prognosis of human acute interstitial nephritis. Nephrology Dialysis Transplantation, 2021, 36, 1851-1858.	0.7	26
3	DNA glycosylase deficiency leads to decreased severity of lupus in the Polb-Y265C mouse model. DNA Repair, 2021, 105, 103152.	2.8	3
4	Podocyte VEGF-A Knockdown Induces Diffuse Glomerulosclerosis in Diabetic and in eNOS Knockout Mice. Frontiers in Pharmacology, 2021, 12, 788886.	3.5	10
5	B cell–intrinsic TLR9 expression is protective in murine lupus. Journal of Clinical Investigation, 2020, 130, 3172-3187.	8.2	62
6	Urine TNF-Î $_{\pm}$ and IL-9 for clinical diagnosis of acute interstitial nephritis. JCI Insight, 2019, 4, .	5.0	89
7	Interstitial inflammation and interstitial fibrosis and tubular atrophy predict renal survival in lupus nephritis. CKJ: Clinical Kidney Journal, 2018, 11, 207-218.	2.9	63
8	Disruption of Pathogenic Cellular Networks by IL-21 Blockade Leads to Disease Amelioration in Murine Lupus. Journal of Immunology, 2017, 198, 2578-2588.	0.8	60
9	Lupus and proliferative nephritis are PAD4 independent in murine models. JCI Insight, 2017, 2, .	5.0	81
10	A 65-Year-Old Female from Connecticut with Orf Infection. Dermatopathology (Basel, Switzerland), 2016, 3, 55-60.	1.5	14
11	Akt Substrate of 160 kD Regulates Na+,K+-ATPase Trafficking in Response to Energy Depletion and Renal Ischemia. Journal of the American Society of Nephrology: JASN, 2015, 26, 2765-2776.	6.1	17
12	Local Triggering of the ICOS Coreceptor by CD11c+ Myeloid Cells Drives Organ Inflammation in Lupus. Immunity, 2015, 42, 552-565.	14.3	46
13	Complement membrane attack complexes activate noncanonical NF-κB by forming an Akt <sup>+</sup> NIK <sup>+</sup> signalosome on Rab5 <sup>+</sup> endosomes. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 9686-9691.	7.1	53
14	B Cell–Specific MHC Class II Deletion Reveals Multiple Nonredundant Roles for B Cell Antigen Presentation in Murine Lupus. Journal of Immunology, 2015, 195, 2571-2579.	0.8	96
15	Semaphorin3a Promotes Advanced Diabetic Nephropathy. Diabetes, 2015, 64, 1743-1759.	0.6	56
16	Podocyte-Specific VEGF-A Gain of Function Induces Nodular Glomerulosclerosis in eNOS Null Mice. Journal of the American Society of Nephrology: JASN, 2014, 25, 1814-1824.	6.1	30
17	Mutation of POLB Causes Lupus in Mice. Cell Reports, 2014, 6, 1-8.	6.4	50
18	Signals via the Adaptor MyD88 in B Cells and DCs Make Distinct and Synergistic Contributions to Immune Activation and Tissue Damage in Lupus. Immunity, 2013, 38, 528-540.	14.3	135

MICHAEL KASHGARIAN

#	Article	IF	CITATIONS
19	NADPH Oxidase Inhibits the Pathogenesis of Systemic Lupus Erythematosus. Science Translational Medicine, 2012, 4, 157ra141.	12.4	209
20	Dendritic Cells in Lupus Are Not Required for Activation of T and B Cells but Promote Their Expansion, Resulting in Tissue Damage. Immunity, 2010, 33, 967-978.	14.3	155
21	TLR9 Regulates TLR7- and MyD88-Dependent Autoantibody Production and Disease in a Murine Model of Lupus. Journal of Immunology, 2010, 184, 1840-1848.	0.8	295
22	Toll-like Receptor 7 and TLR9 Dictate Autoantibody Specificity and Have Opposing Inflammatory and Regulatory Roles in a Murine Model of Lupus. Immunity, 2006, 25, 417-428.	14.3	965
23	Ischemic Conditioning Prevents Na,K-ATPase Dissociation from the Cytoskeletal Cellular Fraction after Repeat Renal Ischemia in Rats. Pediatric Research, 2002, 51, 722-727.	2.3	4
24	Molecular mechanisms of TGFâ€Î² antagonism by interferon γ and cyclosporine A in lung fibroblasts. FASEB Journal, 2001, 15, 797-806.	0.5	131
25	Differential regulation of NHE isoforms by sodium depletion in proximal and distal segments of rat colon. American Journal of Physiology - Renal Physiology, 1999, 276, G539-G549.	3.4	50
26	Heat-shock protein 25 induction and redistribution during actin reorganization after renal ischemia. American Journal of Physiology - Renal Physiology, 1998, 274, F215-F222.	2.7	27
27	ATP releases HSP-72 from protein aggregates after renal ischemia. American Journal of Physiology - Renal Physiology, 1998, 274, F268-F274.	2.7	32
28	The Role of the Kidney Biopsy in the Treatment of Lupus Nephritis. Renal Failure, 1996, 18, 765-773.	2.1	6
29	The α3 Isoform Protein of the Na <sup>+</sup> ,K <sup>+</sup> -ATPase Is Associated With the Sites of Cardiac and Neuromuscular Impulse Transmission. Circulation Research, 1996, 78, 870-879.	4.5	44
30	Redistribution of cellular energy following renal ischemia. Pediatric Nephrology, 1991, 5, 591-596.	1.7	5
31	Identification of molecules in the kidney utilizing immunocytochemistry. Journal of Electron Microscopy Technique, 1988, 9, 265-281.	1.1	1
32	Beneficial effect of thyroxin in the treatment of ischemic acute renal failure. Pediatric Nephrology, 1988, 2, 1-7.	1.7	46
33	The Importance of Nonrenal Involvement in Hemolytic-Uremic Syndrome. Pediatrics, 1980, 65, 115-120.	2.1	138
34	A micropuncture study of the renal handling of lithium. Pflugers Archiv European Journal of Physiology, 1979, 380, 159-163.	2.8	121
35	Micropuncture study of proximal renal tubular chloride transport during hypercapnea in the rat. American Journal of Physiology, 1965, 209, 655-658.	5.0	30