

Michael Pentzek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/735829/publications.pdf>

Version: 2024-02-01

137
papers

5,451
citations

87888

38
h-index

98798

67
g-index

150
all docs

150
docs citations

150
times ranked

7516
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of Dementia by Subjective Memory Impairment<subtitled>Effects of Severity and Temporal Association With Cognitive Impairment</subtitled><alt-title>Dementia and Subjective Memory Impairment</alt-title>. Archives of General Psychiatry, 2010, 67, 414.	12.3	559
2	AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. Alzheimer's and Dementia, 2014, 10, 76-83.	0.8	414
3	Risk of dementia in elderly patients with the use of proton pump inhibitors. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 419-428.	3.2	184
4	Mild Cognitive Impairment in General Practice: Age-Specific Prevalence and Correlate Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). Dementia and Geriatric Cognitive Disorders, 2007, 24, 307-316.	1.5	173
5	Prevalence and risk factors for depression in non-demented primary care attenders aged 75Âyears and older. Journal of Affective Disorders, 2008, 111, 153-163.	4.1	156
6	Clinical recognition of dementia and cognitive impairment in primary care: a meta-analysis of physician accuracy. Acta Psychiatrica Scandinavica, 2011, 124, 165-183.	4.5	155
7	Patterns of subjective memory impairment in the elderly: association with memory performance. Psychological Medicine, 2007, 37, 1753-1762.	4.5	129
8	Longitudinal Predictors of Institutionalization in Old Age. PLoS ONE, 2015, 10, e0144203.	2.5	128
9	Prediction of Dementia in Primary Care Patients. PLoS ONE, 2011, 6, e16852.	2.5	116
10	Cognitive performance before and after the onset of subjective cognitiveÂdecline in old age. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2015, 1, 194-205.	2.4	110
11	Net costs of dementia by disease stage. Acta Psychiatrica Scandinavica, 2011, 124, 384-395.	4.5	109
12	Risk factors for incident mild cognitive impairment â€œ results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). Acta Psychiatrica Scandinavica, 2010, 121, 260-272.	4.5	107
13	Anticholinergic drug use and risk for dementia: target for dementia prevention. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 111-115.	3.2	99
14	Current alcohol consumption and its relationship to incident dementia: results from a 3-year follow-up study among primary care attenders aged 75 years and older. Age and Ageing, 2011, 40, 456-463.	1.6	97
15	Converging Genetic and Functional Brain Imaging Evidence Links Neuronal Excitability to Working Memory, Psychiatric Disease, and Brain Activity. Neuron, 2014, 81, 1203-1213.	8.1	86
16	Apart From Nihilism and Stigma: What Influences General Practitioners' Accuracy in Identifying Incident Dementia?. American Journal of Geriatric Psychiatry, 2009, 17, 965-975.	1.2	70
17	Differential Risk of Incident Alzheimerâ€™s Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2016, 54, 1135-1146.	2.6	70
18	Predictors of frailty in old ageâ€œ results of a longitudinal study. Journal of Nutrition, Health and Aging, 2016, 20, 952-957.	3.3	66

#	ARTICLE	IF	CITATIONS
19	Incidence and predictors of depression in non-demented primary care attenders aged 75 years and older: results from a 3-year follow-up study. <i>Age and Ageing</i> , 2013, 42, 173-180.	1.6	65
20	Prognosis of Mild Cognitive Impairment in General Practice: Results of the German AgeCoDe Study. <i>Annals of Family Medicine</i> , 2014, 12, 158-165.	1.9	63
21	Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. <i>Quality of Life Research</i> , 2016, 25, 1159-1168.	3.1	61
22	Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. <i>British Journal of General Practice</i> , 2015, 65, e716-e723.	1.4	59
23	Prospective Associations between Single Foods, Alzheimer's Disease and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852.	4.1	57
24	Odor identification in Alzheimer's disease and depression. <i>Aging Clinical and Experimental Research</i> , 2007, 19, 255-258.	2.9	56
25	The CERAD Neuropsychological Assessment Battery Total Score Detects and Predicts Alzheimer Disease Dementia with High Diagnostic Accuracy. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1017-1028.	1.2	56
26	Advance Directives in Nursing Homes. <i>Deutsches Ärzteblatt International</i> , 2012, 109, 577-83.	0.9	55
27	Mild cognitive impairment and quality of life in the oldest old: a closer look. <i>Quality of Life Research</i> , 2020, 29, 1675-1683.	3.1	53
28	Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment—Results From the German Study on Ageing, Cognition, and Dementia in Primary Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 943-954.	1.2	52
29	Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 1203-1212.	2.6	52
30	Association of the Alzheimer's Disease Clusterin Risk Allele with Plasma Clusterin Concentration. <i>Journal of Alzheimer's Disease</i> , 2011, 25, 421-424.	2.6	51
31	Predictors of Costs in Dementia in a Longitudinal Perspective. <i>PLoS ONE</i> , 2013, 8, e70018.	2.5	51
32	Drug adherence questionnaires not valid for patients taking blood pressure-lowering drugs in a primary health care setting. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 468-472.	1.8	50
33	Age-related predictors of institutionalization: results of the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 263-270.	3.1	49
34	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 140.	2.4	48
35	Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 607-616.	3.1	46
36	Influence of social support on cognitive change and mortality in old age: results from the prospective multicentre cohort study AgeCoDe. <i>BMC Geriatrics</i> , 2012, 12, 9.	2.7	41

#	ARTICLE	IF	CITATIONS
37	The role of spousal loss in the development of depressive symptoms in the elderly â€” Implications for diagnostic systems. <i>Journal of Affective Disorders</i> , 2014, 161, 97-103.	4.1	41
38	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83.	2.7	41
39	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 193-203.	2.7	41
40	Predictors of Institutionalisation in Incident Dementia â€” Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe Study). <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 282-288.	1.5	39
41	Sputum colour for diagnosis of a bacterial infection in patients with acute cough. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 70-73.	1.5	38
42	Atâ€risk alcohol drinking in primary care patients aged 75 years and older. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1376-1385.	2.7	35
43	The Costs of Dementia From the Societal Perspective: Is Care Provided in the Community Really Cheaper than Nursing Home Care?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 117-126.	2.5	35
44	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950.	1.0	35
45	Gene polymorphisms in prodynorphin (PDYN) are associated with episodic memory in the elderly. <i>Journal of Neural Transmission</i> , 2009, 116, 897-903.	2.8	33
46	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Populationâ€Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316.	2.6	33
47	Impact of coronary heart disease on cognitive decline in Alzheimerâ€™s disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e111-e117.	1.4	33
48	Which types of mental work demands may be associated with reduced risk of dementia?. <i>Alzheimer's and Dementia</i> , 2017, 13, 431-440.	0.8	33
49	Malperformance in Verbal Fluency and Delayed Recall as Cognitive Risk Factors for Impairment in Instrumental Activities of Daily Living. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 81-88.	1.5	31
50	Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease.. <i>Psychology and Aging</i> , 2012, 27, 353-363.	1.6	31
51	Disentangling the complex relation of disability and depressive symptoms in old age â€” findings of a multicenter prospective cohort study in Germany. <i>International Psychogeriatrics</i> , 2017, 29, 885-895.	1.0	30
52	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. <i>Gerontologist</i> , The, 2019, 59, 738-748.	3.9	30
53	The Assessment of Changes in Cognitive Functioning: Age-, Education-, and Gender-Specific Reliable Change Indices for Older Adults Tested on the CERAD-NP Battery: Results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 84-97.	1.2	29
54	Responding to serious medical error in general practice--consequences for the GPs involved: analysis of 75 cases from Germany. <i>Family Practice</i> , 2007, 25, 9-13.	1.9	28

#	ARTICLE	IF	CITATIONS
55	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1469-1478.	2.6	28
56	Is the Clock Drawing Test Appropriate for Screening for Mild Cognitive Impairment? â€œ Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 365-372.	1.5	26
57	Mortality in incident dementia â€œ results from the German Study on Aging, Cognition, and Dementia in Primary Care Patients. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 257-269.	4.5	25
58	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020, 11, 330.	2.6	25
59	Willingness to Participate in Mammography Screening. <i>Deutsches A&#x0308;rztblatt International</i> , 2015, 112, 61-8.	0.9	24
60	Dementia knowledge among general practitioners: first results and psychometric properties of a new instrument. <i>International Psychogeriatrics</i> , 2009, 21, 1105-1115.	1.0	23
61	Genetic Analysis of Association Between Calcium Signaling and Hippocampal Activation, Memory Performance in the Young and Old, and Risk for Sporadic Alzheimer Disease. <i>JAMA Psychiatry</i> , 2015, 72, 1029.	11.0	23
62	Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 185-199.	2.6	23
63	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017, 46, 813-820.	1.6	23
64	The relationship between social integration and depression in non-demented primary care patients aged 75 years and older. <i>Journal of Affective Disorders</i> , 2013, 145, 172-178.	4.1	22
65	Putting dementia awareness into general practice. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 44-47.	1.8	22
66	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35.	4.1	22
67	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 285.	2.6	22
68	Summative assessment of undergraduatesâ€™ communication competence in challenging doctorâ€™patient encounters. Evaluation of the DÄ¼sseldorf CoMeD-OSCE. <i>Patient Education and Counseling</i> , 2014, 95, 348-355.	2.2	20
69	Complex coevolution of depression and health-related quality of life in old age. <i>Quality of Life Research</i> , 2015, 24, 2713-2722.	3.1	20
70	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly â€œ Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). <i>PLoS ONE</i> , 2016, 11, e0147050.	2.5	20
71	Are patients with dementia treated as well as patients without dementia for hypertension, diabetes, and hyperlipidaemia?. <i>British Journal of General Practice</i> , 2010, 60, 671-674.	1.4	19
72	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 481-493.	1.3	19

#	ARTICLE	IF	CITATIONS
73	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 44, 71-83.	1.5	19
74	Depression, non-fatal stroke and all-cause mortality in old age: A prospective cohort study of primary care patients. <i>Journal of Affective Disorders</i> , 2013, 150, 63-69.	4.1	18
75	Factors affecting functional impairment among elderly Germans – Results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 299-306.	3.3	18
76	General Practitioners' Judgment of their Elderly Patients' Cognitive Status. <i>Journal of General Internal Medicine</i> , 2009, 24, 1314-1317.	2.6	17
77	Cued Recall and Other Cognitive Tasks to Facilitate Dementia Recognition in Primary Care. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 130-135.	2.6	17
78	Examiner characteristics and interrater reliability in a communication OSCE. <i>Patient Education and Counseling</i> , 2017, 100, 1230-1234.	2.2	17
79	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 857-869.	2.6	17
80	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6986.	2.6	16
81	Improvement of primary health care of patients with poorly regulated diabetes mellitus type 2 using shared decision-making – the DEBATE trial. <i>BMC Family Practice</i> , 2012, 13, 88.	2.9	15
82	Effect of Cardiovascular and Metabolic Disease on Cognitive Test Performance and Cognitive Change in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1286-1291.	2.6	15
83	Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2022, 68, 200-208.	2.8	15
84	Prevalence of pain and its associated factors among the oldest-olds in different care settings – results of the AgeQualiDe study. <i>BMC Family Practice</i> , 2018, 19, 85.	2.9	14
85	Correlates of hospitalization among the oldest old: results of the AgeCoDe/AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301.	2.9	14
86	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, 1745-1749.	0.8	14
87	Does visual impairment affect social ties in late life? Findings of a multicenter prospective cohort study in Germany. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 692-698.	3.3	13
88	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388.	2.7	13
89	Correlates of institutionalization among the oldest old – Evidence from the multicenter AgeCoDe/AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102.	2.7	13
90	General practitioners' attitudes towards patients with poorly controlled type 2 diabetes: a qualitative study. <i>BMC Family Practice</i> , 2018, 19, 49.	2.9	12

#	ARTICLE	IF	CITATIONS
91	Prevalence and factors associated with obesity among the oldest old. Archives of Gerontology and Geriatrics, 2020, 89, 104069.	3.0	12
92	The Assessment of Changes in Cognitive Functioning in the Elderly: Age- and Education-Specific Reliable Change Indices for the SIDAM. Dementia and Geriatric Cognitive Disorders, 2012, 33, 73-83.	1.5	11
93	Effects of different information brochures on women's decision-making regarding mammography screening: study protocol for a randomized controlled questionnaire study. Trials, 2013, 14, 319.	1.6	11
94	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. Journal of the American Geriatrics Society, 2017, 65, 738-746.	2.6	11
95	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. Archives of Gerontology and Geriatrics, 2019, 82, 245-250.	3.0	11
96	Advance care planning by proxy in German nursing homes: Descriptive analysis and policy implications. Journal of the American Geriatrics Society, 2021, 69, 2122-2131.	2.6	11
97	Patient-centered communication and shared decision making to reduce HbA1c levels of patients with poorly controlled type 2 diabetes mellitus - results of the cluster-randomized controlled DEBATE trial. BMC Family Practice, 2019, 20, 87.	2.9	10
98	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. Aging Clinical and Experimental Research, 2020, 32, 2629-2638.	2.9	10
99	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. Psychological Assessment, 2015, 27, 895-904.	1.5	9
100	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. International Psychogeriatrics, 2020, 32, 645-659.	1.0	9
101	EQ-5D-3L health status and health state utilities of the oldest-old (85+%) in Germany: results from the AgeCoDe-AgeQualiDe study. Quality of Life Research, 2020, 29, 3223-3232.	3.1	9
102	Associations and correlates of general versus specific successful ageing components. European Journal of Ageing, 2021, 18, 549-563.	2.8	9
103	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. Gerontology, 2020, 66, 460-466.	2.8	9
104	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe-AgeQualiDe prospective cohort study. Aging Clinical and Experimental Research, 2021, 33, 3109-3115.	2.9	8
105	Awareness of local dementia services among general practitioners with academic affiliation. Aging Clinical and Experimental Research, 2011, 23, 241-243.	2.9	7
106	Which patients with type 2 diabetes mellitus are perceived as "difficult" by general practitioners?. Primary Care Diabetes, 2019, 13, 353-359.	1.8	7
107	Determinants of health-care costs in the oldest-old in Germany. Journal of the Economics of Ageing, 2019, 14, 100200.	1.3	7
108	Help-seeking for psychological distress and its association with anxiety in the oldest old " results from the AgeQualiDe cohort study. Aging and Mental Health, 2021, 25, 923-929.	2.8	7

#	ARTICLE	IF	CITATIONS
109	Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. International Journal of Environmental Research and Public Health, 2021, 18, 12786.	2.6	7
110	Shared decision making and patient-centeredness for patients with poorly controlled type 2 diabetes mellitus in primary care—results of the cluster-randomised controlled DEBATE trial. BMC Family Practice, 2021, 22, 93.	2.9	6
111	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. Gerontology, 2022, 68, 894-902.	2.8	6
112	Social support and health-related quality of life among the oldest old — longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. Quality of Life Research, 2021, , 1.	3.1	6
113	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. Geriatrics and Gerontology International, 2019, 19, 705-710.	1.5	5
114	The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. British Journal of General Practice, 2019, 69, e786-e793.	1.4	5
115	Use of Cerebrospinal Fluid Biomarkers of Alzheimer's Disease Risk in Mild Cognitive Impairment and Subjective Cognitive Decline in Routine Clinical Care in Germany. Journal of Alzheimer's Disease, 2020, 78, 1137-1148.	2.6	5
116	Association of anxiety symptoms with health care use and costs in people aged 85 and over. International Journal of Geriatric Psychiatry, 2019, 34, 765-776.	2.7	4
117	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. Journal of the American Medical Directors Association, 2021, 22, 577-582.e2.	2.5	4
118	Effects of APOE ε4 allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). International Journal of Geriatric Psychiatry, 2021, 36, 152-162.	2.7	4
119	General practitioners treating their own family members: a cross-sectional survey in Germany. , 2022, 23, 23.		4
120	Subjective memory impairment in general practice. Zeitschrift Fur Gerontologie Und Geriatrie, 2017, 50, 48-54.	1.8	3
121	More counselling for end-of-life decisions by GPs with own advance directives: A postal survey among German general practitioners. European Journal of General Practice, 2018, 24, 131-137.	2.0	3
122	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. Gerontology, 2021, 67, 591-598.	2.8	3
123	Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. Journal of the Economics of Ageing, 2021, 20, 100346.	1.3	3
124	Workplace-based assessment of communication skills: A pilot project addressing feasibility, acceptance and reliability. GMS Journal for Medical Education, 2016, 33, Doc70.	0.1	3
125	Survey participation among general practitioners: comparison between teaching physicians and a random sample. BMC Research Notes, 2022, 15, 9.	1.4	3
126	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. Frontiers in Medicine, 2022, 9, 815419.	2.6	3

#	ARTICLE	IF	CITATIONS
127	Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. Journal of the American Geriatrics Society, 2015, 63, 2408-2410.	2.6	2
128	<p>Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients â€“ A Longitudinal Cohort Study</p>. Clinical Interventions in Aging, 2019, Volume 14, 1881-1888.	2.9	2
129	Health-related quality of life and ego integrity among the oldest old â€“ Evidence from the multicenter AgeCoDe-AgeQualiDe study. Archives of Gerontology and Geriatrics, 2021, 95, 104408.	3.0	2
130	Autofahren und Demenz: Was in der Hausarztpraxis zu beachten ist. Deutsches Ärztblatt International, 0, , .	0.9	2
131	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. Journal of Affective Disorders, 2022, 308, 494-501.	4.1	2
132	GPsâ€™ awareness of car driving among oldest patients: exploratory results from a primary care cohort. BJGP Open, 2021, 5, BJGPO.2020.0145.	1.8	1
133	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. Aging and Mental Health, 2022, 26, 1862-1873.	2.8	1
134	P3-355: A PEER-TO-PEER INTERVENTION TO CHANGE ATTITUDES OF FAMILY PHYSICIANS TOWARD DEMENTIA. , 2014, 10, P761-P761.		0
135	P4-192: TREM2 is not associated with accelerated decline of the mini mental status examination in late onset Alzheimer's disease. , 2015, 11, P853-P854.		0
136	P4â€“359: Interventions to Improve Primary Dementia Care. Alzheimer's and Dementia, 2016, 12, P1175.	0.8	0
137	Does peer feedback for teaching GPs improve student evaluation of general practice attachments? A pre-post analysis.. GMS Journal for Medical Education, 2021, 38, Doc122.	0.1	0