

Michael Pentzek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/735829/publications.pdf>

Version: 2024-02-01

137
papers

5,451
citations

87888

38
h-index

98798

67
g-index

150
all docs

150
docs citations

150
times ranked

7516
citing authors

#	ARTICLE	IF	CITATIONS
1	Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2022, 68, 200-208.	2.8	15
2	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. <i>Aging and Mental Health</i> , 2022, 26, 1862-1873.	2.8	1
3	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2022, 68, 894-902.	2.8	6
4	Survey participation among general practitioners: comparison between teaching physicians and a random sample. <i>BMC Research Notes</i> , 2022, 15, 9.	1.4	3
5	General practitioners treating their own family members: a cross-sectional survey in Germany. , 2022, 23, 23.		4
6	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. <i>Frontiers in Medicine</i> , 2022, 9, 815419.	2.6	3
7	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501.	4.1	2
8	Associations and correlates of general versus specific successful ageing components. <i>European Journal of Ageing</i> , 2021, 18, 549-563.	2.8	9
9	Help-seeking for psychological distress and its association with anxiety in the oldest old – results from the AgeQualiDe cohort study. <i>Aging and Mental Health</i> , 2021, 25, 923-929.	2.8	7
10	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 577-582.e2.	2.5	4
11	Effects of <i>APOE</i> $\epsilon 4$ allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (<i>AgeCoDe</i>). <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 152-162.	2.7	4
12	GPs' awareness of car driving among oldest patients: exploratory results from a primary care cohort. <i>BJGP Open</i> , 2021, 5, BJGPO.2020.0145.	1.8	1
13	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2021, 67, 591-598.	2.8	3
14	Correlates of institutionalization among the oldest old – Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102.	2.7	13
15	Shared decision making and patient-centeredness for patients with poorly controlled type 2 diabetes mellitus in primary care – results of the cluster-randomised controlled DEBATE trial. <i>BMC Family Practice</i> , 2021, 22, 93.	2.9	6
16	Advance care planning by proxy in German nursing homes: Descriptive analysis and policy implications. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2122-2131.	2.6	11
17	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6986.	2.6	16
18	Health-related quality of life and ego integrity among the oldest old – Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104408.	3.0	2

#	ARTICLE	IF	CITATIONS
19	Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. <i>Journal of the Economics of Ageing</i> , 2021, 20, 100346.	1.3	3
20	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3109-3115.	2.9	8
21	Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12786.	2.6	7
22	Social support and health-related quality of life among the oldest old – longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2021, , 1.	3.1	6
23	Does peer feedback for teaching GPs improve student evaluation of general practice attachments? A pre-post analysis.. <i>GMS Journal for Medical Education</i> , 2021, 38, Doc122.	0.1	0
24	Correlates of hospitalization among the oldest old: results of the AgeCoDe-AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301.	2.9	14
25	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020, 32, 645-659.	1.0	9
26	EQ-5D-3L health status and health state utilities of the oldest-old (85+%) in Germany: results from the AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2020, 29, 3223-3232.	3.1	9
27	Use of Cerebrospinal Fluid Biomarkers of Alzheimer's Disease Risk in Mild Cognitive Impairment and Subjective Cognitive Decline in Routine Clinical Care in Germany. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 1137-1148.	2.6	5
28	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, 1745-1749.	0.8	14
29	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020, 11, 330.	2.6	25
30	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. <i>Gerontology</i> , 2020, 66, 460-466.	2.8	9
31	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2629-2638.	2.9	10
32	Mild cognitive impairment and quality of life in the oldest old: a closer look. <i>Quality of Life Research</i> , 2020, 29, 1675-1683.	3.1	53
33	Prevalence and factors associated with obesity among the oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104069.	3.0	12
34	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. <i>Gerontologist</i> , The, 2019, 59, 738-748.	3.9	30
35	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 705-710.	1.5	5
36	Which patients with type 2 diabetes mellitus are perceived as "difficult" by general practitioners?. <i>Primary Care Diabetes</i> , 2019, 13, 353-359.	1.8	7

#	ARTICLE	IF	CITATIONS
37	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 285.	2.6	22
38	Patient-centered communication and shared decision making to reduce HbA1c levels of patients with poorly controlled type 2 diabetes mellitus - results of the cluster-randomized controlled DEBATE trial. <i>BMC Family Practice</i> , 2019, 20, 87.	2.9	10
39	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 857-869.	2.6	17
40	Determinants of health-care costs in the oldest-old in Germany. <i>Journal of the Economics of Ageing</i> , 2019, 14, 100200.	1.3	7
41	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1469-1478.	2.6	28
42	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 245-250.	3.0	11
43	Association of anxiety symptoms with health care use and costs in people aged 85 and over. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 765-776.	2.7	4
44	The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. <i>British Journal of General Practice</i> , 2019, 69, e786-e793.	1.4	5
45	Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients – A Longitudinal Cohort Study. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1881-1888.	2.9	2
46	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 193-203.	2.7	41
47	More counselling for end-of-life decisions by GPs with own advance directives: A postal survey among German general practitioners. <i>European Journal of General Practice</i> , 2018, 24, 131-137.	2.0	3
48	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35.	4.1	22
49	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388.	2.7	13
50	Prospective Associations between Single Foods, Alzheimer's Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852.	4.1	57
51	General practitioners' attitudes towards patients with poorly controlled type 2 diabetes: a qualitative study. <i>BMC Family Practice</i> , 2018, 19, 49.	2.9	12
52	Prevalence of pain and its associated factors among the oldest-olds in different care settings – results of the AgeQualiDe study. <i>BMC Family Practice</i> , 2018, 19, 85.	2.9	14
53	Disentangling the complex relation of disability and depressive symptoms in old age – findings of a multicenter prospective cohort study in Germany. <i>International Psychogeriatrics</i> , 2017, 29, 885-895.	1.0	30
54	Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e111-e117.	1.4	33

#	ARTICLE	IF	CITATIONS
55	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 738-746.	2.6	11
56	Factors affecting functional impairment among elderly Germans â€” Results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 299-306.	3.3	18
57	Putting dementia awareness into general practice. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 44-47.	1.8	22
58	Subjective memory impairment in general practice. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 48-54.	1.8	3
59	Examiner characteristics and interrater reliability in a communication OSCE. <i>Patient Education and Counseling</i> , 2017, 100, 1230-1234.	2.2	17
60	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017, 46, 813-820.	1.6	23
61	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950.	1.0	35
62	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 44, 71-83.	1.5	19
63	Does visual impairment affect social ties in late life? Findings of a multicenter prospective cohort study in Germany. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 692-698.	3.3	13
64	Which types of mental work demands may be associated with reduced risk of dementia?. <i>Alzheimer's and Dementia</i> , 2017, 13, 431-440.	0.8	33
65	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 140.	2.4	48
66	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly â€” Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). <i>PLoS ONE</i> , 2016, 11, e0147050.	2.5	20
67	Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 185-199.	2.6	23
68	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1135-1146.	2.6	70
69	P4â€³59: Interventions to Improve Primary Dementia Care. <i>Alzheimer's and Dementia</i> , 2016, 12, P1175.	0.8	0
70	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316.	2.6	33
71	Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 607-616.	3.1	46
72	Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. <i>Quality of Life Research</i> , 2016, 25, 1159-1168.	3.1	61

#	ARTICLE	IF	CITATIONS
73	Predictors of frailty in old age—results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 952-957.	3.3	66
74	Workplace-based assessment of communication skills: A pilot project addressing feasibility, acceptance and reliability. <i>GMS Journal for Medical Education</i> , 2016, 33, Doc70.	0.1	3
75	P4-192: TREM2 is not associated with accelerated decline of the mini mental status examination in late onset Alzheimer's disease. , 2015, 11, P853-P854.		0
76	Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. <i>British Journal of General Practice</i> , 2015, 65, e716-e723.	1.4	59
77	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. <i>Psychological Assessment</i> , 2015, 27, 895-904.	1.5	9
78	Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 1203-1212.	2.6	52
79	Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2408-2410.	2.6	2
80	Mortality in incident dementia — results from the German Study on Aging, Cognition, and Dementia in Primary Care Patients. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 257-269.	4.5	25
81	Cognitive performance before and after the onset of subjective cognitive decline in old age. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 194-205.	2.4	110
82	Risk of dementia in elderly patients with the use of proton pump inhibitors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 419-428.	3.2	184
83	Complex coevolution of depression and health-related quality of life in old age. <i>Quality of Life Research</i> , 2015, 24, 2713-2722.	3.1	20
84	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83.	2.7	41
85	Genetic Analysis of Association Between Calcium Signaling and Hippocampal Activation, Memory Performance in the Young and Old, and Risk for Sporadic Alzheimer Disease. <i>JAMA Psychiatry</i> , 2015, 72, 1029.	11.0	23
86	Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015, 10, e0144203.	2.5	128
87	Willingness to Participate in Mammography Screening. <i>Deutsches A&#x0308;rztblatt International</i> , 2015, 112, 61-8.	0.9	24
88	Prognosis of Mild Cognitive Impairment in General Practice: Results of the German AgeCoDe Study. <i>Annals of Family Medicine</i> , 2014, 12, 158-165.	1.9	63
89	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 481-493.	1.3	19
90	The role of spousal loss in the development of depressive symptoms in the elderly — Implications for diagnostic systems. <i>Journal of Affective Disorders</i> , 2014, 161, 97-103.	4.1	41

#	ARTICLE	IF	CITATIONS
91	Converging Genetic and Functional Brain Imaging Evidence Links Neuronal Excitability to Working Memory, Psychiatric Disease, and Brain Activity. <i>Neuron</i> , 2014, 81, 1203-1213.	8.1	86
92	The CERAD Neuropsychological Assessment Battery Total Score Detects and Predicts Alzheimer Disease Dementia with High Diagnostic Accuracy. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1017-1028.	1.2	56
93	The Costs of Dementia From the Societal Perspective: Is Care Provided in the Community Really Cheaper than Nursing Home Care?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 117-126.	2.5	35
94	Summative assessment of undergraduates' communication competence in challenging doctor-patient encounters. Evaluation of the DA3/Asseldorf CoMeD-OSCE. <i>Patient Education and Counseling</i> , 2014, 95, 348-355.	2.2	20
95	AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 76-83.	0.8	414
96	P3-355: A PEER-TO-PEER INTERVENTION TO CHANGE ATTITUDES OF FAMILY PHYSICIANS TOWARD DEMENTIA. , 2014, 10, P761-P761.		0
97	Effects of different information brochures on women's decision-making regarding mammography screening: study protocol for a randomized controlled questionnaire study. <i>Trials</i> , 2013, 14, 319.	1.6	11
98	The relationship between social integration and depression in non-demented primary care patients aged 75 years and older. <i>Journal of Affective Disorders</i> , 2013, 145, 172-178.	4.1	22
99	Depression, non-fatal stroke and all-cause mortality in old age: A prospective cohort study of primary care patients. <i>Journal of Affective Disorders</i> , 2013, 150, 63-69.	4.1	18
100	Incidence and predictors of depression in non-demented primary care attenders aged 75 years and older: results from a 3-year follow-up study. <i>Age and Ageing</i> , 2013, 42, 173-180.	1.6	65
101	Predictors of Costs in Dementia in a Longitudinal Perspective. <i>PLoS ONE</i> , 2013, 8, e70018.	2.5	51
102	Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease.. <i>Psychology and Aging</i> , 2012, 27, 353-363.	1.6	31
103	The Assessment of Changes in Cognitive Functioning in the Elderly: Age- and Education-Specific Reliable Change Indices for the SIDAM. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 73-83.	1.5	11
104	Predictors of Institutionalisation in Incident Dementia - Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe Study). <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 282-288.	1.5	39
105	Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment-Results From the German Study on Ageing, Cognition, and Dementia in Primary Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 943-954.	1.2	52
106	The Assessment of Changes in Cognitive Functioning: Age-, Education-, and Gender-Specific Reliable Change Indices for Older Adults Tested on the CERAD-NP Battery: Results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 84-97.	1.2	29
107	Influence of social support on cognitive change and mortality in old age: results from the prospective multicentre cohort study AgeCoDe. <i>BMC Geriatrics</i> , 2012, 12, 9.	2.7	41
108	Improvement of primary health care of patients with poorly regulated diabetes mellitus type 2 using shared decision-making - the DEBATE trial. <i>BMC Family Practice</i> , 2012, 13, 88.	2.9	15

#	ARTICLE	IF	CITATIONS
109	Cued Recall and Other Cognitive Tasks to Facilitate Dementia Recognition in Primary Care. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 130-135.	2.6	17
110	Effect of Cardiovascular and Metabolic Disease on Cognitive Test Performance and Cognitive Change in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1286-1291.	2.6	15
111	Age-related predictors of institutionalization: results of the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 263-270.	3.1	49
112	Advance Directives in Nursing Homes. <i>Deutsches A&#x0308;rztblatt International</i> , 2012, 109, 577-83.	0.9	55
113	Awareness of local dementia services among general practitioners with academic affiliation. <i>Aging Clinical and Experimental Research</i> , 2011, 23, 241-243.	2.9	7
114	Prediction of Dementia in Primary Care Patients. <i>PLoS ONE</i> , 2011, 6, e16852.	2.5	116
115	Association of the Alzheimer's Disease Clusterin Risk Allele with Plasma Clusterin Concentration. <i>Journal of Alzheimer's Disease</i> , 2011, 25, 421-424.	2.6	51
116	Clinical recognition of dementia and cognitive impairment in primary care: a meta-analysis of physician accuracy. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 165-183.	4.5	155
117	Net costs of dementia by disease stage. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 384-395.	4.5	109
118	Current alcohol consumption and its relationship to incident dementia: results from a 3-year follow-up study among primary care attenders aged 75 years and older. <i>Age and Ageing</i> , 2011, 40, 456-463.	1.6	97
119	Malperformance in Verbal Fluency and Delayed Recall as Cognitive Risk Factors for Impairment in Instrumental Activities of Daily Living. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 81-88.	1.5	31
120	Are patients with dementia treated as well as patients without dementia for hypertension, diabetes, and hyperlipidaemia?. <i>British Journal of General Practice</i> , 2010, 60, 671-674.	1.4	19
121	Anticholinergic drug use and risk for dementia: target for dementia prevention. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 111-115.	3.2	99
122	Risk factors for incident mild cognitive impairment â€“ results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 260-272.	4.5	107
123	Prediction of Dementia by Subjective Memory Impairment&#x2013;Effects of Severity and Temporal Association With Cognitive Impairment&#x2013;Dementia and Subjective Memory Impairment&#x2013;. <i>Archives of General Psychiatry</i> , 2010, 67, 414.	12.3	559
124	Is the Clock Drawing Test Appropriate for Screening for Mild Cognitive Impairment? â€“ Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 365-372.	1.5	26
125	Sputum colour for diagnosis of a bacterial infection in patients with acute cough. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 70-73.	1.5	38
126	Atâ€“risk alcohol drinking in primary care patients aged 75 years and older. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1376-1385.	2.7	35

#	ARTICLE	IF	CITATIONS
127	Gene polymorphisms in prodynorphin (PDYN) are associated with episodic memory in the elderly. <i>Journal of Neural Transmission</i> , 2009, 116, 897-903.	2.8	33
128	General Practitioners' Judgment of their Elderly Patients' Cognitive Status. <i>Journal of General Internal Medicine</i> , 2009, 24, 1314-1317.	2.6	17
129	Drug adherence questionnaires not valid for patients taking blood pressure lowering drugs in a primary health care setting. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 468-472.	1.8	50
130	Apart From Nihilism and Stigma: What Influences General Practitioners' Accuracy in Identifying Incident Dementia?. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 965-975.	1.2	70
131	Dementia knowledge among general practitioners: first results and psychometric properties of a new instrument. <i>International Psychogeriatrics</i> , 2009, 21, 1105-1115.	1.0	23
132	Prevalence and risk factors for depression in non-demented primary care attenders aged 75 years and older. <i>Journal of Affective Disorders</i> , 2008, 111, 153-163.	4.1	156
133	Patterns of subjective memory impairment in the elderly: association with memory performance. <i>Psychological Medicine</i> , 2007, 37, 1753-1762.	4.5	129
134	Responding to serious medical error in general practice--consequences for the GPs involved: analysis of 75 cases from Germany. <i>Family Practice</i> , 2007, 25, 9-13.	1.9	28
135	Mild Cognitive Impairment in General Practice: Age-Specific Prevalence and Correlate Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 24, 307-316.	1.5	173
136	Odor identification in Alzheimer's disease and depression. <i>Aging Clinical and Experimental Research</i> , 2007, 19, 255-258.	2.9	56
137	Autofahren und Demenz: Was in der Hausarztpraxis zu beachten ist. <i>Deutsches Arzteblatt International</i> , 0, , .	0.9	2