

John C Gebler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7358871/publications.pdf>

Version: 2024-02-01

65
papers

3,852
citations

159585

30
h-index

149698

56
g-index

65
all docs

65
docs citations

65
times ranked

3805
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of 1â€ and 2â€ LC MS/MS methods for proteomic analysis of human serum. <i>Electrophoresis</i> , 2009, 30, 1157-1167.	2.4	48
2	Phosphopeptide enrichment using microscale titanium dioxide solid phase extraction. <i>Journal of Separation Science</i> , 2009, 32, 1189-1199.	2.5	25
3	Electrospray ionization quadrupole ion-mobility time-of-flight mass spectrometry as a tool to distinguish the lot-to-lot heterogeneity in N-glycosylation profile of the therapeutic monoclonal antibody trastuzumab. <i>Journal of the American Society for Mass Spectrometry</i> , 2009, 20, 2021-2033.	2.8	123
4	Reversed-phase ion-pair liquid chromatography analysis and purification of small interfering RNA. <i>Analytical Biochemistry</i> , 2009, 390, 181-188.	2.4	91
5	Analysis of Oligosaccharides Derived from Heparin by Ion-Pair Reversed-Phase Chromatography/Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 3485-3499.	6.5	87
6	Characterization of Protein Impurities and Site-Specific Modifications Using Peptide Mapping with Liquid Chromatography and Data Independent Acquisition Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 5699-5708.	6.5	38
7	Determination of N-glycosylation sites and site heterogeneity in a monoclonal antibody by electrospray quadrupole ion-mobility time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 29-40.	1.5	72
8	Mixed-mode chromatography for fractionation of peptides, phosphopeptides, and sialylated glycopeptides. <i>Journal of Chromatography A</i> , 2008, 1191, 162-170.	3.7	65
9	Improving de Novo Sequencing of Peptides Using a Charged Tag and C-Terminal Digestion. <i>Analytical Chemistry</i> , 2007, 79, 1583-1590.	6.5	43
10	Identification of N-Linked Glycosylation Sites Using Glycoprotein Digestion with Pronase Prior to MALDI Tandem Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2007, 79, 1731-1738.	6.5	49
11	A Method To Reduce Gradient Delay Time of NanoLC. <i>Analytical Chemistry</i> , 2007, 79, 2961-2964.	6.5	1
12	Comparative profiling of human saliva by intact protein LC/ESI-TOF mass spectrometry. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2007, 1774, 897-906.	2.3	26
13	Effects of column length, particle size, gradient length and flow rate on peak capacity of nano-scale liquid chromatography for peptide separations. <i>Journal of Chromatography A</i> , 2007, 1147, 30-36.	3.7	64
14	Use of an integrated MS - multiplexed MS/MS data acquisition strategy for high-coverage peptide mapping studies. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 730-744.	1.5	71
15	Peptide retention prediction applied to proteomic data analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 2813-2821.	1.5	37
16	Integration of Multidimensional Chromatographic Protein Separations with a Combined "Top-Down" and "Bottom-Up" Proteomic Strategy. <i>Journal of Proteome Research</i> , 2006, 5, 135-146.	3.7	64
17	The use of mass spectrometry to determine location and extent of N-glycosylation on folate binding protein from bovine milk. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 313-316.	1.5	9
18	Development of an online two-dimensional nano-scale liquid chromatography/mass spectrometry method for improved chromatographic performance and hydrophobic peptide recovery. <i>Journal of Chromatography A</i> , 2006, 1135, 43-51.	3.7	44

#	ARTICLE	IF	CITATIONS
19	A new approach for analyzing complicated peptide mixtures by LC/MS. FASEB Journal, 2006, 20, LB66.	0.5	0
20	A comparison of sample preparation methods for the study of the human serum proteome. FASEB Journal, 2006, 20, .	0.5	0
21	Evaluation of multidimensional (ion-exchange/reversed-phase) protein separations using linear and step gradients in the first dimension. Journal of Chromatography A, 2005, 1079, 287-298.	3.7	17
22	Two-dimensional separation of peptides using RP-RP-HPLC system with different pH in first and second separation dimensions. Journal of Separation Science, 2005, 28, 1694-1703.	2.5	412
23	A rapid sample preparation method for mass spectrometric characterization of N-linked glycans. Rapid Communications in Mass Spectrometry, 2005, 19, 2331-2336.	1.5	86
24	Orthogonality of Separation in Two-Dimensional Liquid Chromatography. Analytical Chemistry, 2005, 77, 6426-6434.	6.5	726
25	A complete peptide mapping of membrane proteins: a novel surfactant aiding the enzymatic digestion of bacteriorhodopsin. Rapid Communications in Mass Spectrometry, 2004, 18, 711-715.	1.5	52
26	Electrospray ionization mass spectrometric analysis of nucleic acids using high-throughput on-line desalting. Rapid Communications in Mass Spectrometry, 2004, 18, 1295-1302.	1.5	24
27	Implications of column peak capacity on the separation of complex peptide mixtures in single- and two-dimensional high-performance liquid chromatography. Journal of Chromatography A, 2004, 1061, 183-192.	3.7	157
28	Qualitative and Quantitative Analysis of Small Amine Molecules by MALDI-TOF Mass Spectrometry through Charge Derivatization. Analytical Chemistry, 2004, 76, 4888-4893.	6.5	53
29	Purification of dye-labeled oligonucleotides by ion-pair reversed-phase high-performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 783, 61-72.	2.3	22
30	Identification of unknown residue 55 in bovine folate binding protein: fingerprint matching and sequencing of a doubly tagged peptide fragment by ion trap mass spectrometry. Rapid Communications in Mass Spectrometry, 2003, 17, 1504-1506.	1.5	5
31	Analysis of native and chemically modified oligonucleotides by tandem ion-pair reversed-phase high-performance liquid chromatography/electrospray ionization mass spectrometry. Rapid Communications in Mass Spectrometry, 2003, 17, 646-653.	1.5	111
32	Enzyme-Friendly, Mass Spectrometry-Compatible Surfactant for In-Solution Enzymatic Digestion of Proteins. Analytical Chemistry, 2003, 75, 6023-6028.	6.5	296
33	Characterization of Therapeutic Oligonucleotides Using Liquid Chromatography with On-line Mass Spectrometry Detection. Oligonucleotides, 2003, 13, 229-243.	2.7	93
34	Complete sequencing of anti-vancomycin fab fragment by liquid chromatography-electrospray ion trap mass spectrometry with a combination of database searching and manual interpretation of the MS/MS spectra. Journal of Immunological Methods, 2002, 260, 235-249.	1.4	11
35	Identification of phosphopeptides by chemical modification with an isotopic tag and ion trap mass spectrometry. Rapid Communications in Mass Spectrometry, 2002, 16, 999-1001.	1.5	18
36	Ion-pair reversed-phase high-performance liquid chromatography analysis of oligonucleotides. Journal of Chromatography A, 2002, 958, 167-182.	3.7	181

#	ARTICLE	IF	CITATIONS
37	A Chemoselective Method for Site-Specific Immobilization of Peptides via Aminoxy Group. <i>Bioconjugate Chemistry</i> , 2001, 12, 139-142.	3.6	12
38	Quantitative determination of noncovalently bound acridinium in protein conjugates by liquid chromatography/electrospray ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 670-674.	1.5	2
39	Selective analysis of phosphopeptides within a protein mixture by chemical modification, reversible biotinylation and mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 1481-1488.	1.5	106
40	QUANTITATION OF FREE CHEMILUMINESCENT ACRIDINIUM-9-CARBOXAMIDE SALTS IN BIOCONJUGATES. , 2001, , .		0
41	CHARACTERIZATION OF ACRIDINIUM-9-CARBOXAMIDE MONOCLONAL ANTIBODY BIOCONJUGATES BY ELECTROSPRAY IONIZATION MASS SPECTROMETRY. , 2001, , .		0
42	Profiling of polyclonal antibody light chains by liquid chromatography/electrospray ionization mass spectrometry. , 2000, 14, 49-51.		3
43	Sequencing of anti-thyroxine monoclonal antibody Fab fragment by ion trap mass spectrometry. , 2000, 14, 999-1007.		9
44	Evidence of nucleophilic addition to chemiluminescent N-Sulfonylacridinium-9-carboxamides from electrospray ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2000, 14, 2112-2115.	1.5	2
45	Papain digestion of different mouse IgG subclasses as studied by electrospray mass spectrometry. <i>Journal of Immunological Methods</i> , 2000, 237, 95-104.	1.4	54
46	Evaluation of chemiluminescent estradiol conjugates by using a surface plasmon resonance detector. <i>Steroids</i> , 2000, 65, 295-303.	1.8	20
47	Region-Selective Labeling of Antibodies as Determined by Electrospray Ionization-Mass Spectrometry (ESI-MS). <i>Bioconjugate Chemistry</i> , 2000, 11, 557-563.	3.6	17
48	Charge derivatization of peptides to simplify their sequencing with an ion trap mass spectrometer. , 1999, 13, 1413-1422.		29
49	A simple method to identify cysteine residues by isotopic labeling and ion trap mass spectrometry. , 1999, 13, 1813-1817.		10
50	Letter: The use of electrospray ionization mass spectrometry to distinguish the lot-to-lot heterogeneity of an antigen specific monoclonal antibody from a specific cellular clone. <i>European Journal of Mass Spectrometry</i> , 1999, 5, 165.	0.7	14
51	Letter: Detection of reaction intermediates by flow injection electrospray ionization mass spectrometry: reaction of chemiluminescent N-sulfonylacridinium-9-carboxamides with hydrogen peroxide. <i>European Journal of Mass Spectrometry</i> , 1998, 4, 121.	0.7	13
52	Immunoassay Reagents for Thyroid Testing. 2. Binding Properties and Energetic Parameters of a T4 Monoclonal Antibody and Its Fab Fragment with a Library of Thyroxine Analog Biosensors Using Surface Plasmon Resonance. <i>Bioconjugate Chemistry</i> , 1997, 8, 133-145.	3.6	24
53	Electrospray Mass Spectrometry of $\hat{1}\pm$ and $\hat{1}^2$ Chains of Selected Hemoglobins and Their TNBA and TNB Conjugates. <i>Bioconjugate Chemistry</i> , 1997, 8, 400-406.	3.6	18
54	The utility of enzymes in generating molecular diversity. Lipase mediated amidation of polybenzyl esters. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 1027-1030.	2.2	13

#	ARTICLE	IF	CITATIONS
55	Characterization of Protein-Hapten Conjugates. 2. Electrospray Mass Spectrometry of Bovine Serum Albumin-Hapten Conjugates. Bioconjugate Chemistry, 1996, 7, 475-481.	3.6	44
56	Chemo-enzymatic transformations of sensitive systems. Preparation of digoxigenin haptens via regioselective lipase mediated hydrolysis. Tetrahedron Letters, 1995, 36, 6987-6990.	1.4	11
57	Unexpectedly Facile Hydrolysis of Digoxin Esters. The Importance of Appropriate Controls in Lipase-Mediated Hydrolysis. Journal of Organic Chemistry, 1995, 60, 3557-3560.	3.2	9
58	Substrate-induced inactivation of a crippled .beta.-glucosidase mutant: identification of the labeled amino acid and mutagenic analysis of its role. Biochemistry, 1995, 34, 14547-14553.	2.5	47
59	Lipase mediated hydrolysis of rapamycin 42-hemisuccinate benzyl and methyl esters. Tetrahedron Letters, 1994, 35, 1019-1022.	1.4	17
60	PREPARATION OF METABOLITES OF IMIPRAMINE AND PHENYTOIN. Organic Preparations and Procedures International, 1994, 26, 706-711.	1.3	1
61	Characterization of Protein-Hapten Conjugates. 1. Matrix-Assisted Laser Desorption Ionization Mass Spectrometry of Immuno BSA-Hapten Conjugates and Comparison with Other Characterization Methods. Bioconjugate Chemistry, 1994, 5, 631-635.	3.6	43
62	Preparation and high-performance liquid chromatographic analysis of syn and anti isomers of steroidal 3-(O-carboxymethyl) oximes. Journal of Chromatography A, 1993, 657, 345-348.	3.7	10
63	Lipase mediated diastereoselective hydrolysis of steroidal 3-(O-carboxymethyl) oxime methyl esters. Tetrahedron: Asymmetry, 1993, 4, 1467-1468.	1.8	12
64	Purification and characterization of dimethylallyl tryptophan synthase from Claviceps purpurea. Archives of Biochemistry and Biophysics, 1992, 296, 308-313.	3.0	89
65	Development of Orthogonal 2DLC Methods for Separation of Peptides. , 0, , 261-289.		2