

# Anne-Marie Dupuy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/735999/publications.pdf>

Version: 2024-02-01

151  
papers

5,456  
citations

66343

42  
h-index

95266

68  
g-index

152  
all docs

152  
docs citations

152  
times ranked

9337  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of four immunoassays to an HPLC method for the therapeutic drug monitoring of methotrexate: Influence of the hydroxylated metabolite levels and impact on clinical threshold. <i>Journal of Oncology Pharmacy Practice</i> , 2022, 28, 55-63.	0.9	5
2	Analytical evaluation of the performances of a new procalcitonin immunoassay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 77-80.	2.3	1
3	Fibroblast growth factor 19 stimulates water intake. <i>Molecular Metabolism</i> , 2022, 60, 101483.	6.5	3
4	Comparison of Sebia Capillarys 3-OCTA with the Tosoh Bioscience HLC <sup>®</sup> -723G8 method for A1C testing with focus on analytical interferences and variant detection. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, e216-e220.	2.3	1
5	Long term prognostic value of suPAR in chronic heart failure: reclassification of patients with low MAGGIC score. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1299-1306.	2.3	5
6	Admission High-Sensitive Cardiac Troponin T Level Increase Is Independently Associated with Higher Mortality in Critically Ill Patients with COVID-19: A Multicenter Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1656.	2.4	12
7	Insulin resistance is linked to a specific profile of immune activation in human subjects. <i>Scientific Reports</i> , 2021, 11, 12314.	3.3	2
8	Soluble urokinase-type plasminogen activator receptor strongly predicts global mortality in acute heart failure patients: insight from the STADE-HF Registry. <i>Future Science OA</i> , 2021, 7, FSO697.	1.9	3
9	Could a Multi-Marker and Machine Learning Approach Help Stratify Patients with Heart Failure?. <i>Medicina (Lithuania)</i> , 2021, 57, 996.	2.0	1
10	Colchicine to Prevent Sympathetic Denervation after an Acute Myocardial Infarction: The COLD-MI Trial Protocol. <i>Medicina (Lithuania)</i> , 2021, 57, 1047.	2.0	3
11	Letter in reply to the letter to the editor of Geerts N and Schanhorst V with the title "Roche Troponin TâSTAT meets all expert opinion analytical laboratory practice recommendations for the use of the differential diagnosis of acute coronary syndrome". <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, e125-e127.	2.3	0
12	sST2 as a value-added biomarker in heart failure. <i>Clinica Chimica Acta</i> , 2020, 501, 120-130.	1.1	40
13	Analytical performances of a novel point-of-care procalcitonin assay. <i>Practical Laboratory Medicine</i> , 2020, 18, e00145.	1.3	6
14	Bioanalytical Performance of a New Particle-Enhanced Method for Measuring Procalcitonin. <i>Diagnostics</i> , 2020, 10, 461.	2.6	8
15	Multimarker approach including CRP, sST2 and GDF-15 for prognostic stratification in stable heart failure. <i>ESC Heart Failure</i> , 2020, 7, 2230-2239.	3.1	34
16	Identification of distinct immune activation profiles in adult humans. <i>Scientific Reports</i> , 2020, 10, 20824.	3.3	4
17	STADEâCHF (sST2 As a help for management of HF): a pilot study. <i>ESC Heart Failure</i> , 2020, 7, 774-778.	3.1	8
18	Modification of Muscle-Related Hormones in Women with Obesity: Potential Impact on Bone Metabolism. <i>Journal of Clinical Medicine</i> , 2020, 9, 1150.	2.4	10

#	ARTICLE	IF	CITATIONS
19	Absolute Change in High Sensitivity Cardiac Troponin I for Three Hours is Useful for Diagnosing Acute Myocardial Infarction in the Emergency Department: How to Get to Best Benefit From HS-Troponins in Clinical Practice?. <i>Annals of Laboratory Medicine</i> , 2020, 40, 488-489.	2.5	0
20	Absolute Change in High Sensitivity Cardiac Troponin I for Three Hours is Useful for Diagnosing Acute Myocardial Infarction in the Emergency Department: How to Get to Best Benefit From HS-Troponins in Clinical Practice?. <i>Annals of Laboratory Medicine</i> , 2020, 40, 488-489.	2.5	0
21	Multilevel qualification of a large set of blood gas analyzers: Which performance goals?. <i>Clinical Biochemistry</i> , 2019, 74, 47-53.	1.9	8
22	Oral contraceptives partially protect from bone loss in young women with anorexia nervosa. <i>Fertility and Sterility</i> , 2019, 111, 1020-1029.e2.	1.0	19
23	Is high-sensitivity troponin, alone or in combination with copeptin, sensitive enough for ruling out NSTEMI in very early presenters at admission? A post hoc analysis performed in emergency departments. <i>BMJ Open</i> , 2019, 9, e023994.	1.9	9
24	Exploring collagen remodeling and regulation as prognosis biomarkers in stable heart failure. <i>Clinica Chimica Acta</i> , 2019, 490, 167-171.	1.1	22
25	Evaluation of Point of Care Analyzer for Hemoglobin A1c. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 150-151.	2.2	1
26	High dietary intake of palm oils compromises glucose tolerance whereas high dietary intake of olive oil compromises liver lipid metabolism and integrity. <i>European Journal of Nutrition</i> , 2019, 58, 3091-3107.	3.9	12
27	Evaluation of the sST2-guided optimization of medical treatments of patients admitted for heart failure, to prevent readmission: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2018, 66, 45-50.	1.8	7
28	Establishment of reference values in a healthy population and interpretation of serum PTH concentrations in hemodialyzed patients according to the KDIGO Guidelines using the Lumipulse® G whole PTH (3rd generation) assay. <i>Clinical Biochemistry</i> , 2018, 54, 119-122.	1.9	11
29	Effects of the two types of anorexia nervosa (binge eating/purging and restrictive) on bone metabolism in female patients. <i>Clinical Endocrinology</i> , 2018, 88, 863-872.	2.4	5
30	Point-of-care creatinine testing in patients receiving contrast-enhanced computed tomography scan. <i>Clinica Chimica Acta</i> , 2018, 478, 111-113.	1.1	15
31	Stability of routine biochemical analytes in whole blood and plasma/serum: focus on potassium stability from lithium heparin. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 413-421.	2.3	32
32	Triglycerides and glycated hemoglobin for screening insulin resistance in obese patients. <i>Clinical Biochemistry</i> , 2018, 53, 8-12.	1.9	8
33	sST2 as a New Biomarker of Chronic Kidney Disease-Induced Cardiac Remodeling: Impact on Risk Prediction. <i>Mediators of Inflammation</i> , 2018, 2018, 1-9.	3.0	18
34	Moving from the second to the third generation Roche PTH assays: what are the consequences for clinical practice?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 57, 244-249.	2.3	9
35	Continuous Veno-Venous High Cut-Off Hemodialysis Compared to Continuous Veno-Venous Hemodiafiltration in Intensive Care Unit Acute Kidney Injury Patients. <i>Blood Purification</i> , 2018, 46, 248-256.	1.8	13
36	Letter to the editor concerning "Comparative prognostic value of postprocedural creatine kinase myocardial band and high-sensitivity troponin T in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention". <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 633-634.	1.7	0

#	ARTICLE	IF	CITATIONS
37	An hs-TNT Second Peak Associated with High CRP at Day 2 Appears as Potential Biomarkers of Micro-Vascular Occlusion on Magnetic Resonance Imaging after Reperfused ST-Segment Elevation Myocardial Infarction. <i>Cardiology</i> , 2018, 140, 227-236.	1.4	7
38	Comparison of Barricorâ,ç vs. lithium heparin tubes for selected routine biochemical analytes and evaluation of post centrifugation stability. <i>Biochemia Medica</i> , 2018, 28, 020902.	2.7	18
39	The effect of an adverse psychological environment on salivary cortisol levels in the elderly differs by 5-HTTLPR genotype. <i>Neurobiology of Stress</i> , 2017, 7, 38-46.	4.0	11
40	Rapid Rule-out of Acute Myocardial Infarction With a Single High-Sensitivity Cardiac Troponin T Measurement Below the Limit of Detection. <i>Annals of Internal Medicine</i> , 2017, 166, 715.	3.9	231
41	Treatment tolerance and patient-reported outcomes favor online hemodiafiltration compared to high-flux hemodialysis in the elderly. <i>Kidney International</i> , 2017, 91, 1495-1509.	5.2	131
42	Heterogeneity in HPA axis dysregulation and serotonergic vulnerability to depression. <i>Psychoneuroendocrinology</i> , 2017, 77, 90-94.	2.7	69
43	COLIN trial: Value of colchicine in the treatment of patients with acute myocardial infarction and inflammatory response. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 395-402.	1.6	81
44	Plasma PCSK9 concentrations during the course of nondiabetic chronic kidney disease: Relationship with glomerular filtration rate and lipid metabolism. <i>Journal of Clinical Lipidology</i> , 2017, 11, 87-93.	1.5	22
45	Analytical evaluation of point-of-care procalcitonin (PCT) and clinical performances in an unselected population as compared with central lab PCT assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, e167-e171.	2.3	9
46	Analytical evaluation of Lumipulse® BRAHMS PCT CLEIA assay and clinical performances in an unselected population as compared with central lab PCT assay. <i>Clinical Biochemistry</i> , 2017, 50, 248-250.	1.9	6
47	On-line hemodiafiltration did not induce an overproduction of oxidative stress and inflammatory cytokines in intensive care unit-acute kidney injury. <i>BMC Nephrology</i> , 2017, 18, 371.	1.8	7
48	Urinary Biomarkers IGFBP7 and TIMP-2 for the Diagnostic Assessment of Transient and Persistent Acute Kidney Injury in Critically Ill Patients. <i>PLoS ONE</i> , 2017, 12, e0169674.	2.5	20
49	How to interpret cardiac biomarkers in renal failure and elderly?. <i>Annales De Biologie Clinique</i> , 2016, 74, 413-419.	0.1	2
50	Diagnostic and prognostic value of soluble CD14 subtype (Presepsin) for sepsis and community-acquired pneumonia in ICU patients. <i>Annals of Intensive Care</i> , 2016, 6, 59.	4.6	91
51	Monoclonal gammopathy 5Âg/L: the interest of T/O ratio. <i>Annales De Biologie Clinique</i> , 2016, 74, 286-292.	0.1	0
52	Evaluation of the New Siemens Tacrolimus Assay on the Dimension EXL Integrated Chemistry System Analyzer: Comparison With an Ultra-Performance Liquid Chromatography Tandem Mass Spectrometry Method. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 808-812.	2.0	15
53	Impact of sleep disturbances on kidney function decline in the elderly. <i>European Respiratory Journal</i> , 2016, 47, 860-868.	6.7	18
54	Copeptin and high-sensitivity cardiac troponin to exclude severe coronary stenosis in patients with chest pain and coronary artery disease. <i>American Journal of Emergency Medicine</i> , 2016, 34, 493-498.	1.6	2

#	ARTICLE	IF	CITATIONS
55	Cardiovascular risk stratification in hemodialysis patients in the era of highly sensitive troponins: should we choose between hs-troponin I and hs-troponin T?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 673-82.	2.3	6
56	Kinetics of high-sensitivity cardiac troponin T and I differ in patients with ST-segment elevation myocardial infarction treated by primary coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 354-363.	1.0	56
57	Skeletal Muscle Insulin Resistance and Absence of Inflammation Characterize Insulin-Resistant Grade I Obese Women. <i>PLoS ONE</i> , 2016, 11, e0154119.	2.5	32
58	Multi-Marker Strategy in Heart Failure: Combination of ST2 and CRP Predicts Poor Outcome. <i>PLoS ONE</i> , 2016, 11, e0157159.	2.5	31
59	Estimation of age- and comorbidities-adjusted percentiles of high-sensitivity cardiac troponin T levels in the elderly. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 691-8.	2.3	22
60	Kinetics of high-sensitivity cardiac troponin T or troponin I compared to creatine kinase in patients with revascularized acute myocardial infarction. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 707-14.	2.3	38
61	CT-pro-AVP as a tool for assessment of intravascular volume depletion in severe hyponatremia. <i>Clinical Biochemistry</i> , 2015, 48, 640-645.	1.9	11
62	Analytical evaluation of point of care cTnT and clinical performances in an unselected population as compared with central laboratory highly sensitive cTnT. <i>Clinical Biochemistry</i> , 2015, 48, 334-339.	1.9	11
63	Evaluation of QMS Everolimus Assay Using Indiko Analyzer. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 275-278.	2.0	11
64	Osteoprotegerin and sclerostin in chronic kidney disease prior to dialysis: potential partners in vascular calcifications. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1345-1356.	0.7	104
65	Markers of bone remodeling are associated with arterial stiffness in renal transplanted subjects. <i>Journal of Nephrology</i> , 2015, 28, 765-772.	2.0	11
66	Performances of the heart fatty acid protein assay for the rapid diagnosis of acute myocardial infarction in ED patients. <i>American Journal of Emergency Medicine</i> , 2015, 33, 326-330.	1.6	18
67	Diagnostic accuracy of combined cardiac troponin and copeptin assessment for early rule-out of myocardial infarction: a systematic review and meta-analysis. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014, 3, 18-27.	1.0	98
68	Plasma Brain Natriuretic Peptide and Troponin Levels in Severe Sepsis and Septic Shock. <i>Journal of Intensive Care Medicine</i> , 2014, 29, 229-237.	2.8	56
69	Gender-specific associations between lipids and cognitive decline in the elderly. <i>European Neuropsychopharmacology</i> , 2014, 24, 1056-1066.	0.7	46
70	Evaluation of five immunoturbidimetric assays for urinary albumin quantification and their impact on albuminuria categorization. <i>Clinical Biochemistry</i> , 2014, 47, 250-253.	1.9	11
71	Comparison of Arkray/ELITech ADAMS HA8180V <sup>®</sup> with BioRad Variant, <sup>TM</sup> Turbo2.0 <sup>®</sup> and Tosoh Bioscience HLC723G8 for HbA1c Determination. <i>Journal of Clinical Laboratory Analysis</i> , 2014, 28, 428-434.	2.1	9
72	Evaluation of NM-BAPTA method for plasma total calcium measurement on Cobas 8000 <sup>®</sup> . <i>Clinical Biochemistry</i> , 2014, 47, 636-639.	1.9	20

#	ARTICLE	IF	CITATIONS
73	Cerebrospinal fluid and serum cytokine profiles in narcolepsy with cataplexy: A case-control study. <i>Brain, Behavior, and Immunity</i> , 2014, 37, 260-266.	4.1	36
74	A meta-analysis of genome-wide association studies identifies ORM1 as a novel gene controlling thrombin generation potential. <i>Blood</i> , 2014, 123, 777-785.	1.4	27
75	Role of biomarkers in the management of antibiotic therapy: an expert panel review: I " currently available biomarkers for clinical use in acute infections. <i>Annals of Intensive Care</i> , 2013, 3, 22.	4.6	83
76	Role of biomarkers in the management of antibiotic therapy: an expert panel review II: clinical use of biomarkers for initiation or discontinuation of antibiotic therapy. <i>Annals of Intensive Care</i> , 2013, 3, 21.	4.6	59
77	Grape Polyphenols Prevent Fructose-Induced Oxidative Stress and Insulin Resistance in First-Degree Relatives of Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2013, 36, 1454-1461.	8.6	113
78	Validation of a new standardized cystatin C turbidimetric assay: Evaluation of the three novel CKD-EPI equations in hypertensive patients. <i>Clinical Biochemistry</i> , 2013, 46, 1542-1547.	1.9	14
79	Early rule out of acute myocardial infarction in ED patients: value of combined high-sensitivity cardiac troponin T and ultrasensitive copeptin assays at admission. <i>American Journal of Emergency Medicine</i> , 2013, 31, 1302-1308.	1.6	43
80	Biological variability of hs-cardiac troponin T on the Roche Cobas 8000/e602" immunoanalyzer. <i>Clinica Chimica Acta</i> , 2013, 425, 62-63.	1.1	10
81	Glomerular filtration rate as a determinant of free light chains in renal transplantation. <i>Clinical Biochemistry</i> , 2013, 46, 1764-1766.	1.9	6
82	Implications of Adjustment of High-Sensitivity Cardiac Troponin T Assay. <i>Clinical Chemistry</i> , 2013, 59, 570-572.	3.2	14
83	Genome-wide association analysis identifies a susceptibility locus for pulmonary arterial hypertension. <i>Nature Genetics</i> , 2013, 45, 518-521.	21.4	93
84	Proadrenomedullin, a useful tool for risk stratification in high Pneumonia Severity Index score community acquired pneumonia. <i>American Journal of Emergency Medicine</i> , 2013, 31, 215-221.	1.6	52
85	A combined index of cardiac biomarkers as a risk factor for early cardiovascular mortality in hemodialysis patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1865-74.	2.3	11
86	Analytical Performance and Clinical Use of a Hemoglobin A1c Point-of-Care Analyzer in a Pediatric Unit. <i>Journal of Diabetes Science and Technology</i> , 2013, 7, 1408-1409.	2.2	1
87	Performance evaluation of human cytokines profiles obtained by various multiplexed-based technologies underlines a need for standardization. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1385-93.	2.3	24
88	Comparable Incremental Value of Standard and Nonstandard Lipids for Coronary Heart Disease Risk Assessment in Elderly Adults: The Three City Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1234-1236.	2.6	0
89	Etanercept normalises left ventricular mass in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 881-887.	0.9	45
90	Sex Differences in the Associations Between Lipid Levels and Incident Dementia. <i>Journal of Alzheimer's Disease</i> , 2013, 34, 519-528.	2.6	69

#	ARTICLE	IF	CITATIONS
91	Depletion of proBNP1-108 in Patients with Heart Failure Prevents Cross-Reactivity with Natriuretic Peptides. <i>PLoS ONE</i> , 2013, 8, e75174.	2.5	7
92	FGF-23 removal is improved by on-line high-efficiency hemodiafiltration compared to conventional high flux hemodialysis. <i>Journal of Nephrology</i> , 2013, 26, 342-349.	2.0	34
93	Vitamin E-coated polysulfone membrane improved red blood cell antioxidant status in hemodialysis patients. <i>Journal of Nephrology</i> , 2013, 26, 556-563.	2.0	26
94	Etanercept Concentration in Patients with Rheumatoid Arthritis and Its Potential Influence on Treatment Decisions: A Pilot Study. <i>Journal of Rheumatology</i> , 2012, 39, 1533-1538.	2.0	27
95	Low-grade chronic inflammation and superoxide anion production by NADPH oxidase are the main determinants of physical frailty in older adults. <i>Free Radical Research</i> , 2012, 46, 1108-1114.	3.3	37
96	Evolution of lipid levels in HIV-infected children treated or not with HAART in Abidjan, Cote d'Ivoire. <i>Journal of Tropical Pediatrics</i> , 2012, 58, 43-49.	1.5	1
97	Analytical performances of cystatin C turbidimetric assay: which impact on accuracy of glomerular filtration rate estimation in renal transplantation?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 133-8.	2.3	5
98	Lipid Lowering Agents, Cognitive Decline, and Dementia: The Three-City Study. <i>Journal of Alzheimer's Disease</i> , 2012, 30, 629-637.	2.6	66
99	Immunonutrition before and during radiochemotherapy: improvement of inflammatory parameters in head and neck cancer patients. <i>Supportive Care in Cancer</i> , 2012, 20, 3129-3135.	2.2	31
100	Homocysteine as a determinant of left ventricular ejection fraction in patients with diabetes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 1099-106.	2.3	6
101	Bone Biomarkers Help Grading Severity of Coronary Calcifications in Non Dialysis Chronic Kidney Disease Patients. <i>PLoS ONE</i> , 2012, 7, e36175.	2.5	28
102	Low serum IL-6 is associated with high 6-minute walking performance in asymptomatic women aged 20 to 70years. <i>Experimental Gerontology</i> , 2012, 47, 143-148.	2.8	16
103	Can a clinical decision rule help ductus arteriosus management in preterm neonates?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, e213-8.	1.5	10
104	Caution in Interpreting Results from Imputation Analysis When Linkage Disequilibrium Extends over a Large Distance: A Case Study on Venous Thrombosis. <i>PLoS ONE</i> , 2012, 7, e38538.	2.5	17
105	Evaluation of two automated capillary electrophoresis systems for human serum protein analysis. <i>Clinical Biochemistry</i> , 2011, 44, 1473-1479.	1.9	23
106	KNG1 Ile581Thr and susceptibility to venous thrombosis. <i>Blood</i> , 2011, 117, 3692-3694.	1.4	53
107	Adverse childhood environment and late-life cognitive functioning. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 503-510.	2.7	90
108	War exposure, 5-HTTLPR genotype and lifetime risk of depression. <i>British Journal of Psychiatry</i> , 2011, 199, 43-48.	2.8	13

#	ARTICLE	IF	CITATIONS
109	Reduced glomerular filtration rate, inflammation and HDL cholesterol as main determinants of superoxide production in non-dialysis chronic kidney disease patients. <i>Free Radical Research</i> , 2011, 45, 735-745.	3.3	8
110	Cystatin C is a reliable marker for estimation of glomerular filtration rate in renal transplantation: validation of a new turbidimetric assay using monospecific sheep antibodies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 265-70.	2.3	9
111	Genome-Wide Scan Identifies TNIP1, PSORS1C1, and RHOB as Novel Risk Loci for Systemic Sclerosis. <i>PLoS Genetics</i> , 2011, 7, e1002091.	3.5	205
112	Genetics of Venous Thrombosis: Insights from a New Genome Wide Association Study. <i>PLoS ONE</i> , 2011, 6, e25581.	2.5	127
113	Long-Term Post-Operative Cognitive Decline in the Elderly: The Effects of Anesthesia Type, Apolipoprotein E Genotype, and Clinical Antecedents. <i>Journal of Alzheimer's Disease</i> , 2010, 22, S105-S113.	2.6	56
114	A fenugreek seed extract selectively reduces spontaneous fat intake in overweight subjects. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 449-455.	1.9	60
115	Appendicular skeletal muscle mass is the strongest independent factor associated with femoral neck bone mineral density in adult and older men. <i>Experimental Gerontology</i> , 2010, 45, 679-684.	2.8	62
116	Biocompatibility of heparin-grafted hemodialysis membranes: Impact on monocyte chemoattractant protein-1 circulating level and oxidative status. <i>Hemodialysis International</i> , 2010, 14, 403-410.	0.9	27
117	Evaluation of two sirolimus assays using the ARCHITECT-i1000 <sup>®</sup> CMIA or RxB <sup>®</sup> ACMA methods in comparison with the IMx <sup>®</sup> MEIA method. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1523-5.	2.3	7
118	Gender and Genotype Modulation of the Association Between Lipid Levels and Depressive Symptomatology in Community-Dwelling Elderly (The ESPRIT Study). <i>Biological Psychiatry</i> , 2010, 68, 125-132.	1.3	72
119	Determinants of Homocysteine Levels in Ivorian Rural Population. <i>International Journal for Vitamin and Nutrition Research</i> , 2009, 79, 319-327.	1.5	7
120	Clinical efficacy of two cardiac troponin I assays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1013-5.	2.3	0
121	A cut-off value of plasma osteoprotegerin level may predict the presence of coronary artery calcifications in chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3389-3397.	0.7	60
122	Homocysteine and inflammation as main determinants of oxidative stress in the elderly. <i>Free Radical Biology and Medicine</i> , 2009, 46, 737-744.	2.9	47
123	Low Sit-to-Stand Performance is Associated with Low Femoral Neck Bone Mineral Density in Healthy Women. <i>Calcified Tissue International</i> , 2009, 84, 266-275.	3.1	7
124	Lipodystrophy and Metabolic Disorders in HIV-1-Infected Adults on 4- to 9-Year Antiretroviral Therapy in Senegal: A Case-Control Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 51, 224-230.	2.1	59
125	Association of Adverse Childhood Environment and 5-HTTLPR Genotype With Late-Life Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1281-1288.	2.2	103
126	Biomarkers of Inflammation and Malnutrition Associated with Early Death in Healthy Elderly People. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 840-846.	2.6	73



#	ARTICLE	IF	CITATIONS
127	Osteoprotegerin, Thiazolidinediones Treatment, and Silent Myocardial Ischemia in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2008, 31, 593-595.	8.6	12
128	Fine-Tuning of the Prediction of Mortality in Hemodialysis Patients by Use of Cytokine Proteomic Determination. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 423-430.	4.5	28
129	Prohormone brain natriuretic peptide (proBNP), BNP and N-terminal-proBNP circulating levels in chronic hemodialysis patients. Correlation with ventricular function, fluid removal and effect of hemodiafiltration. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1019-24.	2.3	43
130	Creatinine index and transthyretin as additive predictors of mortality in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 345-353.	0.7	40
131	Osteoprotegerin: A Novel Independent Marker for Silent Myocardial Ischemia in Asymptomatic Diabetic Patients. <i>Diabetes Care</i> , 2007, 30, 2934-2939.	8.6	66
132	Physical Activity Modulates Heat Shock Protein-72 Expression and Limits Oxidative Damage Accumulation in a Healthy Elderly Population Aged 60-90 Years. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 1413-1419.	3.6	27
133	Intradialytic parenteral nutrition: comparison of olive oil versus soybean oilbasedlipid emulsions. <i>British Journal of Nutrition</i> , 2006, 95, 152-159.	2.3	46
134	Non-degenerative mild cognitive impairment in elderly people and use of anticholinergic drugs: longitudinal cohort study. <i>BMJ: British Medical Journal</i> , 2006, 332, 455-459.	2.3	489
135	Assay for Measurement of Intact B-Type Natriuretic Peptide Prohormone in Blood. <i>Clinical Chemistry</i> , 2006, 52, 1054-1061.	3.2	120
136	Plasma Osteoprotegerin Is Associated with Mortality in Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 262-270.	6.1	160
137	Functional Vitamin E Deficiency in ApoE4 Patients with Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 21, 198-204.	1.5	22
138	Association of aminothiols with the clinical outcome in hemodialysis patients: comparison of chromatography and immunoassay for homocysteine determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 949-54.	2.3	2
139	Overproduction of reactive oxygen species in end-stage renal disease patients: A potential component of hemodialysis-associated inflammation. <i>Hemodialysis International</i> , 2005, 9, 37-46.	0.9	165
140	Association between novel indices of malnutrition-inflammatory complex syndrome and cardiovascular disease in hemodialysis patients. <i>Hemodialysis International</i> , 2005, 9, 159-168.	0.9	25
141	Albumin and Transthyretin as Risk Factors for Cataract. <i>JAMA Ophthalmology</i> , 2005, 123, 225.	2.4	27
142	Protein biochip systems for the clinical laboratory. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 1291-302.	2.3	63
143	Osteoprotegerin Is Associated With Silent Coronary Artery Disease in High-Risk but Asymptomatic Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2005, 28, 2176-2180.	8.6	85
144	Evaluation of the ABX Pentra 400: a newly available clinical chemistry analyser. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 782-92.	2.3	8

#	ARTICLE	IF	CITATIONS
145	Measurement of circulating troponin I <sub>c</sub> enhances the prognostic value of C-reactive protein in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2313-2318.	0.7	19
146	Fenofibrate improves the atherogenic lipid profile and enhances LDL resistance to oxidation in HIV-positive adults. <i>Atherosclerosis</i> , 2004, 172, 273-279.	0.8	76
147	Immunoturbidimetric Determination of C-Reactive Protein (CRP) and High-Sensitivity CRP on Heparin Plasma. Comparison with Serum Determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 948-9.	2.3	45
148	Vitamin E Supplementation Increases LDL Resistance to ex vivo Oxidation in Hemodialysis Patients. <i>International Journal for Vitamin and Nutrition Research</i> , 2003, 73, 290-296.	1.5	15
149	Small dense LDL and atherogenic lipid profile in HIV-positive adults. <i>Aids</i> , 2003, 17, 772-774.	2.2	17
150	Discrepancies between Apolipoprotein E Phenotyping and Genotyping in the Elderly. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 405-13.	2.3	5
151	Antibody immobilization on swollen polystyrene tubes for the radioimmunological determination of total human serum IgE. <i>Clinica Chimica Acta</i> , 1988, 176, 91-99.	1.1	3