
## Adnan Ozcan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7361106/publications.pdf Version: 2024-02-01



ΔΟΝΑΝ ΟΖΟΛΝ

#	Article	IF	CITATIONS
1	Biosorption performance of thiosalicylic acid modified <i>isatis tinctoria</i> for Pb(II) and Cd(II) ions: batch and column studies. Separation Science and Technology, 2021, 56, 1312-1327.	1.3	1
2	Biosorption Characteristics of Cu(II) and Cd(II) Ions by Modified Alginate. Journal of Polymers and the Environment, 2020, 28, 3221-3234.	2.4	10
3	Effects of different parameters on the synthesis of silica aerogel microspheres in supercritical CO2 and their potential use as an adsorbent. Journal of Sol-Gel Science and Technology, 2019, 89, 458-472.	1.1	8
4	Assessment of adsorption properties of inorganic–organic hybrid cyclomatrix type polyphosphazene microspheres for the removal of Pb(II) ions from aqueous solutions. Phosphorus, Sulfur and Silicon and the Related Elements, 2018, 193, 721-730.	0.8	7
5	Evaluation on dye removal capability of didodecyldimethylammonium-bentonite from aqueous solutions. Journal of Dispersion Science and Technology, 2017, 38, 1211-1220.	1.3	8
6	Characterization and lead(II) ions removal of modified <i>Punica granatum</i> L. peels. International Journal of Phytoremediation, 2017, 19, 327-339.	1.7	13
7	Adsorption kinetics and isotherm parameters of naphthalene onto natural- and chemically modified bentonite from aqueous solutions. Adsorption, 2013, 19, 879-888.	1.4	48
8	Dithiocarbamated Symphoricarpus albus as a potential biosorbent for a reactive dye. Chemical Engineering Journal, 2012, 211-212, 442-452.	6.6	20
9	Characterization of Punica granatum L. peels and quantitatively determination of its biosorption behavior towards lead(II) ions and Acid Blue 40. Colloids and Surfaces B: Biointerfaces, 2012, 100, 197-204.	2.5	81
10	Characterization of natural- and organobentonite by XRD, SEM, FT-IR and thermal analysis techniques and its adsorption behaviour in aqueous solutions. Clay Minerals, 2012, 47, 31-44.	0.2	75
11	Adsorption and solid phase extraction of 8-hydroxyquinoline from aqueous solutions by using natural bentonite. Applied Surface Science, 2010, 256, 5422-5427.	3.1	26
12	Adsorption behavior of a textile dye of Reactive Blue 19 from aqueous solutions onto modified bentonite. Applied Surface Science, 2010, 256, 5439-5443.	3.1	113
13	Phosphate removal potential of the adsorbent material prepared from thermal decomposition of alunite ore–KCl mixture in environmental cleanup. Desalination, 2010, 260, 107-113.	4.0	10
14	Preparation of HDTMA-bentonite: Characterization studies and its adsorption behavior toward dibenzofuran. Surface and Interface Analysis, 2010, 42, 1351-1356.	0.8	21
15	Adsorption of lead(II) ions onto 8-hydroxy quinoline-immobilized bentonite. Journal of Hazardous Materials, 2009, 161, 499-509.	6.5	170
16	Immobilization of 2,2′-dipyridyl onto bentonite and its adsorption behavior of copper(II) ions. Journal of Hazardous Materials, 2009, 163, 418-426.	6.5	80
17	Biosorption of lead(II) ions onto waste biomass of Phaseolus vulgaris L.: estimation of the equilibrium, kinetic and thermodynamic parameters. Desalination, 2009, 244, 188-198.	4.0	54
18	Biosorption of a reactive textile dye from aqueous solutions utilizing an agro-waste. Desalination, 2009, 249, 757-761.	4.0	135

Adnan Ozcan

#	Article	IF	CITATIONS
19	Capacity of Activated Carbon Derived from Peach Stones by K2CO3 in the Removal of Acid, Reactive, and Direct Dyes from Aqueous Solution. Journal of Environmental Engineering, ASCE, 2009, 135, 333-340.	0.7	7
20	lon chromatography-potentiometric detection of inorganic anions and cations using polypyrrole and overoxidized polypyrrole electrode. Sensors and Actuators B: Chemical, 2008, 133, 5-14.	4.0	39
21	Adsorption kinetics of naphthalene onto organo-sepiolite from aqueous solutions. Desalination, 2008, 220, 96-107.	4.0	69
22	Adsorption characteristics of lead(II) ions onto the clay/poly(methoxyethyl)acrylamide (PMEA) composite from aqueous solutions. Desalination, 2008, 223, 308-322.	4.0	171
23	Biosorption of a textile dye (Acid Blue 40) by cone biomass of Thuja orientalis: Estimation of equilibrium, thermodynamic and kinetic parameters. Bioresource Technology, 2008, 99, 3057-3065.	4.8	127
24	Prediction of the kinetics, equilibrium and thermodynamic parameters of adsorption of copper(II) ions onto 8-hydroxy quinoline immobilized bentonite. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 317, 174-185.	2.3	98
25	Adsorption of Acid Yellow 99 onto DEDMA-sepiolite from aqueous solutions. International Journal of Environment and Pollution, 2008, 34, 308.	0.2	9
26	Utilization of thePhaseolus vulgarisL. Waste biomass for decolorization of the textile dye Acid Red 57: determination of equilibrium, kinetic and thermodynamic parameters. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2007, 42, 591-600.	0.9	34
27	Adsorption Potential of Lead(II) Ions from Aqueous Solutions ontoCapsicum annuumSeeds. Separation Science and Technology, 2007, 42, 137-151.	1.3	26
28	Preparation of activated carbon from a renewable bio-plant of Euphorbia rigida by H2SO4 activation and its adsorption behavior in aqueous solutions. Applied Surface Science, 2007, 253, 4843-4852.	3.1	274
29	Modification of bentonite with a cationic surfactant: An adsorption study of textile dye Reactive Blue 19. Journal of Hazardous Materials, 2007, 140, 173-179.	6.5	262
30	Biosorption kinetics and isotherm studies of Acid Red 57 by dried Cephalosporium aphidicola cells from aqueous solutions. Biochemical Engineering Journal, 2006, 31, 197-203.	1.8	131
31	Kinetics, isotherm and thermodynamic studies of adsorption of Acid Blue 193 from aqueous solutions onto natural sepiolite. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2006, 277, 90-97.	2.3	382
32	Equilibrium and kinetics of biosorption of lead(II) from aqueous solutions by Cephalosporium aphidicola. Separation and Purification Technology, 2006, 47, 105-112.	3.9	238
33	Adsorption of Acid Blue 193 from aqueous solutions onto DEDMA-sepiolite. Journal of Hazardous Materials, 2006, 129, 244-252.	6.5	164
34	Kinetics and equilibrium studies for the adsorption of Acid Red 57 from aqueous solutions onto calcined-alunite. Journal of Hazardous Materials, 2006, 135, 141-148.	6.5	83
35	Measurement and correlation of solubility of Acid Red 57 in supercritical carbon dioxide by ion-pairing with hexadecyltrimethylammonium bromide. Journal of Supercritical Fluids, 2006, 37, 23-28.	1.6	15
36	Solubility of an acid dye in supercritical carbon dioxide by ion-pairing with dodecyltrimethylammonium bromide. Fluid Phase Equilibria, 2006, 249, 1-5.	1.4	13

Adnan Ozcan

#	Article	IF	CITATIONS
37	Biosorption potential ofNeurospora crassa cells for decolorization of Acid Red 57 (AR57) dye. Journal of Chemical Technology and Biotechnology, 2006, 81, 1100-1106.	1.6	60
38	Adsorption of Nitrate Ions onto Sepiolite and Surfactant-Modified Sepiolite. Adsorption Science and Technology, 2005, 23, 323-334.	1.5	36
39	Determination of the equilibrium, kinetic and thermodynamic parameters of adsorption of copper(II) ions onto seeds of. Journal of Hazardous Materials, 2005, 124, 200-208.	6.5	259
40	Adsorption of Acid Red 57 from aqueous solutions onto surfactant-modified sepiolite. Journal of Hazardous Materials, 2005, 125, 252-259.	6.5	293
41	Adsorption behavior of a disperse dye on polyester in supercritical carbon dioxide. Journal of Supercritical Fluids, 2005, 35, 133-139.	1.6	54
42	Adsorption of Acid Blue 193 from aqueous solutions onto BTMA-bentonite. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2005, 266, 73-81.	2.3	341
43	Adsorption of Acid Dyes from Aqueous Solutions onto Sepiolite. Separation Science and Technology, 2005, 39, 301-320.	1.3	59
44	Adsorption of acid dyes from aqueous solutions onto acid-activated bentonite. Journal of Colloid and Interface Science, 2004, 276, 39-46.	5.0	548
45	Adsorption of Acid Blue 193 from aqueous solutions onto Na–bentonite and DTMA–bentonite. Journal of Colloid and Interface Science, 2004, 280, 44-54.	5.0	416
46	Comparison of supercritical fluid and Soxhlet extractions for the quantification of hydrocarbons from Euphorbia macroclada. Talanta, 2004, 64, 491-495.	2.9	20
47	Production of biocrudes from biomass in a fixed-bed tubular reactor: product yields and compositions. Fuel, 2001, 80, 1371-1378.	3.4	71
48	Supercritical Fluid Extraction ofEuphorbia rigida. Journal of High Resolution Chromatography, 2000, 23, 397-400.	2.0	7