

# Shinji Itoh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7363606/publications.pdf>

Version: 2024-02-01

177  
papers

3,581  
citations

186265

28  
h-index

189892

50  
g-index

178  
all docs

178  
docs citations

178  
times ranked

4542  
citing authors

#	ARTICLE	IF	CITATIONS
1	Retrospective evaluation of the effect of Ninjin <sup>TM</sup> yoeito in hepatocellular carcinoma patients treated with lenvatinib. <i>Surgery Today</i> , 2022, 52, 441-448.	1.5	4
2	Impact of Nuclear Factor Erythroid 2-Related Factor 2 in Hepatocellular Carcinoma: Cancer Metabolism and Immune Status. <i>Hepatology Communications</i> , 2022, 6, 665-678.	4.3	10
3	The ratio of serum des $\gamma$ -carboxy prothrombin to tumor volume as a new biomarker for early recurrence of resected hepatocellular carcinoma. <i>Hepatology Research</i> , 2022, 52, 381-389.	3.4	2
4	Trends in hepatocellular carcinoma incident cases in Japan between 1996 and 2019. <i>Scientific Reports</i> , 2022, 12, 1517.	3.3	10
5	Myeloid $\delta$ -derived suppressor cell infiltration is associated with a poor prognosis in patients with hepatocellular carcinoma. <i>Oncology Letters</i> , 2022, 23, 93.	1.8	11
6	Clinical effects of the use of the indocyanine green fluorescence imaging technique in laparoscopic partial liver resection. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 688-694.	2.4	12
7	Mac-2 Binding Protein Glycosylation Isomer as a Prognostic Marker for Hepatocellular Carcinoma With Sustained Virological Response. <i>Anticancer Research</i> , 2022, 42, 245-251.	1.1	1
8	Ferroptosis is induced by lenvatinib through fibroblast growth factor receptor $\epsilon$ 4 inhibition in hepatocellular carcinoma. <i>Cancer Science</i> , 2022, 113, 2272-2287.	3.9	35
9	Outcomes of living $\delta$ -donor liver transplantation for acute $\delta$ -chronic liver failure based on newly proposed criteria in Japan. <i>Clinical Transplantation</i> , 2022, 36, .	1.6	7
10	Comparison of the prognostic effect of sarcopenia on atezolizumab plus bevacizumab and lenvatinib therapy in hepatocellular carcinoma patients. <i>JGH Open</i> , 2022, 6, 477-486.	1.6	13
11	Impact of JMJD6 on intrahepatic cholangiocarcinoma. <i>Molecular and Clinical Oncology</i> , 2022, 17, .	1.0	2
12	Cancer-associated fibroblasts promote hepatocellular carcinoma progression through downregulation of exosomal miR-150-3p. <i>European Journal of Surgical Oncology</i> , 2021, 47, 384-393.	1.0	59
13	Prognostic impact of tumor microvessels in intrahepatic cholangiocarcinoma: association with tumor-infiltrating lymphocytes. <i>Modern Pathology</i> , 2021, 34, 798-807.	5.5	27
14	Impact of Capicua on Pancreatic Cancer Progression. <i>Annals of Surgical Oncology</i> , 2021, 28, 3198-3207.	1.5	5
15	ASO Author Reflections: A New Prognostic Factor for Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 3208-3208.	1.5	0
16	CMTM6 Stabilizes PD $\delta$ L1 Expression and Is a New Prognostic Impact Factor in Hepatocellular Carcinoma. <i>Hepatology Communications</i> , 2021, 5, 334-348.	4.3	24
17	Simultaneous splenectomy improves outcomes after adult living donor liver transplantation. <i>Journal of Hepatology</i> , 2021, 74, 372-379.	3.7	33
18	Late recurrence of cancer stem cell-positive colorectal cancer liver metastases after 15 $\delta$ years. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 613-616.	0.8	1

#	ARTICLE	IF	CITATIONS
19	Surgically resected hepatic mass caused by fascioliasis. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 662-667.	0.8	4
20	Immune microenvironment in primary and metastatic liver cancers. <i>Hepatology Research</i> , 2021, 51, 3-4.	3.4	0
21	Suppression of optineurin impairs the progression of hepatocellular carcinoma through regulating mitophagy. <i>Cancer Medicine</i> , 2021, 10, 1501-1514.	2.8	6
22	Prognostic significance of systemic inflammation score in patients who undergo hepatic resection for hepatocellular carcinoma. <i>Langenbeck's Archives of Surgery</i> , 2021, 406, 773-779.	1.9	6
23	Metabolic Alteration in Hepatocellular Carcinoma: Mechanism of Lipid Accumulation in Well-Differentiated Hepatocellular Carcinoma. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021, 2021, 1-13.	1.9	11
24	Obesity is a risk factor for intrahepatic cholangiocarcinoma progression associated with alterations of metabolic activity and immune status. <i>Scientific Reports</i> , 2021, 11, 5845.	3.3	17
25	Impact of Metabolic Activity in Hepatocellular Carcinoma: Association With Immune Status and Vascular Formation. <i>Hepatology Communications</i> , 2021, 5, 1278-1289.	4.3	23
26	A no-ligation technique to prevent intraoperative hepatic artery dissection in living-donor liver transplantation. <i>Surgery Today</i> , 2021, 51, 1877-1880.	1.5	3
27	Inflammation-Induced Tumorigenesis and Metastasis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5421.	4.1	88
28	Myostatin as a fibroblast-activating factor impacts on postoperative outcome in patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2021, 51, 803-812.	3.4	18
29	Feasibility of hepatic resection for liver metastasis of head-and-neck carcinoma or esophageal carcinoma: a multi-center experience. <i>Surgery Today</i> , 2021, 51, 1932-1937.	1.5	2
30	Acute death caused by invasive aspergillosis after living-donor liver transplantation despite good graft function: a case report. <i>Surgical Case Reports</i> , 2021, 7, 118.	0.6	2
31	Immunosuppression Free Protocol for Liver Transplant from an Identical Twin Mimicking Positive Donor-Specific Antibodies: A Case Report. <i>Transplantation Proceedings</i> , 2021, 53, 2576-2579.	0.6	4
32	Impact and risk factors for skeletal muscle mass loss after hepatic resection in patients with hepatocellular carcinoma. <i>JGH Open</i> , 2021, 5, 785-792.	1.6	5
33	The Significant Prognostic Factors in Prolonged Intensive/High Care Unit Stay After Living Donor Liver Transplantation. <i>Transplantation Proceedings</i> , 2021, 53, 1630-1638.	0.6	3
34	Prognostic Impact of Vessels that Encapsulate Tumor Cluster (VETC) in Patients who Underwent Liver Transplantation for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 8186-8195.	1.5	13
35	Intractable Biliary Strictures After Living Donor Liver Transplantation: A Case Series. <i>Transplantation Proceedings</i> , 2021, 53, 1726-1730.	0.6	1
36	Efficacy of pembrolizumab in microsatellite instability-high locally advanced cholangiocarcinoma: a case report. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1459-1463.	0.8	4

#	ARTICLE	IF	CITATIONS
37	Identification of SLC38A7 as a Prognostic Marker and Potential Therapeutic Target of Lung Squamous Cell Carcinoma. <i>Annals of Surgery</i> , 2021, 274, 500-507.	4.2	8
38	Lymphocyteâ€“C-reactive protein ratio as a prognostic marker associated with the tumor immune microenvironment in intrahepatic cholangiocarcinoma. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1901-1910.	2.2	11
39	Lymphocyte-to-C-reactive protein ratio as a prognostic factor for hepatocellular carcinoma. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1890-1900.	2.2	25
40	ASO Author Reflections: Future Perspectives of Novel Prognostic Predictor of Vessels that Encapsulate Tumor Cluster (VETC) for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 8196-8197.	1.5	1
41	ASO Visual Abstract: Prognostic Impact of Vessels that Encapsulate Tumor Cluster (VETC) in Patients who Underwent Liver Transplantation for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 512-513.	1.5	2
42	Prognostic significance of preoperative PNI and CA19-9 for pancreatic ductal adenocarcinoma: A multi-institutional retrospective study. <i>Pancreatology</i> , 2021, 21, 1356-1363.	1.1	27
43	ARID1A Deficiency Is Associated With High Programmed Death Ligand 1 Expression in Hepatocellular Carcinoma. <i>Hepatology Communications</i> , 2021, 5, 675-688.	4.3	17
44	Clinicopathologic Features of Patients With Primary Hepatocellular Carcinoma Surviving Without Recurrence More Than 10 Years After Primary Hepatic Resection. <i>International Surgery</i> , 2021, 105, 533-542.	0.1	0
45	Risk factors for the metabolic syndrome components of hypertension, diabetes mellitus, and dyslipidemia after living donor liver transplantation. <i>Hpb</i> , 2020, 22, 511-520.	0.3	16
46	Prognostic Impact of Osteopenia in Patients Who Underwent Living Donor Liver Transplantation for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2020, 44, 258-267.	1.6	24
47	Efficacy of Neoadjuvant Chemotherapy in Distal Pancreatectomy with En Bloc Celiac Axis Resection (DP-CAR) for Locally Advanced Pancreatic Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1605-1611.	1.7	29
48	Association of inflammatory biomarkers with long-term outcomes after curative surgery for mass-forming intrahepatic cholangiocarcinoma. <i>Surgery Today</i> , 2020, 50, 379-388.	1.5	21
49	Prognostic nutritional index is superior as a predictor of prognosis among various inflammationâ€“based prognostic scores in patients with hepatocellular carcinoma after curative resection. <i>Hepatology Research</i> , 2020, 50, 101-109.	3.4	25
50	Transgastric Endoscopic Lumenâ€“Apposing Metal Stents for Intraâ€“abdominal Fluid Collections After Living Donor Liver Transplantation. <i>Liver Transplantation</i> , 2020, 26, 598-601.	2.4	4
51	Predictor of outcome after living donor liver transplantation for patients with hepatocellular carcinoma beyond the Japan criteria. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 413-421.	2.4	5
52	Mitochondrial expression of the DNA repair enzyme OGG1 improves the prognosis of pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2020, 20, 1175-1182.	1.1	2
53	Association of lenvatinib plasma concentration with clinical efficacy and adverse events in patients with hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 86, 803-813.	2.3	14
54	C-reactive protein : albumin ratio in patients with resectable intrahepatic cholangiocarcinoma. <i>BJS Open</i> , 2020, 4, 1146-1152.	1.7	14

#	ARTICLE	IF	CITATIONS
55	Is sarcopenic obesity superior to sarcopenia as a predicting indicator in patients with hepatocellular carcinoma following hepatic resection?. <i>Hepatobiliary Surgery and Nutrition</i> , 2020, 9, 202-204.	1.5	1
56	Prognostic impact of 8-hydroxydeoxyguanosine and its repair enzyme 8-hydroxydeoxyguanosine DNA glycosylase in hepatocellular carcinoma. <i>Pathology International</i> , 2020, 70, 533-541.	1.3	8
57	Multiple liver metastases originating from synchronous double cancer of neuroendocrine tumor and rectal cancer: a case report. <i>Surgical Case Reports</i> , 2020, 6, 36.	0.6	1
58	Authors' Reply: Prognostic Impact of Osteopenia in Patients Who Underwent Living Donor Liver Transplantation for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2020, 44, 3184-3185.	1.6	0
59	Impact of middle hepatic artery reconstruction after living donor liver transplantation using the left lobe. <i>Clinical Transplantation</i> , 2020, 34, e13850.	1.6	6
60	Combined hepatocellular-cholangiocarcinoma after tetralogy of Fallot repair: a case report and review of literature. <i>Pathology Research and Practice</i> , 2020, 216, 152908.	2.3	2
61	Living-Donor Liver Transplantation for Patients With Extrahepatic Malignancy: A Series of 14 Patients in a Single Institution. <i>Transplantation Proceedings</i> , 2020, 52, 889-893.	0.6	2
62	Impact of Immune Response on Outcomes in Hepatocellular Carcinoma: Association With Vascular Formation. <i>Hepatology</i> , 2020, 72, 1987-1999.	7.3	78
63	Anastomosis of the Common Hepatic Artery and Round Ligament as Portal Vein Arterialization for Hepatic Artery Occlusion After Deceased Donor Liver Transplantation: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 641-643.	0.6	5
64	Right hepatic venous system variation in living donors: a three-dimensional CT analysis. <i>British Journal of Surgery</i> , 2020, 107, 1192-1198.	0.3	7
65	Surgical Indications for Hepatocellular Carcinoma with Non-hypervascular Hypointense Nodules Detected by Gd-EOB-DTPA-Enhanced MRI. <i>Annals of Surgical Oncology</i> , 2020, 27, 3344-3353.	1.5	6
66	Modulation of Nqo1 activity intercepts anoikis resistance and reduces metastatic potential of hepatocellular carcinoma. <i>Cancer Science</i> , 2020, 111, 1228-1240.	3.9	26
67	Extensive Thrombectomy as a Legitimate Strategy in Living Donor Liver Transplantation With Advanced Portal Vein Thrombosis. <i>Liver Transplantation</i> , 2019, 25, 1768-1777.	2.4	11
68	Solitary fibrous tumor in the liver: case report and literature review. <i>Surgical Case Reports</i> , 2019, 5, 68.	0.6	23
69	Ectopic localization of autophagosome in fatty liver is a key factor for liver regeneration. <i>Organogenesis</i> , 2019, 15, 24-34.	1.2	6
70	Adult T-Cell Leukemia After Deceased Donor Liver Transplantation for Acute Liver Failure: A Case Report. <i>Transplantation Proceedings</i> , 2019, 51, 1978-1981.	0.6	4
71	Retroperitoneal schwannoma preoperatively diagnosed as liver metastasis from colon cancer: A case report. <i>International Journal of Surgery Case Reports</i> , 2019, 64, 31-34.	0.6	1
72	The evolution of surgical treatment for gastrointestinal cancers. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1333-1349.	2.2	7

#	ARTICLE	IF	CITATIONS
73	The Role of DNA Repair Glycosylase OGG1 in Intrahepatic Cholangiocarcinoma. <i>Anticancer Research</i> , 2019, 39, 3241-3248.	1.1	6
74	Prognostic significance of inflammatory biomarkers in hepatocellular carcinoma following hepatic resection. <i>BJS Open</i> , 2019, 3, 500-508.	1.7	40
75	Skeletal muscle mass predicts the prognosis of patients with intrahepatic cholangiocarcinoma. <i>American Journal of Surgery</i> , 2019, 218, 952-958.	1.8	34
76	IFN- $\gamma$ Promotes Epithelial-Mesenchymal Transition and the Expression of PD-L1 in Pancreatic Cancer. <i>Journal of Surgical Research</i> , 2019, 240, 115-123.	1.6	54
77	Impact of hepatic artery size mismatch between donor and recipient on outcomes after living donor liver transplantation using the right lobe. <i>Clinical Transplantation</i> , 2019, 33, e13444.	1.6	11
78	Slow Gait Speed Is a Risk Factor for Complications After Hepatic Resection. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 1810-1816.	1.7	5
79	Feasibility of All- <i>in</i> -One Venoplasty With a Venous Cuff Using an Opened Round Ligament for the Right Lobe Graft in Living Donor Liver Transplantation. <i>Liver Transplantation</i> , 2019, 25, 171-175.	2.4	14
80	Electrohydraulic lithotripsy and rendezvous nasal endoscopic cholangiography for common bile duct stone: A case report. <i>World Journal of Clinical Cases</i> , 2019, 7, 1149-1154.	0.8	2
81	Surgery for Hepatocellular Carcinoma in Patients with Child-Pugh B Cirrhosis: Hepatic Resection Versus Living Donor Liver Transplantation. <i>World Journal of Surgery</i> , 2018, 42, 2606-2616.	1.6	17
82	Associations between antibody to hepatitis B core antigen positivity and outcomes in hepatocellular carcinoma patients undergoing hepatic resection. <i>Hepatology Research</i> , 2018, 48, E155-E161.	3.4	3
83	Impact of Splenic Volume and Splenectomy on Prognosis of Hepatocellular Carcinoma Within Milan Criteria After Curative Hepatectomy. <i>World Journal of Surgery</i> , 2018, 42, 1120-1128.	1.6	20
84	Multiple hepatic sclerosing hemangiomas: a case report and review of the literature. <i>Surgical Case Reports</i> , 2018, 4, 60.	0.6	8
85	Hemophagocytic syndrome after living donor liver transplantation: a case report with a review of the literature. <i>Surgical Case Reports</i> , 2018, 4, 101.	0.6	7
86	Primary intrahepatic cholangiocarcinoma with sarcomatous stroma: case report and review of the literature. <i>Surgical Case Reports</i> , 2018, 4, 138.	0.6	4
87	Impact of Osteopenia in Liver Cirrhosis: Special Reference to Standard Bone Mineral Density with Age. <i>Anticancer Research</i> , 2018, 38, 6465-6471.	1.1	14
88	Histological architectural classification determines recurrence pattern and prognosis after curative hepatectomy in patients with hepatocellular carcinoma. <i>PLoS ONE</i> , 2018, 13, e0203856.	2.5	14
89	Serum Asunaprevir and Daclatasvir Concentrations and Outcomes in Patients with Recurrent Hepatitis C Who Have Undergone Living Donor Liver Transplantation. <i>Anticancer Research</i> , 2018, 38, 5513-5520.	1.1	2
90	Long-term Outcomes and Risk Factors After Adult Living Donor Liver Transplantation. <i>Transplantation</i> , 2018, 102, e382-e391.	1.0	13

#	ARTICLE	IF	CITATIONS
91	Prognostic Significance of Preoperative Controlling Nutritional Status (CONUT) Score in Patients Undergoing Hepatic Resection for Hepatocellular Carcinoma: A Multi-institutional Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 3316-3323.	1.5	85
92	Lymphocyte-to-Monocyte Ratio Is a Predictor of Survival After Liver Transplantation for Hepatocellular Carcinoma. <i>Liver Transplantation</i> , 2018, 24, 1603-1611.	2.4	44
93	Customization of laparoscopic gastric devascularization and splenectomy for gastric varices based on CT vascular anatomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 114-126.	2.4	8
94	Potential effect of recombinant thrombomodulin on ischemia-reperfusion liver injury in rats. <i>Hepatology Research</i> , 2018, 48, 391-396.	3.4	8
95	Functional remnant liver assessment predicts liver-related morbidity after hepatic resection in patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2017, 47, 398-404.	3.4	31
96	Prognostic significance of combined albumin-bilirubin and tumor-node-metastasis staging system in patients who underwent hepatic resection for hepatocellular carcinoma. <i>Hepatology Research</i> , 2017, 47, 1289-1298.	3.4	23
97	Shape and Enhancement Characteristics of Pancreatic Neuroendocrine Tumor on Preoperative Contrast-enhanced Computed Tomography May be Prognostic Indicators. <i>Annals of Surgical Oncology</i> , 2017, 24, 1399-1405.	1.5	21
98	The prognostic impact of programmed cell death ligand 1 and human leukocyte antigen class I in pancreatic cancer. <i>Cancer Medicine</i> , 2017, 6, 1614-1626.	2.8	28
99	Hepatic stellate cells secreting WFA <sup>+</sup> M2BP: Its role in biological interactions with Kupffer cells. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1387-1393.	2.8	71
100	Living donor liver transplantation for hepatocellular carcinoma: results of prospective patient selection by Kyushu University Criteria in 7 years. <i>Hpb</i> , 2017, 19, 1082-1090.	0.3	17
101	Eversion Technique to Prevent Biliary Stricture After Living Donor Liver Transplantation in the Universal Minimal Hilar Dissection Era. <i>Transplantation</i> , 2017, 101, e20-e25.	1.0	18
102	Liver transplantation for cryptogenic liver failure caused by diffuse hepatic angiosarcoma: case report. <i>Surgical Case Reports</i> , 2017, 3, 21.	0.6	8
103	Prognostic Significance of Preoperative Controlling Nutritional Status (CONUT) Score in Patients Undergoing Hepatic Resection for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2017, 41, 2805-2812.	1.6	49
104	p62 Promotes Amino Acid Sensitivity of mTOR Pathway and Hepatic Differentiation in Adult Liver Stem/Progenitor Cells. <i>Journal of Cellular Physiology</i> , 2017, 232, 2112-2124.	4.1	18
105	Use of internal jugular vein grafts in reconstructing multiple venous orifices of right hepatic grafts without the middle hepatic vein trunk. <i>Liver Transplantation</i> , 2017, 23, 110-116.	2.4	9
106	Pleural Effusion After Hepatectomy for Hepatocellular Carcinoma: Risk Factor Analyses and Its Impact on Oncological Outcomes. <i>World Journal of Surgery</i> , 2017, 41, 1089-1099.	1.6	21
107	Surgical Resection for Lymph Node Metastasis After Liver Transplantation for Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2017, 37, 891-896.	1.1	8
108	Post-hepatectomy Refractory Ascites in Cirrhotic Patients with Hepatocellular Carcinoma: Risk Factor Analysis to Overcome this Problematic Complication. <i>Anticancer Research</i> , 2017, 37, 1381-1386.	1.1	12



#	ARTICLE	IF	CITATIONS
109	Preoperative Pancreatic Stiffness by Real-time Tissue Elastography to Predict Pancreatic Fistula After Pancreaticoduodenectomy. <i>Anticancer Research</i> , 2017, 37, 1909-1915.	1.1	13
110	Surgical Treatment and Outcome of Patients with De Novo Lung Cancer After Liver Transplantation. <i>Anticancer Research</i> , 2017, 37, 2619-2623.	1.1	6
111	Impact and Prediction of Lymph Node Involvement in Patients with Intrahepatic Cholangiocarcinoma After Curative Resection. <i>Anticancer Research</i> , 2017, 37, 3763-3769.	1.1	3
112	A long survivor with local relapse of hilar cholangiocarcinoma after R1 surgery treated with chemoradiotherapy: a case report and literature review. <i>Surgical Case Reports</i> , 2016, 2, 69.	0.6	1
113	Efficacy of recombinant thrombomodulin for DIC after deceased donor liver transplantation: a case report. <i>Surgical Case Reports</i> , 2016, 2, 81.	0.6	2
114	Diverse Basis of $\beta$ -Catenin Activation in Human Hepatocellular Carcinoma: Implications in Biology and Prognosis. <i>PLoS ONE</i> , 2016, 11, e0152695.	2.5	18
115	The use of left grafts with a replaced or accessory left hepatic artery in adult-to-adult living donor liver transplantation: analyses of donor and recipient outcomes. <i>Clinical Transplantation</i> , 2016, 30, 1021-1027.	1.6	1
116	Relevance of microRNA-18a and microRNA-199a-5p to hepatocellular carcinoma recurrence after living donor liver transplantation. <i>Liver Transplantation</i> , 2016, 22, 665-676.	2.4	26
117	Graft selection strategy in adult-to-adult living donor liver transplantation: When both hemiliver grafts meet volumetric criteria. <i>Liver Transplantation</i> , 2016, 22, 914-922.	2.4	20
118	Telaprevir versus simeprevir for the treatment of recurrent hepatitis C after living donor liver transplantation. <i>Hepatology Research</i> , 2016, 46, E136-45.	3.4	7
119	Chronic hepatitis E virus infection after living donor liver transplantation via blood transfusion: a case report. <i>Surgical Case Reports</i> , 2016, 2, 32.	0.6	21
120	The learning curves in living donor hemiliver graft procurement using small upper midline incision. <i>Clinical Transplantation</i> , 2016, 30, 1532-1537.	1.6	10
121	A case report of bacteremia manifesting as an overwhelming postsplenectomy infection due to <i>Streptococcus pneumoniae</i> post vaccination. <i>Surgical Case Reports</i> , 2016, 2, 48.	0.6	0
122	Left lobe living donor liver transplantation in adults: What is the safety limit?. <i>Liver Transplantation</i> , 2016, 22, 1666-1675.	2.4	53
123	Liver resection with right hepatic vein reconstruction using the internal jugular vein: a case report. <i>Surgical Case Reports</i> , 2016, 2, 132.	0.6	3
124	Living donor liver transplantation indicated for compensated liver cirrhosis with symptomatic gallstone diseases: report of two cases. <i>Surgical Case Reports</i> , 2016, 2, 45.	0.6	0
125	Sarcopenia is a poor prognostic factor following hepatic resection in patients aged 70 years and older with hepatocellular carcinoma. <i>Hepatology Research</i> , 2016, 46, 1247-1255.	3.4	86
126	Living donor liver transplantation for intrahepatic arteriovenous fistula with hepatic artery reconstruction using the right gastroepiploic artery. <i>Liver Transplantation</i> , 2016, 22, 552-556.	2.4	2



#	ARTICLE	IF	CITATIONS
127	Skeletal muscle mass assessed by computed tomography correlates to muscle strength and physical performance at a liver-related hospital experience. <i>Hepatology Research</i> , 2016, 46, 292-297.	3.4	21
128	A Cohort Study for Derivation and Validation of Early Detection of Pancreatic Fistula After Pancreaticoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 385-391.	1.7	10
129	Inflammation-based Prognostic Score in Patients with Living Donor Liver Transplantation for Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 5537-5542.	1.1	20
130	Favorable Outcomes of Hepatectomy for Ruptured Hepatocellular Carcinoma: Retrospective Analysis of Primary RO-Hepatectomized Patients. <i>Anticancer Research</i> , 2016, 36, 379-85.	1.1	19
131	Living Donor Liver Transplantation for Hepatocellular Carcinoma within Milan Criteria in the Present Era. <i>Anticancer Research</i> , 2016, 36, 439-45.	1.1	4
132	Predictors of Benign Status in Liver Tumors Under 3 cm in Diameter Misdiagnosed as Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 793-7.	1.1	0
133	Surgical Results of Pancreaticoduodenectomy for Pancreatic Ductal Adenocarcinoma: a Multi-institutional Retrospective Study of 174 patients. <i>Anticancer Research</i> , 2016, 36, 2407-12.	1.1	6
134	Impact of Recombinant Human Soluble Thrombomodulin for Disseminated Intravascular Coagulation. <i>Anticancer Research</i> , 2016, 36, 2493-6.	1.1	5
135	Effect of Sarcopenic Obesity on Outcomes of Living-Donor Liver Transplantation for Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 3029-34.	1.1	30
136	Validity of Hepatic or Pancreatic Resection for Elderly Patients Aged 85 Years or Older at a Single Community Hospital in Japan. <i>Anticancer Research</i> , 2016, 36, 4289-92.	1.1	5
137	Surgical results for recurrent hepatocellular carcinoma after curative hepatectomy: Repeat hepatectomy versus salvage living donor liver transplantation. <i>Liver Transplantation</i> , 2015, 21, 961-968.	2.4	36
138	Laparoscopic intraperitoneal mesh repair of <sc>S</sc> pigelian hernia: A case report. <i>Asian Journal of Endoscopic Surgery</i> , 2015, 8, 477-479.	0.9	6
139	Risk factors for hepatitis B virus recurrence after living donor liver transplantation: A 17-year experience at a single center. <i>Hepatology Research</i> , 2015, 45, 1203-1210.	3.4	7
140	Right paraduodenal hernia successfully treated with laparoscopic surgery. <i>Asian Journal of Endoscopic Surgery</i> , 2015, 8, 87-90.	0.9	13
141	Indocyanine Green Fluorescent Imaging for Hepatic Resection of the Right Hepatic Vein Drainage Area. <i>Journal of the American College of Surgeons</i> , 2015, 221, e49-e53.	0.5	13
142	Pancreatic Transection Using Tape Sling and Ultrasonic Aspirator Dissection Technique in Pancreaticoduodenectomy and Distal Pancreatectomy. <i>Journal of the American College of Surgeons</i> , 2015, 221, e91-e95.	0.5	2
143	Profile of plasma amino acids values as a predictor of sepsis in patients following living donor liver transplantation: Special reference to sarcopenia and postoperative early nutrition. <i>Hepatology Research</i> , 2015, 45, 1170-1177.	3.4	43
144	Predictors of the Effectiveness of Prophylactic Drains After Hepatic Resection. <i>World Journal of Surgery</i> , 2015, 39, 2543-2549.	1.6	11

#	ARTICLE	IF	CITATIONS
145	Clinicopathologic Features and Outcomes of Non-B, Non-C Hepatocellular Carcinoma After Hepatectomy. <i>Annals of Surgical Oncology</i> , 2015, 22, 1116-1124.	1.5	17
146	Laparoscopic Splenectomy with Technical Standardization and Selection Criteria for Standard or Hand-Assisted Approach in 390 Patients with Liver Cirrhosis and Portal Hypertension. <i>Journal of the American College of Surgeons</i> , 2015, 221, 354-366.	0.5	27
147	Long-term outcome of living-donor liver transplantation for combined hepatocellular-cholangiocarcinoma. <i>Anticancer Research</i> , 2015, 35, 2475-6.	1.1	11
148	Recurrence 11 years after complete response to gemcitabine, 5-Fluorouracil, and Cisplatin chemotherapy followed by radiotherapy in a patient with advanced pancreatic cancer: a case report. <i>Anticancer Research</i> , 2015, 35, 2867-71.	1.1	1
149	Predictors of intrahepatic multiple recurrences after curative hepatectomy for hepatocellular carcinoma. <i>Anticancer Research</i> , 2015, 35, 3061-6.	1.1	15
150	Liver transplantation followed by pulmonary resection complicated with end-stage liver cirrhosis: a case report. <i>Anticancer Research</i> , 2015, 35, 3411-4.	1.1	1
151	Local therapy improvement of outcome in a patient with recurrent hepatocellular carcinoma after living donor liver transplantation: a case report. <i>Anticancer Research</i> , 2015, 35, 3525-9.	1.1	0
152	Splenectomy Followed by Hepatectomy for Hepatocellular Carcinoma with Hypersplenism and Portal Hypertension Caused by Macroglobulinemia. <i>Anticancer Research</i> , 2015, 35, 4077-81.	1.1	1
153	Outcomes After Laparoscopic Hepatectomy in the Semi-prone Position for Hepatocellular Carcinoma Located in Segment 6, 7, or 8. <i>Anticancer Research</i> , 2015, 35, 4167-70.	1.1	3
154	Characteristic Risk Factors in Cirrhotic Patients for Posthepatectomy Complications: Comparison with Noncirrhotic Patients. <i>American Surgeon</i> , 2014, 80, 166-170.	0.8	9
155	Long-Term Favorable Surgical Results of Laparoscopic Hepatic Resection for Hepatocellular Carcinoma in Patients with Cirrhosis: A Single-Center Experience over a 10-Year Period. <i>Journal of the American College of Surgeons</i> , 2014, 219, 1117-1123.	0.5	59
156	Preemptive Thoracic Drainage to Eradicate Postoperative Pulmonary Complications after Living Donor Liver Transplantation. <i>Journal of the American College of Surgeons</i> , 2014, 219, 1134-1142e2.	0.5	8
157	Small Upper Midline Incision for Living Donor Hemi-Liver Graft Procurement in Adults. <i>Journal of the American College of Surgeons</i> , 2014, 219, e39-e43.	0.5	16
158	Optimizing Risk Stratification in Portal Vein Thrombosis after Splenectomy and its Primary Prophylaxis with Antithrombin III Concentrates and Danaparoid Sodium in Liver Cirrhosis with Portal Hypertension. <i>Journal of the American College of Surgeons</i> , 2014, 219, 865-874.	0.5	43
159	Effect of Body Composition on Outcomes after Hepatic Resection for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 3063-3068.	1.5	110
160	Cystic Liver Infection after Living Donor Liver Transplantation: A Case Report. <i>Case Reports in Gastroenterology</i> , 2014, 8, 169-174.	0.6	3
161	Spontaneous Massive Necrosis of Hepatocellular Carcinoma with Narrowing and Occlusion of the Arteries and Portal Veins. <i>Case Reports in Gastroenterology</i> , 2014, 8, 148-155.	0.6	10
162	é«~é1/2çè€...è†µéää°ÇæÆÇèè...â†è™ā«ãããã,â“èi“æœÿæ,,éšç®;ç†ã®ç¼4çš¶ã•ã•é;Çç,1. The Japanese Journal of SURGICAL METABOLISM		

#	ARTICLE	IF	CITATIONS
163	A Two-Step Hanging Maneuver for a Complete Resection of Couinaud's Segment I. <i>Digestive Surgery</i> , 2012, 29, 202-205.	1.2	4
164	The effect of overweight status on the short-term and 20-y outcomes after hepatic resection in patients with hepatocellular carcinoma. <i>Journal of Surgical Research</i> , 2012, 178, 640-645.	1.6	27
165	Impact of the VIO system in hepatic resection for patients with hepatocellular carcinoma. <i>Surgery Today</i> , 2012, 42, 1176-1182.	1.5	33
166	Zero mortality in more than 300 hepatic resections: validity of preoperative volumetric analysis. <i>Surgery Today</i> , 2012, 42, 435-440.	1.5	38
167	Efficacy of Surgical Microwave Therapy in Patients with Unresectable Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 3650-3656.	1.5	31
168	Antineoplastic Effects of Gamma Linolenic Acid on Hepatocellular Carcinoma Cell Lines. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010, 47, 81-90.	1.4	30
169	Long-Term Results of Hepatic Resection Combined with Intraoperative Local Ablation Therapy for Patients with Multinodular Hepatocellular Carcinomas. <i>Annals of Surgical Oncology</i> , 2009, 16, 3299-3307.	1.5	42
170	Role of Growth Factor Receptor-Bound Protein 7 in Hepatocellular Carcinoma. <i>Molecular Cancer Research</i> , 2007, 5, 667-673.	3.4	32
171	The predictors of microvascular invasion in candidates for liver transplantation with hepatocellular carcinoma with special reference to the serum levels of des-gamma-carboxy prothrombin. <i>Journal of Surgical Oncology</i> , 2007, 95, 235-240.	1.7	154
172	Trends in Morbidity and Mortality after Hepatic Resection for Hepatocellular Carcinoma: An Institute's Experience with 625 Patients. <i>Journal of the American College of Surgeons</i> , 2007, 204, 580-587.	0.5	158
173	Longterm Favorable Results of Limited Hepatic Resections for Patients with Hepatocellular Carcinoma: 20 Years of Experience. <i>Journal of the American College of Surgeons</i> , 2007, 205, 19-26.	0.5	363
174	Reduced Expression of Focal Adhesion Kinase in Intrahepatic Cholangiocarcinoma Is Associated with Poor Tumor Differentiation. <i>Oncology</i> , 2006, 71, 417-422.	1.9	23
175	The newly established human hepatocyte cell line: application for the bioartificial liver. <i>Journal of Hepatology</i> , 2005, 42, 557-564.	3.7	14
176	Role of Expression of Focal Adhesion Kinase in Progression of Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2004, 10, 2812-2817.	7.0	122
177	Low syntaxin 17 expression in donor liver is associated with poor graft prognosis in recipients of living donor liver transplantation. <i>Hepatology Research</i> , 0, , .	3.4	1