Panayiotis Panayiotidis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7366085/publications.pdf

Version: 2024-02-01

69 papers 2,065 citations

567281 15 h-index 243625 44 g-index

71 all docs

71 docs citations

times ranked

71

3053 citing authors

#	Article	IF	CITATIONS
1	Venetoclax plus LDAC for newly diagnosed AML ineligible for intensive chemotherapy: a phase 3 randomized placebo-controlled trial. Blood, 2020, 135, 2137-2145.	1.4	470
2	Discontinuation of tyrosine kinase inhibitor therapy in chronic myeloid leukaemia (EURO-SKI): a prespecified interim analysis of a prospective, multicentre, non-randomised, trial. Lancet Oncology, The, 2018, 19, 747-757.	10.7	444
3	Phosphatidylinositol 3-Kinase Inhibition by Copanlisib in Relapsed or Refractory Indolent Lymphoma. Journal of Clinical Oncology, 2017, 35, 3898-3905.	1.6	320
4	Cytogenetic complexity in chronic lymphocytic leukemia: definitions, associations, and clinical impact. Blood, 2019, 133, 1205-1216.	1.4	164
5	Rituximab, Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone with or Without Radiotherapy in Primary Mediastinal Large B-Cell Lymphoma: The Emerging Standard of Care. Oncologist, 2012, 17, 239-249.	3.7	105
6	Reâ€evaluation of prognostic markers including staging, serum free light chains or their ratio and serum lactate dehydrogenase in multiple myeloma patients receiving novel agents. Hematological Oncology, 2013, 31, 96-102.	1.7	55
7	Poor Neutralizing Antibody Responses in 132 Patients with CLL, NHL and HL after Vaccination against SARS-CoV-2: A Prospective Study. Cancers, 2021, 13, 4480.	3.7	44
8	Ofatumumab in poor-prognosis chronic lymphocytic leukemia: a Phase IV, non-interventional, observational study from the European Research Initiative on Chronic Lymphocytic Leukemia. Haematologica, 2015, 100, 511-516.	3.5	42
9	Isolated central nervous system relapses in primary mediastinal large Bâ€cell lymphoma after CHOPâ€like chemotherapy with or without Rituximab. Hematological Oncology, 2013, 31, 10-17.	1.7	30
10	Realâ€life experience with the combination of polatuzumab vedotin, rituximab, and bendamustine in aggressive Bâ€cell lymphomas. Hematological Oncology, 2021, 39, 336-348.	1.7	25
11	Prognostic Implication of the Absolute Lymphocyte to Absolute Monocyte Count Ratio in Patients With Classical Hodgkin Lymphoma Treated With Doxorubicin, Bleomycin, Vinblastine, and Dacarbazine or Equivalent Regimens. Oncologist, 2016, 21, 343-353.	3.7	24
12	Efficacy and safety of copanlisib in patients with relapsed or refractory marginal zone lymphoma. Blood Advances, 2021, 5, 823-828.	5.2	19
13	xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"> <mml:mrow><mml:mrow><mml:mtext>Tyr<and 2014.<="" and="" between="" biomed="" characteristics="" chronic="" correlation="" from="" in="" international.="" leukemia:="" lymph="" lymphocytic="" microvascular="" nodes="" patients="" prognostic="" research="" significance.="" socs-3="" td="" with=""><td>«/mml:mte</td><td>ixt></td></and></mml:mtext></mml:mrow></mml:mrow>	«/mml:mte	ixt>
14	2014, 1-13. New Insights into Monoclonal B-Cell Lymphocytosis. BioMed Research International, 2014, 2014, 1-11.	1.9	17
15	6-month follow-up of VIALE-C demonstrates improved and durable efficacy in patients with untreated AML ineligible for intensive chemotherapy. Blood Cancer Journal, 2021, 11, 163.	6.2	17
16	Safety and efficacy analysis of long-term follow up real-world data with ibrutinib monotherapy in 58 patients with CLL treated in a single-center in Greece. Leukemia and Lymphoma, 2019, 60, 2939-2945.	1.3	16
17	Brentuximab vedotin in relapsed/refractory Hodgkin lymphoma. The Hellenic experience. Hematological Oncology, 2018, 36, 174-181.	1.7	15
18	Identification of Very Low-Risk Subgroups of Patients with Primary Mediastinal Large B-Cell Lymphoma Treated with R-CHOP. Oncologist, 2021, 26, 597-609.	3.7	15

#	Article	IF	Citations
19	The outcome of patients with highâ€risk MDS achieving stable disease after treatment with 5â€azacytidine: A retrospective analysis of the Hellenic (Greek) MDS Study Group. Hematological Oncology, 2018, 36, 693-700.	1.7	14
20	Molecular status 36 months after TKI discontinuation in CML is highly predictive for subsequent loss of MMR—final report from AFTER-SKI. Leukemia, 2021, 35, 2416-2418.	7.2	13
21	Efficacy-safety of Facilitated Subcutaneous Immunoglobulin in Immunodeficiency Due to Hematological Malignancies. A Single-Center Retrospective Analysis. Anticancer Research, 2018, 38, 4187-4191.	1.1	12
22	Chronic myelomonocytic leukemia treated with 5-azacytidine $\hat{a} \in ``results from the Hellenic 5-Azacytidine Registry: proposal of a new risk stratification system. Leukemia and Lymphoma, 2019, 60, 1721-1730.$	1.3	12
23	Venetoclax combinations delay the time to deterioration of HRQoL in unfit patients with acute myeloid leukemia. Blood Cancer Journal, 2022, 12, 71.	6.2	12
24	The prognostic value of monosomal karyotype (MK) in higherâ€risk patients with myelodysplastic syndromes treated with 5â€Azacitidine: A retrospective analysis of the Hellenic (Greek) Myelodysplastic syndromes Study Group. American Journal of Hematology, 2018, 93, 895-901.	4.1	10
25	Positron emission tomography after response to rituximab-CHOP in primary mediastinal large B-cell lymphoma: impact on outcomes and radiotherapy strategies. Annals of Hematology, 2021, 100, 2279-2292.	1.8	10
26	Long-Term Efficacy and Safety from the Copanlisib CHRONOS-1 Study in Patients with Relapsed or Refractory Indolent B-Cell Lymphoma. Blood, 2018, 132, 1595-1595.	1.4	10
27	A phase III study of venetoclax plus low-dose cytarabine in previously untreated older patients with acute myeloid leukemia (VIALE-C): A six-month update Journal of Clinical Oncology, 2020, 38, 7511-7511.	1.6	10
28	FINAL Analysis of a PAN European STOP Tyrosine Kinase Inhibitor Trial in Chronic Myeloid Leukemia : The EURO-SKI Study. Blood, 2021, 138, 633-633.	1.4	10
29	Standardization of molecular monitoring of CML: results and recommendations from the European treatment and outcome study. Leukemia, 2022, 36, 1834-1842.	7.2	10
30	Bone marrow PARP1 mRNA levels predict response to treatment with 5-azacytidine in patients with myelodysplastic syndrome. Annals of Hematology, 2019, 98, 1383-1392.	1.8	9
31	Serum ferritin and ECOG performance status predict the response and improve the prognostic value of IPSS or IPSS-R in patients with high-risk myelodysplastic syndromes and oligoblastic acute myeloid leukemia treated with 5-azacytidine: a retrospective analysis of the Hellenic national registry of myelodysplastic and hypoplastic syndromes. Therapeutic Advances in Hematology, 2020, 11,	2.5	9
32	Copanlisib, a PI3K Inhibitor, Demonstrates a Favorable Long-Term Safety Profile in a Pooled Analysis of Patients with Hematologic Malignancies. Blood, 2019, 134, 4009-4009.	1.4	8
33	The prognostic significance of chromosome 17 abnormalities in patients with myelodysplastic syndrome treated with 5â€azacytidine: Results from the Hellenic 5â€azacytidine registry. Cancer Medicine, 2019, 8, 2056-2063.	2.8	6
34	TACI Mutations in Primary Antibody Deficiencies: A Nationwide Study in Greece. Medicina (Lithuania), 2021, 57, 827.	2.0	6
35	Characteristics of Long-Term Survival in Patients With Myelodysplastic Syndrome Treated With 5-Azacyditine: Results From the Hellenic 5-Azacytidine Registry. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, 114-121.	0.4	5
36	Effectiveness of 5-Azacytidine in older patients with high-risk myelodysplastic syndromes and oligoblastic acute myeloid leukemia: A retrospective analysis of the Hellenic (Greek) MDS Study Group. Journal of Geriatric Oncology, 2020, 11, 121-124.	1.0	5

#	Article	IF	CITATIONS
37	Serum ferritin levels in previously untreated classical Hodgkin lymphoma: correlations and prognostic significance. Leukemia and Lymphoma, 2022, 63, 799-812.	1.3	5
38	Timing of response with venetoclax combination treatment in patients with newly diagnosed acute myeloid leukemia. American Journal of Hematology, 2022, 97, .	4.1	5
39	Validation of the simplified International Prognostic Score3 in a Hellenic cohort of patients with advancedâ€stage Hodgkinâ€lymphoma. British Journal of Haematology, 2020, 190, e335-e339.	2.5	4
40	The effect of 5â€azacytidine treatment delays and dose reductions on the prognosis of patients with myelodysplastic syndrome: how to optimize treatment results and outcomes. British Journal of Haematology, 2021, 192, 978-987.	2.5	4
41	Rituximab-CHOP (R-CHOP) and Radiotherapy (RT) for Primary Mediastinal Large B-Cell Lymphoma (PMLBCL) Blood, 2006, 108, 2745-2745.	1.4	4
42	Pembrolizumab-induced Remission After Failure of Axicabtagene Ciloleucel: Case Report and Literature Review. In Vivo, 2021, 35, 3401-3406.	1.3	4
43	Bone metabolism markers and angiogenic cytokines as regulators of human hematopoietic stem cell mobilization. Journal of Bone and Mineral Metabolism, 2018, 36, 399-409.	2.7	3
44	Estimated glomerular filtration rate independently predicts outcome of azacitidine therapy in higherâ&risk Myelodysplastic syndromes. Results from 536 patients of the Hellenic National Registry of Myelodysplastic and Hypoplastic syndromes. Hematological Oncology, 2020, 38, 541-553.	1.7	3
45	Development of Classic Hodgkin Lymphoma after successful treatment of primary mediastinal large b-cell lymphoma: results from a well-defined database. Leukemia Research, 2021, 100, 106479.	0.8	3
46	Subdiaphragmatic extranodal localizations at diagnosis of primary mediastinal large B-cell lymphoma: an impressive, rare presentation with no independent effect on prognosis. Leukemia Research, 2021, 107, 106595.	0.8	3
47	A phase-II study of atezolizumab in combination with obinutuzumab or rituximab for relapsed or refractory mantle cell or marginal zone lymphoma or Waldenström's macroglobulinemia. Leukemia and Lymphoma, 2022, 63, 1058-1069.	1.3	3
48	Risk factors for cardiovascular disease mortality in patients with myelodysplastic syndromes: A nationwide, registryâ€based cohort study. EJHaem, 2020, 1, 255-261.	1.0	2
49	Refinement of prognosis and the effect of azacitidine in intermediate-risk myelodysplastic syndromes. Blood Cancer Journal, 2021, 11, 30.	6.2	2
50	Plasmic and Plasic Î're Εxcellent Predictors of Severe ADAMTS13 Deficiency in Thrombotic Microangiopathy Patients without Secondary Causes. Blood, 2019, 134, 4913-4913.	1.4	2
51	Bone marrow ribonucleotide reductase mRNA levels and methylation status as prognostic factors in patients with myelodysplastic syndrome treated with 5-Azacytidine. Leukemia and Lymphoma, 2022, 63, 729-737.	1.3	2
52	Real-life Experience With Rituximab-CHOP Every 21 or 14 Days in Primary Mediastinal Large B-cell Lymphoma. In Vivo, 2022, 36, 1302-1315.	1.3	2
53	Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT) with concurrent high grade component at diagnosis: clinico-pathologic features and treatment strategy. Leukemia and Lymphoma, 2015, 56, 3230-3232.	1.3	1
54	Study of bone metabolism and angiogenesis in patients undergoing highâ€dose chemotherapy/autologous hematopoietic stem cell transplantation. European Journal of Haematology, 2018, 100, 131-139.	2.2	1

#	Article	IF	CITATIONS
55	Outcomes for Patients with Pre-Existing Diabetes or Hypertension Treated with Copanlisib from the CHRONOS-1 Study in Patients with Relapsed or Refractory Indolent B-Cell Lymphoma. Blood, 2018, 132, 1613-1613.	1.4	1
56	Delays in Time to Deterioration of Health-Related Quality of Life Were Observed in Patients with Acute Myeloid Leukemia Receiving Venetoclax in Combination with Azacitidine or in Combination with Low-Dose Cytarabine. Blood, 2020, 136, 33-35.	1.4	1
57	New Insights into Malignant B-Cell Disorders. BioMed Research International, 2015, 2015, 1-3.	1.9	O
58	High-grade B-cell lymphoma of the peritoneum as a result of transformation of a CD5-negative monoclonal B lymphocytosis population in a patient with myelodysplastic syndrome treated with 5-azacytidine. Leukemia and Lymphoma, 2018, 59, 1264-1267.	1.3	0
59	FP172DETECTION OF OLIGOCLONAL B CELL POPULATIONS BY SPECTRATYPING ANALYSIS IN THE RENAL TISSUE OF PATIENTS WITH IMMUNE MEDIATED GLOMERULAR DISEASES. Nephrology Dialysis Transplantation, 2018, 33, i87-i87.	0.7	O
60	Body mass index and relative dose intensity does not affect the response and outcome of high-risk MDS patients treated with azacytidine. Results from the Hellenic (Greek) MDS study group. Leukemia Research, 2018, 71, 55-59.	0.8	0
61	<p>Erdheimâ€"Chester Disease and Acute Myeloid Leukemia with Mutated NPM1 in a Patient with Clonal Hematopoiesis: A Case Report</p> . OncoTargets and Therapy, 2020, Volume 13, 11689-11695.	2.0	O
62	Bortezomib in Patients with Relapsed-Refractory Multiple Myeloma (MM). Clinical Observations Blood, 2005, 106, 5193-5193.	1.4	0
63	Z-Guggulsterone Downregulates Survivin and Induces Cell Death in Large B Cell Lymphoma Cells In Vitro Blood, 2006, 108, 4752-4752.	1.4	O
64	Serum Free Light Chain Ratio (FLCR) at Diagnosis Constitute a Powerful Prognostic Factor of Survival in Multiple Myeloma (MM) Blood, 2006, 108, 3522-3522.	1.4	0
65	B-Chronic Lymphoproliferative Disorders (BCLD) Presenting with Splenomegaly: Differential Diagnosis and Outcome Blood, 2006, 108, 4655-4655.	1.4	O
66	Long Term Follow up of Hairy Cell Leukemia (HCL) Patients (PTS) Treated with Interferon-Alpha (IFN-α). The Importance of Maintenance Blood, 2006, 108, 4718-4718.	1.4	0
67	Evaluation Of Immunoglobulin Variations (Clonal Changes) In Symptomatic Multiple Myeloma (MM) Patients' Course. Blood, 2013, 122, 3173-3173.	1.4	O
68	Serum Soluble Syndecan-1 (ssCD138) Can Contribute to the Discrimination of Lenalidomide Resistant Multiple Myeloma (MM) Patients. Blood, 2020, 136, 15-16.	1.4	0
69	Continuous Clinical Remisssion with High MRD Negativity and High PB and BM MRD Concordance during Venetoclax Monotherapy in R/R CLL Patients. Blood, 2020, 136, 1-1.	1.4	0