
Marco Zeiger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7367400/publications.pdf Version: 2024-02-01



MARCO ZEICER

#	Article	IF	CITATIONS
1	Ordered Mesoporous Titania/Carbon Hybrid Monoliths for Lithiumâ€ion Battery Anodes with High Areal and Volumetric Capacity. Chemistry - A European Journal, 2018, 24, 6358-6363.	3.3	27
2	In-situ nanodiamond to carbon onion transformation in metal matrix composites. Carbon, 2018, 129, 631-636.	10.3	21
3	Carbon onion/sulfur hybrid cathodes <i>via</i> inverse vulcanization for lithium–sulfur batteries. Sustainable Energy and Fuels, 2018, 2, 133-146.	4.9	36
4	Atomic Layer-Deposited Molybdenum Oxide/Carbon Nanotube Hybrid Electrodes: The Influence of Crystal Structure on Lithium-Ion Capacitor Performance. ACS Applied Materials & Interfaces, 2018, 10, 18675-18684.	8.0	37
5	Vanadia–titania multilayer nanodecoration of carbon onions via atomic layer deposition for high performance electrochemical energy storage. Journal of Materials Chemistry A, 2017, 5, 2792-2801.	10.3	19
6	Asymmetric tin–vanadium redox electrolyte for hybrid energy storage with nanoporous carbon electrodes. Sustainable Energy and Fuels, 2017, 1, 299-307.	4.9	49
7	Hydrogen-treated, sub-micrometer carbon beads for fast capacitive deionization with high performance stability. Carbon, 2017, 117, 46-54.	10.3	50
8	Tuning pseudocapacitive and battery-like lithium intercalation in vanadium dioxide/carbon onion hybrids for asymmetric supercapacitor anodes. Journal of Materials Chemistry A, 2017, 5, 13039-13051.	10.3	41
9	Nanoconfinement of redox reactions enables rapid zinc iodide energy storage with high efficiency. Journal of Materials Chemistry A, 2017, 5, 12520-12527.	10.3	80
10	Enhanced performance stability of carbon/titania hybrid electrodes during capacitive deionization of oxygen saturated saline water. Electrochimica Acta, 2017, 224, 314-328.	5.2	98
11	Carbon onion–sulfur hybrid cathodes for lithium–sulfur batteries. Sustainable Energy and Fuels, 2017, 1, 84-94.	4.9	34
12	Tailored Mesoporous Carbon/Vanadium Pentoxide Hybrid Electrodes for High Power Pseudocapacitive Lithium and Sodium Intercalation. Chemistry of Materials, 2017, 29, 8653-8662.	6.7	34
13	Faradaic deionization of brackish and sea water via pseudocapacitive cation and anion intercalation into few-layered molybdenum disulfide. Journal of Materials Chemistry A, 2017, 5, 15640-15649.	10.3	167
14	Influence of carbon distribution on the electrochemical performance and stability of lithium titanate based energy storage devices. Electrochimica Acta, 2017, 247, 1006-1018.	5.2	29
15	Niobium carbide nanofibers as a versatile precursor for high power supercapacitor and high energy battery electrodes. Journal of Materials Chemistry A, 2016, 4, 16003-16016.	10.3	51
16	High performance stability of titania decorated carbon for desalination with capacitive deionization in oxygenated water. RSC Advances, 2016, 6, 106081-106089.	3.6	32
17	Influence of carbon substrate on the electrochemical performance of carbon/manganese oxide hybrids in aqueous and organic electrolytes. RSC Advances, 2016, 6, 107163-107179.	3.6	14
18	Vanadium pentoxide/carbide-derived carbon core–shell hybrid particles for high performance electrochemical energy storage. Journal of Materials Chemistry A, 2016, 4, 18899-18909.	10.3	30

MARCO ZEIGER

#	Article	IF	CITATIONS
19	Review: carbon onions for electrochemical energy storage. Journal of Materials Chemistry A, 2016, 4, 3172-3196.	10.3	360
20	Enhanced Electrochemical Energy Storage by Nanoscopic Decoration of Endohedral and Exohedral Carbon with Vanadium Oxide via Atomic Layer Deposition. Chemistry of Materials, 2016, 28, 2802-2813.	6.7	44
21	Quinoneâ€Decorated Onionâ€Like Carbon/Carbon Fiber Hybrid Electrodes for Highâ€Rate Supercapacitor Applications. ChemElectroChem, 2015, 2, 1117-1127.	3.4	49
22	Understanding structure and porosity of nanodiamond-derived carbon onions. Carbon, 2015, 84, 584-598.	10.3	118
23	Vacuum or flowing argon: What is the best synthesis atmosphere for nanodiamond-derived carbon onions for supercapacitor electrodes?. Carbon, 2015, 94, 507-517.	10.3	59
24	Electrospinning of ultrafine metal oxide/carbon and metal carbide/carbon nanocomposite fibers. RSC Advances, 2015, 5, 35683-35692.	3.6	35
25	New Insights into the Structure of Nanoporous Carbons from NMR, Raman, and Pair Distribution Function Analysis. Chemistry of Materials, 2015, 27, 6848-6857.	6.7	88
26	A high-rate aqueous symmetric pseudocapacitor based on highly graphitized onion-like carbon/birnessite-type manganese oxide nanohybrids. Journal of Materials Chemistry A, 2015, 3, 3480-3490.	10.3	93
27	Surface structure influences contact killing of bacteria by copper. MicrobiologyOpen, 2014, 3, 327-332.	3.0	31
28	Graphitization as a Universal Tool to Tailor the Potentialâ€Dependent Capacitance of Carbon Supercapacitors. Advanced Energy Materials, 2014, 4, 1400316.	19.5	201
29	Effects of synthesis parameters on carbon nanotubes manufactured by template-based chemical vapor deposition. Carbon. 2014. 80. 28-39.	10.3	36