Witold B Rybka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7370494/publications.pdf

Version: 2024-02-01

840776 580821 35 675 11 25 citations h-index g-index papers 36 36 36 1352 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Pembrolizumab plus dinaciclib in patients with hematologic malignancies: the phase 1b KEYNOTE-155 study. Blood Advances, 2022, 6, 1232-1242.	5.2	14
2	Post-transplant cyclophosphamide alters immune signatures and leads to impaired T cell reconstitution in allogeneic hematopoietic stem cell transplant. Journal of Hematology and Oncology, 2022, 15, 64.	17.0	24
3	A phase I clinical trial of avelumab in combination with decitabine as first line treatment of unfit patients with acute myeloid leukemia. American Journal of Hematology, 2021, 96, E46-E50.	4.1	16
4	Impact of depth of clinical response on outcomes of acute myeloid leukemia patients in first complete remission who undergo allogeneic hematopoietic cell transplantation. Bone Marrow Transplantation, 2021, 56, 2108-2117.	2.4	6
5	Improved outcome in AML relapse after allogeneic transplant with high-intensity chemotherapy followed by 2nd allogeneic stem cell transplant or donor lymphocyte infusion. Annals of Hematology, 2021, 100, 2585-2592.	1.8	2
6	Engraftment Kinetics and Recipient Chimerism Increase to Predict Leukemia Relapse By Ptcy and Non-Ptcy Transplant. Blood, 2021, 138, 1792-1792.	1.4	0
7	Multiâ€dimensional analysis identifies an immune signature predicting response to decitabine treatment in elderly patients with AML. British Journal of Haematology, 2020, 188, 674-684.	2.5	12
8	A novel PrECOG (PrE0901) dose-escalation trial using eltrombopag: enhanced platelet recovery during consolidation therapy in acute myeloid leukemia. Leukemia and Lymphoma, 2020, 61, 2191-2199.	1.3	4
9	Eomes+T-betlow CD8+ T Cells Are Functionally Impaired and Are Associated with Poor Clinical Outcome in Patients with Acute Myeloid Leukemia. Cancer Research, 2019, 79, 1635-1645.	0.9	42
10	Characteristics of Late Fatal Infections after Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2019, 25, 362-368.	2.0	40
11	Non-Myeloablative Allogeneic Stem Cell Transplant in Acute Myeloid Leukemia: Graft-Versus-Host Disease Potentiates Graft-Versus-Leukemia Effect and Improves Overall Survival. Blood, 2019, 134, 5724-5724.	1.4	0
12	VISTA is highly expressed on MDSCs and mediates an inhibition of T cell response in patients with AML. Oncolmmunology, 2018, 7, e1469594.	4.6	107
13	Effect of Antihuman T Lymphocyte Globulin on Immune Recovery after Myeloablative Allogeneic Stem Cell Transplantation with Matched Unrelated Donors: Analysis of Immune Reconstitution in a Double-Blind Randomized Controlled Trial. Biology of Blood and Marrow Transplantation, 2018, 24, 2216-2223.	2.0	18
14	Bone marrow CD8 T cells express high frequency of PD-1 and exhibit reduced anti-leukemia response in newly diagnosed AML patients. Blood Cancer Journal, 2018, 8, 34.	6.2	48
15	TIGIT Expression Positively Associates with NK Cell Function in AML Patients. Blood, 2018, 132, 5250-5250.	1.4	5
16	Multi-Dimensional Analysis of Immune Signature Predicts Response to Decitabine Treatment in Elderly Patients with AML. Blood, 2018, 132, 1526-1526.	1.4	13
17	Blimp-1 impairs T cell function via upregulation of TIGIT and PD-1 in patients with acute myeloid leukemia. Journal of Hematology and Oncology, 2017, 10, 124.	17.0	42
18	PIGN gene expression aberration is associated with genomic instability and leukemic progression in acute myeloid leukemia with myelodysplastic features. Oncotarget, 2017, 8, 29887-29905.	1.8	9

#	Article	IF	Citations
19	T-Cell Immunoglobulin and ITIM Domain (TIGIT) Associates with CD8+ T-Cell Exhaustion and Poor Clinical Outcome in AML Patients. Clinical Cancer Research, 2016, 22, 3057-3066.	7.0	217
20	The Results of a Phase I Study using Velcade (Bortezomib), Cladribine, and Rituximab (VCR) in treating Mantle Cell Lymphoma. Blood, 2016, 128, 1792-1792.	1.4	5
21	A Prospective Randomized Double Blind Phase 3 Clinical Trial of Anti- T Lymphocyte Globulin (ATLG) to Assess Impact on Chronic Graft-Versus-Host Disease (cGVHD) Free Survival in Patients Undergoing HLA Matched Unrelated Myeloablative Hematopoietic Cell Transplantation (HCT). Blood, 2016, 128, 505-505.	1.4	12
22	A Phase I Dose Finding Trial of Eltrombopag during Consolidation Therapy in Adults with Acute Myeloid Leukemia Employing a Unique Dosing Design: PrE0901, a Precog Study. Blood, 2016, 128, 4053-4053.	1.4	1
23	Phase I/II Study of Clofarabine, Etoposide, and Mitoxantrone in Patients With Refractory or Relapsed Acute Leukemia. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, 41-46.	0.4	9
24	Tipifarnib As Maintenance Therapy in Acute Myeloid Leukemia (AML) Improves Survival in a Subgroup of Patients with High Risk Disease. Results of the Phase III Intergroup Trial E2902. Blood, 2015, 126, 1308-1308.	1.4	7
25	Unrelated donor umbilical cord blood transplantation with and without total body irradiation: A single-center experience Journal of Clinical Oncology, 2015, 33, e18001-e18001.	1.6	0
26	R115777(tipifarnib) Improves Early Survival when Used As Maintenance Therapy for Elderly or Relapsed/Refractory Patients with Acute Myelogenous Leukemia in Remission. Blood, 2012, 120, 676-676.	1.4	2
27	Early Discharge and Out Patient Management After AML Induction Chemotherapy: Determinants of Safety. Blood, 2012, 120, 2054-2054.	1.4	0
28	Clofarabine, Etoposide and Mitoxantrone In the Therapy of Relapsed and Refractory Acute Myelogenous Leukemia. Blood, 2010, 116, 4353-4353.	1.4	17
29	Tipifarnib Is Well Tolerated as Maintenance Therapy In Acute Myeloid Leukemia (AML). Significant, but Non-Fatal, Hematologic Toxicity Not Ameliorated by Dose Reduction. Preliminary Results of the Phase III Intergroup Trial E2902. Blood, 2010, 116, 3315-3315.	1.4	1
30	Survival Among Lymphoma Patients Over the Past Three Decades: A Single Institution Based Retrospective Review From 1976 to 2006 Blood, 2009, 114, 4527-4527.	1.4	2
31	Long Term Survival After Sirolimus Based Non-Ablative Alternative Donor Transplantation Blood, 2009, 114, 1212-1212.	1.4	0
32	Survival Among Leukemia Patients Over the Past Three Decades: A Single Institution Based Retrospective Review From 1976 to 2006 Blood, 2009, 114, 1394-1394.	1.4	0
33	Sirolimus as Primary Immunoprophyllaxis for Alternative Donor Allotranspplant after Non-Myeloablative Conditioning Blood, 2007, 110, 3069-3069.	1.4	0
34	Non-Myeloablative Hematopoietic Transplant with Sirolimus Immunosuppression: Determinants of Outcome Blood, 2005, 106, 5462-5462.	1.4	0
35	Successful Treatment of Advanced and Refractory AML with Sirolimus Based Non-Myeloablative Allogeneic Stem Cell Transplantation Blood, 2004, 104, 2760-2760.	1.4	0