

# Teresa Auguet

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7370526/publications.pdf>

Version: 2024-02-01

80  
papers

6,545  
citations

201674

27  
h-index

71685

76  
g-index

87  
all docs

87  
docs citations

87  
times ranked

12333  
citing authors

#	ARTICLE	IF	CITATIONS
1	Autoantibodies against type I IFNs in patients with life-threatening COVID-19. <i>Science</i> , 2020, 370, .	12.6	1,983
2	Inborn errors of type I IFN immunity in patients with life-threatening COVID-19. <i>Science</i> , 2020, 370, .	12.6	1,749
3	Autoantibodies neutralizing type I IFNs are present in ~4% of uninfected individuals over 70 years old and account for ~20% of COVID-19 deaths. <i>Science Immunology</i> , 2021, 6, .	11.9	357
4	Molecular pathways in non-alcoholic fatty liver disease. <i>Clinical and Experimental Gastroenterology</i> , 2014, 7, 221.	2.3	279
5	X-linked recessive TLR7 deficiency in ~1% of men under 60 years old with life-threatening COVID-19. <i>Science Immunology</i> , 2021, 6, .	11.9	267
6	New adipokines vaspin and omentin. Circulating levels and gene expression in adipose tissue from morbidly obese women. <i>BMC Medical Genetics</i> , 2011, 12, 60.	2.1	144
7	FABP 4 is associated with inflammatory markers and metabolic syndrome in morbidly obese women. <i>European Journal of Endocrinology</i> , 2011, 164, 539-547.	3.7	111
8	The risk of COVID-19 death is much greater and age dependent with type I IFN autoantibodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2200413119.	7.1	110
9	Long-term Changes in Leptin, Chemerin and Ghrelin Levels Following Different Bariatric Surgery Procedures: Roux-en-Y Gastric Bypass and Sleeve Gastrectomy. <i>Obesity Surgery</i> , 2013, 23, 1790-1798.	2.1	102
10	Upregulation of Lipocalin 2 in Adipose Tissues of Severely Obese Women: Positive Relationship With Proinflammatory Cytokines. <i>Obesity</i> , 2011, 19, 2295-2300.	3.0	89
11	Genetic polymorphisms of ADH2, ADH3, CYP4502E1 Dra-I and Pst-I, and ALDH2 in Spanish men: lack of association with alcoholism and alcoholic liver disease. <i>Journal of Hepatology</i> , 2004, 41, 744-750.	3.7	78
12	Plasma visfatin levels and gene expression in morbidly obese women with associated fatty liver disease. <i>Clinical Biochemistry</i> , 2013, 46, 202-208.	1.9	59
13	Development of a Risk Prediction Score for Occult Cancer in Patients With VTE. <i>Chest</i> , 2017, 151, 564-571.	0.8	51
14	Circulating microbiota-derived metabolites: a ðœœliquid biopsy?. <i>International Journal of Obesity</i> , 2020, 44, 875-885.	3.4	49
15	Association of Retinol-Binding Protein-4 (RBP4) with Lipid Parameters in Obese Women. <i>Obesity Surgery</i> , 2010, 20, 1258-1264.	2.1	48
16	Increased levels and adipose tissue expression of visfatin in morbidly obese women: the relationship with proinflammatory cytokines. <i>Clinical Endocrinology</i> , 2012, 77, 691-698.	2.4	47
17	Altered Fatty Acid Metabolism-Related Gene Expression in Liver from Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2014, 15, 22173-22187.	4.1	47
18	Retinol binding proteinâ€4 circulating levels were higher in nonalcoholic fatty liver disease vs. histologically normal liver from morbidly obese women. <i>Obesity</i> , 2013, 21, 170-177.	3.0	45

#	ARTICLE	IF	CITATIONS
19	miR33a/miR33b* and miR122 as Possible Contributors to Hepatic Lipid Metabolism in Obese Women with Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1620.	4.1	45
20	Liver Lipocalin 2 Expression in Severely Obese Women With Non Alcoholic Fatty Liver Disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, 119-124.	1.2	37
21	Gut Microbiota-Derived Mediators as Potential Markers in Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2019, 2019, 1-10.	1.9	37
22	Adipocytokine levels in women with anorexia nervosa. Relationship with weight restoration and disease duration. <i>International Journal of Eating Disorders</i> , 2013, 46, 855-861.	4.0	35
23	Polymorphisms of alcohol-metabolizing enzymes and the risk for alcoholism and alcoholic liver disease in Caucasian Spanish women. <i>Drug and Alcohol Dependence</i> , 2006, 84, 195-200.	3.2	34
24	Anti-inflammatory Profile of FTO Gene Expression in Adipose Tissues From Morbidly Obese Women. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 1041-1050.	1.6	33
25	Downregulation of lipogenesis and fatty acid oxidation in the subcutaneous adipose tissue of morbidly obese women. <i>Obesity</i> , 2014, 22, 2032-2038.	3.0	32
26	Apolipoprotein(a) genetic polymorphism and serum lipoprotein(a) concentration in patients with peripheral vascular disease. <i>Atherosclerosis</i> , 1993, 104, 87-94.	0.8	31
27	A RIETE registry analysis of recurrent thromboembolism and hemorrhage in patients with catheter-related thrombosis. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2015, 3, 243-250.e1.	1.6	28
28	Serum lipoprotein(a) concentration in patients with chronic renal failure receiving haemodialysis: influence of apolipoprotein (a) genetic polymorphism. <i>Nephrology Dialysis Transplantation</i> , 1993, 8, 1099-103.	0.7	27
29	Relationship between IL-8 Circulating Levels and TLR2 Hepatic Expression in Women with Morbid Obesity and Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4189.	4.1	26
30	Endocannabinoid Receptors Gene Expression in Morbidly Obese Women with Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	25
31	Adipo/cytokines in atherosclerotic secretomes: increased visfatin levels in unstable carotid plaque. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 149.	1.7	25
32	Synchronous renal cell carcinoma and Bellini duct carcinoma: a case report on a rare coincidence. <i>World Journal of Urology</i> , 2000, 18, 449-451.	2.2	24
33	A study on the TNF- $\alpha$ system in Caucasian Spanish patients with alcoholic liver disease. <i>Drug and Alcohol Dependence</i> , 2008, 92, 91-99.	3.2	24
34	Clinical and adipocytokine changes after bariatric surgery in morbidly obese women. <i>Obesity</i> , 2014, 22, 188-194.	3.0	24
35	Interleukin-17A Gene Expression in Morbidly Obese Women. <i>International Journal of Molecular Sciences</i> , 2015, 16, 17469-17481.	4.1	23
36	Evolving mortality and clinical outcomes of hospitalized subjects during successive COVID-19 waves in Catalonia, Spain. <i>Global Epidemiology</i> , 2022, 4, 100071.	1.5	23

#	ARTICLE	IF	CITATIONS
37	Proteomic Profile of Unstable Atheroma Plaque: Increased Neutrophil Defensin 1, Clusterin, and Apolipoprotein E Levels in Carotid Secretome. <i>Journal of Proteome Research</i> , 2016, 15, 933-944.	3.7	22
38	Recovery of Minimal Change Nephrotic Syndrome and Acute Renal Failure in a Patient with Renal Cell Carcinoma. <i>American Journal of Nephrology</i> , 1998, 18, 433-435.	3.1	21
39	Zinc alpha <sub>2</sub> glycoprotein is implicated in dyslipidaemia in HIV-1 infected patients treated with antiretroviral drugs. <i>HIV Medicine</i> , 2012, 13, 297-303.	2.2	20
40	Hepcidin in morbidly obese women with non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2017, 12, e0187065.	2.5	19
41	PNPLA3 Expression Is Related to Liver Steatosis in Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016, 17, 630.	4.1	18
42	Downregulation of de Novo Fatty Acid Synthesis in Subcutaneous Adipose Tissue of Moderately Obese Women. <i>International Journal of Molecular Sciences</i> , 2015, 16, 29911-29922.	4.1	16
43	Increased Circulating Levels of Alpha-Ketoglutarate in Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016, 11, e0154601.	2.5	15
44	Low Circulating Levels of Neurotensin in Women with Nonalcoholic Fatty Liver Disease Associated with Severe Obesity. <i>Obesity</i> , 2018, 26, 274-278.	3.0	14
45	Clinical outcome in patients with venous thromboembolism receiving concomitant anticoagulant and antiplatelet therapy. <i>European Journal of Internal Medicine</i> , 2014, 25, 821-825.	2.2	13
46	PPAR $\gamma$ ; Pro12Ala Polymorphism in HIV-1-Infected Patients with HAART-Related Lipodystrophy. <i>Current HIV Research</i> , 2009, 7, 533-540.	0.5	13
47	Brucellosis and HIV infection. <i>Aids</i> , 1992, 6, 1039.	2.2	12
48	Parallel downregulation of retinol-binding protein-4 and adiponectin expression in subcutaneous adipose tissue of non-morbidly obese subjects. <i>European Journal of Endocrinology</i> , 2009, 161, 87-94.	3.7	12
49	Resistin and IL-15 as Predictors of Invasive Mechanical Ventilation in COVID-19 Pneumonia Irrespective of the Presence of Obesity and Metabolic Syndrome. <i>Journal of Personalized Medicine</i> , 2022, 12, 391.	2.5	12
50	Pharmacogenetics of Efficacy and Safety of HCV Treatment in HCV-HIV Coinfected Patients: Significant Associations with IL28B and SOCS3 Gene Variants. <i>PLoS ONE</i> , 2012, 7, e47725.	2.5	11
51	Fetuin-A, inter $\alpha$ -trypsin inhibitor, glutamic acid and ChoE (18:0) are key biomarkers in a panel distinguishing mild from critical coronavirus disease 2019 outcomes. <i>Clinical and Translational Medicine</i> , 2022, 12, e704.	4.0	11
52	Targeted metabolomic approach in men with carotid plaque. <i>PLoS ONE</i> , 2018, 13, e0200547.	2.5	10
53	Deregulated Serotonin Pathway in Women with Morbid Obesity and NAFLD. <i>Life</i> , 2020, 10, 245.	2.4	10
54	Hepatocyte Notch Signaling Deregulation Related to Lipid Metabolism in Women with Obesity and Nonalcoholic Fatty Liver. <i>Obesity</i> , 2020, 28, 1487-1493.	3.0	9

#	ARTICLE	IF	CITATIONS
55	Lamivudine in the Treatment of Hepatitis B Virus-Related Polyarteritis Nodosa. <i>Journal of Clinical Rheumatology</i> , 2007, 13, 298-299.	0.9	8
56	Polymorphisms in the interleukin-10 gene promoter and the risk of alcoholism and alcoholic liver disease in Caucasian Spaniard men. <i>Alcohol</i> , 2010, 44, 211-216.	1.7	8
57	A prognostic score to identify low-risk outpatients with acute deep vein thrombosis in the upper extremity. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 1274-1278.	3.8	8
58	Arthritis in Mediterranean spotted fever. <i>Infection</i> , 1991, 19, 346-347.	4.7	7
59	NASH Presence is Associated with a Lower Weight Loss One and 2 Years After Bariatric Surgery in Women with Severe Obesity. <i>Obesity Surgery</i> , 2022, 32, 3313-3323.	2.1	7
60	New Insights of OLFM2 and OLFM4 in Gut-Liver Axis and Their Potential Involvement in Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7442.	4.1	7
61	Tuberculous pericarditis as the first manifestation of AIDS. <i>Infection</i> , 1993, 21, 334-335.	4.7	5
62	Intestinal obstruction complicating calcium polystyrene sulphonate therapy. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 751-751.	0.7	5
63	Apolipoprotein C3 Gene Variants in Nonalcoholic Fatty Liver Disease. <i>New England Journal of Medicine</i> , 2010, 363, 193-195.	27.0	5
64	Predictive Biomarkers of COVID-19 Severity in SARS-CoV-2 Infected Patients with Obesity and Metabolic Syndrome. <i>Journal of Personalized Medicine</i> , 2021, 11, 227.	2.5	5
65	Deregulation of Secreted Frizzled-Related Protein 5 in Nonalcoholic Fatty Liver Disease Associated with Obesity. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6895.	4.1	5
66	Clinical Characteristics and Outcome of Infective Endocarditis in Individuals of the General Population Managed at a Teaching Hospital Without Cardiac Surgery Facilities. Study of 120 Cases. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006, 59, 1131-1139.	0.6	4
67	Intestinal Dysbiosis and Non-Alcoholic Fatty Liver Disease. <i>Biochemistry</i> , 0, , .	1.2	4
68	Circulating Levels of Pro-Neurotensin and Its Relationship with Nonalcoholic Steatohepatitis and Hepatic Lipid Metabolism. <i>Metabolites</i> , 2021, 11, 373.	2.9	4
69	Expression of Jejunal Taste Receptors in Women with Morbid Obesity. <i>Nutrients</i> , 2021, 13, 2437.	4.1	4
70	Retinol Binding Protein-4 Circulating Levels Were Higher in Nonalcoholic Fatty Liver Disease Vs. Histologically Normal Liver From Morbidly Obese Women. <i>Obesity</i> , 0, , .	3.0	4
71	Identification of the Potential Molecular Mechanisms Linking RUNX1 Activity with Nonalcoholic Fatty Liver Disease, by Means of Systems Biology. <i>Biomedicines</i> , 2022, 10, 1315.	3.2	4
72	The Potential Protective Role of RUNX1 in Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5239.	4.1	3

#	ARTICLE	IF	CITATIONS
73	Amyloid arthropathy and Waldenström's macroglobulinemia. American Journal of Hematology, 1995, 49, 260-260.	4.1	2
74	Pelvic mass in 46-year old man.. Postgraduate Medical Journal, 1997, 73, 371-373.	1.8	2
75	Polytopic spondylodiscitis secondary to Streptococcus bovis endocarditis. British Journal of Rheumatology, 1999, 38, 686-688.	2.3	2
76	Demographic, clinical, and functional determinants of antithrombotic treatment in patients with nonvalvular atrial fibrillation. BMC Cardiovascular Disorders, 2021, 21, 384.	1.7	2
77	Xantomas eruptivos y dislipemia mixta asociados al tratamiento con olanzapina. Piel, 2010, 25, 383-386.	0.0	1
78	Lipocalin, Resistin and Gut Microbiota-Derived Propionate Could Be Used to Predict Metabolic Bariatric Surgery Selected Outcomes. Processes, 2022, 10, 143.	2.8	1
79	Insights in Gut Microbiota and Non-Alcoholic Fatty Liver Disease. Advanced Research in Gastroenterology & Hepatology, 2018, 9, .	0.0	0
80	Fever of unknown origin as first manifestation of an inapparent esophageal cancer. American Journal of Gastroenterology, 1991, 86, 526.	0.4	0