

Teresa Auguet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7370526/publications.pdf>

Version: 2024-02-01

80
papers

6,545
citations

201674

27
h-index

71685

76
g-index

87
all docs

87
docs citations

87
times ranked

12333
citing authors

#	ARTICLE	IF	CITATIONS
1	Lipocalin, Resistin and Gut Microbiota-Derived Propionate Could Be Used to Predict Metabolic Bariatric Surgery Selected Outcomes. <i>Processes</i> , 2022, 10, 143.	2.8	1
2	Fetuin-A, Interleukin-6, Trypsin inhibitor, glutamic acid and ChoE (18:0) are key biomarkers in a panel distinguishing mild from critical coronavirus disease 2019 outcomes. <i>Clinical and Translational Medicine</i> , 2022, 12, e704.	4.0	11
3	Evolving mortality and clinical outcomes of hospitalized subjects during successive COVID-19 waves in Catalonia, Spain. <i>Global Epidemiology</i> , 2022, 4, 100071.	1.5	23
4	Resistin and IL-15 as Predictors of Invasive Mechanical Ventilation in COVID-19 Pneumonia Irrespective of the Presence of Obesity and Metabolic Syndrome. <i>Journal of Personalized Medicine</i> , 2022, 12, 391.	2.5	12
5	The risk of COVID-19 death is much greater and age dependent with type I IFN autoantibodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2200413119.	7.1	110
6	Identification of the Potential Molecular Mechanisms Linking RUNX1 Activity with Nonalcoholic Fatty Liver Disease, by Means of Systems Biology. <i>Biomedicines</i> , 2022, 10, 1315.	3.2	4
7	NASH Presence is Associated with a Lower Weight Loss One and 2 Years After Bariatric Surgery in Women with Severe Obesity. <i>Obesity Surgery</i> , 2022, 32, 3313-3323.	2.1	7
8	New Insights of OLFM2 and OLFM4 in Gut-Liver Axis and Their Potential Involvement in Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7442.	4.1	7
9	Predictive Biomarkers of COVID-19 Severity in SARS-CoV-2 Infected Patients with Obesity and Metabolic Syndrome. <i>Journal of Personalized Medicine</i> , 2021, 11, 227.	2.5	5
10	The Potential Protective Role of RUNX1 in Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5239.	4.1	3
11	Deregulation of Secreted Frizzled-Related Protein 5 in Nonalcoholic Fatty Liver Disease Associated with Obesity. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6895.	4.1	5
12	Circulating Levels of Pro-Neurotensin and Its Relationship with Nonalcoholic Steatohepatitis and Hepatic Lipid Metabolism. <i>Metabolites</i> , 2021, 11, 373.	2.9	4
13	Expression of Jejunal Taste Receptors in Women with Morbid Obesity. <i>Nutrients</i> , 2021, 13, 2437.	4.1	4
14	Demographic, clinical, and functional determinants of antithrombotic treatment in patients with nonvalvular atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 384.	1.7	2
15	Autoantibodies neutralizing type I IFNs are present in ~4% of uninfected individuals over 70 years old and account for ~20% of COVID-19 deaths. <i>Science Immunology</i> , 2021, 6, .	11.9	357
16	X-linked recessive TLR7 deficiency in ~1% of men under 60 years old with life-threatening COVID-19. <i>Science Immunology</i> , 2021, 6, .	11.9	267
17	Circulating microbiota-derived metabolites: a ðœœliquid biopsy?. <i>International Journal of Obesity</i> , 2020, 44, 875-885.	3.4	49
18	Hepatocyte Notch Signaling Deregulation Related to Lipid Metabolism in Women with Obesity and Nonalcoholic Fatty Liver. <i>Obesity</i> , 2020, 28, 1487-1493.	3.0	9

#	ARTICLE	IF	CITATIONS
19	Inborn errors of type I IFN immunity in patients with life-threatening COVID-19. <i>Science</i> , 2020, 370, .	12.6	1,749
20	Autoantibodies against type I IFNs in patients with life-threatening COVID-19. <i>Science</i> , 2020, 370, .	12.6	1,983
21	Deregulated Serotonin Pathway in Women with Morbid Obesity and NAFLD. <i>Life</i> , 2020, 10, 245.	2.4	10
22	Relationship between IL-8 Circulating Levels and TLR2 Hepatic Expression in Women with Morbid Obesity and Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4189.	4.1	26
23	Gut Microbiota-Derived Mediators as Potential Markers in Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2019, 2019, 1-10.	1.9	37
24	Low Circulating Levels of Neurotensin in Women with Nonalcoholic Fatty Liver Disease Associated with Severe Obesity. <i>Obesity</i> , 2018, 26, 274-278.	3.0	14
25	Targeted metabolomic approach in men with carotid plaque. <i>PLoS ONE</i> , 2018, 13, e0200547.	2.5	10
26	Insights in Gut Microbiota and Non-Alcoholic Fatty Liver Disease. <i>Advanced Research in Gastroenterology & Hepatology</i> , 2018, 9, .	0.0	0
27	Development of a Risk Prediction Score for Occult Cancer in Patients With VTE. <i>Chest</i> , 2017, 151, 564-571.	0.8	51
28	Hepcidin in morbidly obese women with non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2017, 12, e0187065.	2.5	19
29	miR33a/miR33b* and miR122 as Possible Contributors to Hepatic Lipid Metabolism in Obese Women with Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1620.	4.1	45
30	PNPLA3 Expression Is Related to Liver Steatosis in Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016, 17, 630.	4.1	18
31	Adipo/cytokines in atherosclerotic secretomes: increased visfatin levels in unstable carotid plaque. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 149.	1.7	25
32	Proteomic Profile of Unstable Atheroma Plaque: Increased Neutrophil Defensin 1, Clusterin, and Apolipoprotein E Levels in Carotid Secretome. <i>Journal of Proteome Research</i> , 2016, 15, 933-944.	3.7	22
33	Increased Circulating Levels of Alpha-Ketoglutarate in Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016, 11, e0154601.	2.5	15
34	A prognostic score to identify low-risk outpatients with acute deep vein thrombosis in the upper extremity. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 1274-1278.	3.8	8
35	Interleukin-17A Gene Expression in Morbidly Obese Women. <i>International Journal of Molecular Sciences</i> , 2015, 16, 17469-17481.	4.1	23
36	Downregulation of de Novo Fatty Acid Synthesis in Subcutaneous Adipose Tissue of Moderately Obese Women. <i>International Journal of Molecular Sciences</i> , 2015, 16, 29911-29922.	4.1	16

#	ARTICLE	IF	CITATIONS
37	A RIETE registry analysis of recurrent thromboembolism and hemorrhage in patients with catheter-related thrombosis. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2015, 3, 243-250.e1.	1.6	28
38	Molecular pathways in non-alcoholic fatty liver disease. <i>Clinical and Experimental Gastroenterology</i> , 2014, 7, 221.	2.3	279
39	Endocannabinoid Receptors Gene Expression in Morbidly Obese Women with Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	25
40	Altered Fatty Acid Metabolism-Related Gene Expression in Liver from Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2014, 15, 22173-22187.	4.1	47
41	Clinical and adipocytokine changes after bariatric surgery in morbidly obese women. <i>Obesity</i> , 2014, 22, 188-194.	3.0	24
42	Downregulation of lipogenesis and fatty acid oxidation in the subcutaneous adipose tissue of morbidly obese women. <i>Obesity</i> , 2014, 22, 2032-2038.	3.0	32
43	Clinical outcome in patients with venous thromboembolism receiving concomitant anticoagulant and antiplatelet therapy. <i>European Journal of Internal Medicine</i> , 2014, 25, 821-825.	2.2	13
44	Plasma visfatin levels and gene expression in morbidly obese women with associated fatty liver disease. <i>Clinical Biochemistry</i> , 2013, 46, 202-208.	1.9	59
45	Long-term Changes in Leptin, Chemerin and Ghrelin Levels Following Different Bariatric Surgery Procedures: Roux-en-Y Gastric Bypass and Sleeve Gastrectomy. <i>Obesity Surgery</i> , 2013, 23, 1790-1798.	2.1	102
46	Liver Lipocalin 2 Expression in Severely Obese Women With Non Alcoholic Fatty Liver Disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, 119-124.	1.2	37
47	Retinol binding protein-4 circulating levels were higher in nonalcoholic fatty liver disease vs. histologically normal liver from morbidly obese women. <i>Obesity</i> , 2013, 21, 170-177.	3.0	45
48	Adipocytokine levels in women with anorexia nervosa. Relationship with weight restoration and disease duration. <i>International Journal of Eating Disorders</i> , 2013, 46, 855-861.	4.0	35
49	Increased levels and adipose tissue expression of visfatin in morbidly obese women: the relationship with pro-inflammatory cytokines. <i>Clinical Endocrinology</i> , 2012, 77, 691-698.	2.4	47
50	Zinc alpha ₂ glycoprotein is implicated in dyslipidaemia in HIV-1 infected patients treated with antiretroviral drugs. <i>HIV Medicine</i> , 2012, 13, 297-303.	2.2	20
51	Pharmacogenetics of Efficacy and Safety of HCV Treatment in HCV-HIV Coinfected Patients: Significant Associations with IL28B and SOCS3 Gene Variants. <i>PLoS ONE</i> , 2012, 7, e47725.	2.5	11
52	Upregulation of Lipocalin 2 in Adipose Tissues of Severely Obese Women: Positive Relationship With Proinflammatory Cytokines. <i>Obesity</i> , 2011, 19, 2295-2300.	3.0	89
53	New adipokines vaspin and omentin. Circulating levels and gene expression in adipose tissue from morbidly obese women. <i>BMC Medical Genetics</i> , 2011, 12, 60.	2.1	144
54	FABP 4 is associated with inflammatory markers and metabolic syndrome in morbidly obese women. <i>European Journal of Endocrinology</i> , 2011, 164, 539-547.	3.7	111

#	ARTICLE	IF	CITATIONS
55	Association of Retinol-Binding Protein-4 (RBP4) with Lipid Parameters in Obese Women. <i>Obesity Surgery</i> , 2010, 20, 1258-1264.	2.1	48
56	Xantomas eruptivos y dislipemia mixta asociados al tratamiento con olanzapina. <i>Piel</i> , 2010, 25, 383-386.	0.0	1
57	Polymorphisms in the interleukin-10 gene promoter and the risk of alcoholism and alcoholic liver disease in Caucasian Spaniard men. <i>Alcohol</i> , 2010, 44, 211-216.	1.7	8
58	Anti-inflammatory Profile of FTO Gene Expression in Adipose Tissues From Morbidly Obese Women. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 1041-1050.	1.6	33
59	Apolipoprotein C3 Gene Variants in Nonalcoholic Fatty Liver Disease. <i>New England Journal of Medicine</i> , 2010, 363, 193-195.	27.0	5
60	Parallel downregulation of retinol-binding protein-4 and adiponectin expression in subcutaneous adipose tissue of non-morbidly obese subjects. <i>European Journal of Endocrinology</i> , 2009, 161, 87-94.	3.7	12
61	PPAR α Pro12Ala Polymorphism in HIV-1-Infected Patients with HAART-Related Lipodystrophy. <i>Current HIV Research</i> , 2009, 7, 533-540.	0.5	13
62	A study on the TNF- α system in Caucasian Spanish patients with alcoholic liver disease. <i>Drug and Alcohol Dependence</i> , 2008, 92, 91-99.	3.2	24
63	Lamivudine in the Treatment of Hepatitis B Virus-Related Polyarteritis Nodosa. <i>Journal of Clinical Rheumatology</i> , 2007, 13, 298-299.	0.9	8
64	Clinical Characteristics and Outcome of Infective Endocarditis in Individuals of the General Population Managed at a Teaching Hospital Without Cardiac Surgery Facilities. Study of 120 Cases. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006, 59, 1131-1139.	0.6	4
65	Polymorphisms of alcohol-metabolizing enzymes and the risk for alcoholism and alcoholic liver disease in Caucasian Spanish women. <i>Drug and Alcohol Dependence</i> , 2006, 84, 195-200.	3.2	34
66	Genetic polymorphisms of ADH2, ADH3, CYP4502E1 Dra-I and Pst-I, and ALDH2 in Spanish men: lack of association with alcoholism and alcoholic liver disease. <i>Journal of Hepatology</i> , 2004, 41, 744-750.	3.7	78
67	Synchronous renal cell carcinoma and Bellini duct carcinoma: a case report on a rare coincidence. <i>World Journal of Urology</i> , 2000, 18, 449-451.	2.2	24
68	Polytopic spondylodiscitis secondary to <i>Streptococcus bovis</i> endocarditis. <i>British Journal of Rheumatology</i> , 1999, 38, 686-688.	2.3	2
69	Recovery of Minimal Change Nephrotic Syndrome and Acute Renal Failure in a Patient with Renal Cell Carcinoma. <i>American Journal of Nephrology</i> , 1998, 18, 433-435.	3.1	21
70	Pelvic mass in 46-year old man.. <i>Postgraduate Medical Journal</i> , 1997, 73, 371-373.	1.8	2
71	Intestinal obstruction complicating calcium polystyrene sulphonate therapy. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 751-751.	0.7	5
72	Amyloid arthropathy and Waldenström's macroglobulinemia. <i>American Journal of Hematology</i> , 1995, 49, 260-260.	4.1	2

#	ARTICLE	IF	CITATIONS
73	Tuberculous pericarditis as the first manifestation of AIDS. Infection, 1993, 21, 334-335.	4.7	5
74	Apolipoprotein(a) genetic polymorphism and serum lipoprotein(a) concentration in patients with peripheral vascular disease. Atherosclerosis, 1993, 104, 87-94.	0.8	31
75	Serum lipoprotein(a) concentration in patients with chronic renal failure receiving haemodialysis: influence of apolipoprotein (a) genetic polymorphism. Nephrology Dialysis Transplantation, 1993, 8, 1099-103.	0.7	27
76	Brucellosis and HIV infection. Aids, 1992, 6, 1039.	2.2	12
77	Arthritis in Mediterranean spotted fever. Infection, 1991, 19, 346-347.	4.7	7
78	Fever of unknown origin as first manifestation of an inapparent esophageal cancer. American Journal of Gastroenterology, 1991, 86, 526.	0.4	0
79	Intestinal Dysbiosis and Non-Alcoholic Fatty Liver Disease. Biochemistry, 0, , .	1.2	4
80	Retinol Binding Protein-4 Circulating Levels Were Higher in Nonalcoholic Fatty Liver Disease Vs. Histologically Normal Liver From Morbidly Obese Women. Obesity, 0, , .	3.0	4