

Paula Tabares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7372708/publications.pdf>

Version: 2024-02-01

40
papers

2,292
citations

304743

22
h-index

330143

37
g-index

40
all docs

40
docs citations

40
times ranked

2725
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and function of T cells in mice rendered interleukin-2 deficient by gene targeting. <i>Nature</i> , 1991, 352, 621-624.	27.8	836
2	Control of T cell hyperactivation in IL-2-deficient mice by CD4+CD25- and CD4+CD25+ T cells: evidence for two distinct regulatory mechanisms. <i>European Journal of Immunology</i> , 2001, 31, 1637-1645.	2.9	160
3	CD28-mediated induction of proliferation in resting T cells <i>in vitro</i> and <i>in vivo</i> without engagement of the T cell receptor: Evidence for functionally distinct forms of CD28. <i>European Journal of Immunology</i> , 1997, 27, 239-247.	2.9	153
4	CD28 co-stimulation in T-cell homeostasis: a recent perspective. <i>ImmunoTargets and Therapy</i> , 2015, 4, 111.	5.8	97
5	Amplification of Regulatory T Cells Using a CD28 Superagonist Reduces Brain Damage After Ischemic Stroke in Mice. <i>Stroke</i> , 2015, 46, 212-220.	2.0	94
6	IL-2 and autoimmune disease. <i>Cytokine and Growth Factor Reviews</i> , 2002, 13, 369-378.	7.2	87
7	Human regulatory T cells are selectively activated by low-dose application of the CD28 superagonist TGN1412/TAB08. <i>European Journal of Immunology</i> , 2014, 44, 1225-1236.	2.9	84
8	Naïve CD8 T-cells initiate spontaneous autoimmunity to a sequestered model antigen of the central nervous system. <i>Brain</i> , 2008, 131, 2353-2365.	7.6	79
9	Orally induced, peptide-specific \hat{I}^3/\hat{I}^7 TCR+ cells suppress experimental autoimmune uveitis. <i>European Journal of Immunology</i> , 1996, 26, 2140-2148.	2.9	77
10	Thymic selection and peptide-induced activation of T cell receptor-transgenic CD8 T cells in interleukin-2-deficient mice. <i>European Journal of Immunology</i> , 1994, 24, 2317-2322.	2.9	58
11	Manipulation of Regulatory T cell Number and Function with CD28-specific Monoclonal Antibodies. <i>Advances in Immunology</i> , 2007, 95, 111-148.	2.2	48
12	The rise and fall of the CD28 superagonist TGN1412 and its return as TAB08: a personal account. <i>FEBS Journal</i> , 2016, 283, 3325-3334.	4.7	41
13	Induction of experimental autoimmune encephalomyelitis in transgenic mice expressing ovalbumin in oligodendrocytes. <i>European Journal of Immunology</i> , 2006, 36, 207-215.	2.9	40
14	The secreted <i>Candida albicans</i> protein Pra1 disrupts host defense by broadly targeting and blocking complement C3 and C3 activation fragments. <i>Molecular Immunology</i> , 2018, 93, 266-277.	2.2	34
15	Prevention and treatment of Lewis rat experimental allergic encephalomyelitis with a monoclonal antibody to the T cell receptor V \hat{I} 28.2 segment. <i>European Journal of Immunology</i> , 1995, 25, 1960-1964.	2.9	32
16	Oligodendrocytes Enforce Immune Tolerance of the Uninfected Brain by Purging the Peripheral Repertoire of Autoreactive CD8+ T Cells. <i>Immunity</i> , 2012, 37, 134-146.	14.3	32
17	Characterization of mouse CD53: Epitope mapping, cellular distribution and induction by T cell receptor engagement during repertoire selection. <i>European Journal of Immunology</i> , 1995, 25, 2201-2205.	2.9	31
18	Autonomous induction of proliferation, JNK and NF- \hat{I} B activation in primary resting T cells by mobilized CD28. <i>European Journal of Immunology</i> , 2000, 30, 876-882.	2.9	30

#	ARTICLE	IF	CITATIONS
19	High-density preculture of PBMCs restores defective sensitivity of circulating CD8 T cells to virus- and tumor-derived antigens. <i>Blood</i> , 2015, 126, 185-194.	1.4	28
20	The canonical T cell receptor of dendritic epidermal $\hat{\gamma}\hat{\delta}$ T cells is highly conserved between rats and mice. <i>European Journal of Immunology</i> , 1996, 26, 3092-3097.	2.9	26
21	TNFRSF receptor-specific antibody fusion proteins with targeting controlled Fc $\hat{\gamma}$ R-independent agonistic activity. <i>Cell Death and Disease</i> , 2019, 10, 224.	6.3	26
22	Induction of proliferative and cytotoxic responses in resting Lyt-2+ T cells with lectin and recombinant interleukin 2. <i>European Journal of Immunology</i> , 1985, 15, 332-337.	2.9	24
23	CD28 and IL-4: two heavyweights controlling the balance between immunity and inflammation. <i>Medical Microbiology and Immunology</i> , 2010, 199, 239-246.	4.8	23
24	Thymic development and repertoire selection: the rat perspective. <i>Immunological Reviews</i> , 2001, 184, 7-19.	6.0	22
25	Novel Receptor-Derived Cyclopeptides to Treat Heart Failure Caused by Anti- $\hat{\gamma}$ 21-Adrenoceptor Antibodies in a Human-Analogous Rat Model. <i>PLoS ONE</i> , 2015, 10, e0117589.	2.5	20
26	Interrupting CD28 costimulation before antigen rechallenge affects CD8 ⁺ cell expansion and effector functions during secondary response in mice. <i>European Journal of Immunology</i> , 2016, 46, 1644-1655.	2.9	18
27	Impaired survival of T cell receptor $\hat{\gamma}$ 33+ cells in interleukin-4 transgenic mice. <i>European Journal of Immunology</i> , 1995, 25, 1442-1445.	2.9	13
28	Short-term cytokine stimulation reveals regulatory T cells with down-regulated Foxp3 expression in human peripheral blood. <i>European Journal of Immunology</i> , 2018, 48, 366-379.	2.9	11
29	CD28 Costimulation of T Helper 1 Cells Enhances Cytokine Release In Vivo. <i>Frontiers in Immunology</i> , 2018, 9, 1060.	4.8	11
30	In vivo activation of Treg cells with a CD28 superagonist prevents and ameliorates chronic destructive arthritis in mice. <i>European Journal of Immunology</i> , 2016, 46, 1193-1202.	2.9	10
31	Targeting of the WT191 $\hat{\gamma}$ 138 fragment to human dendritic cells improves leukemia-specific T-cell responses providing an alternative approach to WT1-based vaccination. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 319-332.	4.2	10
32	Identification and cellular distribution of the rat interleukin-2 receptor $\hat{\gamma}$ 2 chain: induction of the IL-2R $\hat{\gamma}$ 2 ⁺ phenotype by major histocompatibility complex class I recognition during T cell development in vivo and by T cell receptor stimulation of CD4+8+ immature thymocytes in vitro. <i>European Journal of Immunology</i> , 1996, 26, 2371-2375.	2.9	8
33	In vitro polyclonal activation of conventional T cells with a CD28 superagonist protects mice from acute graft versus host disease. <i>European Journal of Immunology</i> , 2015, 45, 1997-2007.	2.9	8
34	The T cell-selective IL-2 mutant AIC284 mediates protection in a rat model of Multiple Sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 282, 63-72.	2.3	8
35	Self-Recognition Sensitizes Mouse and Human Regulatory T Cells to Low-Dose CD28 Superagonist Stimulation. <i>Frontiers in Immunology</i> , 2018, 8, 1985.	4.8	6
36	TLR signals license CD8 T cells to destroy oligodendrocytes expressing an antigen shared with a <i>Listeria</i> pathogen. <i>European Journal of Immunology</i> , 2019, 49, 413-427.	2.9	5

#	ARTICLE	IF	CITATIONS
37	Protection of Mice from Acute Graft-versus-Host Disease Requires CD28 Co-stimulation on Donor CD4+ Foxp3+ Regulatory T Cells. <i>Frontiers in Immunology</i> , 2017, 8, 721.	4.8	1
38	Autonomous induction of proliferation, JNK and NF- κ B activation in primary resting T cells by mobilized CD28. , 2000, 30, 876.		1
39	Eberhard Wecker (1923â€“2013). <i>European Journal of Immunology</i> , 2013, 43, 1986-1987.	2.9	0
40	Boost of Immune Responses Against NY-ESO-1 Following Local Radiation Therapy in Patients with Multiple Myeloma: A Potential Contribution to Tumor Immunosurveillance. <i>Blood</i> , 2016, 128, 4512-4512.	1.4	0