

Gani Bajraktari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7377440/publications.pdf>

Version: 2024-02-01

102
papers

53,401
citations

172457

29
h-index

36028

97
g-index

106
all docs

106
docs citations

106
times ranked

48907
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and safety of colchicine in patients with coronary artery disease: A systematic review and meta-analysis of randomized controlled trials. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 1520-1528.	2.4	17
2	Improved diastolic dysfunction is associated with higher forward flow and better prognosis in chronic heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 727-737.	1.5	4
3	European Society of Cardiology: cardiovascular disease statistics 2021. <i>European Heart Journal</i> , 2022, 43, 716-799.	2.2	343
4	Step-by-step diagnosis and management of the nocebo/drug effect in statin-associated muscle symptoms patients: a position paper from the International Lipid Expert Panel (ILEP). <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1596-1622.	7.3	35
5	Non-inferiority of 1 month versus longer dual antiplatelet therapy in patients undergoing PCI with drug-eluting stents: a systematic review and meta-analysis of randomized clinical trials. <i>Therapeutic Advances in Chronic Disease</i> , 2022, 13, 204062232210937.	2.5	1
6	Diabetes Is the Strongest Predictor of Limited Exercise Capacity in Chronic Heart Failure and Preserved Ejection Fraction (HFpEF). <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .	2.4	1
7	The impact of type of dietary protein, animal versus vegetable, in modifying cardiometabolic risk factors: A position paper from the International Lipid Expert Panel (ILEP). <i>Clinical Nutrition</i> , 2021, 40, 255-276.	5.0	75
8	2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. <i>European Heart Journal</i> , 2021, 42, 17-96.	2.2	830
9	Radial Access for Coronary Angiography Carries Fewer Complications Compared with Femoral Access: A Meta-Analysis of Randomized Controlled Trials. <i>Journal of Clinical Medicine</i> , 2021, 10, 2163.	2.4	6
10	Impact of nutraceuticals on markers of systemic inflammation: Potential relevance to cardiovascular diseases – A position paper from the International Lipid Expert Panel (ILEP). <i>Progress in Cardiovascular Diseases</i> , 2021, 67, 40-52.	3.1	39
11	Reperfusion therapies and in-hospital outcomes for ST-elevation myocardial infarction in Europe: the ACVC-EAPCI EORP STEMI Registry of the European Society of Cardiology. <i>European Heart Journal</i> , 2021, 42, 4536-4549.	2.2	37
12	Left atrial stiffness predicts cardiac events in patients with heart failure and reduced ejection fraction: The impact of diabetes. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 208-216.	1.2	5
13	Contemporary Management of Severe Symptomatic Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2021, 78, 2131-2143.	2.8	29
14	Biomarkers Predict In-Hospital Major Adverse Cardiac Events in COVID-19 Patients: A Multicenter International Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5863.	2.4	9
15	The ESC ACCA EAPCI EORP acute coronary syndrome ST-elevation myocardial infarction registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020, 6, 100-104.	4.0	9
16	2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. <i>European Heart Journal</i> , 2020, 41, 111-188.	2.2	4,871
17	Left atrial structure and function predictors of recurrent fibrillation after catheter ablation: a systematic review and meta-analysis. <i>Clinical Physiology and Functional Imaging</i> , 2020, 40, 1-13.	1.2	30
18	European Society of Cardiology: Cardiovascular Disease Statistics 2019. <i>European Heart Journal</i> , 2020, 41, 12-85.	2.2	690

#	ARTICLE	IF	CITATIONS
19	Long-Term Outcomes of Patients with Unprotected Left Main Coronary Artery Disease Treated with Percutaneous Angioplasty versus Bypass Grafting: A Meta-Analysis of Randomized Controlled Trials. <i>Journal of Clinical Medicine</i> , 2020, 9, 2231.	2.4	5
20	Left Ventricular Diastolic and Systolic Functions in Patients with Hypothyroidism. <i>Medicina (Lithuania)</i> , 2020, 56, 524.	2.0	2
21	Speckle Tracking-Derived Left Atrial Stiffness Predicts Clinical Outcome in Heart Failure Patients with Reduced to Mid-Range Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2020, 9, 1244.	2.4	14
22	Complete revascularization for patients with multivessel coronary artery disease and ST-segment elevation myocardial infarction after the COMPLETE trial: A meta-analysis of randomized controlled trials. <i>IJC Heart and Vasculature</i> , 2020, 29, 100549.	1.1	3
23	Statin therapy in athletes and patients performing regular intense exercise – Position paper from the International Lipid Expert Panel (ILEP). <i>Pharmacological Research</i> , 2020, 155, 104719.	7.1	17
24	Improved Left Atrial Function in CRT Responders: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 298.	2.4	6
25	Left atrial volume index predicts response to cardiac resynchronisation therapy: a systematic review and meta-analysis. <i>Archives of Medical Science</i> , 2020, , .	0.9	2
26	Coronary Atherosclerosis Imaging. <i>Diagnostics</i> , 2020, 10, 65.	2.6	12
27	Unravelling the interplay between hyperkalaemia, renin–angiotensin–aldosterone inhibitor use and clinical outcomes. Data from 9222 chronic heart failure patients of the ESC–EHF–EORP Heart Failure Long–Term Registry. <i>European Journal of Heart Failure</i> , 2020, 22, 1378-1389.	7.1	83
28	Association between loop diuretic dose changes and outcomes in chronic heart failure: observations from the ESC–EORP Heart Failure Long–Term Registry. <i>European Journal of Heart Failure</i> , 2020, 22, 1424-1437.	7.1	36
29	2018 ESC/EACTS Guidelines on myocardial revascularization. <i>European Heart Journal</i> , 2019, 40, 87-165.	2.2	4,537
30	2018 ESC/EACTS Guidelines on myocardial revascularization. <i>European Journal of Cardio-thoracic Surgery</i> , 2019, 55, 4-90.	1.4	402
31	Association of statin use and clinical outcomes in heart failure patients: a systematic review and meta-analysis. <i>Lipids in Health and Disease</i> , 2019, 18, 188.	3.0	31
32	2019 ESC/EAS guidelines for the management of dyslipidaemias: Lipid modification to reduce cardiovascular risk. <i>Atherosclerosis</i> , 2019, 290, 140-205.	0.8	1,753
33	Compromised left atrial function and increased size predict raised cavity pressure: a systematic review and meta-analysis. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 297-307.	1.2	18
34	Left atrial compliance index predicts exercise capacity in patients with heart failure and preserved ejection fraction irrespective of right ventricular dysfunction. <i>Echocardiography</i> , 2019, 36, 1045-1053.	0.9	12
35	The exaggerated systolic hypertensive response to exercise associates cardiovascular events: a systematic review and meta-analysis. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 855-863.	0.4	10
36	Optimizing Management of Heart Failure by Using Echo and Natriuretic Peptides in the Outpatient Unit. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1067, 145-159.	1.6	8

#	ARTICLE	IF	CITATIONS
37	Complete revascularization for patients with ST-segment elevation myocardial infarction and multivessel coronary artery disease. <i>Coronary Artery Disease</i> , 2018, 29, 204-215.	0.7	9
38	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. <i>European Heart Journal</i> , 2018, 39, 119-177.	2.2	7,100
39	Echo- and B-Type Natriuretic Peptide-Guided Follow-Up versus Symptom-Guided Follow-Up: Comparison of the Outcome in Ambulatory Heart Failure Patients. <i>Cardiology Research and Practice</i> , 2018, 2018, 1-8.	1.1	13
40	The Role of Nutraceuticals in Statin-Intolerant Patients. <i>Journal of the American College of Cardiology</i> , 2018, 72, 96-118.	2.8	216
41	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018, 39, 3021-3104.	2.2	6,826
42	Adiponectin correlates with body mass index and to a lesser extent with left ventricular mass in dialysis patients. <i>Cardiology Journal</i> , 2018, 25, 501-511.	1.2	5
43	PP-063 [AJC » Cardiac imaging - Echocardiography] Mediastinal Lymphoma Presenting With Cardiac Tamponade. <i>American Journal of Cardiology</i> , 2017, 119, e69-e70.	1.6	0
44	Different determinants of exercise capacity in HFpEF compared to HFrEF. <i>Cardiovascular Ultrasound</i> , 2017, 15, 12.	1.6	12
45	Hydrophilic vs lipophilic statins in coronary artery disease: A meta-analysis of randomized controlled trials. <i>Journal of Clinical Lipidology</i> , 2017, 11, 624-637.	1.5	30
46	2017 ESC/EACTS Guidelines for the management of valvular heart disease. <i>European Heart Journal</i> , 2017, 38, 2739-2791.	2.2	5,142
47	Lipid-lowering nutraceuticals in clinical practice: position paper from an International Lipid Expert Panel. <i>Nutrition Reviews</i> , 2017, 75, 731-767.	5.8	238
48	PP-206 [AJC » Preventive cardiology] A Case of Kartagener's Syndrome in a Young Kosovan Woman: Importance of Early Detection and Treatment of this Rare Disorder. <i>American Journal of Cardiology</i> , 2017, 119, e96-e97.	1.6	0
49	Lipid lowering nutraceuticals in clinical practice: position paper from an International Lipid Expert Panel. <i>Archives of Medical Science</i> , 2017, 5, 965-1005.	0.9	206
50	Quality of life questionnaire predicts poor exercise capacity only in HFpEF and not in HFrEF. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 268.	1.7	18
51	Antithrombotic treatment tailoring and risk score evaluation in elderly patients diagnosed with an acute coronary syndrome. <i>Journal of Geriatric Cardiology</i> , 2017, 14, 442-456.	0.2	7
52	Carotid plaque echogenicity predicts cerebrovascular symptoms: a systematic review and meta-analysis. <i>European Journal of Neurology</i> , 2016, 23, 1241-1247.	3.3	45
53	Left ventricular longitudinal systolic dysfunction is associated with right atrial dyssynchrony in heart failure with preserved ejection fraction. <i>Revista Portuguesa De Cardiologia</i> , 2016, 35, 207-214.	0.5	4
54	Left ventricular longitudinal systolic dysfunction is associated with right atrial dyssynchrony in heart failure with preserved ejection fraction. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016, 35, 207-214.	0.2	1

#	ARTICLE	IF	CITATIONS
55	2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Heart Journal, 2016, 37, 2129-2200.	2.2	13,008
56	Left atrial changes in early stages of heart failure with preserved ejection fraction. Echocardiography, 2016, 33, 1479-1487.	0.9	18
57	2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS. European Heart Journal, 2016, 37, 2893-2962.	2.2	5,689
58	Comparison of drug-eluting balloon versus drug-eluting stent treatment of drug-eluting stent in-stent restenosis: A meta-analysis of available evidence. International Journal of Cardiology, 2016, 218, 126-135.	1.7	20
59	Normal ranges of left ventricular strain in children: a meta-analysis. Cardiovascular Ultrasound, 2015, 13, 37.	1.6	67
60	Early and mid-term outcome in terms of functional and hemodynamic performance of the st. Jude regent 19-mm aortic mechanical prosthesis versus 19-mm carpentier edwards aortic biological prosthesis. Journal of Cardiothoracic Surgery, 2015, 10, 154.	1.1	4
61	Ultrasound Assessment of Carotid Plaque Echogenicity Response to Statin Therapy: A Systematic Review and Meta-Analysis. International Journal of Molecular Sciences, 2015, 16, 10734-10747.	4.1	41
62	Mortality in heart failure patients. Anatolian Journal of Cardiology, 2015, 15, 63-68.	0.4	70
63	Common carotid intima-media features determine distal disease phenotype and vulnerability in asymptomatic patients. International Journal of Cardiology, 2015, 196, 22-28.	1.7	7
64	The Clinical Dilemma of Quantifying Mechanical Left Ventricular Dyssynchrony for Cardiac Resynchronization Therapy: Segmental or Global?. Echocardiography, 2015, 32, 150-155.	0.9	7
65	Left ventricular response to pressure afterload in children: Aortic stenosis and coarctation. International Journal of Cardiology, 2015, 178, 203-209.	1.7	35
66	Left ventricular global dyssynchrony is exaggerated with age. International Cardiovascular Forum Journal, 2015, 1, 47.	1.1	4
67	The Kosovo Society of Cardiology. International Cardiovascular Forum Journal, 2015, 2, .	1.1	1
68	Combined electrical and global markers of dyssynchrony predict clinical response to Cardiac Resynchronization Therapy. Scandinavian Cardiovascular Journal, 2014, 48, 304-310.	1.2	2
69	Vulnerable plaques in the contralateral carotid arteries in symptomatic patients: A detailed ultrasound analysis. Atherosclerosis, 2014, 235, 526-531.	0.8	23
70	Left atrial emptying fraction predicts limited exercise performance in heart failure patients. International Journal of Cardiology Heart & Vessels, 2014, 4, 203-207.	0.5	9
71	Abnormal systolic and diastolic myocardial function in obese asymptomatic adolescents. International Journal of Cardiology, 2013, 168, 2347-2351.	1.7	11
72	Coronary and carotid atherosclerosis: How useful is the imaging?. Atherosclerosis, 2013, 231, 323-333.	0.8	45

#	ARTICLE	IF	CITATIONS
73	Coronary calcium score correlates with estimate of total plaque burden. <i>International Journal of Cardiology</i> , 2013, 167, 1050-1052.	1.7	4
74	Gender related predictors of limited exercise capacity in heart failure. <i>International Journal of Cardiology Heart & Vessels</i> , 2013, 1, 11-16.	0.5	1
75	Coronary and carotid atherosclerosis: Similarities and differences. <i>Atherosclerosis</i> , 2013, 227, 193-200.	0.8	131
76	Prolonged total isovolumic time is related to reduced long-axis functional recovery following valve replacement surgery for severe aortic stenosis. <i>International Journal of Cardiology</i> , 2012, 159, 187-191.	1.7	6
77	Left ventricular markers of global dyssynchrony predict limited exercise capacity in heart failure, but not in patients with preserved ejection fraction. <i>Cardiovascular Ultrasound</i> , 2012, 10, 36.	1.6	14
78	Plasma metalloproteinase-9 and restrictive filling pattern as major predictors of outcome in patients with ischemic cardiomyopathy. <i>European Journal of Internal Medicine</i> , 2012, 23, 616-620.	2.2	5
79	Independent and Incremental Value of Severely Enlarged Left Atrium in Risk Stratification of Very Elderly Patients With Chronic Systolic Heart Failure. <i>Congestive Heart Failure</i> , 2012, 18, 222-228.	2.0	7
80	Left ventricular asynchrony and raised filling pressure predict limited exercise performance assessed by 6Åminute walk test. <i>International Journal of Cardiology</i> , 2011, 146, 385-389.	1.7	14
81	Independent and incremental prognostic value of Doppler-derived left ventricular total isovolumic time in patients with systolic heart failure. <i>International Journal of Cardiology</i> , 2011, 148, 271-275.	1.7	18
82	Predictors of exercise capacity in patients with chronic heart failure. <i>Journal of Cardiovascular Medicine</i> , 2011, 12, 223-225.	1.5	23
83	Aortic valve replacement normalizes left ventricular twist functionâ†. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2011, 12, 701-706.	1.1	29
84	Persistent Ventricular Asynchrony after Coronary Artery Bypass Surgery Predicts Cardiac Events. <i>Echocardiography</i> , 2010, 27, 32-37.	0.9	1
85	Valve replacement for aortic stenosis normalizes subendocardial function in patients with normal ejection fraction. <i>European Journal of Echocardiography</i> , 2010, 11, 608-613.	2.3	43
86	Plasma matrix metalloproteinase-9 better predicts outcome than N-terminal protype-B natriuretic peptide in patients with systolic heart failure and a high prevalence of coronary artery disease. <i>Biomedicine and Pharmacotherapy</i> , 2010, 64, 339-342.	5.6	11
87	Management and comorbidities of atrial fibrillation in patients admitted in cardiology service in Kosovo-a single-center study. <i>Anatolian Journal of Cardiology</i> , 2010, 10, 36-40.	0.4	16
88	Left and right ventricular diastolic function in hemodialysis patients. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2010, 21, 1053-7.	0.3	3
89	Predictors of Increased Left Ventricular Filling Pressure in Dialysis Patients with Preserved Left Ventricular Ejection Fraction. <i>Croatian Medical Journal</i> , 2009, 50, 543-549.	0.7	12
90	Predictors of mortality in medically treated patients with congestive heart failure of nonrheumatic etiology and reduced systolic function. <i>European Journal of Internal Medicine</i> , 2009, 20, 362-365.	2.2	10

#	ARTICLE	IF	CITATIONS
91	MRSA endocarditis of bovine Contegra valved conduit: a case report. <i>Cases Journal</i> , 2009, 2, 57.	0.4	8
92	Ecocardiografia e teste de caminhada de 6 minutos na disfunção sistólica do ventrículo esquerdo. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 92, 121-34.	0.8	8
93	Prolonged total isovolumic time predicts cardiac events following coronary artery bypass surgery. <i>European Journal of Echocardiography</i> , 2008, 9, 779-783.	2.3	23
94	In-hospital mortality following acute myocardial infarction in Kosovo : A single center study. <i>Annals of Saudi Medicine</i> , 2008, 28, 430.	1.1	3
95	In-hospital mortality following acute myocardial infarction in Kosovo: a single center study. <i>Annals of Saudi Medicine</i> , 2008, 28, 430-434.	1.1	2
96	Hemorrhagic fever with acute renal failure: a report from Kosova. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2008, 19, 250-3.	0.3	0
97	Relationship between insulin resistance and left ventricular diastolic dysfunction in patients with impaired glucose tolerance and type 2 diabetes. <i>International Journal of Cardiology</i> , 2006, 110, 206-211.	1.7	56
98	Giant left atrial myxoma in an elderly patient: Natural history over a 7-year period. <i>Journal of Clinical Ultrasound</i> , 2006, 34, 461-463.	0.8	14
99	Remission of High-Output Heart Failure after Surgical Repair of 30-Month Arteriovenous Femoral Fistula: Case Report. <i>Heart Surgery Forum</i> , 2005, 8, 118.	0.5	6
100	Non-insulin dependent diabetes as an independent predictor of asymptomatic left ventricular diastolic dysfunction. <i>Croatian Medical Journal</i> , 2005, 46, 225-31.	0.7	6
101	Transmitral pulsed-Doppler echocardiography is a more accurate technique compared with two-dimensional echocardiography using dobutamine, in patients with one vessel coronary artery disease. <i>European Journal of Heart Failure</i> , 2003, 5, 63-72.	7.1	2
102	Impaired Left Atrial Reservoir Function in Metabolic Syndrome Predicts Symptoms in HFpEF Patients. <i>International Cardiovascular Forum Journal</i> , 0, 4, 37.	1.1	1