

# StÃ©phanie Boini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7381894/publications.pdf>

Version: 2024-02-01

26  
papers

791  
citations

623574

14  
h-index

552653

26  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1073  
citing authors

#	ARTICLE	IF	CITATIONS
1	Leisure time physical activity and health-related quality of life. <i>Preventive Medicine</i> , 2005, 41, 562-569.	1.6	225
2	Impact of musculoskeletal disorders on quality of life: an inception cohort study. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 606-611.	0.5	90
3	Association between leisure-time physical activity and health-related quality of life changes over time. <i>Preventive Medicine</i> , 2007, 44, 202-208.	1.6	90
4	The Effects of Clonidine Added to Mepivacaine for Paronychia Surgery Under Axillary Brachial Plexus Block. <i>Anesthesia and Analgesia</i> , 2005, 100, 1179-1183.	1.1	52
5	Impact of cancer occurrence on health-related quality of life: a longitudinal pre-post assessment. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 4.	1.0	45
6	Effect of occupational safety and health education received during schooling on the incidence of workplace injuries in the first 2 years of occupational life: a prospective study. <i>BMJ Open</i> , 2017, 7, e015100.	0.8	32
7	Reproducibility and sensitivity to change of 5 methods for scoring hand radiographic damage in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005, 32, 778-86.	1.0	27
8	Occurrence of coronary artery disease has an adverse impact on health-related quality of life: A longitudinal controlled study. <i>International Journal of Cardiology</i> , 2006, 113, 215-222.	0.8	21
9	Long-term antioxidant supplementation has no effect on health-related quality of life: The randomized, double-blind, placebo-controlled, primary prevention SU.VI.MAX trial. <i>International Journal of Epidemiology</i> , 2011, 40, 1605-1616.	0.9	21
10	Chronic kidney disease: appropriateness of therapeutic management and associated factors in the AVENIR study. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 121-128.	0.9	20
11	Assessment of the Use of a Saline Chaser to Reduce the Volume of Contrast Medium in Abdominal CT. <i>American Journal of Roentgenology</i> , 2006, 187, 511-515.	1.0	18
12	Impact of Predialysis Therapeutic Practices on Patient Outcomes During the First Year of Dialysis. <i>Medical Care</i> , 2012, 50, 35-42.	1.1	15
13	Management and control of hypertension and proteinuria in patients with advanced chronic kidney disease under nephrologist care or not: data from the AVENIR study (AVantagE de la Nephroprotection) <i>Tj ETQq1 1047843144gBT /O</i>	0.7	14
14	Off-label use of recombinant activated factor VII in intractable haemorrhage after cardiovascular surgery: an observational study of practices in 23 French cardiac centres (2005-7). <i>European Journal of Cardio-thoracic Surgery</i> , 2011, 40, 1320-7.	0.6	14
15	Patterns and Predictors of Kidney Function Decline in the Last Year prior to Dialysis. <i>Nephron Clinical Practice</i> , 2009, 111, c95-c101.	2.3	13
16	Predialysis therapeutic care and health-related quality of life at dialysis onset (The) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (pharma</i>	1.0	13
17	Factors associated with psychological and behavioral functioning in people with type 2 diabetes living in France. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 124.	1.0	11
18	Outcomes of Patients with Delayed Dialysis Initiation: Results from the AVENIR Study. <i>American Journal of Nephrology</i> , 2011, 33, 76-83.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Evaluation and Determinants of Underprescription of Erythropoiesis Stimulating Agents in Pre-Dialysis Patients with Anaemia. <i>Nephron Clinical Practice</i> , 2008, 108, c67-c74.	2.3	8
20	Nephrology referral and appropriateness of therapeutic drug care in chronic kidney disease. <i>Journal of Nephrology</i> , 2006, 19, 303-11.	0.9	7
21	Is the effect of work-related psychosocial exposure on depressive and anxiety disorders short-term, lagged or cumulative?. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 87-104.	1.1	5
22	Factors associated with anemia among incident pre-dialysis patients managed within a French care network. <i>Clinical Nephrology</i> , 2007, 67, 81-88.	0.4	5
23	Relationships between organizational workplace characteristics and perceived workplace strain in call-centers in France. <i>American Journal of Industrial Medicine</i> , 2013, 56, 1317-1328.	1.0	2
24	Do the work unit characteristics directly or indirectly affect psychological distress in female call-handlers?. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 707-721.	1.1	2
25	P161...Effect of occupational health & safety training at school on the occurrence of workplace injuries in young people starting their professional career. , 2016, , .		0
26	Santé et organisation dans les centres d'appels: une approche épidémiologique. , 2015, , 184-187.		0