

# Stanislav S Rubakhin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7389933/publications.pdf>

Version: 2024-02-01

131  
papers

6,281  
citations

53660

45  
h-index

79541

73  
g-index

132  
all docs

132  
docs citations

132  
times ranked

5478  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhancing the Throughput of FT Mass Spectrometry Imaging Using Joint Compressed Sensing and Subspace Modeling. <i>Analytical Chemistry</i> , 2022, 94, 5335-5343.	3.2	12
2	Characterizing RNA Modifications in Single Neurons Using Mass Spectrometry. <i>Journal of Visualized Experiments</i> , 2022, . .	0.2	1
3	Profiling 26,000 <i>Aplysia californica</i> neurons by single cell mass spectrometry reveals neuronal populations with distinct neuropeptide profiles. <i>Journal of Biological Chemistry</i> , 2022, 298, 102254.	1.6	12
4	3D Particle-Free Printing of Biocompatible Conductive Hydrogel Platforms for Neuron Growth and Electrophysiological Recording. <i>Advanced Functional Materials</i> , 2021, 31, 2010246.	7.8	38
5	Droplet Microfluidics with MALDI-MS Detection: The Effects of Oil Phases in GABA Analysis. <i>ACS Measurement Science Au</i> , 2021, 1, 147-156.	1.9	16
6	Image-guided MALDI mass spectrometry for high-throughput single-organelle characterization. <i>Nature Methods</i> , 2021, 18, 1233-1238.	9.0	51
7	Spatiotemporal biodistribution of $\hat{\alpha}$ -tocopherol is impacted by the source of $^{13}\text{C}$ -labeled $\hat{\alpha}$ -tocopherol in mice following a single oral dose. <i>Nutrition Research</i> , 2021, 93, 79-86.	1.3	0
8	Single-Neuron RNA Modification Analysis by Mass Spectrometry: Characterizing RNA Modification Patterns and Dynamics with Single-Cell Resolution. <i>Analytical Chemistry</i> , 2021, 93, 14537-14544.	3.2	12
9	Removing Formaldehyde-Induced Peptidyl Crosslinks Enables Mass Spectrometry Imaging of Peptide Hormone Distributions from Formalin-Fixed Paraffin-Embedded Tissues. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 22584-22590.	7.2	8
10	Removing Formaldehyde-Induced Peptidyl Crosslinks Enables Mass Spectrometry Imaging of Peptide Hormone Distributions from Formalin-Fixed Paraffin-Embedded Tissues. <i>Angewandte Chemie</i> , 2020, 132, 22773-22779.	1.6	0
11	Single-Cell Classification Using Mass Spectrometry through Interpretable Machine Learning. <i>Analytical Chemistry</i> , 2020, 92, 9338-9347.	3.2	51
12	Quantitative Imprint Mass Spectrometry Imaging of Endogenous Ceramides in Rat Brain Tissue with Kinetic Calibration. <i>Analytical Chemistry</i> , 2020, 92, 6613-6621.	3.2	17
13	Enhanced single-cell metabolomics by capillary electrophoresis electrospray ionization-mass spectrometry with field amplified sample injection. <i>Analytica Chimica Acta</i> , 2020, 1118, 36-43.	2.6	33
14	Multidimensional Top-Down Proteomics of Brain-Region-Specific Mouse Brain Proteoforms Responsive to Cocaine and Estradiol. <i>Journal of Proteome Research</i> , 2019, 18, 3999-4012.	1.8	12
15	Lipid Analysis of 30,000 Individual Rodent Cerebellar Cells Using High-Resolution Mass Spectrometry. <i>Analytical Chemistry</i> , 2019, 91, 7871-7878.	3.2	46
16	Lipid Heterogeneity between Astrocytes and Neurons Revealed by Single-Cell MALDI-MS Combined with Immunocytochemical Classification. <i>Angewandte Chemie</i> , 2019, 131, 5971-5975.	1.6	23
17	Lipid Heterogeneity between Astrocytes and Neurons Revealed by Single-Cell MALDI-MS Combined with Immunocytochemical Classification. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 5910-5914.	7.2	79
18	PACAP and Other Neuropeptide Targets Link Chronic Migraine and Opioid-induced Hyperalgesia in Mouse Models*. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 2447-2458.	2.5	30

#	ARTICLE	IF	CITATIONS
19	<sup>13</sup> C-lutein is differentially distributed in tissues of an adult female rhesus macaque following a single oral administration: a pilot study. <i>Nutrition Research</i> , 2019, 61, 102-108.	1.3	4
20	Top-Down Proteomics Enables Comparative Analysis of Brain Proteoforms Between Mouse Strains. <i>Analytical Chemistry</i> , 2018, 90, 3802-3810.	3.2	27
21	Neuropeptidomics of the Rat Habenular Nuclei. <i>Journal of Proteome Research</i> , 2018, 17, 1463-1473.	1.8	20
22	Expired Epinephrine Maintains Chemical Concentration and Sterility. <i>Prehospital Emergency Care</i> , 2018, 22, 414-418.	1.0	4
23	Optically Guided Single Cell Mass Spectrometry of Rat Dorsal Root Ganglia to Profile Lipids, Peptides and Proteins. <i>ChemPhysChem</i> , 2018, 19, 1180-1191.	1.0	37
24	Gene Network Dysregulation in the Trigeminal Ganglia and Nucleus Accumbens of a Model of Chronic Migraine-Associated Hyperalgesia. <i>Frontiers in Systems Neuroscience</i> , 2018, 12, 63.	1.2	27
25	Multimodal Chemical Analysis of the Brain by High Mass Resolution Mass Spectrometry and Infrared Spectroscopic Imaging. <i>Analytical Chemistry</i> , 2018, 90, 11572-11580.	3.2	53
26	Categorizing Cells on the Basis of their Chemical Profiles: Progress in Single-Cell Mass Spectrometry. <i>Journal of the American Chemical Society</i> , 2017, 139, 3920-3929.	6.6	168
27	Single Cell Profiling Using Ionic Liquid Matrix-Enhanced Secondary Ion Mass Spectrometry for Neuronal Cell Type Differentiation. <i>Analytical Chemistry</i> , 2017, 89, 3078-3086.	3.2	60
28	Quantitative Reflection Imaging for the Morphology and Dynamics of Live <i>Aplysia californica</i> Pedal Ganglion Neurons Cultured on Nanostructured Plasmonic Crystals. <i>Langmuir</i> , 2017, 33, 8640-8650.	1.6	3
29	A unique combination of micronutrients rejuvenates cognitive performance in aged mice. <i>Behavioural Brain Research</i> , 2017, 320, 97-112.	1.2	12
30	MALDI MS Guided Liquid Microjunction Extraction for Capillary Electrophoresis- <sup>13</sup> C Electro-spray Ionization MS Analysis of Single Pancreatic Islet Cells. <i>Analytical Chemistry</i> , 2017, 89, 7765-7772.	3.2	57
31	Carrot solution culture bioproduction of uniformly labeled <sup>13</sup> C-lutein and <i>in vivo</i> dosing in non-human primates. <i>Experimental Biology and Medicine</i> , 2017, 242, 305-315.	1.1	4
32	Dopamine-modified TiO <sub>2</sub> monolith-assisted LDI MS imaging for simultaneous localization of small metabolites and lipids in mouse brain tissue with enhanced detection selectivity and sensitivity. <i>Chemical Science</i> , 2017, 8, 3926-3938.	3.7	72
33	Three-dimensional mesostructures as high-temperature growth templates, electronic cellular scaffolds, and self-propelled microrobots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9455-E9464.	3.3	129
34	Improved identification and quantitation of mature endogenous peptides in the rodent hypothalamus using a rapid conductive sample heating system. <i>Analyst</i> , 2017, 142, 4476-4485.	1.7	18
35	Chiral Measurement of Aspartate and Glutamate in Single Neurons by Large-Volume Sample Stacking Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2017, 89, 12375-12382.	3.2	45
36	Deterministic Integration of Biological and Soft Materials onto 3D Microscale Cellular Frameworks. <i>Advanced Biology</i> , 2017, 1, 1700068.	3.0	18

#	ARTICLE	IF	CITATIONS
37	3D-Printed pHEMA Materials for Topographical and Biochemical Modulation of Dorsal Root Ganglion Cell Response. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 30318-30328.	4.0	32
38	On-Tissue Derivatization via Electrospray Deposition for Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry Imaging of Endogenous Fatty Acids in Rat Brain Tissues. <i>Analytical Chemistry</i> , 2016, 88, 5988-5995.	3.2	93
39	Single Cell Peptide Heterogeneity of Rat Islets of Langerhans. <i>ACS Chemical Biology</i> , 2016, 11, 2588-2595.	1.6	73
40	A neuron-in-capillary platform for facile collection and mass spectrometric characterization of a secreted neuropeptide. <i>Scientific Reports</i> , 2016, 6, 26940.	1.6	15
41	Effects of exercise and dietary epigallocatechin gallate and $\beta$ -alanine on skeletal muscle in aged mice. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 181-190.	0.9	17
42	Free d-Aspartate in Nonmammalian Animals: Detection, Localization, Metabolism, and Function. , 2016, , 173-197.		0
43	Differential peptidomics assessment of strain and age differences in mice in response to acute cocaine administration. <i>Journal of Neurochemistry</i> , 2015, 135, 1038-1048.	2.1	15
44	Lutein and Brain Function. <i>Foods</i> , 2015, 4, 547-564.	1.9	81
45	Mass spectrometry-based characterization of endogenous peptides and metabolites in small volume samples. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015, 1854, 732-740.	1.1	20
46	Classification of Large Cellular Populations and Discovery of Rare Cells Using Single Cell Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2015, 87, 7036-7042.	3.2	78
47	Mass Spectrometry Imaging and GC-MS Profiling of the Mammalian Peripheral Sensory-Motor Circuit. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 958-966.	1.2	10
48	Peptidomics and Secretomics of the Mammalian Peripheral Sensory-Motor System. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 2051-2061.	1.2	14
49	Analysis of endogenous nucleotides by single cell capillary electrophoresis-mass spectrometry. <i>Analyst, The</i> , 2014, 139, 5835-5842.	1.7	73
50	Biomolecular Imaging with a C60-SIMS/MALDI Dual Ion Source Hybrid Mass Spectrometer: Instrumentation, Matrix Enhancement, and Single Cell Analysis. <i>Journal of the American Society for Mass Spectrometry</i> , 2014, 25, 1897-1907.	1.2	61
51	d-Alanine in the islets of Langerhans of rat pancreas. <i>Biochemical and Biophysical Research Communications</i> , 2014, 447, 328-333.	1.0	27
52	Mass Spectrometry-Based Methodologies for Single-Cell Metabolite Detection and Identification. , 2013, , 119-139.		2
53	Automated method for analysis of tryptophan and tyrosine metabolites using capillary electrophoresis with native fluorescence detection. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2451-2459.	1.9	24
54	Stimulation and release from neurons via a dual capillary collection device interfaced to mass spectrometry. <i>Analyst, The</i> , 2013, 138, 6337.	1.7	12

#	ARTICLE	IF	CITATIONS
55	Quantitative Reflection Imaging of Fixed <i>Aplysia californica</i> Pedal Ganglion Neurons on Nanostructured Plasmonic Crystals. <i>Journal of Physical Chemistry B</i> , 2013, 117, 13069-13081.	1.2	10
56	Progress toward single cell metabolomics. <i>Current Opinion in Biotechnology</i> , 2013, 24, 95-104.	3.3	124
57	Qualitative and quantitative metabolomic investigation of single neurons by capillary electrophoresis electrospray ionization mass spectrometry. <i>Nature Protocols</i> , 2013, 8, 783-799.	5.5	116
58	Visualizing the proteome: mapping protein changes in disease states with mass spectrometry imaging. <i>Journal of Neurochemistry</i> , 2013, 124, 581-583.	2.1	3
59	Targeted Single-Cell Microchemical Analysis: MS-Based Peptidomics of Individual Paraformaldehyde-Fixed and Immunolabeled Neurons. <i>Chemistry and Biology</i> , 2012, 19, 1010-1019.	6.2	41
60	Secondary Ion Mass Spectrometry Imaging of Molecular Distributions in Cultured Neurons and Their Processes: Comparative Analysis of Sample Preparation. <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 1931-1938.	1.2	34
61	Single-Cell Metabolomics: Changes in the Metabolome of Freshly Isolated and Cultured Neurons. <i>ACS Chemical Neuroscience</i> , 2012, 3, 782-792.	1.7	67
62	Mass spectrometry imaging and profiling of single cells. <i>Journal of Proteomics</i> , 2012, 75, 5036-5051.	1.2	168
63	A hyphenated optical trap capillary electrophoresis laser induced native fluorescence system for single-cell chemical analysis. <i>Analyst</i> , 2012, 137, 2965.	1.7	18
64	Mechanical Tension Modulates Local and Global Vesicle Dynamics in Neurons. <i>Cellular and Molecular Bioengineering</i> , 2012, 5, 155-164.	1.0	47
65	The modified-bead stretched sample method: Development and application to MALDI-MS imaging of protein localization in the spinal cord. <i>Chemical Science</i> , 2011, 2, 785.	3.7	27
66	Stretched Tissue Mounting for MALDI Mass Spectrometry Imaging. <i>Analytical Chemistry</i> , 2011, 83, 9181-9185.	3.2	15
67	Collection of Peptides Released from Single Neurons with Particle-Embedded Monolithic Capillaries Followed by Detection with Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 9557-9563.	3.2	17
68	Profiling metabolites and peptides in single cells. <i>Nature Methods</i> , 2011, 8, S20-S29.	9.0	311
69	Metabolic Differentiation of Neuronal Phenotypes by Single-cell Capillary Electrophoresis-Electrospray Ionization-Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 6810-6817.	3.2	128
70	MALDI Mass Spectrometry Imaging of Neuronal Cell Cultures. <i>Journal of the American Society for Mass Spectrometry</i> , 2011, 22, 828-36.	1.2	47
71	Synthesis, accumulation, and release of $\alpha$ -aspartate in the <i>Aplysia californica</i> CNS. <i>Journal of Neurochemistry</i> , 2010, 115, 1234-1244.	2.1	20
72	Serotonin and its metabolism in basal deuterostomes: insights from <i>Strongylocentrotus purpuratus</i> and <i>Xenoturbella bocki</i> . <i>Journal of Experimental Biology</i> , 2010, 213, 2647-2654.	0.8	10

#	ARTICLE	IF	CITATIONS
73	Distinct Mechanisms Produce Functionally Complementary Actions of Neuropeptides That Are Structurally Related But Derived from Different Precursors. <i>Journal of Neuroscience</i> , 2010, 30, 131-147.	1.7	50
74	Production of Nitric Oxide within the <i>Aplysia californica</i> Nervous System. <i>ACS Chemical Neuroscience</i> , 2010, 1, 182-193.	1.7	19
75	A Mass Spectrometry Primer for Mass Spectrometry Imaging. <i>Methods in Molecular Biology</i> , 2010, 656, 21-49.	0.4	41
76	Mass Spectrometry Imaging Using the Stretched Sample Approach. <i>Methods in Molecular Biology</i> , 2010, 656, 465-479.	0.4	8
77	Capillary Electrophoresis with Electrospray Ionization Mass Spectrometric Detection for Single-Cell Metabolomics. <i>Analytical Chemistry</i> , 2009, 81, 5858-5864.	3.2	184
78	Characterizing intercellular signaling peptides in drug addiction. <i>Neuropharmacology</i> , 2009, 56, 196-204.	2.0	7
79	MALDI Mass Spectrometric Imaging Using the Stretched Sample Method to Reveal Neuropeptide Distributions in <i>Aplysia</i> Nervous Tissue. <i>Analytical Chemistry</i> , 2009, 81, 9402-9409.	3.2	37
80	SIMS and MALDI MS imaging of the spinal cord. <i>Proteomics</i> , 2008, 8, 3746-3754.	1.3	83
81	Simultaneous nitric oxide and dehydroascorbic acid imaging by combining diamino fluoresceins and diamino rhodamines. <i>Journal of Neuroscience Methods</i> , 2008, 168, 373-382.	1.3	46
82	Detection of nitric oxide in single cells. <i>Analyst</i> , 2008, 133, 423.	1.7	77
83	One-Step Sampling, Extraction, and Storage Protocol for Peptidomics Using Dihydroxybenzoic Acid. <i>Analytical Chemistry</i> , 2008, 80, 3379-3386.	3.2	33
84	Chapter 13 Imaging of Cells and Tissues with Mass Spectrometry. <i>Methods in Cell Biology</i> , 2008, 89, 361-390.	0.5	35
85	Neuropeptidomics of the Supraoptic Rat Nucleus. <i>Journal of Proteome Research</i> , 2008, 7, 4992-5003.	1.8	59
86	Quantitative Measurements of Cell-Cell Signaling Peptides with Single-Cell MALDI MS. <i>Analytical Chemistry</i> , 2008, 80, 7128-7136.	3.2	94
87	Mass Spectrometric Imaging of the Nervous System. <i>Current Pharmaceutical Design</i> , 2007, 13, 3325-3334.	0.9	24
88	Serotonin catabolism in the central and enteric nervous systems of rats upon induction of serotonin syndrome. <i>Journal of Neurochemistry</i> , 2007, 103, 070630082917006-???	2.1	19
89	Transparent triethylamine-containing MALDI matrices. <i>Israel Journal of Chemistry</i> , 2007, 47, 185-193.	1.0	0
90	Characterizing peptides in individual mammalian cells using mass spectrometry. <i>Nature Protocols</i> , 2007, 2, 1987-1997.	5.5	79

#	ARTICLE	IF	CITATIONS
91	Measuring Nitric Oxide in Single Neurons by Capillary Electrophoresis with Laser-Induced Fluorescence: Use of Ascorbate Oxidase in Diaminofluorescein Measurements. <i>Analytical Chemistry</i> , 2006, 78, 1859-1865.	3.2	45
92	Massively Parallel Sample Preparation for the MALDI MS Analyses of Tissues. <i>Analytical Chemistry</i> , 2006, 78, 6826-6832.	3.2	56
93	Profiling Signaling Peptides in Single Mammalian Cells Using Mass Spectrometry. <i>Analytical Chemistry</i> , 2006, 78, 7267-7272.	3.2	96
94	d-Aspartate as a putative cell-cell signaling molecule in the <i>Aplysia californica</i> central nervous system. <i>Journal of Neurochemistry</i> , 2006, 97, 595-606.	2.1	30
95	Ubiquitous presence of argininosuccinate at millimolar levels in the central nervous system of <i>Aplysia californica</i> . <i>Journal of Neurochemistry</i> , 2006, 101, 632-640.	2.1	10
96	Self-assembled monolayers of alkanethiols on gold modulate electrophysiological parameters and cellular morphology of cultured neurons. <i>Biomaterials</i> , 2006, 27, 1665-1669.	5.7	37
97	Confirmation of peak assignments in capillary electrophoresis using immunoprecipitation. <i>Journal of Chromatography A</i> , 2006, 1106, 56-60.	1.8	26
98	A multichannel native fluorescence detection system for capillary electrophoretic analysis of neurotransmitters in single neurons. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 387, 97-105.	1.9	69
99	Identification and characterization of homologues of vertebrate $\beta^2$ -thymosin in the marine mollusk <i>Aplysia californica</i> . <i>Journal of Mass Spectrometry</i> , 2006, 41, 1030-1040.	0.7	25
100	Serotonin Catabolism and the Formation and Fate of 5-Hydroxyindole Thiazolidine Carboxylic Acid. <i>Journal of Biological Chemistry</i> , 2006, 281, 13463-13470.	1.6	29
101	MALDI-MS imaging of features smaller than the size of the laser beam. <i>Journal of the American Society for Mass Spectrometry</i> , 2005, 16, 1654-1659.	1.2	249
102	Imaging mass spectrometry: fundamentals and applications to drug discovery. <i>Drug Discovery Today</i> , 2005, 10, 823-837.	3.2	187
103	The detection of nitrated tyrosine in neuropeptides: a MALDI matrix-dependent response. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 22-27.	1.9	18
104	Measuring d-amino acid-containing neuropeptides with capillary electrophoresis. <i>Analyst</i> , 2005, 130, 1198.	1.7	42
105	Monitoring Activity-Dependent Peptide Release from the CNS Using Single-Bead Solid-Phase Extraction and MALDI TOF MS Detection. <i>Analytical Chemistry</i> , 2005, 77, 1580-1587.	3.2	44
106	Subcellular Analysis of d-Aspartate. <i>Analytical Chemistry</i> , 2005, 77, 7190-7194.	3.2	66
107	Vitamin E Imaging and Localization in the Neuronal Membrane. <i>Journal of the American Chemical Society</i> , 2005, 127, 12152-12153.	6.6	121
108	Engineering the morphology and electrophysiological parameters of cultured neurons by microfluidic surface patterning. <i>FASEB Journal</i> , 2004, 18, 1267-1269.	0.2	42



#	ARTICLE	IF	CITATIONS
109	Measurement of nitric oxide by 4,5-diaminofluorescein without interferences. <i>Analyst, The</i> , 2004, 129, 1200.	1.7	33
110	Characterization of the Physicochemical Parameters of Dense Core Atrial Gland and Lucent Red Hemiduct Vesicles in <i>Aplysia californica</i> . <i>Analytical Chemistry</i> , 2004, 76, 2331-2335.	3.2	11
111	Analysis of serotonin release from single neuron soma using capillary electrophoresis and laser-induced fluorescence with a pulsed deep-UV NeCu laser. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 377, 1007-1013.	1.9	45
112	Spatial Profiling with MALDI MS: Distribution of Neuropeptides within Single Neurons. <i>Analytical Chemistry</i> , 2003, 75, 5374-5380.	3.2	157
113	Single-Neuron Analysis Using CE Combined with MALDI MS and Radionuclide Detection. <i>Analytical Chemistry</i> , 2002, 74, 497-503.	3.2	79
114	Anatomical Correlates of Venom Production in <i>Conus californicus</i> . <i>Biological Bulletin</i> , 2002, 203, 27-41.	0.7	52
115	Atomic Force Microscopy as a Tool for the Investigation of Cellular Cytoplasmic Membrane Dynamics. <i>Microscopy and Microanalysis</i> , 2002, 8, 764-765.	0.2	0
116	Cerebrin prohormone processing, distribution and action in <i>Aplysia californica</i> . <i>Journal of Neurochemistry</i> , 2001, 77, 1569-1580.	2.1	45
117	Direct assay of <i>Aplysia</i> tissues and cells with laser desorption/ionization mass spectrometry on porous silicon. <i>Journal of Mass Spectrometry</i> , 2001, 36, 1317-1322.	0.7	73
118	Analysis of cellular release using capillary electrophoresis and matrix assisted laser desorption/ionization-time of flight-mass spectrometry. <i>Electrophoresis</i> , 2001, 22, 3752-3758.	1.3	56
119	Measuring the peptides in individual organelles with mass spectrometry. <i>Nature Biotechnology</i> , 2000, 18, 172-175.	9.4	131
120	Direct cellular assays using off-line capillary electrophoresis with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. <i>Analyst, The</i> , 2000, 125, 555-562.	1.7	33
121	Peptide Profiling of Cells with Multiple Gene Products: Combining Immunochemistry and MALDI Mass Spectrometry with On-Plate Microextraction. <i>Analytical Chemistry</i> , 2000, 72, 3867-3874.	3.2	52
122	Insulin Prohormone Processing, Distribution, and Relation to Metabolism in <i>Aplysia californica</i> . <i>Journal of Neuroscience</i> , 1999, 19, 7732-7741.	1.7	126
123	Characterization of the <i>Aplysia californica</i> Cerebral Ganglion F Cluster. <i>Journal of Neurophysiology</i> , 1999, 81, 1251-1260.	0.9	38
124	Formation of N-Pyroglutamyl Peptides from N-Glu and N-Gln Precursors in <i>Aplysia</i> Neurons. <i>Journal of Neurochemistry</i> , 1999, 72, 676-681.	2.1	52
125	Independent Optimization of Capillary Electrophoresis Separation and Native Fluorescence Detection Conditions for Indolamine and Catecholamine Measurements. <i>Analytical Chemistry</i> , 1999, 71, 4997-5002.	3.2	99
126	Opposite effects of interleukin-2 and interleukin-4 on GABA-induced inward currents of dialysed <i>Lymnaea</i> neurons. <i>General Pharmacology</i> , 1997, 29, 73-77.	0.7	16



#	ARTICLE	IF	CITATIONS
127	Behavioral changes induced by GABA-receptor agonists in <i>Lymnaea stagnalis</i> L.. <i>General Pharmacology</i> , 1996, 27, 1067-1071.	0.7	15
128	Characterization of the GABA response on identified dialysed <i>Lymnaea</i> neurons. <i>General Pharmacology</i> , 1996, 27, 731-739.	0.7	14
129	Met-enkephalin and morphiceptin modulate a GABA-induced inward current in the CNS of <i>Lymnaea stagnalis</i> L. <i>General Pharmacology</i> , 1996, 27, 1337-1345.	0.7	8
130	Single Cell Mass Spectrometry. , 0, , 109-133.		2
131	Single-Cell Measurements with Mass Spectrometry. , 0, , 269-293.		6