Rik Gosselink

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7393590/publications.pdf

Version: 2024-02-01

207 papers

19,286 citations

63 h-index 135 g-index

215 all docs

215 docs citations

215 times ranked 14099 citing authors

#	Article	IF	CITATIONS
1	An Official American Thoracic Society/European Respiratory Society Statement: Key Concepts and Advances in Pulmonary Rehabilitation. American Journal of Respiratory and Critical Care Medicine, 2013, 188, e13-e64.	5.6	2,668
2	American Thoracic Society/European Respiratory Society Statement on Pulmonary Rehabilitation. American Journal of Respiratory and Critical Care Medicine, 2006, 173, 1390-1413.	5.6	1,644
3	Characteristics of Physical Activities in Daily Life in Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2005, 171, 972-977.	5.6	1,052
4	Early exercise in critically ill patients enhances short-term functional recovery*. Critical Care Medicine, 2009, 37, 2499-2505.	0.9	841
5	An Official American Thoracic Society/European Respiratory Society Statement: Update on Limb Muscle Dysfunction in Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2014, 189, e15-e62.	5.6	793
6	Physical Activity and Hospitalization for Exacerbation of COPD. Chest, 2006, 129, 536-544.	0.8	575
7	Physiotherapy for adult patients with critical illness: recommendations of the European Respiratory Society and European Society of Intensive Care Medicine Task Force on Physiotherapy for Critically Ill Patients. Intensive Care Medicine, 2008, 34, 1188-1199.	8.2	567
8	Recommendations on the use of exercise testing in clinical practice. European Respiratory Journal, 2006, 29, 185-209.	6.7	542
9	Pulmonary Rehabilitation in Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2005, 172, 19-38.	5.6	489
10	Physiotherapy management for COVID-19 in the acute hospital setting: clinical practice		
10	recommendations. Journal of Physiotherapy, 2020, 66, 73-82.	1.7	481
11	short- and long-term effects of outpatient rehabilitation in patients with chronic obstructive pulmonary disease: a randomized trial. American Journal of Medicine, 2000, 109, 207-212.	1.5	464
	Short- and long-term effects of outpatient rehabilitation in patients with chronic obstructive		
11	Short- and long-term effects of outpatient rehabilitation in patients with chronic obstructive pulmonary disease: a randomized trial. American Journal of Medicine, 2000, 109, 207-212. Impact of inspiratory muscle training in patients with COPD: what is the evidence?. European	1.5	464
11 12	Short- and long-term effects of outpatient rehabilitation in patients with chronic obstructive pulmonary disease: a randomized trial. American Journal of Medicine, 2000, 109, 207-212. Impact of inspiratory muscle training in patients with COPD: what is the evidence?. European Respiratory Journal, 2011, 37, 416-425. Acute Outcomes and 1-Year Mortality of Intensive Care Unit–acquired Weakness. A Cohort Study and Propensity-matched Analysis. American Journal of Respiratory and Critical Care Medicine, 2014, 190,	1.5 6.7	464 395
11 12 13	Short- and long-term effects of outpatient rehabilitation in patients with chronic obstructive pulmonary disease: a randomized trial. American Journal of Medicine, 2000, 109, 207-212. Impact of inspiratory muscle training in patients with COPD: what is the evidence?. European Respiratory Journal, 2011, 37, 416-425. Acute Outcomes and 1-Year Mortality of Intensive Care Unit–acquired Weakness. A Cohort Study and Propensity-matched Analysis. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 410-420. Quantifying physical activity in daily life with questionnaires and motion sensors in COPD. European	1.5 6.7 5.6	395 390
11 12 13	Short- and long-term effects of outpatient rehabilitation in patients with chronic obstructive pulmonary disease: a randomized trial. American Journal of Medicine, 2000, 109, 207-212. Impact of inspiratory muscle training in patients with COPD: what is the evidence? European Respiratory Journal, 2011, 37, 416-425. Acute Outcomes and 1-Year Mortality of Intensive Care Unit–acquired Weakness. A Cohort Study and Propensity-matched Analysis. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 410-420. Quantifying physical activity in daily life with questionnaires and motion sensors in COPD. European Respiratory Journal, 2006, 27, 1040-1055. An Official American Thoracic Society Clinical Practice Guideline: The Diagnosis of Intensive Care Unit–acquired Weakness in Adults. American Journal of Respiratory and Critical Care Medicine, 2014,	1.5 6.7 5.6 6.7	395 390 381
11 12 13 14	Short- and long-term effects of outpatient rehabilitation in patients with chronic obstructive pulmonary disease: a randomized trial. American Journal of Medicine, 2000, 109, 207-212. Impact of inspiratory muscle training in patients with COPD: what is the evidence?. European Respiratory Journal, 2011, 37, 416-425. Acute Outcomes and 1-Year Mortality of Intensive Care Unit–acquired Weakness. A Cohort Study and Propensity-matched Analysis. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 410-420. Quantifying physical activity in daily life with questionnaires and motion sensors in COPD. European Respiratory Journal, 2006, 27, 1040-1055. An Official American Thoracic Society Clinical Practice Guideline: The Diagnosis of Intensive Care Unit–acquired Weakness in Adults. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 1437-1446.	1.5 6.7 5.6 6.7	395 390 381 338

#	Article	IF	Citations
19	Resistance Training Prevents Deterioration in Quadriceps Muscle Function During Acute Exacerbations of Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2010, 181, 1072-1077.	5.6	224
20	Activity Monitoring for Assessment of Physical Activities in Daily Life in Patients With Chronic Obstructive Pulmonary Disease. Archives of Physical Medicine and Rehabilitation, 2005, 86, 1979-1985.	0.9	205
21	Skeletal muscle weakness, exercise tolerance and physical activity in adults with cystic fibrosis. European Respiratory Journal, 2009, 33, 99-106.	6.7	202
22	Exercise Training in COPD: How to Distinguish Responders from Nonresponders. Journal of Cardiopulmonary Rehabilitation and Prevention, 2001, 21, 10-17.	0.5	174
23	Standardizing the Analysis of Physical Activity in Patients With COPD Following a Pulmonary Rehabilitation Program. Chest, 2014, 146, 318-327.	0.8	172
24	Distribution of Muscle Weakness in Patients With Stable Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2000, 20, 353-360.	0.5	170
25	Physiotherapy in the intensive care unit: an evidence-based, expert driven, practical statement and rehabilitation recommendations. Clinical Rehabilitation, 2015, 29, 1051-1063.	2.2	164
26	Daily physical activity in subjects with newly diagnosed COPD. Thorax, 2013, 68, 962-963.	5.6	162
27	Respiratory muscle weakness and respiratory muscle training in severely disabled multiple sclerosis patients. Archives of Physical Medicine and Rehabilitation, 2000, 81, 747-751.	0.9	141
28	Assessment of Limb Muscle Strength in Critically Ill Patients. Critical Care Medicine, 2014, 42, 701-711.	0.9	137
29	Exercise Training After Lung Transplantation Improves Participation in Daily Activity: A Randomized Controlled Trial. American Journal of Transplantation, 2012, 12, 1584-1592.	4.7	134
30	Mechanisms of Improvement in Exercise Capacity Using a Rollator in Patients With COPD. Chest, 2004, 126, 1102-1107.	0.8	127
31	Incentive spirometry does not enhance recovery after thoracic surgery. Critical Care Medicine, 2000, 28, 679-683.	0.9	114
32	Skeletal Muscle Force and Functional Exercise Tolerance Before and After Lung Transplantation: A Cohort Study. American Journal of Transplantation, 2008, 8, 1275-1281.	4.7	114
33	Five-year impact of ICU-acquired neuromuscular complications: a prospective, observational study. Intensive Care Medicine, 2020, 46, 1184-1193.	8.2	112
34	Validation of two activity monitors in patients with COPD. Thorax, 2009, 64, 641-642.	5.6	108
35	Exercise training and pulmonary rehabilitation: new insights and remaining challenges. European Respiratory Review, 2010, 19, 24-29.	7.1	107
36	Inspiratory muscle training reduces diaphragm activation and dyspnea during exercise in COPD. Journal of Applied Physiology, 2018, 125, 381-392.	2.5	104

3

#	Article	IF	CITATIONS
37	Markers of inflammation and disuse in vastus lateralis of chronic obstructive pulmonary disease patients. European Journal of Clinical Investigation, 2007, 37, 897-904.	3.4	103
38	Controlled breathing and dyspnea in patients with chronic obstructive pulmonary disease (COPD). Journal of Rehabilitation Research and Development, 2003, 40, 25.	1.6	103
39	Effectiveness of exercise training in patients with COPD: the role of muscle fatigue. European Respiratory Journal, 2012, 40, 338-344.	6.7	101
40	The development of a clinical management algorithm for early physical activity and mobilization of critically ill patients: synthesis of evidence and expert opinion and its translation into practice. Clinical Rehabilitation, 2011, 25, 771-787.	2.2	97
41	Feasibility of neuromuscular electrical stimulation in critically ill patients. Journal of Critical Care, 2014, 29, 1082-1088.	2.2	97
42	A clinical practice guideline for physiotherapists treating patients with chronic obstructive pulmonary disease based on a systematic review of available evidence. Clinical Rehabilitation, 2009, 23, 445-462.	2.2	95
43	Risk Factors and Comorbidities in the Preclinical Stages of Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 30-38.	5.6	93
44	Intensive care unit acquired muscle weakness in COVID-19 patients. Intensive Care Medicine, 2020, 46, 2083-2085.	8.2	93
45	Cardiopulmonary stress during exercise training in patients with COPD. European Respiratory Journal, 2006, 27, 1110-1118.	6.7	92
46	Respiratory muscle training in persons with spinal cord injury: A systematic review. Respiratory Medicine, 2006, 100, 1886-1895.	2.9	88
47	Efficacy of a Novel Method for Inspiratory Muscle Training in People With Chronic Obstructive Pulmonary Disease. Physical Therapy, 2015, 95, 1264-1273.	2.4	88
48	Physical Activity in Daily Life 1 Year After Lung Transplantation. Journal of Heart and Lung Transplantation, 2009, 28, 572-578.	0.6	85
49	Exercise training during rehabilitation of patients with COPD: A current perspective. Patient Education and Counseling, 2004, 52, 243-248.	2.2	82
50	Respiratory muscle weakness and respiratory muscle training in severely disabled multiple sclerosis patients. Archives of Physical Medicine and Rehabilitation, 2000, 81, 747-751.	0.9	81
51	The Acute Effects of Noninvasive Ventilatory Support During Exercise on Exercise Endurance and Dyspnea in Patients With Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2002, 22, 290-297.	0.5	80
52	Quadriceps muscle endurance in patients with chronic obstructive pulmonary disease. Muscle and Nerve, 2004, 29, 267-274.	2.2	79
53	Constant-load Cycle Endurance Performance. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003, 23, 143-150.	0.5	77
54	The interobserver agreement of handheld dynamometry for muscle strength assessment in critically ill patients. Critical Care Medicine, 2011, 39, 1929-1934.	0.9	75

#	Article	IF	CITATIONS
55	Course length of 30 metres versus 10 metres has a significant influence on six-minute walk distance in patients with COPD: an experimental crossover study. Journal of Physiotherapy, 2013, 59, 169-176.	1.7	74
56	Short- and long-term recovery of upper limb function after axillary lymph node dissection. European Journal of Cancer Care, 2011, 20, 77-86.	1,5	72
57	Randomised controlled trial of adjunctive inspiratory muscle training for patients with COPD. Thorax, 2018, 73, 942-950.	5.6	71
58	COVID-19 and pulmonary rehabilitation: preparing for phase three. European Respiratory Journal, 2020, 55, 2001822.	6.7	71
59	Recovery of upper limb function after axillary dissection. Journal of Surgical Oncology, 2003, 83, 204-211.	1.7	68
60	Psychosocial Conditions Do Not Affect Short-Term Outcome of Multidisciplinary Rehabilitation in Chronic Obstructive Pulmonary Disease. Archives of Physical Medicine and Rehabilitation, 2005, 86, 1788-1792.	0.9	68
61	The effects of elastic tubing-based resistance training compared with conventional resistance training in patients with moderate chronic obstructive pulmonary disease: a randomized clinical trial. Clinical Rehabilitation, 2014, 28, 1096-1106.	2.2	68
62	Inspiratory muscle training protocol for patients with chronic obstructive pulmonary disease (IMTCO study): a multicentre randomised controlled trial. BMJ Open, 2013, 3, e003101.	1.9	67
63	Gene Expression Profiling in Vastus Lateralis Muscle During an Acute Exacerbation of COPD. Cellular Physiology and Biochemistry, 2010, 25, 491-500.	1.6	64
64	Functional recovery of diaphragm paralysis: A long-term follow-up study. Respiratory Medicine, 2008, 102, 690-698.	2.9	62
65	Nonlinear Exercise Training in Advanced Chronic Obstructive Pulmonary Disease Is Superior to Traditional Exercise Training. A Randomized Trial. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 193-200.	5.6	60
66	Prospective longitudinal evaluation of hospitalised COVID-19 survivors 3 and 12 months after discharge. ERJ Open Research, 2022, 8, 00004-2022.	2.6	58
67	Physical activity and physical fitness in lymphoma patients before, during, and after chemotherapy: a prospective longitudinal study. Annals of Hematology, 2014, 93, 411-424.	1.8	55
68	Rehabilitation and acute exacerbations. European Respiratory Journal, 2011, 38, 702-712.	6.7	51
69	Five-year mortality and morbidity impact of prolonged versus brief ICU stay: a propensity score matched cohort study. Thorax, 2019, 74, 1037-1045.	5.6	49
70	Physical Activity Counselling during Pulmonary Rehabilitation in Patients with COPD: A Randomised Controlled Trial. PLoS ONE, 2015, 10, e0144989.	2.5	46
71	Predictive value for weakness and 1-year mortality of screening electrophysiology tests in the ICU. Intensive Care Medicine, 2015, 41, 2138-2148.	8.2	46
72	Respiratory muscle function and exercise limitation in patients with chronic obstructive pulmonary disease: a review. Expert Review of Respiratory Medicine, 2018, 12, 67-79.	2.5	46

#	Article	IF	CITATIONS
73	Preoperative inspiratory muscle training to prevent postoperative pulmonary complications in patients undergoing esophageal resection (PREPARE study): study protocol for a randomized controlled trial. Trials, 2014, 15, 144.	1.6	43
74	Low-Grade Systemic Inflammation and the Response to Exercise Training in Patients With Advanced COPD. Chest, 2005, 128, 3183-3190.	0.8	40
75	Chronic Obstructive Pulmonary Disease and Chronic Heart Failure. Journal of Cardiopulmonary Rehabilitation and Prevention, 2004, 24, 137-145.	0.5	39
76	RhDNase before airway clearance therapy improves airway patency in children with CF. Pediatric Pulmonology, 2007, 42, 624-630.	2.0	39
77	Impact of exacerbations of cystic fibrosis on muscle strength. Respiratory Research, 2013, 14, 46.	3.6	37
78	Survival after pulmonary rehabilitation in patients with COPD: impact of functional exercise capacity and its changes. International Journal of COPD, 2016, Volume 11, 2671-2679.	2.3	37
79	Inspiratory muscle training improves breathing pattern during exercise in COPD patients. European Respiratory Journal, 2016, 47, 1261-1264.	6.7	37
80	PossÃveis conseqüências de não se atingir a mÃnima atividade fÃsica diária recomendada em pacientes com doença pulmonar obstrutiva cronica estável. Jornal Brasileiro De Pneumologia, 2006, 32, 301-308.	0.7	37
81	Assessment of quadriceps muscle mass with ultrasound in critically ill patients: intra- and inter-observer agreement and sensitivity. Intensive Care Medicine, 2015, 41, 562-563.	8.2	36
82	Respiratory Muscle Rehabilitation in Patients with Prolonged Mechanical Ventilation: A Targeted Approach. Critical Care, 2020, 24, 103.	5.8	36
83	Moderate Intense Physical Activity Depends on Selected Metabolic Equivalent of Task (MET) Cut-Off and Type of Data Analysis. PLoS ONE, 2013, 8, e84365.	2.5	35
84	Six-Minute Walk Test: A Valuable Test, When Properly Standardized. Physical Therapy, 2002, 82, 826-828.	2.4	33
85	Patients with acute spinal cord injury benefit from normocapnic hyperpnoea training. Acta Dermato-Venereologica, 2008, 40, 119-125.	1.3	33
86	The first reference equations for the 6-minute walk distance over a 10 m course: TableÂ1. Thorax, 2014, 69, 867-868.	5.6	33
87	Potential consequences for stable chronic obstructive pulmonary disease patients who do not get the recommended minimum daily amount of physical activity . Jornal Brasileiro De Pneumologia, 2006, 32, 301-8.	0.7	33
88	Physical activity, physical fitness and the effect of exercise training interventions in lymphoma patients: a systematic review. Annals of Hematology, 2013, 92, 1007-1021.	1.8	32
89	COVID-19 recovery: benefits of multidisciplinary respiratory rehabilitation. BMJ Open Respiratory Research, 2021, 8, e000837.	3.0	32
90	Physiotherapy management for COVID-19 in the acute hospital setting and beyond: an update to clinical practice recommendations. Journal of Physiotherapy, 2022, 68, 8-25.	1.7	31

#	Article	IF	CITATIONS
91	Physical Activity of Patients with COPD from Regions with Different Climatic Variations. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2017, 14, 276-283.	1.6	30
92	Increased mechanical cost of walking in children with diplegia: The role of the passenger unit cannot be neglected. Research in Developmental Disabilities, 2012, 33, 1996-2003.	2.2	29
93	Physical Therapist Management of COVID-19 in the Intensive Care Unit: The West China Hospital Experience. Physical Therapy, 2021, 101, .	2.4	29
94	A guided approach to diagnose severe muscle weakness in the intensive care unit. Revista Brasileira De Terapia Intensiva, 2015, 27, 199-201.	0.3	28
95	Age-related changes in mechanical and metabolic energy during typical gait. Gait and Posture, 2010, 31, 495-501.	1.4	27
96	Low Load Inspiratory Muscle Training Increases Diaphragmatic Fiber Dimensions in Rats. American Journal of Respiratory and Critical Care Medicine, 1998, 157, 833-839.	5.6	26
97	Weaning failure and respiratory muscle function: What has been done and what can be improved?. Respiratory Medicine, 2018, 134, 54-61.	2.9	26
98	Translating COVID-19 Evidence to Maximize Physical Therapists' Impact and Public Health Response. Physical Therapy, 2020, 100, 1458-1464.	2.4	26
99	ICU-based rehabilitation and its appropriate metrics. Current Opinion in Critical Care, 2012, 18, 533-539.	3.2	25
100	Discrepancy between functional exercise capacity and daily physical activity: a cross-sectional study in patients with mild to moderate COPD. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, 425-430.	2.3	24
101	Hypogonadism in male outpatients with sarcoidosis. Respiratory Medicine, 2007, 101, 2502-2510.	2.9	23
102	Recombinant human DNase nebulisation in children with cystic fibrosis: before bedtime or after waking up?. European Respiratory Journal, 2007, 30, 763-768.	6.7	22
103	Differences in Respiratory Muscle Responses to Hyperpnea or Loaded Breathing in COPD. Medicine and Science in Sports and Exercise, 2020, 52, 1126-1134.	0.4	22
104	Introduction of the harmonised respiratory physiotherapy curriculum. Breathe, 2019, 15, 110-115.	1.3	21
105	Respiratory muscle training for multiple sclerosis. The Cochrane Library, 2017, 2017, CD009424.	2.8	20
106	Early Neuromuscular Electrical Stimulation in Addition to Early Mobilization Improves Functional Status and Decreases Hospitalization Days of Critically Ill Patients. Critical Care Medicine, 2022, 50, 1116-1126.	0.9	19
107	Physical Activity and Risk of Lymphoma: A Meta-Analysis. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1173-1184.	2.5	18
108	Can inspiratory muscle training improve weaning outcomes in difficult to wean patients? A protocol for a randomised controlled trial (IMweanT study). BMJ Open, 2018, 8, e021091.	1.9	18

#	Article	IF	Citations
109	Aerobic exercise capacity in long-term survivors of critical illness: secondary analysis of the post-EPaNIC follow-up study. Intensive Care Medicine, 2021, 47, 1462-1471.	8.2	17
110	A core syllabus for post-graduate training in respiratory physiotherapy. Breathe, 2014, 10, 220-228.	1.3	16
111	Early neuromuscular electrical stimulation reduces the loss of muscle mass in critically ill patients $\hat{a} \in A$ within subject randomized controlled trial. Journal of Critical Care, 2021, 62, 65-71.	2.2	16
112	High-intensity exercise impairs extradiaphragmatic respiratory muscle perfusion in patients with COPD. Journal of Applied Physiology, 2021, 130, 325-341.	2.5	16
113	Brain Activations to Dyspnea in Patients With COPD. Frontiers in Physiology, 2020, 11, 7.	2.8	15
114	Impact of COVID-19: urging a need for multi-domain assessment of COVID-19 inpatients. European Geriatric Medicine, 2021, 12, 741-748.	2.8	15
115	Should we abandon manual muscle strength testing in the ICU?. Critical Care, 2011, 15, 127.	5.8	14
116	Mechanical energy estimation during walking: Validity and sensitivity in typical gait and in children with cerebral palsy. Gait and Posture, 2012, 35, 231-237.	1.4	14
117	Exacerbations in patients with chronic obstructive pulmonary disease receiving physical therapy: a cohort-nested randomised controlled trial. BMC Pulmonary Medicine, 2014, 14, 71.	2.0	13
118	Development, Validity and Reliability of the Londrina Activities of Daily Living Protocol for Subjects With COPD. Respiratory Care, 2017, 62, 288-297.	1.6	13
119	The minimal important difference of the pulmonary functional status and dyspnea questionnaire in patients with severe chronic obstructive pulmonary disease. Respiratory Research, 2013, 14, 58.	3.6	11
120	Five-year outcome of respiratory muscle weakness at intensive care unit discharge: secondary analysis of a prospective cohort study. Thorax, 2021, 76, 561-567.	5.6	11
121	Six-minute walk test: a valuable test, when properly standardized. Physical Therapy, 2002, 82, 826-7; author reply 827-8.	2.4	11
122	Guidelines for Physiotherapeutic Management in Chronic Obstructive Pulmonary Disease (COPD). Physical Therapy Reviews, 2000, 5, 59-74.	0.8	10
123	Training Specificity of Inspiratory Muscle Training Methods: A Randomized Trial. Frontiers in Physiology, 2020, 11, 576595.	2.8	10
124	Development of a syllabus for postgraduate respiratory physiotherapy education: the Respiratory Physiotherapy HERMES project. European Respiratory Journal, 2015, 45, 1221-1223.	6.7	9
125	Efficacy of a physical exercise training programme COPD in primary care: study protocol of a randomized controlled trial. BMC Public Health, 2014, 14, 788.	2.9	8
126	Recovery from ICU-acquired weakness; do not forget the respiratory muscles!. Thorax, 2016, 71, 779-780.	5.6	8

#	Article	IF	CITATIONS
127	Use of a Home-Based Manual as Part of a Pulmonary Rehabilitation Program. Respiratory Care, 2018, 63, 1485-1491.	1.6	8
128	Comparison Between Manual and (Semi-)Automated Analyses of Esophageal Diaphragm Electromyography During Endurance Cycling in Patients With COPD. Frontiers in Physiology, 2019, 10, 885.	2.8	8
129	Effectiveness of an exercise training programme COPD in primary care: A randomized controlled trial. Respiratory Medicine, 2020, 165, 105943.	2.9	8
130	High-dose lidocaine reduces airway mucus transport velocity in intubated anesthetized dogs. Respiratory Medicine, 2006, 100, 258-263.	2.9	7
131	Oxygen Desaturation in Daily Life and During a Laboratory-Based Protocol of Activities of Daily Living in COPD: Is There Relationship?. Lung, 2018, 196, 19-26.	3.3	7
132	Assessing the effectsÂof inspiratory muscle trainingÂin aÂpatient with unilateral diaphragmÂdysfunction. Breathe, 2019, 15, e90-e96.	1.3	7
133	High-Intensity Inspiratory Muscle Training Improves Scalene and Sternocleidomastoid Muscle Oxygenation Parameters in Patients With Weaning Difficulties: A Randomized Controlled Trial. Frontiers in Physiology, 2022, 13, 786575.	2.8	7
134	Experiences of physiotherapists involved in front-line management of patients with COVID-19 in Nigeria: a qualitative study. BMJ Open, 2022, 12, e060012.	1.9	7
135	Physiotherapy in respiratory disease. Breathe, 2006, 3, 30-39.	1.3	5
136	Rehabilitation in Intensive Care., 2018,, 349-365.		5
137	A guide for respiratory physiotherapy postgraduate education: presentation ofÂthe harmonised curriculum. European Respiratory Journal, 2019, 53, 1900320.	6.7	5
138	Early mobilization in clinical practice: the reliability and feasibility of the â€~Start To Move' Protocol. Physiotherapy Theory and Practice, 2022, 38, 908-918.	1.3	4
139	Why COVID-19 strengthens the case to scale up assault on non-communicable diseases: role of health professionals including physical therapists in mitigating pandemic waves. AIMS Public Health, 2021, 8, 369-375.	2.6	4
140	Measurement validity of an electronic training device to assess breathing characteristics during inspiratory muscle training in patients with weaning difficulties. PLoS ONE, 2021, 16, e0255431.	2.5	4
141	An Update on Cardiorespiratory Physiotherapy during Mechanical Ventilation. Seminars in Respiratory and Critical Care Medicine, 2022, 43, 390-404.	2.1	4
142	Peripheral Muscle Strength Training in Patients With COPD. Chest, 2004, 125, 1589-1590.	0.8	3
143	Pulmonary rehabilitation in chronic obstructive pulmonary disease. Respiratory Medicine: COPD Update, 2007, 3, 57-64.	0.0	3
144	High-Intensity Training for 6 Months Safely, but Only Temporarily, Improves Exercise Capacity in Selected Solid Organ Transplant Recipients. Transplantation Proceedings, 2021, 53, 1836-1845.	0.6	3

#	Article	IF	Citations
145	Immuno-modulation with lifestyle behaviour change to reduce SARS-CoV-2 susceptibility and COVID-19 severity: goals consistent with contemporary physiotherapy practice. Physiotherapy, 2022, 114, 63-67.	0.4	3
146	Inspiratory muscle training in intensive care unit patients: An international cross-sectional survey of physiotherapist practice. Australian Critical Care, 2022, 35, 527-534.	1.3	3
147	Guia prático sobre o tratamento fisioterápico em pacientes com Doença Pulmonar Obstrutiva Crônica (DPOC): unindo evidências cientÃficas e prática clÃnica. Brazilian Journal of Physical Therapy, 2009, 13, .	2.5	3
148	Does inspiratory muscle training (IMT) reduce depression in patients with COPD?., 2019,,.		3
149	Acute inflammatory and anabolic systemic responses to peak and constant-work-rate exercise bout in hospitalized patients with COPD. International Journal of COPD, 2007, 2, 575-83.	2.3	3
150	Feasibility of Chest Wall and Diaphragm Proprioceptive Neuromuscular Facilitation (PNF) Techniques in Mechanically Ventilated Patients. International Journal of Environmental Research and Public Health, 2022, 19, 960.	2.6	3
151	Physical activity in patients with cystic fibrosis: a new variable in the health-status equation unravelled?. European Respiratory Journal, 2006, 28, 678-679.	6.7	2
152	British Thoracic Society guideline on pulmonary rehabilitation in adults: does objectivity have a sliding scale?. Thorax, 2014, 69, 387-388.	5.6	2
153	Authors' response: what determines which 6MWT is conventional?. Thorax, 2015, 70, 86.2-87.	5.6	2
154	Why does oxygen supplementation during exercise training in COPD patients with exercise-induced desaturation not consistently improve exercise capacity?. European Respiratory Journal, 2019, 54, 1901586.	6.7	2
155	Evolution of Functional Exercise Capacity in Lung Transplant Patients With and Without Bronchiolitis Obliterans Syndrome: A Longitudinal Case–Control Study. Archivos De Bronconeumologia, 2019, 55, 239-245.	0.8	2
156	Inspiratory muscle training for patients with chronic obstructive pulmonary disease (IMTCO study): A multicentre randomised controlled trial. , 2016 , , .		2
157	Can gait efficiency be fully normalized in healthy growing boys and girls?. Gait and Posture, 2006, 24, S200-S201.	1.4	1
158	Grading Recommendations. Chest, 2008, 133, 830.	0.8	1
159	Clinician's Commentary. Physiotherapy Canada Physiotherapie Canada, 2010, 62, 163-164.	0.6	1
160	Effectiveness of a physical exercise training programme COPD in primary care: A randomized controlled trial., 2015,,.		1
161	Balance status and falls of patients with COPD referred to pulmonary rehabilitation: Preliminary results., 2015,,.		1
162	Late Breaking Abstract - Heterogeneity of metabolism and activation in lower limb muscles during exercise in COPD: a preliminary data analysis., 2019,,.		1

#	Article	IF	CITATIONS
163	Lung volume and flow specificity of two inspiratory muscle training protocols., 2019,,.		1
164	The impact of disease-specific fear on the neural processing of respiratory sensations and physical activity in COPD. , 2019 , , .		1
165	The importance of physical activity. , 0, , 224-239.		1
166	Complementary inspiratory muscle training during pulmonary rehabilitation in COPD patients with inspiratory muscle weakness $\hat{a} \in A$ subgroup analysis of a randomized, controlled trial (IMTCO study)., 2017,,.		1
167	A multicentre randomised controlled trial of inspiratory muscle training for patients with chronic obstructive pulmonary disease (IMTCO study)., 2017,,.		1
168	Effects of inspiratory muscle training (IMT) on dyspnea, respiratory muscle function and respiratory muscle activation in patients with COPD during endurance cycling. , 2019, , .		1
169	Appraisal of Clinical Practice Guideline: Physical Frailty: ICFSR International Clinical Practice Guidelines for Identification and Management. Journal of Physiotherapy, 2022, 68, 75.	1.7	1
170	Deconditioning, and Principles of Training., 2002, 32, 60-71.		0
171	Ask the expert: Exercise and rehabilitation. Breathe, 2007, 3, 338-340.	1.3	O
172	Phenotypic Variation in Patients with Chronic Obstructive Pulmonary Disease in Primary Care. BioMed Research International, 2016, 2016, 1-9.	1.9	0
173	Evolution of Functional Exercise Capacity in Lung Transplant Patients With and Without Bronchiolitis Obliterans Syndrome: A Longitudinal Case–Control Study. Archivos De Bronconeumologia, 2019, 55, 239-245.	0.8	0
174	Detailing the mechanisms of chronic dyspnea in patients during cardiopulmonary exercise testing. Jornal Brasileiro De Pneumologia, 2021, 47, e20210014-e20210014.	0.7	0
175	Appraisal of Clinical Practice Guideline: Developing clinical practice guidelines for physiotherapists working with people with inherited bleeding disorders. Journal of Physiotherapy, 2021, 67, 223.	1.7	0
176	13 Respiratoire revalidatie bij oudere patiënten met chronisch obstructief longlijden. , 2008, , 188-201.		0
177	Pulmonary Rehabilitation., 2008, , 543-549.		0
178	16 Kinesitherapie bij de kritiek zieke patiënt. , 2011, , 240-263.		0
179	4 Fysieke (in)activiteit bij patiūnten met chronisch obstructief longlijden. , 2011, , 80-91.		0
180	Changes in breathing pattern at comparable levels of ventilation after inspiratory muscle training in COPD patients with inspiratory muscle weakness. , 2015, , .		0

#	Article	IF	CITATIONS
181	Summer-winter variability of physical activity in daily life: comparison between Brazilian and Belgian patients with COPD. , $2016, \ldots$		O
182	Relation between training quality, improvements in inspiratory muscle function, and changes in exercise capacity following an inspiratory muscle training intervention (IMTCO study). , 2017, , .		0
183	Assessment of respiratory muscle strength with two different methods in individuals with Mucopolysacchariosis type VI: a pilot study. , 2017, , .		0
184	Inspiratory muscle training with tapered flow resistive loading versus mechanical threshold loading in ICU difficult to wean patients: a pilot study. , 2017 , , .		0
185	The impact of dyspnea catastrophizing on the neural processing of respiratory sensations in patients with COPD , 2018, , .		0
186	Comparison between manual and automated analyses of esophageal diaphragm electromyography during endurance cycling in patients with COPD. , $2018, , .$		0
187	Inspiratory muscle effort, perfusion and oxygenation responses to inspiratory muscle training (IMT) with Tapered Flow Resistive Loading (TFRL) and Normocapnic Hyperpnea (NH) in COPD, 2018, , .		0
188	Physical activity in patients with COPD: a reference frame based on functional capacity. , 2018, , .		0
189	Early NeuroMuscular Electrical Stimulation reduces muscle mass loss in Critically III patients , 2018, , .		0
190	Inspiratory muscle training decreases ankle proprioceptive use during balance control in patients with COPD. , 2018, , .		0
191	Modalities for Physical Rehabilitation. Lessons From the ICU, 2020, , 277-293.	0.1	0
192	Inspiratory muscle training (IMT) in unilateral diaphragmatic dysfunction: case reports., 2019,,.		0
193	The effects of inspiratory muscle training (IMT) with Tapered Flow Resistive Loading (TFRL) on breathing characteristics and inspiratory muscle oxygenation during weaning: a preliminary data analysis. , 2019, , .		0
194	Respiratory muscle activation, breathing pattern and respiratory muscle oxygen availability during Tapered Flow Resistive Loading and Normocapnic Hyperpnea in COPD. , 2019, , .		0
195	Evolution of inspiratory muscle training in patients with weaning difficulties. , 2019, , .		0
196	Diaphragm function during exercise in unilateral diaphragmatic dysfunction., 2019,,.		0
197	Measurement validity of an electronic inspiratory loading device during inspiratory muscle training in weaning failure patients>. , 2020, , .		0
198	Mechanisms of exertional dyspnea in unilateral diaphragmatic dysfunction. , 2020, , .		0

#	ARTICLE	lF	CITATIONS
199	Cerebral cortex and respiratory muscle perfusion and oxygenation responses between patients failing or succeeding the SBT. , 2020, , .		0
200	Cerebral cortex and respiratory muscles perfusion during spontaneous breathing attempts in ventilated patients and its relation to weaning outcomes: a protocol for a prospective observational study. BMJ Open, 2019, 9, e031072.	1.9	0
201	Does the diaphragm contribute to balance control in patients with COPD?., 2021,,.		0
202	Inspiratory muscle training improves muscle oxygenation and efficiency of extradiaphragmatic inspiratory muscles in difficult to wean (DTW) patients. , 2021, , .		0
203	Inspiratory muscle training with tapered flow resistive loading versus mechanical threshold loading in difficult to wean patients. , 2020, , .		0
204	Measurement validity of an electronic inspiratory loading device during inspiratory muscle training in weaning failure patients. , 2020, , .		0
205	Respiratory muscle perfusion limitations and dyspnoea during cycling in chronic obstructive pulmonary disease. , 2020, , .		0
206	Enhanced balance strategy after inspiratory muscle training in patients with COPD, an interim analysis. , 2020, , .		0
207	Appraisal of Clinical Practice Guideline: Physiotherapy for epidermolysis bullosa. Journal of Physiotherapy, 2022, , .	1.7	0