List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7394483/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The impact of pre-existing conditions and perceived health status on mental health during the COVID-19 pandemic. Journal of Public Health, 2022, 44, e88-e95.	1.8	25
2	An international multicenter matched cohort analysis of incidental meningioma progression during active surveillance or after stereotactic radiosurgery: the IMPASSE study. Neuro-Oncology, 2022, 24, 116-124.	1.2	37
3	Sonodynamic therapy for gliomas. Journal of Neuro-Oncology, 2022, 156, 1-10.	2.9	25
4	Clinical and radiologic outcomes after stereotactic radiosurgery for meningiomas in direct contact with the optic apparatus: an international multicenter study. Journal of Neurosurgery, 2022, 136, 1070-1076.	1.6	5
5	Stereotactic radiosurgery for prostate cancer cerebral metastases: an international multicenter study. Journal of Neurosurgery, 2022, 136, 1307-1313.	1.6	3
6	Stereotactic radiosurgery for glioblastoma considering tumor genetic profiles: an international multicenter study. Journal of Neurosurgery, 2022, 137, 42-50.	1.6	4
7	Psychometric properties of The COVIDâ€19 Fears Questionnaire for Chronic Medical Conditions in patients with preâ€existing medical conditions. Health and Social Care in the Community, 2022, 30, .	1.6	6
8	Stereotactic radiosurgery for Rathke's cleft cysts: an international multicenter study. Journal of Neurosurgery, 2022, 137, 1041-1046.	1.6	2
9	Predictive value of baseline cognitive functioning on health-related quality of life in individuals with coronary artery disease: a 5-year longitudinal study. European Journal of Cardiovascular Nursing, 2022, 21, 473-482.	0.9	3
10	Comparison of Active Surveillance to Stereotactic Radiosurgery for the Management of Patients with an Incidental Frontobasal Meningioma—A Sub-Analysis of the IMPASSE Study. Cancers, 2022, 14, 1300.	3.7	4
11	Stereotactic Radiosurgery Compared With Active Surveillance for Asymptomatic, Parafalcine, and Parasagittal Meningiomas: A Matched Cohort Analysis From the IMPASSE Study. Neurosurgery, 2022, Publish Ahead of Print, .	1.1	8
12	Thyroid hormone actions in traumatic brain injury. , 2022, , 305-316.		0
13	Health related quality of life trajectories after stereotactic radiosurgery for brain metastases: a systematic review. Journal of Neuro-Oncology, 2022, 159, 319-331.	2.9	4
14	Safety and efficacy of prothrombin complex concentrate (PCC) for anticoagulation reversal in patients undergoing urgent neurosurgical procedures: a systematic review and metaanalysis. Neurosurgical Review, 2021, 44, 1921-1931.	2.4	5
15	Prevalence of internet addiction in healthcare professionals: Systematic review and meta-analysis. International Journal of Social Psychiatry, 2021, 67, 483-491.	3.1	24
16	Endoscopic third ventriculostomy versus ventriculoperitoneal shunt in pediatric and adult population: a systematic review and meta-analysis. Neurosurgical Review, 2021, 44, 1227-1241.	2.4	16
17	Depression prevalence based on the Edinburgh Postnatal Depression Scale compared to Structured Clinical Interview for DSM DIsorders classification: Systematic review and individual participant data metaâ€analysis. International Journal of Methods in Psychiatric Research, 2021, 30, e1860.	2.1	30
18	Radiosurgery for Glioblastoma. Neurosurgery Clinics of North America, 2021, 32, 117-128.	1.7	20

ADOMAS BUNEVICIUS

#	Article	IF	CITATIONS
19	Can mHealth interventions improve quality of life of cancer patients? A systematic review and meta-analysis. Critical Reviews in Oncology/Hematology, 2021, 157, 103123.	4.4	59
20	Outcomes from treatment of asymptomatic skull base meningioma with stereotactic radiosurgery. Acta Neurochirurgica, 2021, 163, 83-88.	1.7	13
21	Relationship between Lithium Levels in Drinking Water and Suicide Rates: A Nationwide Study in Lithuania. Archives of Suicide Research, 2021, 25, 340-352.	2.3	12
22	Epistatic effect of Ankyrin repeat and kinase domain containing 1 – Dopamine receptor D2 and catechol-o-methyltransferase single nucleotide polymorphisms on the risk for hazardous use of alcohol in Lithuanian population. Gene, 2021, 765, 145107.	2.2	2
23	Editorial: Radiosurgical induced malignancy associated with stereotactic radiosurgery. Acta Neurochirurgica, 2021, 163, 969-970.	1.7	9
24	Stereotactic Radiosurgery for Perioptic Meningiomas: An International, Multicenter Study. Neurosurgery, 2021, 88, 828-837.	1.1	11
25	Outcomes of Cushing's disease following Gamma Knife radiosurgery: effect of a center's growing experience and era of treatment. Journal of Neurosurgery, 2021, 134, 547-554.	1.6	17
26	Magnetic Resonance Perfusion Changes of Arteriovenous Malformations Treated with Stereotactic Radiosurgery. World Neurosurgery, 2021, 146, e1003-e1011.	1.3	1
27	Internal carotid artery stenosis and risk of cerebrovascular ischemia following stereotactic radiosurgery for recurrent or residual pituitary adenomas. Pituitary, 2021, 24, 574-581.	2.9	2
28	Early versus late Gamma Knife radiosurgery for Cushing's disease after prior resection: results of an international, multicenter study. Journal of Neurosurgery, 2021, 134, 807-815.	1.6	9
29	Stereotactic radiosurgery before bilateral adrenalectomy is associated with lowered risk of Nelson's syndrome in refractory Cushing's disease patients. Acta Neurochirurgica, 2021, 163, 1949-1956.	1.7	4
30	Spontaneous pneumocephalus associated with a melanoma brain metastasis: a Case Report. Journal of Neuro-Oncology, 2021, 152, 617-619.	2.9	0
31	Stereotactic Radiosurgery for Differentiated Thyroid Cancer Brain Metastases: An International, Multicenter Study. Thyroid, 2021, 31, 1244-1252.	4.5	11
32	Intraoperative Magnetic Resonance Imaging for Low-Grade and High-Grade Gliomas: What Is the Evidence? A Meta-Analysis. World Neurosurgery, 2021, 149, 232-243.e3.	1.3	11
33	Quality-of-life trajectories after stereotactic radiosurgery for brain metastases. Journal of Neurosurgery, 2021, 134, 1791-1799.	1.6	15
34	In Regard to Tibbs etÂal. International Journal of Radiation Oncology Biology Physics, 2021, 110, 611-612.	0.8	1
35	Delayed intracerebral hemorrhage associated with placement of a deep brain stimulating electrode over two years prior. International Journal of Surgery Case Reports, 2021, 83, 105969.	0.6	0
36	Influence of Decompressive Craniectomy Post Evacuation of Epidural Hematoma in Comatose Patients. World Neurosurgery, 2021, 151, e753-e759.	1.3	1

#	Article	IF	CITATIONS
37	COVID-19 media fatigue: predictors of decreasing interest and avoidance of COVID-19–related news. Public Health, 2021, 196, 124-128.	2.9	29
38	Fatigue Is Associated With Diminished Cardiovascular Response to Anticipatory Stress in Patients With Coronary Artery Disease. Frontiers in Physiology, 2021, 12, 692098.	2.8	4
39	Stereotactic radiosurgery for clinoid meningiomas: a multi-institutional study. Acta Neurochirurgica, 2021, 163, 2861-2869.	1.7	1
40	Stereotactic Radiosurgery for Olfactory Groove Meningiomas: An International, Multicenter Study. Neurosurgery, 2021, 89, 784-791.	1.1	4
41	Management of glioblastoma: a perspective from Lithuania. Chinese Clinical Oncology, 2021, 10, 41-41.	1.2	1
42	Data-driven methods distort optimal cutoffs and accuracy estimates of depression screening tools: a simulation study using individual participant data. Journal of Clinical Epidemiology, 2021, 137, 137-147.	5.0	9
43	Stereotactic radiosurgery for treatment of radiation-induced meningiomas: a multiinstitutional study. Journal of Neurosurgery, 2021, 135, 862-870.	1.6	4
44	Diffusivity Metrics Three Months After Upfront Gamma Knife Radiosurgery for Trigeminal Neuralgia May Be Correlated with Pain Relief. World Neurosurgery, 2021, 153, e220-e225.	1.3	1
45	Fatigue, Social Support, and Depression in Individuals With Coronary Artery Disease. Frontiers in Psychology, 2021, 12, 732795.	2.1	9
46	Multidimensional Structure of the Alcohol Use Disorders Identification Test: Factorial Validity and Reliability in Patients With Anxiety and Mood Disorders in Lithuania. Alcohol and Alcoholism, 2021, 56, 109-115.	1.6	3
47	Stereotactic radiosurgery for asymptomatic petroclival region meningiomas: a focused analysis from the IMPASSE study. Acta Neurochirurgica, 2021, , 1.	1.7	3
48	Stereotactic radiosurgery for IDH wild type glioblastoma: an international, multicenter study. Journal of Neuro-Oncology, 2021, 155, 343-351.	2.9	4
49	Validation and Psychometric Properties of the Minnesota Living With Heart Failure Questionnaire in Individuals With Coronary Artery Disease in Lithuania. Frontiers in Psychology, 2021, 12, 771095.	2.1	1
50	P.0645 Cortisol Response to psychosocial stress in coronary artery disease: the role of subjective mental distress, fatigue and quality of life. European Neuropsychopharmacology, 2021, 53, S475.	0.7	0
51	P.0897 The role of obstructive sleep apnoea and endocrine biomarkers in the cognitive functioning of males with coronary artery disease. European Neuropsychopharmacology, 2021, 53, S659.	0.7	0
52	Neuropsychiatric complications and neuroimaging characteristics after deep brain stimulation surgery for Parkinson's disease. Brain Imaging and Behavior, 2020, 14, 62-71.	2.1	13
53	Abdominal Insufflation Is Associated With Increase of Intracranial Pressure in Patients With Normal Pressure Hydrocephalus. Operative Neurosurgery, 2020, 19, 53-56.	0.8	2
54	A comparison of thin-plate spline deformation and finite element modeling to compensate for brain shift during tumor resection. International Journal of Computer Assisted Radiology and Surgery, 2020, 15, 75-85.	2.8	10

#	Article	IF	CITATIONS
55	Sex Effect on Presurgical Language Mapping in Patients With a Brain Tumor. Frontiers in Neuroscience, 2020, 14, 4.	2.8	7
56	Academic productivity of neurosurgery residents in Europe. Acta Neurochirurgica, 2020, 162, 245-246.	1.7	0
57	Focused Ultrasound Strategies for Brain Tumor Therapy. Operative Neurosurgery, 2020, 19, 9-18.	0.8	55
58	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale – Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. Journal of Psychosomatic Research, 2020, 129, 109892.	2.6	33
59	REVIEW: MR elastography of brain tumors. NeuroImage: Clinical, 2020, 25, 102109.	2.7	65
60	Unique Interplay between Molecular miR-181b/d Biomarkers and Health Related Quality of Life Score in the Predictive Glioma Models. International Journal of Molecular Sciences, 2020, 21, 7450.	4.1	7
61	lsocitrate Dehydrogenase, Patient-Reported Outcomes, and Cognitive Functioning of Glioma Patients: a Systematic Review. Current Oncology Reports, 2020, 22, 120.	4.0	13
62	Academic Productivity of Neurosurgeons Practicing in Joint Residency Advisory and Accreditation Committee Accredited Programs. World Neurosurgery, 2020, 138, e620-e626.	1.3	0
63	Validation of the Substance Use Risk Profile Scale in Lithuanian population. Health and Quality of Life Outcomes, 2020, 18, 276.	2.4	5
64	Validation of the Multidimensional Fatigue Inventory with Coronary Artery Disease Patients. International Journal of Environmental Research and Public Health, 2020, 17, 8003.	2.6	12
65	Clinical and Biological Correlates of Preoperative Cognitive Functioning of Glioma and Meningioma Patients. BioMed Research International, 2020, 2020, 1-10.	1.9	4
66	PND7 ENDOSCOPIC THIRD VENTRICULOSTOMY VERSUS VENTRICULOPERITONEAL SHUNT IN PEDIATRIC AND ADULT POPULATION: A SYSTEMATIC REVIEW AND META-ANALYSIS. Value in Health, 2020, 23, S259.	0.3	1
67	Clinical Utility of Preoperative Bilingual Language fMRI Mapping in Patients with Brain Tumors. Journal of Neuroimaging, 2020, 30, 175-183.	2.0	6
68	Stereotactic radiosurgery for management of recurring Choroid Plexus Metastases from Non-Small Cell Lung Carcinoma. Journal of Neuro-Oncology, 2020, 148, 207-209.	2.9	1
69	Thyroid Hormones, Brain, and Heart. , 2020, , 339-360.		2
70	Gamma Knife radiosurgery associated worsening of superficial siderosis due to a foramen magnum tumor - A case report. Journal of Radiosurgery and SBRT, 2020, 7, 169-172.	0.2	1
71	Maternal cognitive function during pregnancy in relation to hypo―and hyperthyroxinemia. Clinical Endocrinology, 2019, 91, 824-833.	2.4	9
72	Surgical and radiosurgical treatment strategies for Cushing's disease. Journal of Neuro-Oncology, 2019, 145, 403-413.	2.9	15

#	Article	IF	CITATIONS
73	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data metaâ€analysis. International Journal of Methods in Psychiatric Research, 2019, 28, e1803.	2.1	34
74	Common genetic variations of deiodinase genes and prognosis of brain tumor patients. Endocrine, 2019, 66, 563-572.	2.3	10
75	Sex Difference in Language Processing in Patients With Malignant Brain Tumors. Neurosurgery, 2019, 66, 310-507.	1.1	0
76	Safety and efficacy of repeat radiosurgery for acromegaly: an International Multi-Institutional Study. Journal of Neuro-Oncology, 2019, 145, 301-307.	2.9	5
77	The association of cardiovascular reactivity during the Trier Social Stress Test with quality of life in coronary artery disease patients. Journal of Psychosomatic Research, 2019, 126, 109824.	2.6	6
78	Are hypothyroidism and hypogonadism clinically relevant in patients with malignant gliomas? A longitudinal trial in patients with glioma. Radiotherapy and Oncology, 2019, 135, 197.	0.6	0
79	Thyroid hormones and personality in coronary artery disease patients with and without sleep apnea. European Neuropsychopharmacology, 2019, 29, S512-S513.	0.7	0
80	Pilot study of neurocognitive functioning and health-related quality of life in coronary artery disease patients. European Neuropsychopharmacology, 2019, 29, S317-S318.	0.7	0
81	Response to Adomas Bunevicius. Radiotherapy and Oncology, 2019, 135, 198.	0.6	0
82	Association of COMT Val ¹⁵⁸ Met Polymorphism With Delirium Risk and Outcomes After Traumatic Brain Injury. Journal of Neuropsychiatry and Clinical Neurosciences, 2019, 31, 298-305.	1.8	11
83	Association of miR-34a Expression with Quality of Life of Glioblastoma Patients: A Prospective Study. Cancers, 2019, 11, 300.	3.7	10
84	QOLP-38. PATIENT REPORTED OUTCOMES IN GLIOMA: THE ROLE OF IDH MUTATION ON QUALITY OF LIFE AND MOOD. Neuro-Oncology, 2019, 21, vi206-vi206.	1.2	0
85	QOLP-16. DISTRESSED (D TYPE) PERSONALITY, PREOPERATIVE PSYCHOLOGICAL DISTRESS, COGNITIVE FUNCTIONING, QUALITY OF LIFE, AND TREATMENT OUTCOMES OF GLIOMA PATIENTS: PROSPECTIVE STUDY. Neuro-Oncology, 2019, 21, vi201-vi201.	1.2	0
86	Preoperative verbal memory problems and their clinical prognostic value in meningioma patients: A prospective study. Applied Neuropsychology Adult, 2019, 26, 503-512.	1.2	2
87	Preliminary results comparing thin-plate splines with finite element methods for modeling brain deformation during neurosurgery using intraoperative ultrasound. , 2019, 10951, .		7
88	Spontaneous thoracic subdural hematoma associated with warfarin therapy: Case report with serial MRI. , 2019, 10, 28.		4
89	Comments: "Low triiodothyronine syndrome is associated with platelet function in patients with nephrotic syndrome― Revista Da Associação Médica Brasileira, 2019, 65, 993-994.	0.7	1
90	Reader response: Depressed TSH level as a predictor of poststroke fatigue in patients with acute ischemic stroke. Neurology, 2019, 93, 563.2-564.	1.1	2

#	Article	IF	CITATIONS
91	Prognostic role of high sensitivity C-reactive protein and interleukin-6 in glioma and meningioma patients. Journal of Neuro-Oncology, 2018, 138, 351-358.	2.9	22
92	Atypical Teratoid/Rhabdoid Tumor After InÂVitro Fertilization: Illustrative Case Report and Systematic Literature Review. World Neurosurgery, 2018, 113, 129-134.	1.3	7
93	A prognostic role for Low tri-iodothyronine syndrome in acute stroke patients: A systematic review and meta-analysis. Clinical Neurology and Neurosurgery, 2018, 169, 55-63.	1.4	26
94	Type D Personality and Sleep Quality in Coronary Artery Disease Patients With and Without Obstructive Sleep Apnea: Mediating Effects of Anxiety and Depression. International Journal of Behavioral Medicine, 2018, 25, 171-182.	1.7	10
95	Personality traits, patient-centered health status and prognosis of brain tumor patients. Journal of Neuro-Oncology, 2018, 137, 593-600.	2.9	21
96	Prothrombin Complex Concentrate for Warfarin-Associated Intracranial Bleeding in Neurosurgical Patients: A Single-Center Experience. Medicina (Lithuania), 2018, 54, 22.	2.0	4
97	Incidence and clinical significance of postoperative delirium after brain tumor surgery. Acta Neurochirurgica, 2018, 160, 2327-2337.	1.7	17
98	Brain MRI morphometric analysis in Parkinson's disease patients with sleep disturbances. BMC Neurology, 2018, 18, 88.	1.8	23
99	Cognitive function in patients with coronary artery disease: A literature review. Journal of International Medical Research, 2018, 46, 4019-4031.	1.0	21
100	Letter: Simple Preoperative Patient-Reported Factors Predict Adverse Outcome After Elective Cranial Neurosurgery. Neurosurgery, 2018, 82, E21-E22.	1.1	1
101	Sudden onset paraplegia. Emergency Medicine Journal, 2018, 35, 315-316.	1.0	0
102	The Association of Digit Ratio (2D : 4D) with Cancer: A Systematic Review and Meta-Analysis. Disease Markers, 2018, 2018, 1-9.	1.3	32
103	Does presence of metabolic syndrome impact anxiety and depressive disorder screening results in middle aged and elderly individuals? A population based study. BMC Psychiatry, 2018, 18, 5.	2.6	12
104	The Association of Surgical Method with Outcomes of Acute Subdural Hematoma Patients: Experience with 643 Consecutive Patients. World Neurosurgery, 2017, 101, 335-342.	1.3	26
105	Reliability and validity of the SF-36 Health Survey Questionnaire in patients with brain tumors: a cross-sectional study. Health and Quality of Life Outcomes, 2017, 15, 92.	2.4	100
106	Association between psychological distress, subjective cognitive complaints and objective neuropsychological functioning in brain tumor patients. Clinical Neurology and Neurosurgery, 2017, 163, 18-23.	1.4	53
107	Safety and efficacy of stereotactic aspiration with fibrinolysis for deep-seated spontaneous intracerebral hemorrhages: A single-center experience. Medicina (Lithuania), 2017, 53, 303-309.	2.0	4
108	Cognitive Functioning in Coronary Artery Disease Patients: Associations with Thyroid Hormones, N-Terminal Pro-B-Type Natriuretic Peptide and High-Sensitivity C-Reactive Protein. Archives of Clinical Neuropsychology, 2017, 32, 245-251.	0.5	9

#	Article	IF	CITATIONS
109	Preoperative N-terminal pro-B-type natriuretic peptide concertation and prognosis of brain tumor patients: a 5-year follow up study. Scientific Reports, 2017, 7, 14775.	3.3	7
110	The association between lunar phase and intracranial aneurysm rupture: Myth or reality? Own data and systematic review. BMC Neurology, 2017, 17, 99.	1.8	7
111	Association of thyroid hormone concentrations with quality of life of primary brain tumor patients: a pilot study. Journal of Neuro-Oncology, 2017, 131, 385-391.	2.9	17
112	Re: Impact of preâ€operative healthâ€related quality of life on outcomes after heart surgery. ANZ Journal of Surgery, 2017, 87, 1061-1062.	0.7	1
113	Commentary. Journal of Neurosciences in Rural Practice, 2017, 08, 132-133.	0.8	Ο
114	388 Prognostic Value of N-Terminal Pro-B-Type Natriuretic Peptide Concertation in Brain Tumor Patients. Neurosurgery, 2017, 64, 293.	1.1	0
115	Exploring Cognitive Concomitants of Mental Fatigue in Patients with Coronary Artery Disease. Neuropsychobiology, 2017, 76, 151-160.	1.9	8
116	153 Prognostic Role of the Low Tri-Iodothyronine Syndrome in Brain Tumor Patients. Neurosurgery, 2017, 64, 237.	1.1	2
117	Preoperative low tri-iodothyronine concentration is associated with worse health status and shorter five year survival of primary brain tumor patients. Oncotarget, 2017, 8, 8648-8656.	1.8	18
118	Association of pre-operative depressive and anxiety symptoms with five-year survival of glioma and meningioma patients: a prospective cohort study. Oncotarget, 2017, 8, 57543-57551.	1.8	38
119	Penetrating Anterior Skull Base Fracture Inflicted by a Cow's Horn. Journal of Neurosciences in Rural Practice, 2016, 07, S106-S108.	0.8	2
120	Does presence of metabolic syndrome impact anxiety and depressive disorder screening results in middle aged and elderly patients?. European Neuropsychopharmacology, 2016, 26, S392-S393.	0.7	0
121	Low Tri-Iodothyronine Syndrome in Neurosurgical Patients: A Systematic Review of Literature. World Neurosurgery, 2016, 95, 197-207.	1.3	17
122	Digit ratio (2D:4D) in primary brain tumor patients: A case-control study. Early Human Development, 2016, 103, 205-208.	1.8	20
123	Professional burnout and its correlates in Lithuanian neurosurgeons. Acta Neurochirurgica, 2016, 158, 1437-1445.	1.7	8
124	Association of Depression, Anxiety, and Type D Personality with Cognitive Function in Patients with Coronary Artery Disease. Cognitive and Behavioral Neurology, 2016, 29, 91-99.	0.9	26
125	Olfactory Fossa Meningioma Presenting as Depressive Disorder: A Case Report. Cognitive and Behavioral Neurology, 2016, 29, 107-112.	0.9	6
126	Triiodothyronine accelerates and enhances the antipsychotic effect of risperidone in acute schizophrenia. Journal of Psychiatric Research, 2016, 73, 9-16.	3.1	4

#	Article	IF	CITATIONS
127	Hemodynamic response during aneurysm clipping surgery among experienced neurosurgeons. Acta Neurochirurgica, 2016, 158, 221-227.	1.7	8
128	Suicidal ideation in patients undergoing brain tumor surgery: prevalence and risk factors. Supportive Care in Cancer, 2016, 24, 2963-70.	2.2	17
129	Stress during neurosurgery: no need to worry?. Acta Neurochirurgica, 2016, 158, 623-624.	1.7	1
130	Beta-1–Selective Beta-Blockers and Cognitive Functions in Patients With Coronary Artery Disease: A Cross-Sectional Study. Journal of Neuropsychiatry and Clinical Neurosciences, 2016, 28, 143-146.	1.8	20
131	Unruptured anterior communicating artery aneurysm presenting as depression: A case report and review of literature. , 2016, 7, 495.		4
132	Safety and Efficacy of Surgical Treatment of Small Petroclival Meningiomas. Journal of Neurological Surgery, Part B: Skull Base, 2016, 77, .	0.8	0
133	Greater High-Sensitivity C-Reactive Protein and Interleukin-6 Concentrations Are Associated with Greater Mood and Anxiety Symptoms and Worse Cognitive Functioning of Acoustic Neuroma Patients. Journal of Neurological Surgery, Part B: Skull Base, 2016, 77, .	0.8	1
134	Contents Vol. 22, 2015. NeuroImmunoModulation, 2015, 22, I-IV.	1.8	0
135	Role of N-Terminal Pro-B-Type Natriuretic Peptide, High-Sensitivity C-Reactive Protein, and Inteleukin-6 in Predicting a Poor Outcome after a Stroke. NeuroImmunoModulation, 2015, 22, 365-372.	1.8	26
136	Neuroprotective actions of thyroid hormones and low-T3 syndrome as a biomarker in acute cerebrovascular disorders. Expert Review of Neurotherapeutics, 2015, 15, 315-326.	2.8	64
137	Mental Disorders and General Medical Conditions in Primary Care. European Psychiatry, 2015, 30, 1866.	0.2	0
138	Metabolic syndrome, major depression, generalized anxiety disorder, and ten-year all-cause and cardiovascular mortality in middle aged and elderly patients. International Journal of Cardiology, 2015, 190, 360-366.	1.7	56
139	Mindfulness-Based Stress Reduction as a Promising Intervention for Amelioration of Premenstrual Dysphoric Disorder Symptoms. Mindfulness, 2015, 6, 1292-1302.	2.8	21
140	Depression screening in patients with brain tumors: a review. CNS Oncology, 2015, 4, 71-78.	3.0	40
141	Thyroid Hormone and C-Reactive Protein Serum Concentrations, Disease Severity and Discharge Outcomes of Ischemic Stroke Patients: A Dataset. Biomedical Data Journal, 2015, 1, 13-18.	0.2	3
142	The Need for Open-access, Structured Data in Clinical Brain Research. Biomedical Data Journal, 2015, 01, 27-32.	0.2	1
143	Authors' response: Patient Health Questionnaireâ€2 as a screening tool for psychological distress in brain tumor patients. Psycho-Oncology, 2014, 23, 354-354.	2.3	0
144	Depression but not anxiety is associated with metabolic syndrome in primary care based community sample. Psychoneuroendocrinology, 2014, 40, 269-276.	2.7	71

#	Article	IF	CITATIONS
145	Ischemic stroke functional outcomes are independently associated with C-reactive protein concentrations and cognitive outcomes with triiodothyronine concentrations: a pilot study. Endocrine, 2014, 45, 213-220.	2.3	41
146	Decreased Physical Effort, Fatigue, and Mental Distress in Patients with Coronary Artery Disease: Importance of Personality-Related Differences. International Journal of Behavioral Medicine, 2014, 21, 240-247.	1.7	30
147	Predictors of health-related quality of life in neurosurgical brain tumor patients: focus on patient-centered perspective. Acta Neurochirurgica, 2014, 156, 367-374.	1.7	76
148	Regarding paper "Somatotropic and thyroid hormones in the acute phase of subarachnoid haemorrhage". Acta Neurochirurgica, 2014, 156, 979-980.	1.7	0
149	Relationship of health-related quality of life with fatigue and exercise capacity in patients with coronary artery disease. European Journal of Cardiovascular Nursing, 2014, 13, 338-344.	0.9	39
150	Menstrual mood disorders are associated with blunted sympathetic reactivity to stress. Journal of Psychosomatic Research, 2014, 76, 46-55.	2.6	14
151	Factors affecting the presence of depression, anxiety disorders, and suicidal ideation in patients attending primary health care service in Lithuania. Scandinavian Journal of Primary Health Care, 2014, 32, 24-29.	1.5	26
152	P.1.k.006 The association of metabolic syndrome and depression with mortality in a primary care population sample. European Neuropsychopharmacology, 2014, 24, S344.	0.7	0
153	Menstrually related mood disorders and a history of abuse: Moderators of pain sensitivity Health Psychology, 2014, 33, 147-154.	1.6	9
154	BI-04 * PRE-OPERATIVE LOW TRI-IODOTHYRONINE SYNDROME IS ASSOCIATED WITH GREATER 6-MONTH MORTALITY RATE OF NEUROSURGICAL BRAIN TUMOR PATIENTS. Neuro-Oncology, 2014, 16, v23-v23.	1.2	0
155	QL-06 * RELIABILITY OF THE SF-36 QUESTIONNAIRE FOR ASSESSMENT OF HEALTH RELATED QUALITY OF LIFE IN NEUROSURGICAL BRAIN TUMOR PATIENTS. Neuro-Oncology, 2014, 16, v179-v179.	1.2	Ο
156	Extended pterional approach for initial surgical management of craniopharyngiomas: a case series. Turkish Neurosurgery, 2014, 24, 174-83.	0.2	6
157	Screening for anxiety disorders in patients with coronary artery disease. Health and Quality of Life Outcomes, 2013, 11, 37.	2.4	82
158	Beta-Adrenergic Receptor Mechanisms and Pain Sensitivity in Women With Menstrually Related Mood Disorders. Journal of Pain, 2013, 14, 1349-1360.	1.4	3
159	P.2.h.006 Emotional stability and openness are associated with severity of depressive and anxiety symptoms in patients with brain tumors. European Neuropsychopharmacology, 2013, 23, S418-S419.	0.7	0
160	Spatiotemporal Uptake Characteristics of [18]F-2-Fluoro-2-Deoxy-D-Glucose in a Rat Middle Cerebral Artery Occlusion Model. Stroke, 2013, 44, 2292-2299.	2.0	20
161	The Potential Roles of ^{18} F-FDG-PET in Management of Acute Stroke Patients. BioMed Research International, 2013, 2013, 1-14.	1.9	44
162	Type D (distressed) personality and its assessment with the DS14 in Lithuanian patients with coronary artery disease. Journal of Health Psychology, 2013, 18, 1242-1251.	2.3	25

ADOMAS BUNEVICIUS

#	Article	IF	CITATIONS
163	Psychological distress symptoms' clusters in brain tumor patients: factor analysis of depression and anxiety scales. Psycho-Oncology, 2013, 22, 2860-2863.	2.3	22
164	Screening for psychological distress in neurosurgical brain tumor patients using the Patient Health Questionnaireâ€2. Psycho-Oncology, 2013, 22, 1895-1900.	2.3	41
165	The Association of Migraine with Menstrually Related Mood Disorders and Childhood Sexual Abuse. Journal of Women's Health, 2013, 22, 871-876.	3.3	8
166	Low triiodothyronine syndrome as a predictor of poor outcomes in patients undergoing brain tumor surgery: a pilot study. Journal of Neurosurgery, 2013, 118, 1279-1287.	1.6	55
167	Evaluation of depressive symptoms in patients with coronary artery disease using the Montgomery Ãsberg Depression Rating Scale. International Clinical Psychopharmacology, 2012, 27, 249-255.	1.7	17
168	Fatigue in Patients With Coronary Artery Disease. Psychosomatic Medicine, 2012, 74, 848-853.	2.0	20
169	Hypothalamic-Pituitary-Thyroid Axis Function in Women With a Menstrually Related Mood Disorder. Psychosomatic Medicine, 2012, 74, 810-816.	2.0	34
170	Perioperative single photon emission computed tomography in predicting survival of malignant glioma patients. Oncology Letters, 2012, 4, 739-744.	1.8	6
171	Transsphenoidal surgery for microprolactinomas in women: results and prognosis. Acta Neurochirurgica, 2012, 154, 1889-1893.	1.7	33
172	Diagnostic accuracy of self-rating scales for screening of depression in coronary artery disease patients. Journal of Psychosomatic Research, 2012, 72, 22-25.	2.6	77
173	Evaluation of Health-Related Quality of Life in Lithuanian Brain Tumor Patients Using the EORTC Brain Cancer Module. Medicina (Lithuania), 2012, 48, 86.	2.0	8
174	Introduction of Novel Semiquantitative Evaluation of 99mTc-MIBI SPECT Before and After Treatment of Glioma. Medicina (Lithuania), 2012, 48, 3.	2.0	2
175	Introduction of novel semiquantitative evaluation of (99m)Tc-MIBI SPECT before and after treatment of glioma. Medicina (Lithuania), 2012, 48, 15-21.	2.0	2
176	Evaluation of health-related quality of life in Lithuanian brain tumor patients using the EORTC brain cancer module. Medicina (Lithuania), 2012, 48, 588-94.	2.0	6
177	Relationship of fatigue and exercise capacity with emotional and physical state in patients with coronary artery disease admitted for rehabilitation program. American Heart Journal, 2011, 162, 310-316.	2.7	42
178	P.1.i.003 Depression, anxiety and delirium are associated with thyroid axis function in brain tumor patients. European Neuropsychopharmacology, 2011, 21, S353-S354.	0.7	0
179	Specific fatigue-related items in self-rating depression scales do not bias an association between depression and fatigue in patients with coronary artery disease. General Hospital Psychiatry, 2011, 33, 527-529.	2.4	23
180	Validation of the Lithuanian version of the Edinburgh Postnatal Depression Scale. Medicina (Lithuania), 2009, 45, 544.	2.0	12

ADOMAS BUNEVICIUS

#	Article	IF	CITATIONS
181	Depressive disorder and thyroid axis functioning during pregnancy. World Journal of Biological Psychiatry, 2009, 10, 324-329.	2.6	28
182	Psychosocial risk factors for depression during pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 599-605.	2.8	139
183	Validity of the Edinburgh Postnatal Depression Scale. European Psychiatry, 2009, 24, .	0.2	7
184	Screening for antenatal depression with the Edinburgh Depression Scale. Journal of Psychosomatic Obstetrics and Gynaecology, 2009, 30, 238-243.	2.1	115
185	Validation of the Lithuanian version of the Edinburgh Postnatal Depression Scale. Medicina (Lithuania), 2009, 45, 544-8.	2.0	2
186	Symptoms of Anxiety and Depression in Medical Students and in Humanities Students: Relationship With Big-Five Personality Dimensions and Vulnerability To Stress. International Journal of Social Psychiatry, 2008, 54, 494-501.	3.1	124
187	The Association of Thyroid Immunity with Blood Pressure and Body Mass Index in Primary Care Patients. Endocrine Research, 2008, 33, 93-103.	1.2	1
188	Brain Lesions Manifesting as Psychiatric Disorders: <i>Eight Cases</i> . CNS Spectrums, 2008, 13, 950-958.	1.2	58
189	Screening for depression and anxiety disorders in primary care patients. Depression and Anxiety, 2007, 24, 455-460.	4.1	71
190	Mood and thyroid immunity assessed by ultrasonographic imaging in a primary health care. Journal of Affective Disorders, 2007, 97, 85-90.	4.1	23
191	Contribution of Obstructive Sleep Apnoea to Cognitive Functioning of Males With Coronary Artery Disease: A Relationship With Endocrine and Inflammatory Biomarkers. Frontiers in Neuroscience, 0, 16,	2.8	1