

Alan A Montgomery

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7396114/publications.pdf>

Version: 2024-02-01

205
papers

19,130
citations

38660

50
h-index

14702

127
g-index

218
all docs

218
docs citations

218
times ranked

34680
citing authors

#	ARTICLE	IF	CITATIONS
1	Dexamethasone in Hospitalized Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021, 384, 693-704.	13.9	8,063
2	Effect of Hydroxychloroquine in Hospitalized Patients with Covid-19. <i>New England Journal of Medicine</i> , 2020, 383, 2030-2040.	13.9	1,013
3	Epidemiology and impact of multimorbidity in primary care: a retrospective cohort study. <i>British Journal of General Practice</i> , 2011, 61, e12-e21.	0.7	647
4	Lopinavirâ€“ritonavir in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial. <i>Lancet, The</i> , 2020, 396, 1345-1352.	6.3	569
5	Association Between Administration of IL-6 Antagonists and Mortality Among Patients Hospitalized for COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 499.	3.8	498
6	Guidelines for the Content of Statistical Analysis Plans in Clinical Trials. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 2337.	3.8	290
7	Diet or diet plus physical activity versus usual care in patients with newly diagnosed type 2 diabetes: the Early ACTID randomised controlled trial. <i>Lancet, The</i> , 2011, 378, 129-139.	6.3	249
8	Design, analysis and presentation of factorial randomised controlled trials. <i>BMC Medical Research Methodology</i> , 2003, 3, 26.	1.4	237
9	Evaluation of computer based clinical decision support system and risk chart for management of hypertension in primary care: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2000, 320, 686-690.	2.4	225
10	The impact of patients' preferences on the treatment of atrial fibrillation: observational study of patient based decision analysis Commentary: patients, preferences, and evidence. <i>BMJ: British Medical Journal</i> , 2000, 320, 1380-1384.	2.4	217
11	Effectiveness of a nurse-led intensive home-visitation programme for first-time teenage mothers (Building Blocks): a pragmatic randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 146-155.	6.3	217
12	Daily emollient during infancy for prevention of eczema: the BEEP randomised controlled trial. <i>Lancet, The</i> , 2020, 395, 962-972.	6.3	178
13	Quality of care for elderly residents in nursing homes and elderly people living at home: controlled observational study. <i>BMJ: British Medical Journal</i> , 2003, 326, 580-580.	2.4	169
14	Facilitated physical activity as a treatment for depressed adults: randomised controlled trial. <i>BMJ, The</i> , 2012, 344, e2758-e2758.	3.0	163
15	Two decision aids for mode of delivery among women with previous caesarean section: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 334, 1305.	2.4	140
16	School connectedness, peer attachment, and self-esteem as predictors of adolescent depression. <i>Journal of Adolescence</i> , 2012, 35, 1061-1067.	1.2	138
17	Inter-rater agreement in the scoring of abstracts submitted to a primary care research conference. <i>BMC Health Services Research</i> , 2002, 2, 8.	0.9	127
18	Patients' experience and satisfaction in primary care: secondary analysis using multilevel modelling. <i>BMJ: British Medical Journal</i> , 2010, 341, c5004-c5004.	2.4	125

#	ARTICLE	IF	CITATIONS
19	Antiplatelet therapy with aspirin, clopidogrel, and dipyridamole versus clopidogrel alone or aspirin and dipyridamole in patients with acute cerebral ischaemia (TARDIS): a randomised, open-label, phase 3 superiority trial. <i>Lancet, The</i> , 2018, 391, 850-859.	6.3	125
20	Paracetamol plus ibuprofen for the treatment of fever in children (PITCH): randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2008, 337, a1302-a1302.	2.4	124
21	Peer victimization during adolescence: concurrent and prospective impact on symptoms of depression and anxiety. <i>Anxiety, Stress and Coping</i> , 2015, 28, 105-120.	1.7	121
22	Prehospital transdermal glyceryl trinitrate in patients with ultra-acute presumed stroke (RIGHT-2): an ambulance-based, randomised, sham-controlled, blinded, phase 3 trial. <i>Lancet, The</i> , 2019, 393, 1009-1020.	6.3	119
23	Instrumental delivery and ultrasound : a multicentre randomised controlled trial of ultrasound assessment of the fetal head position versus standard care as an approach to prevent morbidity at instrumental delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1029-1038.	1.1	115
24	Are People With Chronic Diseases Interested in Using Telehealth? A Cross-Sectional Postal Survey. <i>Journal of Medical Internet Research</i> , 2014, 16, e123.	2.1	103
25	Eicosapentaenoic acid and aspirin, alone and in combination, for the prevention of colorectal adenomas (seAFood Polyp Prevention trial): a multicentre, randomised, double-blind, placebo-controlled, 2 ² factorial trial. <i>Lancet, The</i> , 2018, 392, 2583-2594.	6.3	102
26	Classroom based cognitive behavioural therapy in reducing symptoms of depression in high risk adolescents: pragmatic cluster randomised controlled trial. <i>BMJ, The</i> , 2012, 345, e6058-e6058.	3.0	92
27	How should continuity of care in primary health care be assessed?. <i>British Journal of General Practice</i> , 2009, 59, e134-e141.	0.7	85
28	A mechanistic multicentre, parallel group, randomised placebo-controlled trial of mesalazine for the treatment of IBS with diarrhoea (IBS-D). <i>Gut</i> , 2016, 65, 91-99.	6.1	85
29	Gentamicin compared with ceftriaxone for the treatment of gonorrhoea (G-ToG): a randomised non-inferiority trial. <i>Lancet, The</i> , 2019, 393, 2511-2520.	6.3	84
30	Women's experience of decision making about mode of delivery after a previous caesarean section: the role of health professionals and information about health risks. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 1438-1445.	1.1	83
31	The Clinical Effectiveness and Cost-Effectiveness of Lamotrigine in Borderline Personality Disorder: A Randomized Placebo-Controlled Trial. <i>American Journal of Psychiatry</i> , 2018, 175, 756-764.	4.0	78
32	Self-harm in young adolescents (12-16 years): onset and short-term continuation in a community sample. <i>BMC Psychiatry</i> , 2013, 13, 328.	1.1	75
33	Oxytocin bolus versus oxytocin bolus and infusion for control of blood loss at elective caesarean section: double blind, placebo controlled, randomised trial. <i>BMJ: British Medical Journal</i> , 2011, 343, d4661-d4661.	2.4	74
34	A factorial randomised controlled trial of decision analysis and an information video plus leaflet for newly diagnosed hypertensive patients. <i>British Journal of General Practice</i> , 2003, 53, 446-53.	0.7	74
35	Effectiveness of an integrated telehealth service for patients with depression: a pragmatic randomised controlled trial of a complex intervention. <i>Lancet Psychiatry, the</i> , 2016, 3, 515-525.	3.7	73
36	Shared decision making in hypertension: the impact of patient preferences on treatment choice. <i>Family Practice</i> , 2001, 18, 309-313.	0.8	70

#	ARTICLE	IF	CITATIONS
37	The influence of absolute cardiovascular risk, patient utilities, and costs on the decision to treat hypertension. <i>Journal of Hypertension</i> , 2003, 21, 1753-1759.	0.3	70
38	Preference-Based Antithrombotic Therapy in Atrial Fibrillation: Implications for Clinical Decision Making. <i>Medical Decision Making</i> , 2005, 25, 548-559.	1.2	67
39	Common mental disorders and the built environment in Santiago, Chile. <i>British Journal of Psychiatry</i> , 2007, 190, 394-401.	1.7	67
40	A Pilot, Randomized, Double-Blinded, Placebo-Controlled Trial of Individualized Homeopathy for Symptoms of Estrogen Withdrawal in Breast-Cancer Survivors. <i>Journal of Alternative and Complementary Medicine</i> , 2005, 11, 13-20.	2.1	66
41	TElehealth in CHronic disease: mixed-methods study to develop the TECH conceptual model for intervention design and evaluation. <i>BMJ Open</i> , 2015, 5, e006448-e006448.	0.8	66
42	Large multi-centre pilot randomized controlled trial testing a low-cost, tailored, self-help smoking cessation text message intervention for pregnant smokers (MiQuit). <i>Addiction</i> , 2017, 112, 1238-1249.	1.7	66
43	The relationship between primary care antibiotic prescribing and bacterial resistance in adults in the community: a controlled observational study using individual patient data. <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 56, 146-153.	1.3	60
44	School Intervention to Improve Mental Health of Students in Santiago, Chile. <i>JAMA Pediatrics</i> , 2013, 167, 1004.	3.3	58
45	The impact of co-located NHS walk-in centres on emergency departments. <i>Emergency Medicine Journal</i> , 2007, 24, 265-269.	0.4	56
46	Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2013, 346, f43-f43.	3.0	56
47	Effectiveness and cost-effectiveness of daily all-over-body application of emollient during the first year of life for preventing atopic eczema in high-risk children (The BEEP trial): protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 343.	0.7	56
48	Adherence to antihypertensive medication assessed by self-report was associated with electronic monitoring compliance. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 650-651.	2.4	54
49	A pragmatic randomised controlled trial to evaluate the cost-effectiveness of a physical activity intervention as a treatment for depression: the treating depression with physical activity (TREAD) trial. <i>Health Technology Assessment</i> , 2012, 16, 1-164, iii-iv.	1.3	53
50	A pragmatic randomised controlled trial of the effectiveness and cost-effectiveness of PhysioDirect™ telephone assessment and advice services for physiotherapy. <i>Health Technology Assessment</i> , 2013, 17, 1-157.	1.3	52
51	A cluster randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of classroom-based cognitive-behavioural therapy (CBT) in reducing symptoms of depression in high-risk adolescents. <i>Health Technology Assessment</i> , 2013, 17, vii-xvii, 1-109.	1.3	51
52	Telehealth for patients at high risk of cardiovascular disease: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2016, 353, i2647.	3.0	50
53	The QuinteT Recruitment Intervention supported five randomized trials to recruit to target: a mixed-methods evaluation. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 108-120.	2.4	49
54	Effect of a stepped-care intervention delivered by lay health workers on major depressive disorder among primary care patients in Nigeria (STPCARE): a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2019, 7, e951-e960.	2.9	47

#	ARTICLE	IF	CITATIONS
55	Birth size and arterial compliance in young adults. <i>Lancet, The</i> , 2000, 355, 2136-2137.	6.3	45
56	Who does not participate in telehealth trials and why? A cross-sectional survey. <i>Trials</i> , 2015, 16, 258.	0.7	44
57	Sedentary time and markers of inflammation in people with newly diagnosed type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 956-962.	1.1	42
58	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. <i>BMJ Open</i> , 2019, 9, e032081.	0.8	42
59	Silk garments plus standard care compared with standard care for treating eczema in children: A randomised, controlled, observer-blind, pragmatic trial (CLOTHES Trial). <i>PLoS Medicine</i> , 2017, 14, e1002280.	3.9	41
60	Randomised trial of the fascia iliaca block versus the 3-in-1™ block for femoral neck fractures in the emergency department. <i>Emergency Medicine Journal</i> , 2015, 32, 685-689.	0.4	40
61	Does Advanced Access improve access to primary health care? Questionnaire survey of patients. <i>British Journal of General Practice</i> , 2007, 57, 615-21.	0.7	40
62	Bristol Girls Dance Project Feasibility Trial: outcome and process evaluation results. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 83.	2.0	39
63	High- versus low-intensity interventions for perinatal depression delivered by non-specialist primary maternal care providers in Nigeria: cluster randomised controlled trial (the EXPONATE trial). <i>British Journal of Psychiatry</i> , 2019, 215, 528-535.	1.7	38
64	Changing eating behaviours to treat childhood obesity in the community using Mandolean: the Community Mandolean randomised controlled trial (ComMando) – a pilot study. <i>Health Technology Assessment</i> , 2014, 18, 1-75.	1.3	37
65	The frequency distribution of presenting symptoms in children aged six months to six years to primary care. <i>Primary Health Care Research and Development</i> , 2011, 12, 123-134.	0.5	36
66	The effectiveness and cost-effectiveness of the Family Nurse Partnership home visiting programme for first time teenage mothers in England: a protocol for the Building Blocks randomised controlled trial. <i>BMC Pediatrics</i> , 2013, 13, 114.	0.7	36
67	A randomized controlled trial of eicosapentaenoic acid and/or aspirin for colorectal adenoma prevention during colonoscopic surveillance in the NHS Bowel Cancer Screening Programme (The TJ ETQq1 1 0.784314 rgBT/Overlo 237.	0.7	36
68	Prehospital Transdermal Glyceryl Trinitrate for Ultra-Acute Intracerebral Hemorrhage. <i>Stroke</i> , 2019, 50, 3064-3071.	1.0	36
69	Impact of Advanced Access on access, workload, and continuity: controlled before-and-after and simulated-patient study. <i>British Journal of General Practice</i> , 2007, 57, 608-14.	0.7	36
70	Women and their partners' preferences for Down's syndrome screening tests: a discrete choice experiment. <i>Prenatal Diagnosis</i> , 2013, 33, 449-456.	1.1	35
71	Validation of the Vitiligo Noticeability Scale: a patient-reported outcome measure of vitiligo treatment success. <i>British Journal of Dermatology</i> , 2016, 174, 386-394.	1.4	34
72	Clinical management of urinary tract infection in women: a prospective cohort study. <i>Family Practice</i> , 2003, 20, 1-6.	0.8	33

#	ARTICLE	IF	CITATIONS
73	Decision-making about mode of delivery after previous caesarean section: development and piloting of two computer-based decision aids. <i>Health Expectations</i> , 2007, 10, 161-172.	1.1	33
74	The external validity of published randomized controlled trials in primary care. <i>BMC Family Practice</i> , 2009, 10, 5.	2.9	33
75	Effectiveness and cost-effectiveness of a telehealth intervention to support the management of long-term conditions: study protocol for two linked randomized controlled trials. <i>Trials</i> , 2014, 15, 36.	0.7	33
76	Anxiety, depression and risk of cannabis use: Examining the internalising pathway to use among Chilean adolescents. <i>Drug and Alcohol Dependence</i> , 2016, 166, 109-115.	1.6	33
77	Randomised feasibility trial of a teaching assistant led extracurricular physical activity intervention for 9 to 11 year olds: Action 3:30. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 114.	2.0	29
78	Clinical and cost-effectiveness of the Lightning Process in addition to specialist medical care for paediatric chronic fatigue syndrome: randomised controlled trial. <i>Archives of Disease in Childhood</i> , 2018, 103, 155-164.	1.0	29
79	POSNOCâ€”Positive Sentinel NOde: adjuvant therapy alone versus adjuvant therapy plus Clearance or axillary radiotherapy: a randomised controlled trial of axillary treatment in women with early-stage breast cancer who have metastases in one or two sentinel nodes. <i>BMJ Open</i> , 2021, 11, e054365.	0.8	29
80	Comparing care at walk-in centres and at accident and emergency departments: an exploration of patient choice, preference and satisfaction. <i>Emergency Medicine Journal</i> , 2007, 24, 260-264.	0.4	28
81	Expanding care for perinatal women with depression (EXPONATE): study protocol for a randomized controlled trial of an intervention package for perinatal depression in primary care. <i>BMC Psychiatry</i> , 2015, 15, 136.	1.1	28
82	Detecting depression among adolescents in Santiago, Chile: sex differences. <i>BMC Psychiatry</i> , 2013, 13, 122.	1.1	27
83	Cost-effectiveness of telehealth for patients with raised cardiovascular disease risk: evidence from the Healthlines randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e012352.	0.8	25
84	Randomized controlled trial of topical corticosteroid and homeâ€”based narrowband ultraviolet B for active and limited vitiligo: results of the HIâ€”Light Vitiligo Trial*. <i>British Journal of Dermatology</i> , 2021, 184, 828-839.	1.4	25
85	A qualitative investigation of the decisionâ€”making process of couples considering prenatal screening for Down syndrome. <i>Prenatal Diagnosis</i> , 2012, 32, 57-63.	1.1	24
86	Patientâ€”doctor continuity and diagnosis of cancer: electronic medical records study in general practice. <i>British Journal of General Practice</i> , 2015, 65, e305-e311.	0.7	24
87	A pilot randomized controlled trial of a stepped care intervention package for depression in primary care in Nigeria. <i>BMC Psychiatry</i> , 2015, 15, 96.	1.1	24
88	Indicated school-based intervention to improve depressive symptoms among at risk Chilean adolescents: a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 276.	1.1	24
89	Randomised controlled trial of silk therapeutic garments for the management of atopic eczema in children: the CLOTHES trial. <i>Health Technology Assessment</i> , 2017, 21, 1-260.	1.3	24
90	Lamotrigine for people with borderline personality disorder: a RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-68.	1.3	24

#	ARTICLE	IF	CITATIONS
91	Paracetamol plus ibuprofen for the treatment of fever in children (PITCH): economic evaluation of a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2008, 337, a1490-a1490.	2.4	23
92	Reporting of factorial trials of complex interventions in community settings: a systematic review. <i>Trials</i> , 2011, 12, 179.	0.7	23
93	Cost-effectiveness of classroom-based cognitive behaviour therapy in reducing symptoms of depression in adolescents: a trial-based analysis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1390-1397.	3.1	23
94	Follow-on Rifaximin for the Prevention of recurrence following standard treatment of Infection with <i>Clostridium Difficile</i> (RAPID): a randomised placebo controlled trial. <i>Gut</i> , 2019, 68, 1224-1231.	6.1	23
95	Protocol: The Lacunar Intervention Trial 2 (LACI-2). A trial of two repurposed licenced drugs to prevent progression of cerebral small vessel disease. <i>European Stroke Journal</i> , 2020, 5, 297-308.	2.7	22
96	Effect of antibiotic prescribing in primary care on meticillin-resistant <i>Staphylococcus aureus</i> carriage in community-resident adults: a controlled observational study. <i>International Journal of Antimicrobial Agents</i> , 2012, 39, 135-141.	1.1	21
97	Factors associated with the development of self-harm amongst a socio-economically deprived cohort of adolescents in Santiago, Chile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 629-637.	1.6	20
98	Ambulance-delivered transdermal glyceryl trinitrate versus sham for ultra-acute stroke: Rationale, design and protocol for the Rapid Intervention with Glyceryl trinitrate in Hypertensive stroke Trial-2 (RIGHT-2) trial (ISRCTN26986053). <i>International Journal of Stroke</i> , 2019, 14, 191-206.	2.9	20
99	Depression Symptom Trajectories and Associated Risk Factors among Adolescents in Chile. <i>PLoS ONE</i> , 2013, 8, e78323.	1.1	20
100	The DiAMOND trial protocol: a randomised controlled trial of two decision aids for mode of delivery among women with a previous caesarean section [ISRCTN84367722]. <i>BMC Pregnancy and Childbirth</i> , 2004, 4, 25.	0.9	19
101	The feasibility and acceptability of conducting a trial of specialist medical care and the Lightning Process in children with chronic fatigue syndrome: feasibility randomized controlled trial (SMILE) Tj ETQq1 1 0.784317 rgBT / Overlock 1	0.7	19
102	Cost-effectiveness of telehealth for patients with depression: evidence from the Healthlines randomised controlled trial. <i>BJPsych Open</i> , 2016, 2, 262-269.	0.3	19
103	Development of a standardised set of metrics for monitoring site performance in multicentre randomised trials: a Delphi study. <i>Trials</i> , 2018, 19, 557.	0.7	19
104	Organisational factors in relation to control of blood pressure: an observational study. <i>British Journal of General Practice</i> , 2005, 55, 931-7.	0.7	19
105	Increasing children's physical activity through a teaching-assistant led extracurricular intervention: process evaluation of the action 3:30 randomised feasibility trial. <i>BMC Public Health</i> , 2015, 15, 156.	1.2	18
106	Home-based narrowband UVB, topical corticosteroid or combination for children and adults with vitiligo: HI-Light Vitiligo three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-128.	1.3	18
107	'PhysioDirect' telephone assessment and advice services for physiotherapy: protocol for a pragmatic randomised controlled trial. <i>BMC Health Services Research</i> , 2009, 9, 136.	0.9	17
108	The provision of NHS health checks in a community setting: an ethnographic account. <i>BMC Health Services Research</i> , 2015, 15, 546.	0.9	17

#	ARTICLE	IF	CITATIONS
109	Pilot study to evaluate a tailored text message intervention for pregnant smokers (MiQuit): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 29.	0.7	17
110	Physical activity as a treatment for depression: the TREAD randomised trial protocol. <i>Trials</i> , 2010, 11, 105.	0.7	16
111	Protocol for a randomised controlled trial of a school based cognitive behaviour therapy (CBT) intervention to prevent depression in high risk adolescents (PROMISE). <i>Trials</i> , 2010, 11, 114.	0.7	16
112	Systematic review and network meta-analysis with individual participant data on cord management at preterm birth (iCOMP): study protocol. <i>BMJ Open</i> , 2020, 10, e034595.	0.8	16
113	Healthcare professionals' views on two computer-based decision aids for women choosing mode of delivery after previous caesarean section: a qualitative study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 906-914.	1.1	15
114	School-based intervention to improve the mental health of low-income, secondary school students in Santiago, Chile (YPSA): study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 49.	0.7	15
115	The Community In-reach Rehabilitation and Care Transition (CIRACT) clinical and cost-effectiveness randomisation controlled trial in older people admitted to hospital as an acute medical emergency. <i>Age and Ageing</i> , 2016, 46, 26-32.	0.7	15
116	Blinded randomised controlled trial of low-dose Adjuvant Steroids in Adults admitted to hospital with Pandemic influenza (ASAP): a trial "in hibernation", ready for rapid activation. <i>Health Technology Assessment</i> , 2015, 19, 1-78.	1.3	15
117	Evaluation of the effectiveness and cost-effectiveness of lightweight fibreglass heel casts in the management of ulcers of the heel in diabetes: a randomised controlled trial. <i>Health Technology Assessment</i> , 2017, 21, 1-92.	1.3	15
118	Economic Evaluation of the DIAMOND Randomized Trial: Cost and Outcomes of 2 Decision Aids for Mode of Delivery among Women with a Previous Cesarean Section. <i>Medical Decision Making</i> , 2010, 30, 453-463.	1.2	14
119	A pragmatic randomised controlled trial of "PhysioDirect" telephone assessment and advice services for patients with musculoskeletal problems: economic evaluation. <i>BMJ Open</i> , 2013, 3, e003406.	0.8	14
120	A cluster randomized clinical trial of a stepped care intervention for depression in primary care (STEP CARE)- study protocol. <i>BMC Psychiatry</i> , 2015, 15, 148.	1.1	14
121	Psychoeducation and Problem Solving (PEPS) Therapy for Adults With Personality Disorder: A Pragmatic Randomized-Controlled Trial. <i>Journal of Personality Disorders</i> , 2017, 31, 810-826.	0.8	14
122	Gentamicin, azithromycin and ceftriaxone in the treatment of gonorrhoea: the relationship between antibiotic MIC and clinical outcome. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 75, 449-457.	1.3	14
123	An algorithm for diagnosing IgE-mediated food allergy in study participants who do not undergo food challenge. <i>Clinical and Experimental Allergy</i> , 2020, 50, 334-342.	1.4	14
124	Group cognitive rehabilitation to reduce the psychological impact of multiple sclerosis on quality of life: the CRAMMS RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-182.	1.3	14
125	Preferences for mode of delivery after previous caesarean section: what do women want, what do they get and how do they value outcomes?. <i>Health Expectations</i> , 2011, 14, 397-404.	1.1	13
126	Cognitive Rehabilitation for Attention and Memory in people with Multiple Sclerosis: study protocol for a randomised controlled trial (CRAMMS). <i>Trials</i> , 2015, 16, 556.	0.7	13

#	ARTICLE	IF	CITATIONS
127	Outcome Assessment by Central Adjudicators Versus Site Investigators in Stroke Trials. <i>Stroke</i> , 2019, 50, 2187-2196.	1.0	13
128	Decision analysis for newly diagnosed hypertensive patients: a qualitative investigation. <i>Patient Education and Counseling</i> , 2004, 53, 197-203.	1.0	12
129	Comparing specialist medical care with specialist medical care plus the Lightning Process® for chronic fatigue syndrome or myalgic encephalomyelitis (CFS/ME): study protocol for a randomised controlled trial (SMILE Trial). <i>Trials</i> , 2013, 14, 444.	0.7	12
130	Antibiotic Prescribing in Primary Care and Antimicrobial Resistance in Patients Admitted to Hospital with Urinary Tract Infection: A Controlled Observational Pilot Study. <i>Antibiotics</i> , 2014, 3, 29-38.	1.5	11
131	Psychoeducation with problem-solving (PEPS) therapy for adults with personality disorder: a pragmatic randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of a manualised intervention to improve social functioning. <i>Health Technology Assessment</i> , 2016, 20, 1-250.	1.3	11
132	A group memory rehabilitation programme for people with traumatic brain injuries: the ReMemBrIn RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-194.	1.3	11
133	Lactic acid gel versus metronidazole for recurrent bacterial vaginosis in women aged 16 years and over: the VITA RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-170.	1.3	11
134	Study Protocol. ECSSIT – Elective Caesarean Section Syntocinon® Infusion Trial. A multi-centre randomised controlled trial of oxytocin (Syntocinon®) 5 IU bolus and placebo infusion versus oxytocin 5 IU bolus and 40 IU infusion for the control of blood loss at elective caesarean section. <i>BMC Pregnancy and Childbirth</i> , 2009, 9, 36.	0.9	10
135	Could a brief assessment of negative emotions and self-esteem identify adolescents at current and future risk of self-harm in the community? A prospective cohort analysis. <i>BMC Public Health</i> , 2013, 13, 604.	1.2	10
136	Associations Between Physical Activity Parenting Practices and Adolescent Girls'™ Self-Perceptions and Physical Activity Intentions. <i>Journal of Physical Activity and Health</i> , 2014, 11, 734-740.	1.0	10
137	Relationship between Expectation Management and Client Retention in Online Cognitive Behavioural Therapy. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 732-743.	0.9	10
138	A multi-centre, parallel group superiority trial of silk therapeutic clothing compared to standard care for the management of eczema in children (CLOTHES Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 390.	0.7	10
139	Gentamicin versus ceftriaxone for the treatment of gonorrhoea (G-TOG trial): study protocol for a randomised trial. <i>Trials</i> , 2016, 17, 558.	0.7	10
140	Increasing follow-up questionnaire response rates in a randomized controlled trial of telehealth for depression: three embedded controlled studies. <i>Trials</i> , 2016, 17, 107.	0.7	10
141	Cognitive rehabilitation for attention and memory in people with multiple sclerosis: a randomized controlled trial (CRAMMS). <i>Clinical Rehabilitation</i> , 2020, 34, 229-241.	1.0	10
142	Study Protocol. IDUS – Instrumental delivery & ultrasound. A multi-centre randomised controlled trial of ultrasound assessment of the fetal head position versus standard care as an approach to prevent morbidity at instrumental delivery. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 95.	0.9	9
143	Action 3:30: protocol for a randomized feasibility trial of a teaching assistant led extracurricular physical activity intervention. <i>Trials</i> , 2013, 14, 122.	0.7	9
144	Lamotrigine versus inert placebo in the treatment of borderline personality disorder: study protocol for a randomized controlled trial and economic evaluation. <i>Trials</i> , 2015, 16, 308.	0.7	9

#	ARTICLE	IF	CITATIONS
145	Rehabilitation of Memory following Brain Injury (ReMemBrIn): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 6.	0.7	9
146	A feasibility study investigating the acceptability and design of a multicentre randomised controlled trial of needle fasciotomy versus limited fasciectomy for the treatment of Dupuytren's contractures of the fingers (HAND-1): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 392.	0.7	9
147	Monitoring performance of sites within multicentre randomised trials: a systematic review of performance metrics. <i>Trials</i> , 2018, 19, 562.	0.7	9
148	Clinical and cost effectiveness of memory rehabilitation following traumatic brain injury: a pragmatic cluster randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019, 33, 1171-1184.	1.0	9
149	School travel mode, parenting practices and physical activity among UK Year 5 and 6 children. <i>BMC Public Health</i> , 2014, 14, 370.	1.2	8
150	Decisions, choice and shared decision making in antenatal clinics: An observational study. <i>Patient Education and Counseling</i> , 2015, 98, 1106-1111.	1.0	8
151	Influence of school-related factors on smoking among Chilean adolescents: a cross-sectional multilevel study. <i>BMC Pediatrics</i> , 2016, 16, 79.	0.7	8
152	Statistical analysis plan for the "Rapid Intervention with Glyceryl trinitrate in Hypertensive stroke Trial-2 (RIGHT-2)". <i>European Stroke Journal</i> , 2018, 3, 193-196.	2.7	8
153	Home interventions and light therapy for the treatment of vitiligo (HI-Light Vitiligo Trial): study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e018649.	0.8	8
154	Metronidazole versus lactic acid for treating bacterial vaginosis (VITA): protocol for a randomised controlled trial to assess the clinical and cost effectiveness of topical lactic acid gel for treating second and subsequent episodes of bacterial vaginosis. <i>Trials</i> , 2019, 20, 648.	0.7	8
155	Promoting Independence in Dementia (PRIDE): protocol for a feasibility randomised controlled trial. <i>Trials</i> , 2019, 20, 709.	0.7	8
156	Two-by-two factorial randomised study within a trial (SWAT) to evaluate strategies for follow-up in a randomised prevention trial. <i>Trials</i> , 2020, 21, 529.	0.7	8
157	Adding evidence of the effects of treatments into relevant Wikipedia pages: a randomised trial. <i>BMJ Open</i> , 2020, 10, e033655.	0.8	8
158	Triple versus guideline antiplatelet therapy to prevent recurrence after acute ischaemic stroke or transient ischaemic attack: the TARDIS RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-76.	1.3	8
159	Comparing different dosing regimens of bevacizumab in the treatment of neovascular macular degeneration: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 85.	0.7	7
160	Short email with attachment versus long email without attachment when contacting authors to request unpublished data for a systematic review: a nested randomised trial. <i>BMJ Open</i> , 2019, 9, e025273.	0.8	7
161	Promoting Independence in Dementia (PRIDE): A Feasibility Randomized Controlled Trial. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 363-378.	1.3	7
162	Eicosapentaenoic acid and/or aspirin for preventing colorectal adenomas during colonoscopic surveillance in the NHS Bowel Cancer Screening Programme: the seAFOod RCT. <i>Efficacy and Mechanism Evaluation</i> , 2019, 6, 1-154.	0.9	7

#	ARTICLE	IF	CITATIONS
163	Treating nausea and vomiting during pregnancy: case outcome. <i>BMJ: British Medical Journal</i> , 2004, 328, 503.1.	2.4	6
164	Central adjudication of serious adverse events did not affect trial's safety results: Data from the Efficacy of Nitric Oxide in Stroke (ENOS) trial. <i>PLoS ONE</i> , 2018, 13, e0208142.	1.1	6
165	Doing trials within trials: a qualitative study of stakeholder views on barriers and facilitators to the routine adoption of methodology research in clinical trials. <i>Trials</i> , 2018, 19, 481.	0.7	6
166	Outcome assessment by central adjudicators in randomised stroke trials: Simulation of differential and non-differential misclassification. <i>European Stroke Journal</i> , 2020, 5, 174-183.	2.7	6
167	An economic evaluation of the randomized controlled trial of topical corticosteroid and home-based narrowband ultraviolet B for active and limited vitiligo (the HI-light Vitiligo Trial)*. <i>British Journal of Dermatology</i> , 2021, 184, 840-848.	1.4	6
168	Developing a core outcome set for hand fractures and joint injuries in adults: a systematic review. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 488-495.	0.5	6
169	The COVID-19 pandemic has highlighted the need to invest in care home research infrastructure. <i>Age and Ageing</i> , 2022, 51, .	0.7	6
170	The Association Between School Bonding and Smoking Amongst Chilean Adolescents. <i>Substance Abuse</i> , 2015, 36, 515-523.	1.1	5
171	Central masked adjudication of stroke diagnosis at trial entry offered no advantage over diagnosis by local clinicians: Secondary analysis and simulation. <i>Contemporary Clinical Trials Communications</i> , 2018, 12, 176-181.	0.5	5
172	Cost-benefit of outcome adjudication in nine randomised stroke trials. <i>Clinical Trials</i> , 2020, 17, 576-580.	0.7	5
173	Regulatory Approach for Transitioning from Gamma Ray to X-ray Radiation Sterilization. <i>Biomedical Instrumentation and Technology</i> , 2021, 55, 58-66.	0.2	5
174	Medicine dosing by weight in the home: can parents accurately weigh preschool children? A method comparison study. <i>Archives of Disease in Childhood</i> , 2011, 96, 1187-1190.	1.0	4
175	Health services changes: is a run-in period necessary before evaluation in randomised clinical trials?. <i>Trials</i> , 2014, 15, 41.	0.7	4
176	Data sharing: experience of accessing individual patient data from completed randomised controlled trials in vascular and cognitive medicine. <i>BMJ Open</i> , 2020, 10, e038765.	0.8	4
177	Daily regimen and compliance with treatment. <i>BMJ: British Medical Journal</i> , 2002, 324, 425-425.	2.4	4
178	Comparing the cost-effectiveness and clinical effectiveness of a new community in-reach rehabilitation service with the cost-effectiveness and clinical effectiveness of an established hospital-based rehabilitation service for older people: a pragmatic randomised controlled trial with microcost and qualitative analysis – the Community In-reach Rehabilitation And Care Transition (CIRACT) study. <i>Health Services and Delivery Research</i> , 2016, 4, 1-90.	1.4	4
179	Gentamicin as an alternative to ceftriaxone in the treatment of gonorrhoea: the G-TOG non-inferiority RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-104.	1.3	4
180	An evidence-based approach to the use of telehealth in long-term health conditions: development of an intervention and evaluation through pragmatic randomised controlled trials in patients with depression or raised cardiovascular risk. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-468.	0.4	4

#	ARTICLE	IF	CITATIONS
181	Statistical reanalysis of vascular event outcomes in primary and secondary vascular prevention trials. BMC Medical Research Methodology, 2021, 21, 218.	1.4	4
182	The FEED1 trial: protocol for a randomised controlled trial of full milk feeds versus intravenous fluids with gradual feeding for preterm infants (30â€“33â€“weeks gestational age). Trials, 2022, 23, 64.	0.7	4
183	Using the Vitiligo Noticeability Scale in clinical trials: construct validity, interpretability, reliability and acceptability. British Journal of Dermatology, 2022, 187, 548-556.	1.4	4
184	An evaluation of the impact and costs of three strategies used to recruit acutely unwell young children to a randomised controlled trial in primary care. Clinical Trials, 2013, 10, 593-603.	0.7	3
185	Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems:. British Journal of Sports Medicine, 2014, 48, 1391-1391.	3.1	3
186	The Community In-Reach and Care Transition (CIRACT) clinical and cost-effectiveness study: study protocol for a randomised controlled trial. Trials, 2015, 16, 41.	0.7	3
187	A Systematic Review of Treatment Interventions for Metacarpal Shaft Fractures in Adults. Hand, 2020, , 155894472097436.	0.7	3
188	The feasibility and acceptability of an early intervention in primary care to prevent chronic fatigue syndrome (CFS) in adults: randomised controlled trial. Pilot and Feasibility Studies, 2020, 6, 65.	0.5	3
189	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	0.7	3
190	Coronary risk scores. Lancet, The, 2004, 363, 572-573.	6.3	2
191	To tweet or not to tweet about schizophrenia systematic reviews (TweetSz): study protocol for a randomised controlled trial. BMJ Open, 2015, 5, e007695.	0.8	2
192	RAPID INTERVENTION WITH GLYCERYL TRINITRATE IN HYPERTENSIVE STROKE TRIAL-2 (RIGHT-2): SAFETY AND EFFICACY OF TRANSDERMAL GLYCERYL TRINITRATE, A NITRIC OXIDE DONOR. Emergency Medicine Journal, 2016, 33, e13.2-e14.	0.4	2
193	Investigating the effect of independent, blinded digital image assessment on the STOP GAP trial. Trials, 2017, 18, 53.	0.7	2
194	Day of the week to tweet: a randomised controlled trial. BMJ Open, 2019, 9, e025380.	0.8	2
195	Optimising recruitment to the HAND-1 RCT feasibility study: integration of the QuinteT Recruitment Intervention (QRI). Pilot and Feasibility Studies, 2020, 6, 173.	0.5	2
196	Protocol for surgical and non-surgical treatment for metacarpal shaft fractures in adults: an observational feasibility study. BMJ Open, 2021, 11, e046913.	0.8	2
197	STANDARDISED Diagnostic Assessment for children and young people with emotional difficulties (STADIA): protocol for a multicentre randomised controlled trial. BMJ Open, 2022, 12, e053043.	0.8	2
198	Republished research: Facilitated physical activity as a treatment for depressed adults: randomised controlled trial. British Journal of Sports Medicine, 2013, 47, 629-629.	3.1	1

#	ARTICLE	IF	CITATIONS
199	Should we adjudicate outcomes in stroke trials? A systematic review. International Journal of Stroke, 2022, , 174749302210946.	2.9	1
200	Rectal bleeding and colorectal cancer. BMJ: British Medical Journal, 2001, 322, 610-610.	2.4	0
201	Diet or diet plus physical activity in patients with early type 2 diabetes – Authors' reply. Lancet, The, 2011, 378, 2067-2068.	6.3	0
202	Effectiveness of a Nurse-Led Intensive Home-Visitation Program for First-Time Teenage Mothers (Building Blocks). Obstetrical and Gynecological Survey, 2016, 71, 263-265.	0.2	0
203	Full Milk Feeds from Day 1. Neonatology, 2019, 116, 67-67.	0.9	0
204	A Validation and Calibration Process for Self-reported Tobacco Use With Participants' Cotinine Levels: An Example From the Building Blocks Trial. Nicotine and Tobacco Research, 2019, 21, 1660-1664.	1.4	0
205	TANDEM TRIAL: a factorial randomised controlled trial of dose and review schedule of bevacizumab (Avastin) for neovascular macular degeneration in the East Midlands. BMJ Open Ophthalmology, 2020, 5, e000588.	0.8	0