## Caj Haglund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7399151/publications.pdf

Version: 2024-02-01

210 papers 5,738 citations

71102 41 h-index 62 g-index

211 all docs

211 docs citations

times ranked

211

8237 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Use of self-expandable metallic stents for endoscopic biliary decompression decreases stent complications in pancreatic cancer patients receiving chemotherapy. Surgical Endoscopy and Other Interventional Techniques, 2022, 36, 614-620.                            | 2.4 | 5         |
| 2  | Long-term nationwide trends in the treatment of and outcomes among pancreatic cancer patients. European Journal of Surgical Oncology, 2022, 48, 1087-1092.  | 1.0 | 6         |
| 3  | Tumour-infiltrating lymphocytes in oropharyngeal cancer: a validation study according to the criteria of the International Immuno-Oncology Biomarker Working Group. British Journal of Cancer, 2022, 126, 1589-1594.  | 6.4 | 22        |
| 4  | Pancreatic fibrosis, acinar atrophy and chronic inflammation in surgical specimens associated with survival in patients with resectable pancreatic ductal adenocarcinoma. BMC Cancer, 2022, 22, 23.   | 2.6 | 6         |
| 5  | Pancreatic cancer survival prediction via inflammatory serum markers. Cancer Immunology, Immunotherapy, 2022, , 1.  | 4.2 | 1         |
| 6  | Preoperative oncologic therapy and the prolonged risk of venous thromboembolism in resectable pancreatic cancer. Cancer Medicine, 2022, 11, 1605-1616.  | 2.8 | 8         |
| 7  | A retrospective study of intraductal papillary neoplasia of the pancreas (IPMN) under surveillance.<br>Scandinavian Journal of Surgery, 2022, 111, 145749692210767.   | 2.6 | 6         |
| 8  | Gene fusions and oncogenic mutations in MLH1 deficient and BRAFV600E wild-type colorectal cancers.<br>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 480,<br>807-817.  | 2.8 | 9         |
| 9  | Matrix Metalloproteinase 8 Expression in a Tumour Predicts a Favourable Prognosis in Pancreatic Ductal Adenocarcinoma. International Journal of Molecular Sciences, 2022, 23, 3314.   | 4.1 | 4         |
| 10 | Ovarian Cancers with Low CIP2A Tumor Expression Constitute an APR-246–Sensitive Disease Subtype. Molecular Cancer Therapeutics, 2022, 21, 1236-1245.  | 4.1 | 2         |
| 11 | Tumor-associated CD3- and CD8-positive immune cells in colorectal cancer: The additional prognostic value of CD8+-to-CD3+ ratio remains debatable. Tumor Biology, 2022, 44, 37-52.  | 1.8 | 5         |
| 12 | TATI, TAT-2, and CRP as Prognostic Factors in Colorectal Cancer. Oncology, 2022, 100, 22-30.  | 1.9 | 3         |
| 13 | MRI follow-up for pancreatic intraductal papillary mucinous neoplasm: an ultrashort versus long protocol. Abdominal Radiology, 2022, 47, 727-737.   | 2.1 | 6         |
| 14 | Long Term Results of Pancreatectomy With and Without Venous Resection: A Comparison of Safety and Complications of Spiral Graft, End-to-End and Tangential/Patch Reconstruction Techniques. European Journal of Vascular and Endovascular Surgery, 2022, 64, 244-253. | 1.5 | 6         |
| 15 | Pancreatic cancer – the past, the present, and the future. Scandinavian Journal of Gastroenterology, 2022, 57, 1169-1177.   | 1.5 | 15        |
| 16 | The expression and prognostic value of toll-like receptors (TLRs) in pancreatic cancer patients treated with neoadjuvant therapy. PLoS ONE, 2022, 17, e0267792.   | 2.5 | 2         |
| 17 | lgG4-positive plasma cells in nonspecific sialadenitis and sialolithiasis. Modern Pathology, 2022, 35, 1423-1430.   | 5.5 | 4         |
| 18 | Increased MIB-1 expression in salivary gland pleomorphic adenoma that recurs and undergoes malignant transformation. Scientific Reports, 2022, 12, .  | 3.3 | 0         |

| #  | Article  | IF         | CITATIONS |
|----|--|------------|-----------|
| 19 | The Role of Human Chorionic Gonadotropin Beta (hCGβ) in HPV-Positive and HPV-Negative Oropharyngeal Squamous Cell Carcinoma. Cancers, 2022, 14, 2830.                                      | 3.7        | O         |
| 20 | $\hat{l}^2$ -catenin plus PROX1 immunostaining stratifies disease progression and patient survival in neoadjuvant-treated pancreatic cancer. Tumor Biology, 2022, 44, 69-84.               | 1.8        | 0         |
| 21 | High Expression of MMP-9 in Primary Tumors and High Preoperative MPO in Serum Predict Improved Prognosis in Colorectal Cancer with Operable Liver Metastases. Oncology, 2021, 99, 144-160. | 1.9        | 15        |
| 22 | Stromal categorization in early oral tongue cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 478, 925-932.                              | 2.8        | 17        |
| 23 | Matrix metalloproteinase-7, -8, -9, -15, and -25 in minor salivary gland adenoid cystic carcinoma. Pathology Research and Practice, 2021, 217, 153293.                                     | 2.3        | 5         |
| 24 | Altered linkage pattern of N-glycan sialic acids in pseudomyxoma peritonei. Glycobiology, 2021, 31, 211-222.   | 2.5        | 2         |
| 25 | <scp>MMP</scp> â€7, â€8, â€9, Eâ€cadherin, and betaâ€catenin expression in 34 ameloblastoma cases. Clinical a Experimental Dental Research, 2021, 7, 63-69.                                | ind<br>1.9 | 12        |
| 26 | A prognostic model for colorectal cancer based on CEA and a 48-multiplex serum biomarker panel. Scientific Reports, 2021, 11, 4287.  | 3.3        | 17        |
| 27 | CA125: A superior prognostic biomarker for colorectal cancer compared to CEA, CA19-9 or CA242. Tumor Biology, 2021, 43, 57-70.   | 1.8        | 23        |
| 28 | Impact of histological response after neoadjuvant therapy on podocalyxin as a prognostic marker in pancreatic cancer. Scientific Reports, 2021, 11, 9896.                                  | 3.3        | 3         |
| 29 | Antizyme inhibitor 2 (AZIN2) associates with better prognosis of head and neck minor salivary gland adenoid cystic carcinoma. Apmis, 2021, 129, 503-511.                                   | 2.0        | 1         |
| 30 | HLA $\hat{a} \in G$ expression correlates with histological grade but not with prognosis in colorectal carcinoma. Hla, 2021, 98, 213-217.  | 0.6        | 4         |
| 31 | Improving Risk Stratification of Early Oral Tongue Cancer with TNM-Immune (TNM-I) Staging System. Cancers, 2021, 13, 3235.   | 3.7        | 9         |
| 32 | Tumor-Associated Trypsin Inhibitor (TATI) as a Biomarker of Poor Prognosis in Oropharyngeal Squamous Cell Carcinoma Irrespective of HPV Status. Cancers, 2021, 13, 2811.                   | 3.7        | 5         |
| 33 | Changes in CRP and CA19-9 during Preoperative Oncological Therapy Predict Postoperative Survival in Pancreatic Ductal Adenocarcinoma. Oncology, 2021, 99, 686-698.                         | 1.9        | 4         |
| 34 | Lead Time and Prognostic Role of Serum CEA, CA19-9, IL-6, CRP, and YKL-40 after Adjuvant Chemotherapy in Colorectal Cancer. Cancers, 2021, 13, 3892.                                       | 3.7        | 11        |
| 35 | The Relationship between the Tissue Expression of TLR2, TLR4, TLR5, and TLR7 and Systemic Inflammatory Responses in Colorectal Cancer Patients. Oncology, 2021, 99, 790-801.               | 1.9        | 6         |
| 36 | Elevated tumor expression of Astroprincin (FAM171A1) is an independent marker of poor prognosis in colon cancer. BMC Gastroenterology, 2021, 21, 341.                                      | 2.0        | 1         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Colon cancer patients with mismatch repair deficiency are more likely to present as acute surgical cases. European Journal of Cancer, 2021, 157, 1-9.   | 2.8 | 2         |
| 38 | High Tissue TLR5 Expression Predicts Better Outcomes in Colorectal Cancer Patients. Oncology, 2021, 99, 589-600.  | 1.9 | 8         |
| 39 | Oncogenic Ras Disrupts Epithelial Integrity by Activating the Transmembrane Serine Protease Hepsin.<br>Cancer Research, 2021, 81, 1513-1527.  | 0.9 | 10        |
| 40 | Stage l–IV Colorectal Cancer Prognosis Can Be Predicted by Type and Number of Intratumoral Macrophages and CLEVER-1+ Vessel Density. Cancers, 2021, 13, 5988.   | 3.7 | 4         |
| 41 | Performance of Finnish biobanks in nationwide pulmonary carcinoid tumour research. Virchows<br>Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 273-283.   | 2.8 | 3         |
| 42 | Sclerosing sialadenitis of the submandibular gland is rarely an immunoglobulin G4-related disease in theÂFinnish population. Modern Pathology, 2020, 33, 551-559.   | 5.5 | 7         |
| 43 | Comparison of supervised machine learning classification techniques in prediction of locoregional recurrences in early oral tongue cancer. International Journal of Medical Informatics, 2020, 136, 104068.                                       | 3.3 | 83        |
| 44 | Colonic Adenocarcinomas Harboring NTRK Fusion Genes. American Journal of Surgical Pathology, 2020, 44, 162-173.   | 3.7 | 56        |
| 45 | Label-free proteomics reveals serum proteins whose levels differ between pancreatic ductal adenocarcinoma patients with short or long survival. Tumor Biology, 2020, 42, 101042832093641.   | 1.8 | 4         |
| 46 | Histological characteristics of earlyâ€stage oral tongue cancer in young versus older patients: A multicenter matchedâ€pair analysis. Oral Diseases, 2020, 26, 1081-1085.   | 3.0 | 14        |
| 47 | Unbiased in vivo preclinical evaluation of anticancer drugs identifies effective therapy for the treatment of pancreatic adenocarcinoma. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 30670-30678. | 7.1 | 11        |
| 48 | PCSK2 expression in neuroendocrine tumors points to a midgut, pulmonary, or pheochromocytoma–paraganglioma origin. Apmis, 2020, 128, 563-572.   | 2.0 | 5         |
| 49 | Cell-in-cell phenomenon associates with aggressive characteristics and cancer-related mortality in early oral tongue cancer. BMC Cancer, 2020, 20, 843.   | 2.6 | 11        |
| 50 | Expression and Role of E-Cadherin, β-Catenin, and Vimentin in Human Papillomavirus–Positive and Human Papillomavirus–Negative Oropharyngeal Squamous Cell Carcinoma. Journal of Histochemistry and Cytochemistry, 2020, 68, 595-606.              | 2.5 | 14        |
| 51 | High TKTL1 expression as a sign of poor prognosis in colorectal cancer with synchronous rather than metachronous liver metastases. Cancer Biology and Therapy, 2020, 21, 826-831.   | 3.4 | 9         |
| 52 | TKTL1 as a Prognostic Marker in Pancreatic Ductal Adenocarcinoma and Its Correlation with FDG-PET-CT. Oncology, 2020, 99, 1-9.  | 1.9 | 3         |
| 53 | The prognostic role of tissue TLR2 and TLR4 in colorectal cancer. Virchows Archiv Fur Pathologische<br>Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 705-715.  | 2.8 | 18        |
| 54 | Plasma protein expression differs between colorectal cancer patients depending on primary tumor location. Cancer Medicine, 2020, 9, 5221-5234.  | 2.8 | 8         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Transketolase-Like Protein 1 and Glucose Transporter 1 in Gastric Cancer. Oncology, 2020, 98, 643-652.   | 1.9 | 4         |
| 56 | Comparing serum protein levels can aid in differentiating HPV-negative and -positive oropharyngeal squamous cell carcinoma patients. PLoS ONE, 2020, 15, e0233974.   | 2.5 | 11        |
| 57 | Oncogenic Herpesvirus Engages Endothelial Transcription Factors SOX18 and PROX1 to Increase Viral Genome Copies and Virus Production. Cancer Research, 2020, 80, 3116-3129.  | 0.9 | 17        |
| 58 | IDH1 Expression via the R132H Mutation–Specific Antibody in Adrenocortical Neoplasias—Prognostic Impact in Carcinomas. Journal of the Endocrine Society, 2020, 4, bvaa018.   | 0.2 | 3         |
| 59 | Association between chronic pancreatitis and pancreatic cancer: A 10â€year retrospective study of endoscopically treated and surgical patients. International Journal of Cancer, 2020, 147, 1450-1460.   | 5.1 | 16        |
| 60 | N-glycomic profiling of colorectal cancer according to tumor stage and location. PLoS ONE, 2020, 15, e0234989.   | 2.5 | 16        |
| 61 | Additive clinical impact of epidermal growth factor receptor and podocalyxin-like protein expression in pancreatic and periampullary adenocarcinomas. Scientific Reports, 2020, 10, 10373.   | 3.3 | 4         |
| 62 | Tumor-associated trypsin inhibitor (TATI) and tumor-associated trypsin-2 (TAT-2) predict outcomes in gastric cancer. Acta Oncol $\tilde{A}^3$ gica, 2020, 59, 681-688.   | 1.8 | 6         |
| 63 | Elevated TLR5 expression in vivo and loss of NF-κΒ activation via TLR5 in vitro detected in HPV-negative oropharyngeal squamous cell carcinoma. Experimental and Molecular Pathology, 2020, 114, 104435.   | 2.1 | 4         |
| 64 | Pasireotide administration after pancreaticoduodenectomy may decrease clinically relevant postoperative pancreatic fistula in high-risk patients with small pancreatic ducts, soft pancreatic parenchyma and cystic or neuroendocrine neoplasia. Pancreatology, 2020, 20, 757-761. | 1.1 | 5         |
| 65 | Association between local immune cell infiltration, mismatch repair status and systemic inflammatory response in colorectal cancer. Journal of Translational Medicine, 2020, 18, 178.  | 4.4 | 17        |
| 66 | Epstein–Barr virus (EBV) and polyomaviruses are detectable in oropharyngeal cancer and EBV may have prognostic impact. Cancer Immunology, Immunotherapy, 2020, 69, 1615-1626.  | 4.2 | 18        |
| 67 | Preoperative Radiotherapy Leads to Significant Differences in the Plasma Protein Profile of Rectal Cancer Patients. Oncology, 2020, 98, 493-500.   | 1.9 | 5         |
| 68 | In HPV-negative oropharyngeal squamous cell carcinoma, elevated toll-like receptor 2 immunoexpression may increase the risk of disease-specific mortality. Oral Oncology, 2020, 107, 104778.   | 1.5 | 3         |
| 69 | Active matrix metalloproteinase-8 and interleukin-6 detect periodontal degeneration caused by radiotherapy of head and neck cancer: a pilot study. Expert Review of Proteomics, 2020, 17, 777-784.   | 3.0 | 23        |
| 70 | Tetraspanin CD63 independently predicts poor prognosis in colorectal cancer. Histology and Histopathology, 2020, 35, 887-892.  | 0.7 | 10        |
| 71 | Proteostasis Dysregulation in Pancreatic Cancer. Advances in Experimental Medicine and Biology, 2020, 1233, 101-115.   | 1.6 | 9         |
| 72 | Machine learning application for prediction of locoregional recurrences in early oral tongue cancer: a Web-based prognostic tool. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2019, 475, 489-497.  | 2.8 | 71        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | Polyomavirus JCPyV infrequently detectable in adenoid cystic carcinoma of the oral cavity and the airways. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2019, 475, 609-616.                | 2.8 | 5         |
| 74 | Toll-like receptor 1 predicts favorable prognosis in pancreatic cancer. PLoS ONE, 2019, 14, e0219245.   | 2.5 | 27        |
| 75 | L1TD1 - a prognostic marker for colon cancer. BMC Cancer, 2019, 19, 727.  | 2.6 | 11        |
| 76 | Expression of toll-like receptors in non-endemic nasopharyngeal carcinoma. BMC Cancer, 2019, 19, 624.   | 2.6 | 15        |
| 77 | Mucin 16 and kallikrein 13 as potential prognostic factors in colon cancer: Results of an oncological 92-multiplex immunoassay. Tumor Biology, 2019, 41, 101042831986072.   | 1.8 | 11        |
| 78 | High tissue MMP14 expression predicts worse survival in gastric cancer, particularly with a low PROX1. Cancer Medicine, 2019, 8, 6995-7005.   | 2.8 | 16        |
| 79 | Evaluation of toll-like receptors as prognostic biomarkers in gastric cancer: high tissue TLR5 predicts a better outcome. Scientific Reports, 2019, 9, 12553.   | 3.3 | 31        |
| 80 | In situ hybridization for high-risk HPV E6/E7 mRNA is a superior method for detecting transcriptionally active HPV in oropharyngeal cancer. Human Pathology, 2019, 90, 97-105.  | 2.0 | 39        |
| 81 | High levels of tissue inhibitor of metalloproteinase-1 (TIMP-1) in the serum are associated with poor prognosis in HPV-negative squamous cell oropharyngeal cancer. Cancer Immunology, Immunotherapy, 2019, 68, 1263-1272.          | 4.2 | 12        |
| 82 | Somatostatin Receptor Expression Is Associated With Metastasis and Patient Outcome in Pulmonary Carcinoid Tumors. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 2083-2093.   | 3.6 | 26        |
| 83 | Adrenocortical carcinoma: presentation and outcome of a contemporary patient series. Endocrine, 2019, 65, 166-174.  | 2.3 | 29        |
| 84 | BRAF V600E expression in ameloblastomasâ€"A 36â€patient cohort from Helsinki University Hospital. Oral Diseases, 2019, 25, 1169-1174.   | 3.0 | 13        |
| 85 | The expression and prognostic value of stem cell markers Bmi-1, HESC5:3, and HES77 in human papillomavirus–positive and –negative oropharyngeal squamous cell carcinoma. Tumor Biology, 2019, 41, 101042831984047.                  | 1.8 | 4         |
| 86 | TLR5 and TLR7 are differentially expressed in human papillomavirus-positive and negative base of tongue squamous cell carcinoma, and TLR7 may have an independent prognostic influence. Acta Oto-Laryngologica, 2019, 139, 206-210. | 0.9 | 7         |
| 87 | Ornithine decarboxylase antizyme inhibitor 2 (AZIN2) is a signature of secretory phenotype and independent predictor of adverse prognosis in colorectal cancer. PLoS ONE, 2019, 14, e0211564.                                       | 2.5 | 13        |
| 88 | Estrogen receptor beta expression correlates with proliferation in desmoid tumors. Journal of Surgical Oncology, 2019, 119, 873-879.  | 1.7 | 16        |
| 89 | The Prognostic Importance of CD20+ B lymphocytes in Colorectal Cancer and the Relation to Other Immune Cell subsets. Scientific Reports, 2019, 9, 19997.  | 3.3 | 97        |
| 90 | Variable somatostatin receptor subtype expression in 151 primary pheochromocytomas and paragangliomas. Human Pathology, 2019, 86, 66-75.  | 2.0 | 37        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Ameloblastoma: a retrospective single institute study of 34 subjects. Acta Odontologica Scandinavica, 2019, 77, 82-87.  | 1.6 | 5         |
| 92  | Astroprincin (FAM171A1, C10orf38). American Journal of Pathology, 2019, 189, 177-189.   | 3.8 | 13        |
| 93  | Combined epithelial marker analysis of tumour budding in stage II colorectal cancer. Journal of Pathology: Clinical Research, 2019, 5, 63-78.   | 3.0 | 20        |
| 94  | Somatostatin receptor expression in parathyroid neoplasms. Endocrine Connections, 2019, 8, 1213-1223.   | 1.9 | 13        |
| 95  | PD-1 and PD-L1 expression in pulmonary carcinoid tumors and their association to tumor spread. Endocrine Connections, 2019, 8, 1168-1175.   | 1.9 | 19        |
| 96  | Deep learning based tissue analysis predicts outcome in colorectal cancer. Scientific Reports, 2018, 8, 3395.   | 3.3 | 450       |
| 97  | Clinicopathological indicators of survival among patients with pulmonary carcinoid tumor. Acta Oncol ${\rm A}^3$ gica, 2018, 57, 1109-1116.   | 1.8 | 21        |
| 98  | Can carcinoembryonic antigen replace computed tomography in response evaluation of metastatic colorectal cancer?. Acta Oncológica, 2018, 57, 750-758.   | 1.8 | 7         |
| 99  | Prognostic impact of tumour–stroma ratio in earlyâ€stage oral tongue cancers. Histopathology, 2018, 72, 1128-1135.  | 2.9 | 54        |
| 100 | MMP-7 expression may influence the rate of distant recurrences and disease-specific survival in HPV-positive oropharyngeal squamous cell carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 472, 975-981. | 2.8 | 6         |
| 101 | Expression of hormone receptors in oropharyngeal squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2018, 275, 1289-1300.   | 1.6 | 11        |
| 102 | Prognostic and diagnostic value of REG4 serum and tissue expression in pancreatic ductal adenocarcinoma. Tumor Biology, 2018, 40, 101042831876149.  | 1.8 | 12        |
| 103 | Presenting symptoms and clinical findings in HPV-positive and HPV-negative oropharyngeal cancer patients. Acta Oto-Laryngologica, 2018, 138, 513-518.   | 0.9 | 41        |
| 104 | Neoadjuvant therapy offers longer survival than upfront surgery for poorly differentiated and higher stage pancreatic cancer. Acta Oncol $\tilde{A}^3$ gica, 2018, 57, 799-806.   | 1.8 | 31        |
| 105 | <scp>MAPK</scp> inhibitors induce serine peptidase inhibitor Kazal type 1 ( <scp>SPINK</scp> 1) secretion in <scp>BRAF</scp> V600Eâ€mutant colorectal adenocarcinoma. Molecular Oncology, 2018, 12, 224-238.  | 4.6 | 2         |
| 106 | Treponema denticola chymotrypsin-like proteinase may contribute to orodigestive carcinogenesis through immunomodulation. British Journal of Cancer, 2018, 118, 428-434.   | 6.4 | 71        |
| 107 | Epidemiological and treatment-related factors contribute to improved outcome of oropharyngeal squamous cell carcinoma in Finland. Acta Oncol $	ilde{A}^3$ gica, 2018, 57, 541-551.  | 1.8 | 15        |
| 108 | Evaluation of the budding and depth of invasion (BD) model in oral tongue cancer biopsies. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 472, 231-236.  | 2.8 | 39        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | C-myc expression in adrenocortical tumours. Journal of Clinical Pathology, 2018, 71, 129-134.   | 2.0 | 11        |
| 110 | High serum MMP-14 predicts worse survival in gastric cancer. PLoS ONE, 2018, 13, e0208800.  | 2.5 | 28        |
| 111 | Label-free tissue proteomics can classify oral squamous cell carcinoma from healthy tissue in a stage-specific manner. Oral Oncology, 2018, 86, 206-215.  | 1.5 | 11        |
| 112 | Serum MMP-8 and TIMP-1 as prognostic biomarkers in gastric cancer. Tumor Biology, 2018, 40, 101042831879926.  | 1.8 | 25        |
| 113 | Tumor volume as a $\hat{A}$ prognostic marker in p16-positive and p16-negative oropharyngeal cancer patients treated with definitive intensity-modulated radiotherapy. Strahlentherapie Und Onkologie, 2018, 194, 759-770.  | 2.0 | 23        |
| 114 | PROX1 is a transcriptional regulator of MMP14. Scientific Reports, 2018, 8, 9531.   | 3.3 | 26        |
| 115 | Treponema denticola chymotrypsin-like protease as associated with HPV-negative oropharyngeal squamous cell carcinoma. British Journal of Cancer, 2018, 119, 89-95.  | 6.4 | 17        |
| 116 | Colorectal cancer patients with different C-reactive protein levels and 5-year survival times can be differentiated with quantitative serum proteomics. PLoS ONE, 2018, 13, e0195354.   | 2.5 | 28        |
| 117 | Glycomic Profiling Highlights Increased Fucosylation in Pseudomyxoma Peritonei. Molecular and Cellular Proteomics, 2018, 17, 2107-2118.   | 3.8 | 8         |
| 118 | Small oral tongue cancers (â‰≇€‰4Âcm in diameter) with clinically negative neck: from the 7th to the 8th edition of the American Joint Committee on Cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 473, 481-487. | 2.8 | 18        |
| 119 | The prognostic significance of tall cells in papillary thyroid carcinoma: A case-control study. Tumor<br>Biology, 2018, 40, 101042831878772.  | 1.8 | 5         |
| 120 | Serum MMP-8 and TIMP-1 predict prognosis in colorectal cancer. BMC Cancer, 2018, 18, 679.   | 2.6 | 59        |
| 121 | <i>Treponema denticola</i> chymotrypsinâ€like proteinase is present in earlyâ€stage mobile tongue squamous cell carcinoma and related to the clinicopathological features. Journal of Oral Pathology and Medicine, 2018, 47, 764-772.                                 | 2.7 | 22        |
| 122 | Preoperative Biomarker Panel, Including Fibrinogen and FVIII, Improves Diagnostic Accuracy for Pancreatic Ductal Adenocarcinoma. Clinical and Applied Thrombosis/Hemostasis, 2018, 24, 1267-1275.   | 1.7 | 11        |
| 123 | High cyclin A expression, but not Ki67, is associated with early recurrence in desmoid tumors. Journal of Surgical Oncology, 2018, 118, 192-198.  | 1.7 | 5         |
| 124 | Positive cytoplasmic UCHL5 tumor expression in gastric cancer is linked to improved prognosis. PLoS ONE, 2018, 13, e0193125.  | 2.5 | 17        |
| 125 | Positive staining for cellulose in oral pulse granuloma. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2017, 123, 464-467.  | 0.4 | 7         |
| 126 | Changing trends in the management of the neck in oropharyngeal squamous cell carcinoma. Head and Neck, 2017, 39, 1412-1420.   | 2.0 | 6         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Comparative proteomic profiling of the serum differentiates pancreatic cancer from chronic pancreatitis. Cancer Medicine, 2017, 6, 1738-1751.   | 2.8 | 39        |
| 128 | Early stage minor salivary gland adenoid cystic carcinoma has favourable prognosis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 471, 785-792.                                       | 2.8 | 15        |
| 129 | A nationwide study on parathyroid carcinoma. Acta Oncol $	ilde{A}^3$ gica, 2017, 56, 991-1003.  | 1.8 | 84        |
| 130 | Prevalence of high-risk human papillomavirus infection and cancer gene mutations in nonmalignant tonsils. Oral Oncology, 2017, 73, 77-82.   | 1.5 | 13        |
| 131 | N-Glycomic Profiling of Pheochromocytomas and Paragangliomas Separates Metastatic and Nonmetastatic Disease. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3990-4000.  | 3.6 | 12        |
| 132 | Toll-like receptor 5 and 7 expression may impact prognosis of HPV-positive oropharyngeal squamous cell carcinoma patients. Cancer Immunology, Immunotherapy, 2017, 66, 1619-1629.   | 4.2 | 32        |
| 133 | UCHL5 expression associates with improved survival in lymph-node-positive rectal cancer. Tumor Biology, 2017, 39, 101042831771607.  | 1.8 | 12        |
| 134 | Nuclear ubiquitin C-terminal hydrolase L5 expression associates with increased patient survival in pancreatic ductal adenocarcinoma. Tumor Biology, 2017, 39, 101042831771041.  | 1.8 | 12        |
| 135 | Systemic matrix metalloproteinase-8 response in chronic tonsillitis. Infectious Diseases, 2017, 49, 302-307.  | 2.8 | 3         |
| 136 | High PROX1 expression in gastric cancer predicts better survival. PLoS ONE, 2017, 12, e0183868.   | 2.5 | 16        |
| 137 | Immunohistochemical analysis reveals variations in proteasome tissue expression in C. elegans. PLoS ONE, 2017, 12, e0183403.  | 2.5 | 8         |
| 138 | Expression of ODC Antizyme Inhibitor 2 (AZIN2) in Human Secretory Cells and Tissues. PLoS ONE, 2016, 11, e0151175.  | 2.5 | 18        |
| 139 | REG4 Is Highly Expressed in Mucinous Ovarian Cancer: A Potential Novel Serum Biomarker. PLoS ONE, 2016, 11, e0151590.   | 2.5 | 17        |
| 140 | Tollâ€like receptors 2, 4, and 9 in primary, metastasized, and recurrent oral tongue squamous cell carcinomas. Journal of Oral Pathology and Medicine, 2016, 45, 338-345.   | 2.7 | 16        |
| 141 | PROX1 and $\hat{I}^2$ -catenin are prognostic markers in pancreatic ductal adenocarcinoma. BMC Cancer, 2016, 16, 472.   | 2.6 | 35        |
| 142 | Association of BMI-1 and p16 as prognostic factors for head and neck carcinomas. Acta Oto-Laryngologica, 2016, 136, 501-505.  | 0.9 | 12        |
| 143 | Does securin expression have significance in prognostication of oral tongue cancer? A pilot study. European Archives of Oto-Rhino-Laryngology, 2016, 273, 3905-3911.  | 1.6 | 3         |
| 144 | The prognostic role of systemic inflammation in patients undergoing resection of colorectal liver metastases: C-reactive protein (CRP) is a strong negative prognostic biomarker. Journal of Surgical Oncology, 2016, 114, 895-899. | 1.7 | 58        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 145 | Increased MMPâ€7 expression in biliary epithelium and serum underpins native liver fibrosis after successful portoenterostomy in biliary atresia. Journal of Pathology: Clinical Research, 2016, 2, 187-198. | 3.0  | 47        |
| 146 | HuR in pheochromocytomas and paragangliomas – overexpression in verified malignant tumors. Apmis, 2016, 124, 757-763.  | 2.0  | 6         |
| 147 | Endoscopic sphincterotomy and risk of cholangiocarcinoma: a population-based cohort study in Finland and Sweden. Endoscopy International Open, 2016, 04, E1096-E1100.  | 1.8  | 3         |
| 148 | Transketolase-like protein 1 expression predicts poor prognosis in colorectal cancer. Cancer Biology and Therapy, 2016, 17, 163-168.   | 3.4  | 25        |
| 149 | Lymph node metastases and elevated postoperative calcitonin: Predictors of poor survival in medullary thyroid carcinoma. Acta Oncol $\tilde{A}^3$ gica, 2016, 55, 357-364.                                   | 1.8  | 23        |
| 150 | Systemic Inflammatory Response and Elevated Tumour Markers Predict Worse Survival in Resectable Pancreatic Ductal Adenocarcinoma. PLoS ONE, 2016, 11, e0163064.  | 2.5  | 36        |
| 151 | Carbonic anhydrase enzymes II, VII, IX and XII in colorectal carcinomas. World Journal of Gastroenterology, 2016, 22, 8168.  | 3.3  | 47        |
| 152 | Podocalyxin Is a Marker of Poor Prognosis in Pancreatic Ductal Adenocarcinoma. PLoS ONE, 2015, 10, e0129012.   | 2.5  | 27        |
| 153 | Podocalyxin as a Prognostic Marker in Gastric Cancer. PLoS ONE, 2015, 10, e0145079.  | 2.5  | 21        |
| 154 | Tollâ€like receptor 9 mediates invasion and predicts prognosis in squamous cell carcinoma of the mobile tongue. Journal of Oral Pathology and Medicine, 2015, 44, 571-577.                                   | 2.7  | 26        |
| 155 | Helsinki score—a novel model for prediction of metastases in adrenocortical carcinomas. Human<br>Pathology, 2015, 46, 404-410.   | 2.0  | 72        |
| 156 | N-glycomic Profiling as a Tool to Separate Rectal Adenomas from Carcinomas*. Molecular and Cellular Proteomics, 2015, 14, 277-288.   | 3.8  | 57        |
| 157 | Outcomes of resected nonfunctional pancreatic neuroendocrine tumors: Do size and symptoms matter?. Surgery, 2015, 158, 1556-1563.  | 1.9  | 58        |
| 158 | MMP-7, MMP-8, and MMP-9 in oral and cutaneous squamous cell carcinomas. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2015, 119, 459-467.  | 0.4  | 26        |
| 159 | Extendable blocking probe in reverse transcription for analysis of RNA variants with superior selectivity. Nucleic Acids Research, 2015, 43, e4-e4.  | 14.5 | 11        |
| 160 | Expression of toll-like receptors in HPV-positive and HPV-negative oropharyngeal squamous cell carcinoma—an in vivo and in vitro study. Tumor Biology, 2015, 36, 7755-7764.                                  | 1.8  | 22        |
| 161 | A novel stem cell associated marker identified by monoclonal antibody <scp>HESC </scp> 5:3 differentiates between neoplastic lesions in follicular thyroid neoplasms. Apmis, 2015, 123, 604-612.             | 2.0  | 3         |
| 162 | Expression of Tollâ€like receptors in nasal epithelium in allergic rhinitis. Apmis, 2015, 123, 716-725.  | 2.0  | 23        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Predictive role of toll-like receptors 2, 4, and 9 in oral tongue squamous cell carcinoma. Oral Oncology, 2015, 51, 96-102.  | 1.5 | 36        |
| 164 | The expression of Toll-like receptors 2, 4, 5, 7 and 9 in Merkel cell carcinoma. Anticancer Research, 2015, 35, 1843-9.  | 1.1 | 15        |
| 165 | Expression of Stem Cell-associated Marker HES77 in Rectal Neuroendocrine Tumors. Anticancer Research, 2015, 35, 3767-72.   | 1.1 | 2         |
| 166 | Tumor-like Chronic Pancreatitis Is Often Autoimmune Pancreatitis. Anticancer Research, 2015, 35, 6163-6.   | 1.1 | 5         |
| 167 | Oncogenic mutations in intestinal adenomas regulate Bim-mediated apoptosis induced by TGF-β. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E2229-36. | 7.1 | 52        |
| 168 | Prox1 Promotes Expansion of the Colorectal Cancer Stem Cell Population to Fuel Tumor Growth and Ischemia Resistance. Cell Reports, 2014, 8, 1943-1956.   | 6.4 | 63        |
| 169 | Low Expression of Nuclear Tollâ€like Receptor 4Âin Laryngeal Papillomas Transforming into Squamous<br>Cell Carcinoma. Otolaryngology - Head and Neck Surgery, 2014, 151, 785-790.                  | 1.9 | 14        |
| 170 | Different Toll-Like Receptor Expression Patterns in Progression toward Cancer. Frontiers in Immunology, 2014, 5, 638.  | 4.8 | 29        |
| 171 | Cyclin A predicts metastatic potential of rectal neuroendocrine tumors. Human Pathology, 2014, 45, 1605-1609.  | 2.0 | 6         |
| 172 | Expression of human chorionic gonadotropin in testicular germ cell tumors. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 727-734.   | 1.6 | 19        |
| 173 | Matrix metalloproteinaseâ€7 and matrix metalloproteinaseâ€25 in oral tongue squamous cell carcinoma.<br>Head and Neck, 2014, 36, 1783-1788.  | 2.0 | 23        |
| 174 | REG4 Independently Predicts Better Prognosis in Non-Mucinous Colorectal Cancer. PLoS ONE, 2014, 9, e109600.  | 2.5 | 18        |
| 175 | Epithelial and stromal syndecanâ€1 and â€2 are distinctly expressed in oral―and cutaneous squamous cell carcinomas. Journal of Oral Pathology and Medicine, 2013, 42, 389-395.                     | 2.7 | 17        |
| 176 | Concomitant Tumor Expression of EGFR and TATI/SPINK1 Associates with Better Prognosis in Colorectal Cancer. PLoS ONE, 2013, 8, e76906.   | 2.5 | 19        |
| 177 | CIP2A overexpression is associated with c-Myc expression in colorectal cancer. Cancer Biology and Therapy, 2012, 13, 289-295.  | 3.4 | 59        |
| 178 | Lack of MMP-9 expression is a marker for poor prognosis in Dukes' B colorectal cancer. BMC Clinical Pathology, 2012, 12, 24.   | 1.8 | 19        |
| 179 | Prognostic significance of matrix metalloproteinaseâ€2, â€8, â€9, and â€13 in oral tongue cancer. Journal of Oral Pathology and Medicine, 2012, 41, 394-399.                                       | 2.7 | 47        |
| 180 | MMP-7 as a prognostic marker in colorectal cancer. Tumor Biology, 2011, 32, 259-264.   | 1.8 | 63        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | COX-2 is associated with proliferation and apoptosis markers and serves as an independent prognostic factor in gastric cancer. Tumor Biology, 2010, $31$ , $1$ -7.                               | 1.8 | 44        |
| 182 | MMP-7 overexpression is an independent prognostic marker in gastric cancer. Tumor Biology, 2010, 31, 149-155.  | 1.8 | 55        |
| 183 | MYC-Dependent Regulation and Prognostic Role of CIP2A in Gastric Cancer. Journal of the National Cancer Institute, 2009, 101, 793-805.   | 6.3 | 186       |
| 184 | Comparison of the prognostic value of a panel of tissue tumor markers and established clinicopathological factors in patients with gastric cancer. Anticancer Research, 2008, 28, 2279-87.       | 1.1 | 23        |
| 185 | Ki-67, p53, ER Receptors, Ploidy and S Phase as Long-Term Prognostic Factors in T1 Node-Negative Breast Cancer. Tumor Biology, 2007, 28, 45-51.  | 1.8 | 22        |
| 186 | Prognostic significance of cyclin A in gastric cancer. International Journal of Cancer, 2006, 119, 1897-1901.  | 5.1 | 47        |
| 187 | Cyclooxygenase-2 Is an Independent Prognostic Factor in Gastric Cancer and Its Expression Is Regulated by the Messenger RNA Stability Factor HuR. Clinical Cancer Research, 2005, 11, 7362-7368. | 7.0 | 147       |
| 188 | Cytoplasmic HuR Expression Is a Prognostic Factor in Invasive Ductal Breast Carcinoma. Cancer Research, 2005, 65, 2157-2161.   | 0.9 | 209       |
| 189 | Syndecan-1 Expression – A Novel Prognostic Marker in Pancreatic Cancer. Oncology, 2005, 68, 97-106.  | 1.9 | 61        |
| 190 | Prognostic Value of Syndecan-1 Expression in Breast Cancer. Oncology, 2004, 67, 11-18.   | 1.9 | 97        |
| 191 | Estimating the Probability of Cancer with Several Tumor Markers in Patients with Colorectal Disease. Oncology, 2004, 66, 296-302.  | 1.9 | 46        |
| 192 | CEA, CA 242, CA 19-9, CA 72-4 and hCGβ in the Diagnosis of Recurrent Colorectal Cancer. Tumor Biology, 2004, 25, 228-234.  | 1.8 | 51        |
| 193 | Preoperative hCG? and CA 72-4 are prognostic factors in gastric cancer. International Journal of Cancer, 2004, 111, 929-933.   | 5.1 | 49        |
| 194 | Cyclooxygenase-2 and gastric carcinogenesis. Apmis, 2003, 111, 915-925.  | 2.0 | 108       |
| 195 | Cytoplasmic HuR expression correlates with poor outcome and with cyclooxygenase 2 expression in serous ovarian carcinoma. Cancer Research, 2003, 63, 7591-4.                                     | 0.9 | 118       |
| 196 | Serum HCGβ, CA 72â€4 and CEA are independent prognostic factors in colorectal cancer. International Journal of Cancer, 2002, 101, 545-548.   | 5.1 | 89        |
| 197 | Combination of HCGbeta, CA 19-9 and CEA with logistic regression improves accuracy in gastrointestinal malignancies. Anticancer Research, 2002, 22, 1759-64.                                     | 1.1 | 33        |
| 198 | Epithelial and stromal syndecan-1 expression as predictor of outcome in patients with gastric cancer. International Journal of Cancer, 2001, 95, 1-6.  | 5.1 | 90        |

| #   | Article   | IF  | CITATION |
|-----|---|-----|----------|
| 199 | STn and Prognosis in Breast Cancer. Oncology, 2001, 61, 299-305.  | 1.9 | 64       |
| 200 | p27 Expression Correlates with Short-Term, but not with Long-Term Prognosis in Breast Cancer. Breast Cancer Research and Treatment, 2001, 67, 15-22.  | 2.5 | 37       |
| 201 | Inhibin/Activin $\hat{l}^2$ B-Subunit Expression in Pheochromocytomas Favors Benign Diagnosis (sup) 1 (/sup). Journal of Clinical Endocrinology and Metabolism, 2001, 86, 2231-2235.                                | 3.6 | 42       |
| 202 | Increased Expression of Cyclooxygenase-2 in Malignant Pheochromocytomas. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 5615-5619.   | 3.6 | 68       |
| 203 | Increased Expression of Cyclooxygenase-2 in Malignant Pheochromocytomas. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 5615-5619.   | 3.6 | 22       |
| 204 | Time-resolved Immunofluorometric Assay of Trypsin-1 Complexed with $\hat{l}\pm 1$ -Antitrypsin in Serum: Increased Immunoreactivity in Patients with Biliary Tract Cancer. Clinical Chemistry, 1999, 45, 1768-1773. | 3.2 | 17       |
| 205 | Concentration of free hCG $\hat{l}^2$ subunit in serum as a prognostic marker for squamous-cell carcinoma of the oral cavity and oropharynx. International Journal of Cancer, 1999, 84, 525-528.                    | 5.1 | 43       |
| 206 | Ki-67, p53, Er-Receptors, Ploidy and S-Phase as Prognostic Factors in T1 Node Negative Breast Cancer. Acta Oncol $\tilde{A}^3$ gica, 1997, 36, 369-374.   | 1.8 | 44       |
| 207 | Sialyl Tn antigen is an independent predictor of outcome in patients with gastric cancer. , 1996, 65, 295-300.  |     | 43       |
| 208 | Serum trypsinogen-2 and trypsin- $2-\hat{l}\pm 1$ -antitrypsin complex in malignant and benign digestive-tract diseases. Preferential elevation in patients with cholangiocarcinomas. , 1996, 66, 326-331.          |     | 38       |
| 209 | Serum ca 50 as a tumor marker in pancreatic cancer: A comparison with CA 19-9. International Journal of Cancer, 1987, 39, 477-481.  | 5.1 | 54       |
| 210 | Tissue expression of the tumor marker CA 50 in benign and malignant pancreatic lesions. A comparison with CA 19-9. International Journal of Cancer, 1986, 38, 841-846.  | 5.1 | 24       |