

Yuki Atsumi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7401108/publications.pdf>

Version: 2024-02-01

58
papers

458
citations

687363

13
h-index

794594

19
g-index

58
all docs

58
docs citations

58
times ranked

326
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of bypass grafting to the infarct artery on late potentials in coronary operations. <i>Annals of Thoracic Surgery</i> , 1995, 60, 422-425.	1.3	39
2	GaInAsP/InP lateral-current-injection distributed feedback laser with a-Si surface grating. <i>Optics Express</i> , 2011, 19, 1884.	3.4	31
3	Silicon waveguide optical modulator driven by metal-insulator transition of vanadium dioxide cladding layer. <i>Optics Express</i> , 2019, 27, 4147.	3.4	31
4	Vertically Curved Si Waveguide Coupler with Low Loss and Flat Wavelength Window. <i>Journal of Lightwave Technology</i> , 2016, 34, 1567-1571.	4.6	23
5	Lateral-Current-Injection Distributed Feedback Laser With Surface Grating Structure. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011, 17, 1175-1182.	2.9	21
6	Low-Loss Amorphous Silicon Multilayer Waveguides Vertically Stacked on Silicon-on-Insulator Substrate. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 120208.	1.5	20
7	Low-Loss GaInAsP Wire Waveguide on Si Substrate with Benzocyclobutene Adhesive Wafer Bonding for Membrane Photonic Circuits. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 042201.	1.5	19
8	Low-Loss Amorphous Silicon Multilayer Waveguides Vertically Stacked on Silicon-on-Insulator Substrate. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 120208.	1.5	19
9	Athermal Wavelength Characteristics of Si Slot Ring Resonator Embedded with Benzocyclobutene for Optoelectronic Integrated Circuits. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 050206.	1.5	17
10	Low Threshold Current Density Operation of a GaInAsP/Si Hybrid Laser Prepared by Low-Temperature N ₂ Plasma Activated Bonding. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 060202.	1.5	17
11	Design of compact surface optical coupler based on vertically curved silicon waveguide for high-numerical-aperture single-mode optical fiber. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 090307.	1.5	16
12	Initial alignment control technique using on-chip groove arrays for liquid crystal hybrid silicon optical phase shifters. <i>Optics Express</i> , 2019, 27, 8756.	3.4	16
13	Absent Pulmonary Valve with Intact Ventricular Septum Presenting as Cardiorespiratory Failure at Birth. <i>Pediatric Cardiology</i> , 1997, 18, 136-138.	1.3	15
14	50 Gbps data transmission through amorphous silicon interlayer grating couplers with metal mirrors. <i>Applied Physics Express</i> , 2014, 7, 032202.	2.4	13
15	Simultaneous retrieval of fluidic refractive index and surface adsorbed molecular film thickness using silicon wire waveguide biosensors. <i>Optics Express</i> , 2012, 20, 26969.	3.4	12
16	Amorphous-Silicon Inter-Layer Grating Couplers With Metal Mirrors Toward 3-D Interconnection. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2014, 20, 317-322.	2.9	12
17	Switching dynamics of silicon waveguide optical modulator driven by photothermally induced metal-insulator transition of vanadium dioxide cladding layer. <i>Optics Express</i> , 2020, 28, 37188.	3.4	12
18	Newly Developed Electromagnetic Tracked Flexible Neuroendoscope -Technical Note-. <i>Neurologia Medico-Chirurgica</i> , 2011, 51, 611-616.	2.2	10

#	ARTICLE	IF	CITATIONS
19	Athermal Wavelength Filters toward Optical Interconnection to LSIs. IEICE Transactions on Electronics, 2012, E95-C, 229-236.	0.6	10
20	Low-Loss GaInAsP Wire Waveguide on Si Substrate with Benzocyclobutene Adhesive Wafer Bonding for Membrane Photonic Circuits. Japanese Journal of Applied Physics, 2012, 51, 042201.	1.5	10
21	Broad-band surface optical coupler based on a SiO ₂ -capped vertically curved silicon waveguide. Optics Express, 2018, 26, 10400.	3.4	9
22	Layer-to-Layer Grating Coupler Based on Hydrogenated Amorphous Silicon for Three-Dimensional Optical Circuits. Japanese Journal of Applied Physics, 2012, 51, 120203.	1.5	8
23	Multi-stacked silicon wire waveguides and couplers toward 3D optical interconnects. , 2013, , .		8
24	Interlayer Polarization Beam Splitter Based on Asymmetrical Si Wire Directional Coupler. IEEE Photonics Technology Letters, 2016, 28, 1545-1548.	2.5	7
25	In-plane switching mode-based liquid-crystal hybrid Si wired Mach-Zehnder optical switch. Japanese Journal of Applied Physics, 2016, 55, 118003.	1.5	7
26	Analysis of higher-order mode suppressed transmission in low-loss silicon multimode waveguides on silicon-on-insulator substrates. Japanese Journal of Applied Physics, 2014, 53, 078002.	1.5	6
27	Si-Photonics-Based Layer-to-Layer Coupler Toward 3D Optical Interconnection. IEICE Transactions on Electronics, 2018, E101.C, 501-508.	0.6	6
28	Polarization-Insensitive Vertically Curved Si Surface Optical Coupler Bent by Ion Implantation. IEEE Photonics Technology Letters, 2020, 32, 1319-1322.	2.5	6
29	Low-Loss and Broadband Optical Coupler Based on Lensed-Top Vertically Curved Silicon Waveguide. IEEE Photonics Technology Letters, 2019, 31, 603-606.	2.5	5
30	Layer-to-Layer Grating Coupler Based on Hydrogenated Amorphous Silicon for Three-Dimensional Optical Circuits. Japanese Journal of Applied Physics, 2012, 51, 120203.	1.5	5
31	Internal mammary artery-to-pulmonary artery shunt in infants. Annals of Thoracic Surgery, 1990, 50, 857-858.	1.3	4
32	Low-threshold-current operation of lateral current injection membrane distributed-feedback laser bonded on Si. , 2014, , .		3
33	Investigation of Optical Interconnection by using Photonic Wire Bonding. Journal of Laser Micro Nanoengineering, 2015, 10, 148-153.	0.1	3
34	Improvement of fabrication accuracy of vertically curved silicon waveguide optical coupler using hard mask shielded ion implantation bending. Japanese Journal of Applied Physics, 2020, 59, 078003.	1.5	3
35	Compact InP-based 1‑2 MMI splitter on Si substrate with BCB wafer bonding for membrane photonic circuits. , 2012, , .		2
36	Low-threshold-current operation of membrane distributed-feedback laser with surface grating bonded on Si substrate. Japanese Journal of Applied Physics, 2015, 54, 080301.	1.5	2

#	ARTICLE	IF	CITATIONS
37	Relief of Airway Compression by Enlarged Pulmonary Artery - Modified Palliative Suspension of the Artery after Plication. Thoracic and Cardiovascular Surgeon, 1995, 43, 44-47.	1.0	1
38	Properties of high index-contrast wired GaInAsP waveguides with benzocyclobutene on Si substrate. , 2009, , .		1
39	Lateral current injection type GaInAsP/InP DFB laser with a-Si surface grating. , 2010, , .		1
40	Amorphous Silicon grating-type layer-to-layer couplers for intra-chip connection. , 2012, , .		1
41	Ultraviolet-induced wavelength trimming of BCB-buried athermal Si slot wavelength filters. , 2013, , .		1
42	Inter-layer grating coupler with metal mirrors for 3D optical interconnects. , 2013, , .		1
43	Loss reduction of Si optical waveguides by beam step-size fracturing technique in electron beam lithography. Japanese Journal of Applied Physics, 2014, 53, 06JB04.	1.5	1
44	Compact and low-loss liquid crystal loaded Mach-Zehnder optical switch based on Si wire waveguide. IEICE Electronics Express, 2017, 14, 20170110-20170110.	0.8	1
45	CMOS-compatible Vertical Si-waveguide Coupler Fabricated by Ion Implantation. , 2016, , .		1
46	Orbital Angular Momentum Mux/Demux Module Using Vertically Curved Si Waveguides. , 2019, , .		1
47	Design of aspherical-lensed Si surface optical coupler for coupling with standard single-mode optical fibers. Japanese Journal of Applied Physics, 2020, 59, 100905.	1.5	1
48	Effect of Stabilized Hemoglobin as a Component of Cardioplegia on Warm Ischemic Heart. Biomaterials, Artificial Cells, and Immobilization Biotechnology: Official Journal of the International Society for Artificial Cells and Immobilization Biotechnology, 1992, 20, 703-707.	0.2	0
49	A Reconsideration of Surgery for Mitral Stenosis Based on the Extent of Valvular Distortion shown by Two-Dimensional Echocardiography Preoperatively*. Thoracic and Cardiovascular Surgeon, 1993, 41, 167-172.	1.0	0
50	Athermal wavelength property of Si-slot ring resonator embedded with benzocyclobutene. , 2009, , .		0
51	Low-loss Si-slot waveguides and ring resonator embedded with Benzocyclobutene. , 2010, , .		0
52	Wide-gap athermal Si-slot Mach-Zehnder Interferometer embedded with Benzocyclobutene. , 2011, , .		0
53	GaInAsP/Si hybrid Fabry-Perot laser using N^+/In^+ plasma activated low temperature bonding. , 2012, , .		0
54	Design of multi-functional GaInAsP/Si hybrid semiconductor optical amplifier array with AlInAs-oxide current confinement layer. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
55	Hydrogenated amorphous silicon photonic devices on synthetic quartz glass substrate. , 2015, , .		0
56	Design of feasible silicon interlayer polarization beam splitter toward 3D optical integrated circuits. , 2015, , .		0
57	Controlled initial orientation of liquid crystals in silicon optical switches with a groove array. , 2017, , .		0
58	Vertically-bent silicon waveguide for high-efficiency optical fiber coupling. , 2018, , .		0