John A Juvik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7402313/publications.pdf

Version: 2024-02-01

53	2,911	29 h-index	52
papers	citations		g-index
55	55	55	2810 citing authors
all docs	docs citations	times ranked	

#	Article	IF	Citations
1	Assessing the diversity of anthocyanin composition in various tissues of purple corn (Zea mays L.). Phytochemistry, 2022, 201, 113263.	2.9	6
2	Functional Characterization of an Anthocyanin Dimalonyltransferase in Maize. Molecules, 2021, 26, 2020.	3.8	8
3	Linking anthocyanin diversity, hue, and genetics in purple corn. G3: Genes, Genomes, Genetics, 2021, 11, .	1.8	27
4	A natural colorant system from corn: Flavone-anthocyanin copigmentation for altered hues and improved shelf life. Food Chemistry, 2020, 310, 125734.	8.2	54
5	Genome biology of the paleotetraploid perennial biomass crop Miscanthus. Nature Communications, 2020, 11, 5442.	12.8	67
6	Prospects for economical natural colorants: insights from maize. Theoretical and Applied Genetics, 2019, 132, 2927-2946.	3.6	32
7	Winter hardiness of <i>Miscanthus</i> (II): Genetic mapping for overwintering ability and adaptation traits in three interconnected <i>Miscanthus</i> populations. GCB Bioenergy, 2019, 11, 706-726.	5.6	7
8	Relationship of phenolic composition of selected purple maize (Zea mays L.) genotypes with their anti-inflammatory, anti-adipogenic and anti-diabetic potential. Food Chemistry, 2019, 289, 739-750.	8.2	71
9	Activating Effects of Phenolics from Apache Red <i>Zea mays</i> L. on Free Fatty Acid Receptor 1 and Glucokinase Evaluated with a Dual Culture System with Epithelial, Pancreatic, and Liver Cells. Journal of Agricultural and Food Chemistry, 2019, 67, 9148-9159.	5.2	12
10	Comparison of chemical, color stability, and phenolic composition from pericarp of nine colored corn unique varieties in a beverage model. Food Research International, 2018, 105, 286-297.	6.2	19
11	Genetic mapping of biomass yield in three interconnected <i>Miscanthus</i> populations. GCB Bioenergy, 2018, 10, 165-185.	5.6	29
12	Discovery of Anthocyanin Acyltransferase1 (AAT1) in Maize Using Genotyping-by-Sequencing (GBS). G3: Genes, Genomes, Genetics, 2018, 8, 3669-3678.	1.8	22
13	Unique Flavanol-Anthocyanin Condensed Forms in Apache Red Purple Corn. Journal of Agricultural and Food Chemistry, 2018, 66, 10844-10854.	5.2	26
14	Targeted Metabolomic and Transcriptomic Analyses of "Red Russian―Kale (Brassicae napus var.) Tj ETQq0 0 (Trichoplusia ni Hübner). International Journal of Molecular Sciences, 2018, 19, 1058.	0 rgBT /O 4.1	verlock 10 Tf 14
15	Survey of Anthocyanin Composition and Concentration in Diverse Maize Germplasms. Journal of Agricultural and Food Chemistry, 2017, 65, 4341-4350.	5.2	73
16	Proposed Method for Estimating Health-Promoting Glucosinolates and Hydrolysis Products in Broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) Using Relative Transcript Abundance. Journal of Agricultural and Food Chemistry, 2017, 65, 301-308.	5.2	6
17	A new lab scale corn dry milling protocol generating commercial sized flaking grits for quick estimation of coproduct yield and composition. Industrial Crops and Products, 2017, 109, 92-100.	5.2	12

Cultivar-Specific Changes in Primary and Secondary Metabolites in Pak Choi (Brassica Rapa, Chinensis) Tj ETQq0 0 Q rgBT /Overlock 10 T

#	Article	IF	CITATIONS
19	Chemopreventive glucosinolate accumulation in various broccoli and collard tissues: Microfluidic-based targeted transcriptomics for by-product valorization. PLoS ONE, 2017, 12, e0185112.	2.5	19
20	The Role of Glucosinolate Hydrolysis Products from Brassica Vegetable Consumption in Inducing Antioxidant Activity and Reducing Cancer Incidence. Diseases (Basel, Switzerland), 2016, 4, 22.	2.5	37
21	Transcriptome and Metabolome Analyses of Glucosinolates in Two Broccoli Cultivars Following Jasmonate Treatment for the Induction of Glucosinolate Defense to Trichoplusia ni (Hübner). International Journal of Molecular Sciences, 2016, 17, 1135.	4.1	30
22	Profiles of Glucosinolates, Their Hydrolysis Products, and Quinone Reductase Inducing Activity from 39 Arugula (xi>Eruca sativa Mill.) Accessions. Journal of Agricultural and Food Chemistry, 2016, 64, 6524-6532.	5.2	37
23	QTL analysis for the identification of candidate genes controlling phenolic compound accumulation in broccoli (Brassica oleracea L. var. italica). Molecular Breeding, 2016, 36, 1.	2.1	7
24	Highâ€density genetic map of MiscanthusÂsinensis reveals inheritance of zebra stripe. GCB Bioenergy, 2016, 8, 616-630.	5.6	16
25	Characterizing a <i>Miscanthus</i> Germplasm Collection for Yield, Yield Components, and Genotype × Environment Interactions. Crop Science, 2015, 55, 1978-1994.	1.8	7
26	Genetic analysis of glucosinolate variability in broccoli florets using genome-anchored single nucleotide polymorphisms. Theoretical and Applied Genetics, 2015, 128, 1431-1447.	3.6	14
27	Correlation of Quinone Reductase Activity and Allyl Isothiocyanate Formation Among Different Genotypes and Grades of Horseradish Roots. Journal of Agricultural and Food Chemistry, 2015, 63, 2947-2955.	5.2	33
28	Mapping the genome of <i>Miscanthus sinensis</i> for <scp>QTL</scp> associated with biomass productivity. GCB Bioenergy, 2015, 7, 797-810.	5.6	34
29	Genetic variation in <i><scp>M</scp>iscanthusÂ×Âgiganteus</i> and the importance of estimating genetic distance thresholds for differentiating clones. GCB Bioenergy, 2015, 7, 386-404.	5.6	62
30	Enhancement of Broccoli Indole Glucosinolates by Methyl Jasmonate Treatment and Effects on Prostate Carcinogenesis. Journal of Medicinal Food, 2014, 17, 1177-1182.	1.5	25
31	Exogenous Methyl Jasmonate Treatment Increases Glucosinolate Biosynthesis and Quinone Reductase Activity in Kale Leaf Tissue. PLoS ONE, 2014, 9, e103407.	2.5	32
32	Variation in chilling tolerance for photosynthesis and leaf extension growth among genotypes related to the C4 grass Miscanthus ×giganteus. Journal of Experimental Botany, 2014, 65, 5267-5278.	4.8	32
33	Optimization of methyl jasmonate application to broccoli florets to enhance health-promoting phytochemical content. Journal of the Science of Food and Agriculture, 2014, 94, 2090-2096.	3.5	39
34	Plant morphology, genome size, and <scp>SSR</scp> markers differentiate five distinct taxonomic groups among accessions in the genus <i><scp>M</scp>iscanthus</i> . GCB Bioenergy, 2014, 6, 646-660.	5.6	45
35	Total Myrosinase Activity Estimates in Brassica Vegetable Produce. Journal of Agricultural and Food Chemistry, 2014, 62, 8094-8100.	5.2	23
36	Pre-harvest Methyl Jasmonate Treatment Enhances Cauliflower Chemoprotective Attributes Without a Loss in Postharvest Quality. Plant Foods for Human Nutrition, 2013, 68, 113-117.	3.2	30

#	Article	IF	Citations
37	Influence of Seasonal Variation and Methyl Jasmonate Mediated Induction of Glucosinolate Biosynthesis on Quinone Reductase Activity in Broccoli Florets. Journal of Agricultural and Food Chemistry, 2013, 61, 130930141624005.	5.2	27
38	Synthetic polyploid production of <i><scp>M</scp>iscanthus sacchariflorus</i> <, <i><scp>M</scp>iscanthus sinensis</i> , and <i><scp>M</scp>iscanthus x giganteus</i> . GCB Bioenergy, 2013, 5, 338-350.	5.6	33
39	The Gene Pool of Miscanthus Species and Its Improvement. , 2013, , 73-101.		51
40	Methyl Jasmonate and 1-Methylcyclopropene Treatment Effects on Quinone Reductase Inducing Activity and Post-Harvest Quality of Broccoli. PLoS ONE, 2013, 8, e77127.	2.5	56
41	Environmental Stress and Methyl Jasmonate-mediated Changes in Flavonoid Concentrations and Antioxidant Activity in Broccoli Florets and Kale Leaf Tissues. Hortscience: A Publication of the American Society for Hortcultural Science, 2013, 48, 996-1002.	1.0	40
42	A framework genetic map for Miscanthus sinensis from RNAseq-based markers shows recent tetraploidy. BMC Genomics, 2012, 13, 142.	2.8	87
43	Effect of Selenium Fertilization and Methyl Jasmonate Treatment on Glucosinolate Accumulation in Broccoli Florets. Journal of the American Society for Horticultural Science, 2011, 136, 239-246.	1.0	47
44	<i>Miscanthus</i> \tilde{A} — <i>giganteus</i> plant regeneration: effect of callus types, ages and culture methods on regeneration competence. GCB Bioenergy, 2010, 2, 192-200.	5.6	13
45	Miscanthus. Advances in Botanical Research, 2010, 56, 75-137.	1.1	169
46	Genome Size of Three Miscanthus Species. Plant Molecular Biology Reporter, 2009, 27, 184-188.	1.8	97
47	Chromosome doubling of the bioenergy crop, <i>Miscanthus</i> × <i>giganteus</i> . GCB Bioenergy, 2009, 1, 404-412.	5.6	39
48	A Polymerase Chain Reaction-based Linkage Map of Broccoli and Identification of Quantitative Trait Loci Associated with Harvest Date and Head Weight. Journal of the American Society for Horticultural Science, 2007, 132, 507-513.	1.0	12
49	Epithiospecifier Protein from Broccoli (Brassica oleraceaL. ssp.italica) Inhibits Formation of the Anticancer Agent Sulforaphane. Journal of Agricultural and Food Chemistry, 2006, 54, 2069-2076.	5.2	201
50	Correlation Analyses of Phytochemical Composition, Chemical, and Cellular Measures of Antioxidant Activity of Broccoli (Brassica oleracea L. Var. italica). Journal of Agricultural and Food Chemistry, 2005, 53, 7421-7431.	5 . 2	91
51	Heating decreases epithiospecifier protein activity and increases sulforaphane formation in broccoli. Phytochemistry, 2004, 65, 1273-1281.	2.9	263
52	Glucosinolate Profiles in Broccoli: Variation in Levels and Implications in Breeding for Cancer Chemoprotection. Journal of the American Society for Horticultural Science, 2002, 127, 807-813.	1.0	128
53	Variation of Glucosinolates in Vegetable Crops of <i>Brassica oleracea</i> . Journal of Agricultural and Food Chemistry, 1999, 47, 1541-1548.	5.2	509