

# Andrea A Gust

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7403829/publications.pdf>

Version: 2024-02-01

34  
papers

8,348  
citations

279798

23  
h-index

377865

34  
g-index

40  
all docs

40  
docs citations

40  
times ranked

17271  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genotyping-by-sequencing-based identification of Arabidopsis pattern recognition receptor RLP32 recognizing proteobacterial translation initiation factor IF1. <i>Nature Communications</i> , 2022, 13, 1294.	12.8	20
2	Plant immunity unified. <i>Nature Plants</i> , 2021, 7, 382-383.	9.3	49
3	The <i>Arabidopsis thaliana</i> LysM-containing Receptor-Like Kinase 2 is required for elicitor-induced resistance to pathogens. <i>Plant, Cell and Environment</i> , 2021, 44, 3775-3792.	5.7	22
4	The EDS1-PAD4-ADR1 node mediates Arabidopsis pattern-triggered immunity. <i>Nature</i> , 2021, 598, 495-499.	27.8	223
5	Chromatin phosphoproteomics unravels a function for AT-hook motif nuclear localized protein AHL13 in PAMP-triggered immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	25
6	ABA-Dependent Salt Stress Tolerance Attenuates Botrytis Immunity in Arabidopsis. <i>Frontiers in Plant Science</i> , 2020, 11, 594827.	3.6	11
7	A plant surface receptor for sensing insect herbivory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 32839-32841.	7.1	4
8	The BIR2/BIR3-Associated Phospholipase D $\beta$ 1 Negatively Regulates Plant Immunity. <i>Plant Physiology</i> , 2020, 183, 371-384.	4.8	14
9	A set of Arabidopsis genes involved in the accommodation of the downy mildew pathogen <i>Hyaloperonospora arabidopsidis</i> . <i>PLoS Pathogens</i> , 2019, 15, e1007747.	4.7	37
10	Interplay of plant glycan hydrolases and LysM proteins in plant-Bacteria interactions. <i>International Journal of Medical Microbiology</i> , 2019, 309, 252-257.	3.6	7
11	Comparing Arabidopsis receptor kinase and receptor protein-mediated immune signaling reveals BIK1-dependent differences. <i>New Phytologist</i> , 2019, 221, 2080-2095.	7.3	73
12	<i>WRINKLED</i> 1 and <i>ACYL-COA:DIACYLGLYCEROL ACYLTRANSFERASE</i> 1 regulate tocochromanol metabolism in Arabidopsis. <i>New Phytologist</i> , 2018, 217, 245-260.	7.3	26
13	The fungal ligand chitin directly binds <i>TLR</i> 2 and triggers inflammation dependent on oligomer size. <i>EMBO Reports</i> , 2018, 19, .	4.5	75
14	Peptidoglycan Isolation and Binding Studies with LysM-Type Pattern Recognition Receptors. <i>Methods in Molecular Biology</i> , 2017, 1578, 1-12.	0.9	4
15	Isolation of Novel MAMP-Like Activities and Identification of Cognate Pattern Recognition Receptors in <i>Arabidopsis thaliana</i> Using Next-Generation Sequencing (NGS)-Based Mapping. <i>Current Protocols in Plant Biology</i> , 2017, 2, 173-189.	2.8	8
16	Sensing Danger: Key to Activating Plant Immunity. <i>Trends in Plant Science</i> , 2017, 22, 779-791.	8.8	300
17	MAPK-triggered chromatin reprogramming by histone deacetylase in plant innate immunity. <i>Genome Biology</i> , 2017, 18, 131.	8.8	73
18	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701

#	ARTICLE	IF	CITATIONS
19	An RLP23â€“SOBIR1â€“BAK1 complex mediates NLP-triggered immunity. <i>Nature Plants</i> , 2015, 1, 15140.	9.3	373
20	Peptidoglycan Perception in Plants. <i>PLoS Pathogens</i> , 2015, 11, e1005275.	4.7	35
21	Peptidoglycan perceptionâ€”Sensing bacteria by their common envelope structure. <i>International Journal of Medical Microbiology</i> , 2015, 305, 217-223.	3.6	33
22	Receptor like proteins associate with SOBIR1-type of adaptors to form bimolecular receptor kinases. <i>Current Opinion in Plant Biology</i> , 2014, 21, 104-111.	7.1	128
23	Analysis of MAPK Activities Using MAPK-Specific Antibodies. <i>Methods in Molecular Biology</i> , 2014, 1171, 27-37.	0.9	9
24	Host-induced bacterial cell wall decomposition mediates pattern-triggered immunity in Arabidopsis. <i>ELife</i> , 2014, 3, .	6.0	61
25	<i>Arabidopsis</i> RECEPTOR-LIKE PROTEIN30 and Receptor-Like Kinase SUPPRESSOR OF BIR1-1/EVERSHED Mediate Innate Immunity to Necrotrophic Fungi. <i>Plant Cell</i> , 2013, 25, 4227-4241.	6.6	265
26	Plant LysM proteins: modules mediating symbiosis and immunity. <i>Trends in Plant Science</i> , 2012, 17, 495-502.	8.8	189
27	<i>Arabidopsis</i> lysin-motif proteins LYM1 LYM3 CERK1 mediate bacterial peptidoglycan sensing and immunity to bacterial infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19824-19829.	7.1	442
28	Autophagy differentially controls plant basal immunity to biotrophic and necrotrophic pathogens. <i>Plant Journal</i> , 2011, 66, 818-830.	5.7	190
29	<i>ATG7</i> contributes to plant basal immunity towards fungal infection. <i>Plant Signaling and Behavior</i> , 2011, 6, 1040-1042.	2.4	22
30	Autophagy controls plant basal immunity in a pathogenic lifestyle-dependent manner. <i>Autophagy</i> , 2011, 7, 773-774.	9.1	31
31	Biotechnological concepts for improving plant innate immunity. <i>Current Opinion in Biotechnology</i> , 2010, 21, 204-210.	6.6	93
32	The Arabidopsis Mitogen-Activated Protein Kinase Phosphatase PP2C5 Affects Seed Germination, Stomatal Aperture, and Abscisic Acid-Inducible Gene Expression. <i>Plant Physiology</i> , 2010, 153, 1098-1111.	4.8	172
33	Bacteria-derived Peptidoglycans Constitute Pathogen-associated Molecular Patterns Triggering Innate Immunity in Arabidopsis. <i>Journal of Biological Chemistry</i> , 2007, 282, 32338-32348.	3.4	270
34	Phytotoxicity and Innate Immune Responses Induced by Nep1-Like Proteins. <i>Plant Cell</i> , 2007, 18, 3721-3744.	6.6	314