

Kornelia Kotseva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7405567/publications.pdf>

Version: 2024-02-01

98
papers

7,622
citations

116194

36
h-index

60403

85
g-index

104
all docs

104
docs citations

104
times ranked

8798
citing authors

#	ARTICLE	IF	CITATIONS
1	EUROASPIRE IV: A European Society of Cardiology survey on the lifestyle, risk factor and therapeutic management of coronary patients from 24 European countries. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 636-648.	0.8	772
2	Cardiovascular prevention guidelines in daily practice: a comparison of EUROASPIRE I, II, and III surveys in eight European countries. <i>Lancet, The</i> , 2009, 373, 929-940.	6.3	737
3	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of Preventive Cardiology</i> , 2016, 23, NP1-NP96.	0.8	683
4	EUROASPIRE III: a survey on the lifestyle, risk factors and use of cardioprotective drug therapies in coronary patients from 22 European countries. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 121-137.	3.1	677
5	Lifestyle and impact on cardiovascular risk factor control in coronary patients across 27 countries: Results from the European Society of Cardiology ESC-EORP EUROASPIRE V registry. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 824-835.	0.8	558
6	Nurse-coordinated multidisciplinary, family-based cardiovascular disease prevention programme (EUROACTION) for patients with coronary heart disease and asymptomatic individuals at high risk of cardiovascular disease: a paired, cluster-randomised controlled trial. <i>Lancet, The</i> , 2008, 371, 1999-2012.	6.3	511
7	Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. <i>Atherosclerosis</i> , 2019, 285, 135-146.	0.4	227
8	EUROASPIRE III. Management of cardiovascular risk factors in asymptomatic high-risk patients in general practice: cross-sectional survey in 12 European countries. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 530-540.	3.1	193
9	Lifestyle and risk factor management in people at high risk of cardiovascular disease. A report from the European Society of Cardiology European Action on Secondary and Primary Prevention by Intervention to Reduce Events (EUROASPIRE) IV cross-sectional survey in 14 European regions. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 2007-2018.	0.8	153
10	Determinants of participation and risk factor control according to attendance in cardiac rehabilitation programmes in coronary patients in Europe: EUROASPIRE IV survey. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1242-1251.	0.8	140
11	Prevalence and management of familial hypercholesterolaemia in coronary patients: An analysis of EUROASPIRE IV, a study of the European Society of Cardiology. <i>Atherosclerosis</i> , 2015, 241, 169-175.	0.4	133
12	Lessons from contemporary trials of cardiovascular prevention and rehabilitation: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2017, 232, 294-303.	0.8	121
13	Use and effects of cardiac rehabilitation in patients with coronary heart disease: results from the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 817-826.	0.8	117
14	Validity and reliability of three commonly used quality of life measures in a large European population of coronary heart disease patients. <i>International Journal of Cardiology</i> , 2013, 167, 2294-2299.	0.8	109
15	Patients with coronary artery disease and diabetes need improved management: a report from the EUROASPIRE IV survey: a registry from the EuroObservational Research Programme of the European Society of Cardiology. <i>Cardiovascular Diabetology</i> , 2015, 14, 133.	2.7	101
16	Psychosocial risk factors in relation to other cardiovascular risk factors in coronary heart disease: Results from the EUROASPIRE IV survey. A registry from the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1371-1380.	0.8	94
17	Blood pressure control and knowledge of target blood pressure in coronary patients across Europe. <i>Journal of Hypertension</i> , 2011, 29, 1641-1648.	0.3	89
18	Health related quality of life in coronary patients and its association with their cardiovascular risk profile: Results from the EUROASPIRE III survey. <i>International Journal of Cardiology</i> , 2013, 168, 898-903.	0.8	89

#	ARTICLE	IF	CITATIONS
19	Gender differences in the implementation of cardiovascular prevention measures after an acute coronary event. <i>Heart</i> , 2010, 96, 1744-1749.	1.2	86
20	The Prognostic Value of Fasting Plasma Glucose, Two-Hour Postload Glucose, and HbA1c in Patients With Coronary Artery Disease: A Report From EUROASPIRE IV. <i>Diabetes Care</i> , 2017, 40, 1233-1240.	4.3	83
21	Primary prevention efforts are poorly developed in people at high cardiovascular risk: A report from the European Society of Cardiology EURObservational Research Programme EUROASPIRE V survey in 16 European countries. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 370-379.	0.8	83
22	Screening for dysglycaemia in patients with coronary artery disease as reflected by fasting glucose, oral glucose tolerance test, and HbA1c: a report from EUROASPIRE IV—a survey from the European Society of Cardiology. <i>European Heart Journal</i> , 2015, 36, 1171-1177.	1.0	81
23	Time Trends in Lifestyle, Risk Factor Control, and Use of Evidence-Based Medications in Patients With Coronary Heart Disease in Europe: Results From 3 EUROASPIRE Surveys, 1999–2013. <i>Global Heart</i> , 2017, 12, 315.	0.9	81
24	Smoking behaviour in European patients with established coronary heart disease. <i>European Heart Journal</i> , 2006, 27, 35-41.	1.0	78
25	Depression, anxiety, and risk factor control in patients after hospitalization for coronary heart disease: the EUROASPIRE III Study. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 331-340.	0.8	77
26	The gender gap in risk factor control: Effects of age and education on the control of cardiovascular risk factors in male and female coronary patients. The EUROASPIRE IV study by the European Society of Cardiology. <i>International Journal of Cardiology</i> , 2016, 209, 284-290.	0.8	77
27	Blood pressure is insufficiently controlled in European patients with established coronary heart disease. <i>Journal of Hypertension</i> , 2003, 21, 1831-1840.	0.3	69
28	Treatment potential for dyslipidaemia management in patients with coronary heart disease across Europe: Findings from the EUROASPIRE III survey. <i>Atherosclerosis</i> , 2013, 231, 300-307.	0.4	66
29	Treatment potential for cholesterol management in patients with coronary heart disease in 15 European countries: Findings from the EUROASPIRE II survey. <i>Atherosclerosis</i> , 2008, 197, 710-717.	0.4	63
30	Cost-effectiveness of optimizing prevention in patients with coronary heart disease: the EUROASPIRE III health economics project. <i>European Heart Journal</i> , 2012, 33, 2865-2872.	1.0	59
31	The EUROASPIRE surveys: lessons learned in cardiovascular disease prevention. <i>Cardiovascular Diagnosis and Therapy</i> , 2017, 7, 633-639.	0.7	47
32	Effectiveness of a preventive cardiology programme for high CVD risk persistent smokers: the EUROACTION PLUS varenicline trial. <i>European Heart Journal</i> , 2014, 35, 1411-1420.	1.0	46
33	Validity and reliability of the HeartQoL questionnaire in a large sample of stable coronary patients: The EUROASPIRE IV Study of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 714-721.	0.8	46
34	Screening for Glucose Perturbations and Risk Factor Management in Dysglycemic Patients With Coronary Artery Disease—A Persistent Challenge in Need of Substantial Improvement: A Report From ESC EORP EUROASPIRE V. <i>Diabetes Care</i> , 2020, 43, 726-733.	4.3	46
35	Passive smoking and smoking cessation among patients with coronary heart disease across Europe: results from the EUROASPIRE III survey. <i>European Heart Journal</i> , 2014, 35, 590-598.	1.0	44
36	Poor adherence to lifestyle recommendations in patients with coronary heart disease: results from the EUROASPIRE surveys. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 383-395.	0.8	40

#	ARTICLE	IF	CITATIONS
37	Determinants of risk factor control in subjects with coronary heart disease: a report from the EUROASPIRE III investigators. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 686-691.	0.8	39
38	Patient and caregiver productivity loss and indirect costs associated with cardiovascular events in Europe. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1150-1157.	0.8	38
39	Management of overweight and obese patients with coronary heart disease across Europe. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 447-454.	3.1	36
40	Cardiac Rehabilitation: Under-Utilized Globally. <i>Current Cardiology Reports</i> , 2021, 23, 118.	1.3	35
41	Cost-effectiveness of a European preventive cardiology programme in primary care: a Markov modelling approach. <i>BMJ Open</i> , 2012, 2, e001029.	0.8	34
42	Readiness for smoking cessation in coronary heart disease patients across Europe: Results from the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1212-1219.	0.8	33
43	Educational level and risk profile and risk control in patients with coronary heart disease. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 881-890.	0.8	33
44	Evaluation of preventive cardiology. , 2015, , .		33
45	The association between self-reported lifestyle changes and health-related quality of life in coronary patients: the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 796-805.	0.8	30
46	Return to work and associations with psychosocial well-being and health-related quality of life in coronary heart disease patients: Results from EUROASPIRE IV. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1386-1395.	0.8	29
47	Residual risk of cardiovascular mortality in patients with coronary heart disease: The EUROASPIRE Risk Categories. <i>International Journal of Cardiology</i> , 2013, 168, 910-914.	0.8	28
48	ASPIRE-2-PREVENT: a survey of lifestyle, risk factor management and cardioprotective medication in patients with coronary heart disease and people at high risk of developing cardiovascular disease in the UK. <i>Heart</i> , 2012, 98, 865-871.	1.2	25
49	Does pharmacologic treatment in patients with established coronary artery disease and diabetes fulfil guideline recommended targets? A report from the EUROASPIRE III cross-sectional study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 753-761.	0.8	25
50	Self-reported health status in coronary heart disease patients: A comparison with the general population. <i>European Journal of Cardiovascular Nursing</i> , 2015, 14, 117-125.	0.4	24
51	Cost-effectiveness of optimized adherence to prevention guidelines in European patients with coronary heart disease: Results from the EUROASPIRE IV survey. <i>International Journal of Cardiology</i> , 2018, 272, 20-25.	0.8	24
52	A Roadmap on the Prevention of Cardiovascular Disease Among People Living With Diabetes. <i>Global Heart</i> , 2019, 14, 215.	0.9	24
53	Quality assurance and the need to evaluate interventions and audit programme outcomes. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 123-128.	0.8	23
54	A cross-sectional survey of cardiovascular health and lifestyle habits of hospital staff in the UK: Do we look after ourselves?. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 543-550.	0.8	23

#	ARTICLE	IF	CITATIONS
55	Percentage low-density lipoprotein-cholesterol response to a given statin dose is not fixed across the pre-treatment range: Real world evidence from clinical practice: Data from the ESC-EORP EUROASPIRE V Study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1630-1636.	0.8	23
56	Incidence of cardiovascular events in patients with stabilized coronary heart disease: the EUROASPIRE IV follow-up study. <i>European Journal of Epidemiology</i> , 2019, 34, 247-258.	2.5	22
57	Regular exercise behaviour and intention and symptoms of anxiety and depression in coronary heart disease patients across Europe: Results from the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 84-91.	0.8	20
58	Lifestyle and risk factor management in people at high cardiovascular risk from Bulgaria, Croatia, Poland, Romania and the United Kingdom who participated in both the EUROASPIRE III and IV primary care surveys. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1618-1627.	0.8	19
59	Heart failure in patients with coronary heart disease: Prevalence, characteristics and guideline implementation – Results from the German EuroAspire IV cohort. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 108.	0.7	19
60	Patient’s and physician’s awareness of kidney disease in coronary heart disease patients – a cross-sectional analysis of the German subset of the EUROASPIRE IV survey. <i>BMC Nephrology</i> , 2017, 18, 321.	0.8	18
61	Secondary prevention of coronary artery disease in Poland. Results from the POLASPIRE survey. <i>Cardiology Journal</i> , 2020, 27, 533-540.	0.5	18
62	Undetected dysglycaemia common in primary care patients treated for hypertension and/or dyslipidaemia: on the need for a screening strategy in clinical practice. A report from EUROASPIRE IV a registry from the EuroObservational Research Programme of the European Society of Cardiology. <i>Cardiovascular Diabetology</i> , 2018, 17, 21.	2.7	15
63	The use of HeartQoL in patients with coronary heart disease: Association with risk factors and European reference values. The EUROASPIRE IV study of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1174-1186.	0.8	14
64	Prevalence of chronic kidney disease and its determinants in coronary heart disease patients in 24 European countries: Insights from the EUROASPIRE IV survey of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1168-1180.	0.8	13
65	Which statin worked best to achieve lipid level targets in a European registry? A post-hoc analysis of the EUROASPIRE III for coronary heart disease patients. <i>Journal of the Saudi Heart Association</i> , 2014, 26, 183-191.	0.2	12
66	Reconfiguring Cardiac Rehabilitation to Achieve Panvascular Prevention: New Care Models for a New World. <i>Canadian Journal of Cardiology</i> , 2018, 34, S231-S239.	0.8	12
67	Adverse Lifestyle Trends Counter Improvements in Cardiovascular Risk Factor Management in Coronary Patients. <i>Journal of the American College of Cardiology</i> , 2015, 66, 1634-1636.	1.2	11
68	Secondary Prevention in Younger vs. Older Coronary Heart Disease Patients – Insights from the German Subset of the EUROASPIRE IV Survey. <i>International Journal of Behavioral Medicine</i> , 2018, 25, 283-293.	0.8	10
69	Chronic medication intake in patients with stable coronary heart disease across Europe: Evidence from the daily clinical practice. Results from the ESC EORP European Survey of Cardiovascular Disease Prevention and Diabetes (EUROASPIRE IV) Registry. <i>International Journal of Cardiology</i> , 2020, 300, 7-13.	0.8	9
70	Medical Treatment in Coronary Patients: Is there Still a Gender Gap? Results from European Society of Cardiology EUROASPIRE V Registry. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 801-808.	1.3	9
71	Peripheral arterial disease and intermittent claudication in coronary heart disease patients. <i>International Journal of Cardiology</i> , 2021, 322, 227-232.	0.8	9
72	Assessing the probability of risk factor control in patients with coronary heart disease: results from the ESC-EORP EUROASPIRE V survey. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1465-1475.	0.8	9

#	ARTICLE	IF	CITATIONS
73	Comparison of treatment outcomes in patients with and without diabetes mellitus attending a multidisciplinary cardiovascular prevention programme (a retrospective analysis of the EUROACTION) Tj ETQq1 1 00784314 rgBT /Ove	0.7	14
74	Implementation of Cardiovascular Disease Prevention Guidelines in Clinical Practiceâ€”Can We Do Better?. Current Treatment Options in Cardiovascular Medicine, 2015, 17, 58.	0.4	8
75	Physical Activity Status in Patients With Coronary Heart Disease: Results From the Cross-Sectional EUROASPIRE Surveys. Journal of Physical Activity and Health, 2016, 13, 1378-1384.	1.0	8
76	EQ-5D in coronary patients: what are they suffering from? Results from the ESC EORP European Survey of Cardiovascular Disease Prevention and Diabetes (EUROASPIRE IV) Registry. Quality of Life Research, 2020, 29, 1037-1046.	1.5	8
77	Dyslipidemia Management in Patients with Coronary Artery Disease. Data from the POLASPIRE Survey. Journal of Clinical Medicine, 2021, 10, 3711.	1.0	8
78	Blood pressure distribution and control in coronary patients from 24 European countries in the European Society of Cardiology EURoObservational Research Programme European survey of cardiovascular disease prevention and diabetes. EUROASPIRE IV Registry. Journal of Hypertension, 2019, 37, 2015-2023.	0.3	7
79	ASPIRE-3-PREVENT: a cross-sectional survey of preventive care after a coronary event across the UK. Open Heart, 2020, 7, e001196.	0.9	7
80	Time-saving screening for diabetes in patients with coronary artery disease: a report from EUROASPIRE IV. BMJ Open, 2016, 6, e013835.	0.8	6
81	Dietary measures among patients with coronary heart disease in Europe. ESC EORP Euroaspire V. International Journal of Cardiology, 2020, 302, 5-14.	0.8	6
82	Obesity in patients with established coronary artery disease over a 20-year period (1997â€”2017). Polish Archives of Internal Medicine, 2021, 131, 26-32.	0.3	6
83	Treatment of Patients With Coronary Heart Disease Fails to Meet Standards of European Guidelines: Results of EUROASPIRE Surveys. Revista Espanola De Cardiologia (English Ed), 2009, 62, 1095-1098.	0.4	5
84	Risk factor awareness in a coronary population and the association with health-related quality of life outcomes. International Journal of Public Health, 2014, 59, 475-483.	1.0	5
85	Physicians' lifestyle advice on primary and secondary cardiovascular disease prevention in Germany: A comparison between the STAAB cohort study and the German subset of EUROASPIRE IV. European Journal of Preventive Cardiology, 2019, , 204748731983821.	0.8	5
86	Potential for optimizing management of obesity in the secondary prevention of coronary heart disease. European Heart Journal Quality of Care & Clinical Outcomes, 2021, , .	1.8	5
87	INTERASPIRE: an International Survey of Coronary Patients; Their Cardiometabolic, Renal and Biomarker Status; and the Quality of Preventive Care Delivered in All WHO Regions. Current Cardiology Reports, 2021, 23, 136.	1.3	5
88	Measures of Insulin Resistance as a Screening Tool for Dysglycemia in Patients With Coronary Artery Disease: A Report From the EUROASPIRE V Population. Diabetes Care, 2022, 45, 2111-2117.	4.3	4
89	The challenge for preventive cardiology. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, S19-S23.	3.1	3
90	Alcohol consumption patterns across Europe and adherence to the European guidelines in coronary patients: Findings from the ESC-EORP EUROASPIRE V survey. Atherosclerosis, 2020, 313, 35-42.	0.4	3

#	ARTICLE	IF	CITATIONS
91	Global Preventive Policies. Strategies at European and Worldwide Level. Revista Espanola De Cardiologia (English Ed), 2008, 61, 960-970.	0.4	1
92	1344 Time trends in smoking in coronary patients the EUROASPIRE surveys I, II and III in 8 countries. European Journal of Cardiovascular Nursing, 2008, 7, 25-26.	0.4	1
93	Attainment of low-density lipoprotein cholesterol target in patients with coronary heart disease: Still a long way to go. European Journal of Preventive Cardiology, 2018, 25, 1947-1949.	0.8	1
94	Saving time by replacing the standardised two-hour oral glucose tolerance test with a one-hour test. Diabetes Research and Clinical Practice, 2022, 183, 109156.	1.1	1
95	Global preventive policies. Strategies at European and worldwide level. Revista Espanola De Cardiologia, 2008, 61, 960-70.	0.6	1
96	ACHIEVEMENT OF RISK FACTOR TARGETS IN PATIENTS AT HIGH CARDIOVASCULAR RISK IN EUROPE: RESULTS FROM EUROASPIRE IV SURVEY. Journal of the American College of Cardiology, 2017, 69, 1814.	1.2	0
97	Lipid profile changes in a very high-risk cohort: Lessons from the EuroASPIRE database. Atherosclerosis, 2017, 263, e174.	0.4	0
98	Five year follow-up study of the incidence of arterial hypertension and coronary heart disease in vinyl chloride monomer and polyvinyl chloride production workers. International Archives of Occupational and Environmental Health, 1996, 68, 377-379.	1.1	0