

Kornelia Kotseva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7405567/publications.pdf>

Version: 2024-02-01

98
papers

7,622
citations

116194

36
h-index

60403

85
g-index

104
all docs

104
docs citations

104
times ranked

8798
citing authors

#	ARTICLE	IF	CITATIONS
1	Poor adherence to lifestyle recommendations in patients with coronary heart disease: results from the EUROASPIRE surveys. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 383-395.	0.8	40
2	Saving time by replacing the standardised two-hour oral glucose tolerance test with a one-hour test. <i>Diabetes Research and Clinical Practice</i> , 2022, 183, 109156.	1.1	1
3	Assessing the probability of risk factor control in patients with coronary heart disease: results from the ESC-EORP EUROASPIRE V survey. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1465-1475.	0.8	9
4	Measures of Insulin Resistance as a Screening Tool for Dysglycemia in Patients With Coronary Artery Disease: A Report From the EUROASPIRE V Population. <i>Diabetes Care</i> , 2022, 45, 2111-2117.	4.3	4
5	Medical Treatment in Coronary Patients: Is there Still a Gender Gap? Results from European Society of Cardiology EUROASPIRE V Registry. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 801-808.	1.3	9
6	Primary prevention efforts are poorly developed in people at high cardiovascular risk: A report from the European Society of Cardiology EURObservational Research Programme EUROASPIRE V survey in 16 European countries. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 370-379.	0.8	83
7	Peripheral arterial disease and intermittent claudication in coronary heart disease patients. <i>International Journal of Cardiology</i> , 2021, 322, 227-232.	0.8	9
8	Obesity in patients with established coronary artery disease over a 20-year period (1997â€“2017). <i>Polish Archives of Internal Medicine</i> , 2021, 131, 26-32.	0.3	6
9	Potential for optimizing management of obesity in the secondary prevention of coronary heart disease. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, , .	1.8	5
10	Cardiac Rehabilitation: Under-Utilized Globally. <i>Current Cardiology Reports</i> , 2021, 23, 118.	1.3	35
11	Dyslipidemia Management in Patients with Coronary Artery Disease. Data from the POLASPIRE Survey. <i>Journal of Clinical Medicine</i> , 2021, 10, 3711.	1.0	8
12	INTERASPIRE: an International Survey of Coronary Patients; Their Cardiometabolic, Renal and Biomarker Status; and the Quality of Preventive Care Delivered in All WHO Regions. <i>Current Cardiology Reports</i> , 2021, 23, 136.	1.3	5
13	Percentage low-density lipoprotein-cholesterol response to a given statin dose is not fixed across the pre-treatment range: Real world evidence from clinical practice: Data from the ESC-EORP EUROASPIRE V Study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1630-1636.	0.8	23
14	Chronic medication intake in patients with stable coronary heart disease across Europe: Evidence from the daily clinical practice. Results from the ESC EORP European Survey of Cardiovascular Disease Prevention and Diabetes (EUROASPIRE IV) Registry. <i>International Journal of Cardiology</i> , 2020, 300, 7-13.	0.8	9
15	Dietary measures among patients with coronary heart disease in Europe. <i>ESC EORP Euroaspire V. International Journal of Cardiology</i> , 2020, 302, 5-14.	0.8	6
16	EQ-5D in coronary patients: what are they suffering from? Results from the ESC EORP European Survey of Cardiovascular Disease Prevention and Diabetes (EUROASPIRE IV) Registry. <i>Quality of Life Research</i> , 2020, 29, 1037-1046.	1.5	8
17	Alcohol consumption patterns across Europe and adherence to the European guidelines in coronary patients: Findings from the ESC-EORP EUROASPIRE V survey. <i>Atherosclerosis</i> , 2020, 313, 35-42.	0.4	3
18	ASPIRE-3-PREVENT: a cross-sectional survey of preventive care after a coronary event across the UK. <i>Open Heart</i> , 2020, 7, e001196.	0.9	7

#	ARTICLE	IF	CITATIONS
19	Screening for Glucose Perturbations and Risk Factor Management in Dysglycemic Patients With Coronary Artery Disease—A Persistent Challenge in Need of Substantial Improvement: A Report From ESC EORP EUROASPIRE V. <i>Diabetes Care</i> , 2020, 43, 726-733.	4.3	46
20	Secondary prevention of coronary artery disease in Poland. Results from the POLASPIRE survey. <i>Cardiology Journal</i> , 2020, 27, 533-540.	0.5	18
21	Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. <i>Atherosclerosis</i> , 2019, 285, 135-146.	0.4	227
22	Return to work and associations with psychosocial well-being and health-related quality of life in coronary heart disease patients: Results from EUROASPIRE IV. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1386-1395.	0.8	29
23	Physicians' lifestyle advice on primary and secondary cardiovascular disease prevention in Germany: A comparison between the STAAB cohort study and the German subset of EUROASPIRE IV. <i>European Journal of Preventive Cardiology</i> , 2019, , 204748731983821.	0.8	5
24	Patient and caregiver productivity loss and indirect costs associated with cardiovascular events in Europe. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1150-1157.	0.8	38
25	Lifestyle and impact on cardiovascular risk factor control in coronary patients across 27 countries: Results from the European Society of Cardiology ESC-EORP EUROASPIRE V registry. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 824-835.	0.8	558
26	Blood pressure distribution and control in coronary patients from 24 European countries in the European Society of Cardiology EURObservational Research Programme European survey of cardiovascular disease prevention and diabetes. EUROASPIRE IV Registry. <i>Journal of Hypertension</i> , 2019, 37, 2015-2023.	0.3	7
27	Incidence of cardiovascular events in patients with stabilized coronary heart disease: the EUROASPIRE IV follow-up study. <i>European Journal of Epidemiology</i> , 2019, 34, 247-258.	2.5	22
28	A Roadmap on the Prevention of Cardiovascular Disease Among People Living With Diabetes. <i>Global Heart</i> , 2019, 14, 215.	0.9	24
29	A cross-sectional survey of cardiovascular health and lifestyle habits of hospital staff in the UK: Do we look after ourselves?. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 543-550.	0.8	23
30	Secondary Prevention in Younger vs. Older Coronary Heart Disease Patients—Insights from the German Subset of the EUROASPIRE IV Survey. <i>International Journal of Behavioral Medicine</i> , 2018, 25, 283-293.	0.8	10
31	Attainment of low-density lipoprotein cholesterol target in patients with coronary heart disease: Still a long way to go. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1947-1949.	0.8	1
32	Cost-effectiveness of optimized adherence to prevention guidelines in European patients with coronary heart disease: Results from the EUROASPIRE IV survey. <i>International Journal of Cardiology</i> , 2018, 272, 20-25.	0.8	24
33	Reconfiguring Cardiac Rehabilitation to Achieve Panvascular Prevention: New Care Models for a New World. <i>Canadian Journal of Cardiology</i> , 2018, 34, S231-S239.	0.8	12
34	Undetected dysglycaemia common in primary care patients treated for hypertension and/or dyslipidaemia: on the need for a screening strategy in clinical practice. A report from EUROASPIRE IV a registry from the EuroObservational Research Programme of the European Society of Cardiology. <i>Cardiovascular Diabetology</i> , 2018, 17, 21.	2.7	15
35	Determinants of participation and risk factor control according to attendance in cardiac rehabilitation programmes in coronary patients in Europe: EUROASPIRE IV survey. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1242-1251.	0.8	140
36	Prevalence of chronic kidney disease and its determinants in coronary heart disease patients in 24 European countries: Insights from the EUROASPIRE IV survey of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1168-1180.	0.8	13

#	ARTICLE	IF	CITATIONS
37	The Prognostic Value of Fasting Plasma Glucose, Two-Hour Postload Glucose, and HbA1c in Patients With Coronary Artery Disease: A Report From EUROASPIRE IV. <i>Diabetes Care</i> , 2017, 40, 1233-1240.	4.3	83
38	Psychosocial risk factors in relation to other cardiovascular risk factors in coronary heart disease: Results from the EUROASPIRE IV survey. A registry from the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1371-1380.	0.8	94
39	ACHIEVEMENT OF RISK FACTOR TARGETS IN PATIENTS AT HIGH CARDIOVASCULAR RISK IN EUROPE: RESULTS FROM EUROASPIRE IV SURVEY. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1814.	1.2	0
40	Lessons from contemporary trials of cardiovascular prevention and rehabilitation: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2017, 232, 294-303.	0.8	121
41	Lipid profile changes in a very high-risk cohort: Lessons from the EuroASPIRE database. <i>Atherosclerosis</i> , 2017, 263, e174.	0.4	0
42	Heart failure in patients with coronary heart disease: Prevalence, characteristics and guideline implementation – Results from the German EuroAspire IV cohort. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 108.	0.7	19
43	Regular exercise behaviour and intention and symptoms of anxiety and depression in coronary heart disease patients across Europe: Results from the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 84-91.	0.8	20
44	Quality assurance and the need to evaluate interventions and audit programme outcomes. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 123-128.	0.8	23
45	Patient’s and physician’s awareness of kidney disease in coronary heart disease patients – a cross-sectional analysis of the German subset of the EUROASPIRE IV survey. <i>BMC Nephrology</i> , 2017, 18, 321.	0.8	18
46	The EUROASPIRE surveys: lessons learned in cardiovascular disease prevention. <i>Cardiovascular Diagnosis and Therapy</i> , 2017, 7, 633-639.	0.7	47
47	Time Trends in Lifestyle, Risk Factor Control, and Use of Evidence-Based Medications in Patients With Coronary Heart Disease in Europe: Results From 3 EUROASPIRE Surveys, 1999–2013. <i>Global Heart</i> , 2017, 12, 315.	0.9	81
48	Time-saving screening for diabetes in patients with coronary artery disease: a report from EUROASPIRE IV. <i>BMJ Open</i> , 2016, 6, e013835.	0.8	6
49	Lifestyle and risk factor management in people at high cardiovascular risk from Bulgaria, Croatia, Poland, Romania and the United Kingdom who participated in both the EUROASPIRE III and IV primary care surveys. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1618-1627.	0.8	19
50	Physical Activity Status in Patients With Coronary Heart Disease: Results From the Cross-Sectional EUROASPIRE Surveys. <i>Journal of Physical Activity and Health</i> , 2016, 13, 1378-1384.	1.0	8
51	Lifestyle and risk factor management in people at high risk of cardiovascular disease. A report from the European Society of Cardiology European Action on Secondary and Primary Prevention by Intervention to Reduce Events (EUROASPIRE) IV cross-sectional survey in 14 European regions. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 2007-2018.	0.8	153
52	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of Preventive Cardiology</i> , 2016, 23, NP1-NP96.	0.8	683
53	EUROASPIRE IV: A European Society of Cardiology survey on the lifestyle, risk factor and therapeutic management of coronary patients from 24 European countries. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 636-648.	0.8	772
54	The use of HeartQoL in patients with coronary heart disease: Association with risk factors and European reference values. The EUROASPIRE IV study of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1174-1186.	0.8	14

#	ARTICLE	IF	CITATIONS
55	The gender gap in risk factor control: Effects of age and education on the control of cardiovascular risk factors in male and female coronary patients. The EUROASPIRE IV study by the European Society of Cardiology. <i>International Journal of Cardiology</i> , 2016, 209, 284-290.	0.8	77
56	Educational level and risk profile and risk control in patients with coronary heart disease. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 881-890.	0.8	33
57	Validity and reliability of the HeartQoL questionnaire in a large sample of stable coronary patients: The EUROASPIRE IV Study of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 714-721.	0.8	46
58	Comparison of treatment outcomes in patients with and without diabetes mellitus attending a multidisciplinary cardiovascular prevention programme (a retrospective analysis of the EUROACTION) <i>Tj ETQq0 0 00gBT /Overclock 10 Tf</i>		
59	Prevalence and management of familial hypercholesterolaemia in coronary patients: An analysis of EUROASPIRE IV, a study of the European Society of Cardiology. <i>Atherosclerosis</i> , 2015, 241, 169-175.	0.4	133
60	Patients with coronary artery disease and diabetes need improved management: a report from the EUROASPIRE IV survey: a registry from the EuroObservational Research Programme of the European Society of Cardiology. <i>Cardiovascular Diabetology</i> , 2015, 14, 133.	2.7	101
61	Screening for dysglycaemia in patients with coronary artery disease as reflected by fasting glucose, oral glucose tolerance test, and HbA1c: a report from EUROASPIRE IVâ€”a survey from the European Society of Cardiology. <i>European Heart Journal</i> , 2015, 36, 1171-1177.	1.0	81
62	Readiness for smoking cessation in coronary heart disease patients across Europe: Results from the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1212-1219.	0.8	33
63	Self-reported health status in coronary heart disease patients: A comparison with the general population. <i>European Journal of Cardiovascular Nursing</i> , 2015, 14, 117-125.	0.4	24
64	Implementation of Cardiovascular Disease Prevention Guidelines in Clinical Practiceâ€”Can We Do Better?. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2015, 17, 58.	0.4	8
65	Adverse Lifestyle Trends Counter Improvements in Cardiovascular Risk Factor Management in Coronary Patients. <i>Journal of the American College of Cardiology</i> , 2015, 66, 1634-1636.	1.2	11
66	Does pharmacologic treatment in patients with established coronary artery disease and diabetes fulfil guideline recommended targets? A report from the EUROASPIRE III cross-sectional study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 753-761.	0.8	25
67	Evaluation of preventive cardiology. , 2015, , .		33
68	The association between self-reported lifestyle changes and health-related quality of life in coronary patients: the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 796-805.	0.8	30
69	Which statin worked best to achieve lipid level targets in a European registry? A post-hoc analysis of the EUROASPIRE III for coronary heart disease patients. <i>Journal of the Saudi Heart Association</i> , 2014, 26, 183-191.	0.2	12
70	Passive smoking and smoking cessation among patients with coronary heart disease across Europe: results from the EUROASPIRE III survey. <i>European Heart Journal</i> , 2014, 35, 590-598.	1.0	44
71	Risk factor awareness in a coronary population and the association with health-related quality of life outcomes. <i>International Journal of Public Health</i> , 2014, 59, 475-483.	1.0	5
72	Effectiveness of a preventive cardiology programme for high CVD risk persistent smokers: the EUROACTION PLUS varenicline trial. <i>European Heart Journal</i> , 2014, 35, 1411-1420.	1.0	46

#	ARTICLE	IF	CITATIONS
73	Residual risk of cardiovascular mortality in patients with coronary heart disease: The EUROASPIRE Risk Categories. <i>International Journal of Cardiology</i> , 2013, 168, 910-914.	0.8	28
74	Treatment potential for dyslipidaemia management in patients with coronary heart disease across Europe: Findings from the EUROASPIRE III survey. <i>Atherosclerosis</i> , 2013, 231, 300-307.	0.4	66
75	Determinants of risk factor control in subjects with coronary heart disease: a report from the EUROASPIRE III investigators. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 686-691.	0.8	39
76	Validity and reliability of three commonly used quality of life measures in a large European population of coronary heart disease patients. <i>International Journal of Cardiology</i> , 2013, 167, 2294-2299.	0.8	109
77	Health related quality of life in coronary patients and its association with their cardiovascular risk profile: Results from the EUROASPIRE III survey. <i>International Journal of Cardiology</i> , 2013, 168, 898-903.	0.8	89
78	Use and effects of cardiac rehabilitation in patients with coronary heart disease: results from the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 817-826.	0.8	117
79	Depression, anxiety, and risk factor control in patients after hospitalization for coronary heart disease: the EUROASPIRE III Study. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 331-340.	0.8	77
80	ASPIRE-2-PREVENT: a survey of lifestyle, risk factor management and cardioprotective medication in patients with coronary heart disease and people at high risk of developing cardiovascular disease in the UK. <i>Heart</i> , 2012, 98, 865-871.	1.2	25
81	Cost-effectiveness of a European preventive cardiology programme in primary care: a Markov modelling approach. <i>BMJ Open</i> , 2012, 2, e001029.	0.8	34
82	Cost-effectiveness of optimizing prevention in patients with coronary heart disease: the EUROASPIRE III health economics project. <i>European Heart Journal</i> , 2012, 33, 2865-2872.	1.0	59
83	Blood pressure control and knowledge of target blood pressure in coronary patients across Europe. <i>Journal of Hypertension</i> , 2011, 29, 1641-1648.	0.3	89
84	Management of overweight and obese patients with coronary heart disease across Europe. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 447-454.	3.1	36
85	EUROASPIRE III. Management of cardiovascular risk factors in asymptomatic high-risk patients in general practice: cross-sectional survey in 12 European countries. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 530-540.	3.1	193
86	Gender differences in the implementation of cardiovascular prevention measures after an acute coronary event. <i>Heart</i> , 2010, 96, 1744-1749.	1.2	86
87	EUROASPIRE III: a survey on the lifestyle, risk factors and use of cardioprotective drug therapies in coronary patients from 22 European countries. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 121-137.	3.1	677
88	The challenge for preventive cardiology. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, S19-S23.	3.1	3
89	Treatment of Patients With Coronary Heart Disease Fails to Meet Standards of European Guidelines: Results of EUROASPIRE Surveys. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 1095-1098.	0.4	5
90	Cardiovascular prevention guidelines in daily practice: a comparison of EUROASPIRE I, II, and III surveys in eight European countries. <i>Lancet, The</i> , 2009, 373, 929-940.	6.3	737

#	ARTICLE	IF	CITATIONS
91	Global Preventive Policies. Strategies at European and Worldwide Level. Revista Espanola De Cardiologia (English Ed), 2008, 61, 960-970.	0.4	1
92	Treatment potential for cholesterol management in patients with coronary heart disease in 15 European countries: Findings from the EUROASPIRE II survey. Atherosclerosis, 2008, 197, 710-717.	0.4	63
93	Nurse-coordinated multidisciplinary, family-based cardiovascular disease prevention programme (EUROACTION) for patients with coronary heart disease and asymptomatic individuals at high risk of cardiovascular disease: a paired, cluster-randomised controlled trial. Lancet, The, 2008, 371, 1999-2012.	6.3	511
94	1344 Time trends in smoking in coronary patients the EUROASPIRE surveys I, II and III in 8 countries. European Journal of Cardiovascular Nursing, 2008, 7, 25-26.	0.4	1
95	Global preventive policies. Strategies at European and worldwide level. Revista Espanola De Cardiologia, 2008, 61, 960-70.	0.6	1
96	Smoking behaviour in European patients with established coronary heart disease. European Heart Journal, 2006, 27, 35-41.	1.0	78
97	Blood pressure is insufficiently controlled in European patients with established coronary heart disease. Journal of Hypertension, 2003, 21, 1831-1840.	0.3	69
98	Five year follow-up study of the incidence of arterial hypertension and coronary heart disease in vinyl chloride monomer and polyvinyl chloride production workers. International Archives of Occupational and Environmental Health, 1996, 68, 377-379.	1.1	0