
Ming-Chyi Pai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7408266/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Evidence of plasma biomarkers indicating high risk of dementia in cognitively normal subjects. Scientific Reports, 2022, 12, 1192.	3.3	5
2	Circulating levels of Irisin in obese individuals at genetic risk for Alzheimer's disease: Correlations with amyloid-β, metabolic, and neurocognitive indices. Behavioural Brain Research, 2021, 400, 113013.	2.2	15
3	Neuroimage Biomarker Identification of the Conversion of Mild Cognitive Impairment to Alzheimer's Disease. Frontiers in Neuroscience, 2021, 15, 584641.	2.8	5
4	A cross-sectional examination of a family history of Alzheimer's disease and ApoE epsilon 4 on physical fitness, molecular biomarkers, and neurocognitive performance. Physiology and Behavior, 2021, 230, 113268.	2.1	6
5	The application of a neuropsychological measure of executive working memory in older adults with memory impairment. Applied Neuropsychology Adult, 2021, , 1-10.	1.2	1
6	Detection of Alzheimer's disease using ECD SPECT images by transfer learning from FDG PET. Annals of Nuclear Medicine, 2021, 35, 889-899.	2.2	5
7	Assessment of High Risk for Alzheimer's Disease Using Plasma Biomarkers in Subjects with Normal Cognition in Taiwan: A Preliminary Study. Journal of Alzheimer's Disease Reports, 2021, 5, 761-770.	2.2	4
8	Time Perception in Prodromal Alzheimer's Dementia and in Prodromal Dementia With Lewy Bodies. Frontiers in Psychiatry, 2021, 12, 728344.	2.6	1
9	The Feasibility of Differentiating Lewy Body Dementia and Alzheimer's Disease by Deep Learning Using ECD SPECT Images. Diagnostics, 2021, 11, 2091.	2.6	8
10	Time perception in people living with Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.8	0
11	Effects of walking on sundown syndrome in communityâ€dwelling people with Alzheimer's disease. International Journal of Older People Nursing, 2020, 15, e12292.	1.3	8
12	Tackling challenges in care of Alzheimer's disease and other dementias amid the COVIDâ€19 pandemic, now and in the future. Alzheimer's and Dementia, 2020, 16, 1571-1581.	0.8	122
13	Have I Been Here? Sense of Location in People With Alzheimer's Disease. Frontiers in Aging Neuroscience, 2020, 12, 582525.	3.4	5
14	Posterior cortical atrophy syndrome: Asian study. Alzheimer's and Dementia, 2020, 16, e044452.	0.8	1
15	Freezing of Speech Single Questionnaire as a Screening Tool for Cognitive Dysfunction in Patients With Dementia With Lewy Bodies. Frontiers in Aging Neuroscience, 2020, 12, 65.	3.4	7
16	The impacts in caregiver burden of getting lost events on family caregivers of patients with Alzheimer's disease. Alzheimer's and Dementia, 2020, 16, .	0.8	0
17	The Role of Methylated Circulating Nucleic Acids as a Potential Biomarker in Alzheimer's Disease. Molecular Neurobiology, 2019, 56, 2440-2449.	4.0	23
18	The Role of Physical Fitness in Cognitive-Related Biomarkers in Persons at Genetic Risk of Familial Alzheimer's Disease. Journal of Clinical Medicine, 2019, 8, 1639.	2.4	10

Μίνς-Chyi Pai

#	Article	IF	CITATIONS
19	Age-Dependent Relationship Between Plasma Aβ40 and Aβ42 and Total Tau Levels in Cognitively Normal Subjects. Frontiers in Aging Neuroscience, 2019, 11, 222.	3.4	29
20	Classification of Alzheimer's Disease, Mild Cognitive Impairment, and Cognitively Normal Based on Neuropsychological Data via Supervised Learning. , 2019, , .		5
21	Predictors of caregiver burden and care costs for older persons with dementia in Taiwan. International Psychogeriatrics, 2019, 31, 885-894.	1.0	16
22	Factors Influencing Family Surrogates' Intention with Regard to Do-Not-Resuscitate Directive for Patients with Dementia. Clinical Gerontologist, 2019, 42, 495-503.	2.2	3
23	Distinctive Effects of Aerobic and Resistance Exercise Modes on Neurocognitive and Biochemical Changes in Individuals with Mild Cognitive Impairment. Current Alzheimer Research, 2019, 16, 316-332.	1.4	82
24	Predictive Models for Evaluating Cognitive Ability in Dementia Diagnosis Applications Based on Inertia- and Gait-Related Parameters. IEEE Sensors Journal, 2018, 18, 3338-3350.	4.7	3
25	An acute bout of aerobic or strength exercise specifically modifies circulating exerkine levels and neurocognitive functions in elderly individuals with mild cognitive impairment. NeuroImage: Clinical, 2018, 17, 272-284.	2.7	92
26	P2â€264: HAVE I BEEN HERE? SENSE OF LOCATION IN PEOPLE WITH VERY MILD ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P777.	0.8	0
27	Development and validation of a dementia screening tool for primary care in Taiwan: Brain Health Test. PLoS ONE, 2018, 13, e0196214.	2.5	9
28	Sundown Syndrome, Sleep Quality, and Walking Among Community-Dwelling People With Alzheimer Disease. Journal of the American Medical Directors Association, 2017, 18, 396-401.	2.5	21
29	[P2–297]: THE CORRELATION OF SENSE OF LOCATION AND REALâ€WORLD NAVIGATION ABILITIES: A PRELIMINARY REPORT. Alzheimer's and Dementia, 2017, 13, P730.	0.8	0
30	Clinical Recommendations for the Use of Donepezil 23 mg in Moderate-to-Severe Alzheimer's Disease in the Asia-Pacific Region. Dementia and Geriatric Cognitive Disorders Extra, 2017, 6, 382-395.	1.3	9
31	[P2–021]: EFFECTS OF ENDURANCEâ€STRENGTH TRAINING ON MOTOR FUNCTIONS, COGNITION AND GLUC METABOLISM IN PATIENTS WITH PARKINSON'S DISEASE. Alzheimer's and Dementia, 2017, 13, P612.	OSE 0.8	0
32	Measuring burden in dementia caregivers: Confirmatory factor analysis for short forms of the Zarit Burden Interview. Archives of Gerontology and Geriatrics, 2017, 68, 8-13.	3.0	34
33	Rivastigmine: the advantages of dual inhibition of acetylcholinesterase and butyrylcholinesterase and its role in subcortical vascular dementia and Parkinson's disease dementia. Clinical Interventions in Aging, 2017, Volume 12, 697-707.	2.9	143
34	Visual hallucinations in Alzheimer's disease is significantly associated with clinical diagnostic features of dementia with Lewy bodies. PLoS ONE, 2017, 12, e0186886.	2.5	12
35	Can a Cognitive–Perceptual–Physical Battery Predict Driving Competence for People With Mild Cognitive Impairments? A Pilot Study. American Journal of Occupational Therapy, 2017, 71, 7111500020p1-7111500020p1.	0.3	0
36	Real-world evaluation of compliance and preference in Alzheimer's disease treatment: an observational study in Taiwan . Patient Preference and Adherence, 2016, 10, 383.	1.8	7

Ming-Chyi Pai

#	Article	IF	CITATIONS
37	Cross-cultural study of caregiver burden for Alzheimer's disease in Japan and Taiwan: result from Dementia Research in Kumamoto and Tainan (DeReKaT). International Psychogeriatrics, 2016, 28, 1125-1132.	1.0	14
38	P2â€154: Effects of Aerobicâ€5trength Training on Selected Molecular Targets in Cerebrospinal Fluid of Seniors with Mild Cognitive Impairment. Alzheimer's and Dementia, 2016, 12, P673.	0.8	0
39	P2â€356: Sense of Location in People with Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P781.	0.8	1
40	The Role of Physical Fitness in the Neurocognitive Performance of Task Switching in Older Persons with Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2016, 53, 143-159.	2.6	22
41	Economic Impact of Dementia by Disease Severity: Exploring the Relationship between Stage of Dementia and Cost of Care in Taiwan. PLoS ONE, 2016, 11, e0148779.	2.5	33
42	The Incidence and Recurrence of Getting Lost in Community-Dwelling People with Alzheimer's Disease: A Two and a Half-Year Follow-Up. PLoS ONE, 2016, 11, e0155480.	2.5	20
43	An HMM-based gait comparison: Using Alzheimer's disease patients as examples. , 2015, , .		3
44	Real-world evaluation of compliance and preference in Alzheimer's disease treatment. Clinical Interventions in Aging, 2015, 10, 1779.	2.9	7
45	Ageing and Neurodegenerative Disorders. Behavioural Neurology, 2015, 2015, 1-2.	2.1	2
46	The investigation and comparison of the underlying needs of common disruptive behaviours in patients with Alzheimer's disease. Scandinavian Journal of Caring Sciences, 2015, 29, 769-775.	2.1	5
47	An inertial sensor based balance and gait analysis system. , 2015, , .		7
48	Gait and Balance Analysis for Patients With Alzheimer's Disease Using an Inertial-Sensor-Based Wearable Instrument. IEEE Journal of Biomedical and Health Informatics, 2014, 18, 1822-1830.	6.3	105
49	Use of cognitive enhancers and associated medical care costs among patients with dementia: a nationwide study in Taiwan. International Psychogeriatrics, 2014, 26, 795-804.	1.0	3
50	Alzheimer's disease classification based on gait information. , 2014, , .		5
51	Modulating the interference effect on spatial working memory by applying transcranial direct current stimulation over the right dorsolateral prefrontal cortex. Brain and Cognition, 2014, 91, 87-94.	1.8	81
52	Apolipoprotein C-III is an Amyloid-β-Binding Protein and an Early Marker for Alzheimer's Disease. Journal of Alzheimer's Disease, 2014, 41, 855-865.	2.6	63
53	Delusions and Underlying Needs in Older Adults With Alzheimer's Disease: Influence of Earlier Life Experiences and the Current Environment. Journal of Gerontological Nursing, 2014, 40, 38-47.	0.6	14
54	P2-277: CAREGIVER PREFERENCE AND TREATMENT OUTCOMES IN PATIENTS WITH MILD-TO-MODERATE ALZHEIMER'S DISEASE TREATED WITH ORAL OR TRANSDERMAL MONOTHERAPY: ANALYSIS OF PROSPECTIVE DATA FROM THE RECAP STUDY. , 2014, 10, P578-P578.		0

Μίνς-Chyi Pai

#	Article	IF	CITATIONS
55	P1-190: USING SELF-COMPARISON FOR ALZHEIMER'S DISEASE EVALUATION. , 2014, 10, P369-P369.		Ο
56	P2-326: CENTRAL AUDITORY FUNCTION IN PATIENTS WITH MILD ALZHEIMER DISEASE. , 2014, 10, P598-P598.		0
57	Inertial-Sensor-Based Balance Analysis System for Patients with Alzheimer's Disease. , 2013, , .		6
58	Exacerbation of psoriatic skin lesions in a patient with Alzheimer disease receiving gamma-secretase inhibitor. Journal of the American Academy of Dermatology, 2013, 68, e46-e48.	1.2	22
59	Impaired Translation of Spatial Representation in Young Onset Alzheimer's Disease Patients. Current Alzheimer Research, 2013, 10, 95-103.	1.4	5
60	Montreal Cognitive Assessment and Mini-Mental State Examination performance in patients with mild-to-moderate dementia with Lewy bodies, Alzheimer's disease, and normal participants in Taiwan. International Psychogeriatrics, 2013, 25, 1839-1848.	1.0	31
61	Impaired Translation of Spatial Representation in Young Onset Alzheimer's Disease Patients. Current Alzheimer Research, 2013, 10, 95-103.	1.4	18
62	Impaired translation of spatial representation in young onset Alzheimer's disease patients. Current Alzheimer Research, 2013, 10, 95-103.	1.4	19
63	Development of a Questionnaire on Everyday Navigational Ability to Assess Topographical Disorientation in Alzheimer's Disease. American Journal of Alzheimer's Disease and Other Dementias, 2012, 27, 65-72.	1.9	20
64	Two Gloves and One Sock Syndrome After a Pontine Hemorrhage. Neurologist, 2012, 18, 196-198.	0.7	1
65	Validation of the Route Map Recall Test for Getting Lost Behavior in Alzheimer's Disease Patients. Archives of Clinical Neuropsychology, 2012, 27, 781-789.	0.5	3
66	Gait analysis for patients with Alzheimer'S disease using a triaxial accelerometer. , 2012, , .		24
67	Recognition of Personally Familiar Scenes in Patients with Very Mild Alzheimer's Disease: Effects of Spatial Frequency and Luminance. Journal of Alzheimer's Disease, 2012, 29, 441-448.	2.6	14
68	Clinical measurement and verification of elderly LOHAS index in an elder suited TV-based home living space. Journal of Ambient Intelligence and Humanized Computing, 2012, 3, 73-81.	4.9	5
69	AlzheimerÂ's Patient Activity Assessment Using Different Sensors. , 2012, , .		0
70	Topographical disorientation in a patient with late-onset blindness with multiple acute ischemic brain lesions. Journal of Clinical Neuroscience, 2011, 18, 283-285.	1.5	2
71	Grouping a few sets of normally distributed voxels of SPECT volumes in discrimination between Alzheimer dementia and controls. , 2010, 2010, 6126-9.		0
72	Dissociation between recognition of familiar scenes and of faces in patients with very mild Alzheimer disease: An event-related potential study. Clinical Neurophysiology, 2010, 121, 1519-1525.	1.5	32

Ming-Chyi Pai

#	Article	IF	CITATIONS
73	Cognitive map in patients with mild Alzheimer's disease: A computer-generated arena study. Behavioural Brain Research, 2009, 200, 42-47.	2.2	42
74	Comparative cognitive effects of levetiracetam and topiramate in intractable epilepsy. Psychiatry and Clinical Neurosciences, 2008, 62, 548-553.	1.8	24
75	Cognitive function and blood methylmercury in adults living near a deserted chloralkali factory. Environmental Research, 2008, 108, 334-339.	7.5	34
76	Delusions and Visual Hallucinations in Dementia Patients: Focus on Personal History of the Patients. Tohoku Journal of Experimental Medicine, 2008, 216, 1-5.	1.2	5
77	Transient Amnesia in a Patient With Left Temporal Tumor. Neurologist, 2008, 14, 196-200.	0.7	14
78	The occipital white matter lesions in Alzheimer's disease patients with visual hallucinations. Clinical Imaging, 2006, 30, 388-393.	1.5	34
79	The neuropsychological studies of dementias in Taiwan: focus on way-finding problems in Alzheimer's patients. Acta Neurologica Taiwanica, 2006, 15, 58-60.	0.3	1
80	Is Cognitive Reserve Applicable to Epilepsy? The Effect of Educational Level on the Cognitive Decline After Onset of Epilepsy. Epilepsia, 2005, 46, 7-10.	5.1	129
81	Topographical disorientation in community-residing patients with Alzheimer's disease. International Journal of Geriatric Psychiatry, 2004, 19, 250-255.	2.7	148