

Hugo Thienpont

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7411949/publications.pdf>

Version: 2024-02-01

862
papers

10,197
citations

53794

45
h-index

91884

69
g-index

898
all docs

898
docs citations

898
times ranked

6915
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasmon-Enhanced Refractometry Through Cladding Mode Excitation by a Fiber Bragg Grating in Photonic Crystal Fiber. <i>Journal of Lightwave Technology</i> , 2022, 40, 1121-1129.	4.6	7
2	Design and demonstration of a six-channel multiresolution imaging system. <i>Applied Optics</i> , 2022, 61, 2683.	1.8	2
3	Laser direct writing of short-range interconnect interfacing structures. , 2022, , .		0
4	Miniaturized cost-effective broadband spectrometer employing a deconvolution reconstruction algorithm for resolution enhancement. <i>Optics Express</i> , 2022, 30, 11459.	3.4	2
5	Benchmarking Spectroscopic Techniques Combined with Machine Learning to Study Oak Barrels for Wine Ageing. <i>Biosensors</i> , 2022, 12, 227.	4.7	1
6	Using UV-Vis-NIR absorption spectroscopy as a tool for the detection of iron and cobalt in glass: A case-study on HLLA material from the Low Countries. <i>Journal of Archaeological Science: Reports</i> , 2022, 44, 103517.	0.5	1
7	Prestige markers in art: subtle stratagems in material selection for fifteenth-century stained-glass windows. <i>Heritage Science</i> , 2022, 10, .	2.3	2
8	Unraveling and Predicting the Nonlinear-optical Refractive Response of Graphene. , 2021, , .		0
9	Monitoring of Torque Induced Strain in Composite Shafts with Embedded and Surface-Mounted Optical Fiber Bragg Gratings. <i>Sensors</i> , 2021, 21, 2403.	3.8	7
10	3D nanoprinting of mode-field conversion tapers for low-loss optical interfacing of single-mode fibers and photonic integrated circuits. , 2021, , .		0
11	Challenges in the Fabrication of Biodegradable and Implantable Optical Fibers for Biomedical Applications. <i>Materials</i> , 2021, 14, 1972.	2.9	13
12	Freeform imaging systems: Fermat's principle unlocks "first time right" design. <i>Light: Science and Applications</i> , 2021, 10, 95.	16.6	42
13	Automated freeform imaging system design with generalized ray tracing and simultaneous multi-surface analytic calculation. <i>Optics Express</i> , 2021, 29, 17227.	3.4	23
14	Biomaterials for manufacturing scaffolds: a compromise between resolution, size and biocompatibility. , 2021, , .		0
15	Design and Fabrication of Straight Waveguides, Tapers and S-Bends with Two-Photon Direct Laser Writing. , 2021, , .		0
16	"First time right" freeform optics. <i>PhotonicsViews</i> , 2021, 18, 52-56.	0.1	0
17	Design and two-photon direct laser writing of low-loss waveguides, tapers and S-bends. <i>JPhys Photonics</i> , 2021, 3, 045001.	4.6	14
18	Thiol-norbornene gelatin hydrogels: influence of thiolated crosslinker on network properties and high definition 3D printing. <i>Biofabrication</i> , 2021, 13, 015017.	7.1	34

#	ARTICLE	IF	CITATIONS
19	Miniature freeform flow-line lightguide for sensing: from design to fabrication. Optics Express, 2021, 29, 38001.	3.4	3
20	The interaction between daylight and fifteenth and sixteenth century glass windows from the Low Countries. Scientific Reports, 2021, 11, 21338.	3.3	3
21	Increasing the Microfabrication Performance of Synthetic Hydrogel Precursors through Molecular Design. Biomacromolecules, 2021, 22, 4919-4932.	5.4	6
22	Two-Photon Polymerization-based Direct Laser Writing and Characterization of Micro-Lenses for Optical Interconnect Applications. , 2021, , .		1
23	A Freeform-based Versatile Microfluidic Raman Lab-on-Chip System. , 2021, , .		0
24	Design and replication of a six-channel foveated imaging system. , 2021, , .		0
25	Ultraprecision Diamond Milling of a Freeform Micromirror Array Master for Nanoimprint Lithography. , 2021, , .		0
26	"First time right" - calculating imaging systems from scratch -INVITED. EPJ Web of Conferences, 2021, 255, 02001.	0.3	0
27	Freeform-based High Numerical Aperture Optics for Confocal Raman/SERS Spectroscopy. , 2021, , .		0
28	Two-Photon Polymerization-based Laser Direct Writing of Mode Conversion Down-tapers for Physical Contact Fiber-to-Chip Coupling. , 2021, , .		1
29	Optical fiber-based sensors as an experimental tool to assess the weft and warp yarn tension beam-to-roll in rapier weaving machines. Textile Research Journal, 2020, 90, 857-865.	2.2	6
30	On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. Journal of Lightwave Technology, 2020, 38, 1905-1914.	4.6	13
31	ACTPHAST4R: European Open Access Platform for Photonics Prototyping to Support Innovation-Driven Researchers. , 2020, , .		0
32	High-Resolution 3D Bioprinting of Photo-Cross-linkable Recombinant Collagen to Serve Tissue Engineering Applications. Biomacromolecules, 2020, 21, 3997-4007.	5.4	51
33	Förster resonance energy transfer in fluorophore labeled poly(2-ethyl-2-oxazoline)s. Journal of Materials Chemistry C, 2020, 8, 14125-14137.	5.5	11
34	Active Optical Beam Shaping Based on Liquid Crystals and Polymer Micro-Structures. Crystals, 2020, 10, 977.	2.2	6
35	Predicting Graphene's Nonlinear Optical Refractive Response for Propagating Pulses. Laser and Photonics Reviews, 2020, 14, 1900402.	8.7	14
36	Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. Journal of Lightwave Technology, 2020, 38, 4834-4842.	4.6	19

#	ARTICLE	IF	CITATIONS
37	SERS using two-photon polymerized nanostructures for mycotoxin detection. RSC Advances, 2020, 10, 14274-14282.	3.6	16
38	Miniaturized broadband spectrometer based on a three-segment diffraction grating for spectral tissue sensing. Optics and Lasers in Engineering, 2020, 134, 106157.	3.8	15
39	Designer Descemet Membranes Containing PDLLA and Functionalized Gelatins as Corneal Endothelial Scaffold. Advanced Healthcare Materials, 2020, 9, e2000760.	7.6	25
40	Transverse Mode Mixing in a Coupled-Cavity VCSEL. Journal of Lightwave Technology, 2020, 38, 5774-5782.	4.6	1
41	Evaluation of 3D Printed Gelatin-Based Scaffolds with Varying Pore Size for MSC-Based Adipose Tissue Engineering. Macromolecular Bioscience, 2020, 20, e1900364.	4.1	41
42	A Tunable Freeform-Segmented Reflector in a Microfluidic System for Conventional and Surface-Enhanced Raman Spectroscopy. Sensors, 2020, 20, 1250.	3.8	6
43	Design and prototyping of beam shapers to generate circular or square top-hat beams of different size for additive manufacturing applications. , 2020, , .		2
44	Fabrication and characterization of step-index biocompatible and biodegradable polyesters based optical fiber. , 2020, , .		1
45	Compact conical beam shaper and freeform segmented reflector for SERS analysis. Optics Express, 2020, 28, 16163.	3.4	2
46	3D direct laser writing of microstructured optical fiber tapers on single-mode fibers for mode-field conversion. Optics Express, 2020, 28, 36147.	3.4	24
47	Modeling Graphene's Macroscopic Nonlinear Response. , 2020, , .		0
48	Mode-field matching design, 3D fabrication and characterization of down-tapers on single-mode optical fiber tips for coupling to photonic integrated circuits. , 2020, , .		0
49	Selective liquid filling of photonic crystal fibers using two-photon polymerization lithography without post-exposure development. , 2020, , .		1
50	Phase-shifted Bragg grating inscription in photonic crystal fibers by UV phase mask beam stop technique. , 2020, , .		0
51	Extrusion-based 3D printing of photo-crosslinkable gelatin and λ -carrageenan hydrogel blends for adipose tissue regeneration. International Journal of Biological Macromolecules, 2019, 140, 929-938.	7.5	73
52	(Photo-)crosslinkable gelatin derivatives for biofabrication applications. Acta Biomaterialia, 2019, 97, 46-73.	8.3	120
53	Amorphous random copolymers of lacOCA and manOCA for the design of biodegradable polyesters with tuneable properties. European Polymer Journal, 2019, 118, 685-693.	5.4	3
54	Electro-Absorption Modulator Vertically Integrated on a VCSEL: Microstrip-Based High-Speed Electrical Injection on Top of a BCB Layer. Journal of Lightwave Technology, 2019, 37, 3861-3868.	4.6	3

#	ARTICLE	IF	CITATIONS
55	29GHz-Bandwidth Monolithically Integrated EAM-VCSEL. , 2019, , .		2
56	Numerical and Experimental Study on the IR Femtosecond Laser and Phase Mask-Based Grating Inscription in Photonic Crystal Fibers. , 2019, , .		0
57	Anomalous Transparency in Photonic Crystals and its Dependence on the Refractive Index Difference. , 2019, , .		0
58	Poly(D,L-Lactic Acid) (PDLA) Biodegradable and Biocompatible Polymer Optical Fiber. Journal of Lightwave Technology, 2019, 37, 1916-1923.	4.6	36
59	Additive manufacturing of photo-crosslinked gelatin scaffolds for adipose tissue engineering. Acta Biomaterialia, 2019, 94, 340-350.	8.3	94
60	Down-scaling grating couplers and waveguides in single-crystal diamond for VIS-UV operation. JPhys Photonics, 2019, 1, 015003.	4.6	4
61	Technological advancements for the development of stem cell-based models for hepatotoxicity testing. Archives of Toxicology, 2019, 93, 1789-1805.	4.2	15
62	Aerospace-grade surface mounted optical fibre strain sensor for structural health monitoring on composite structures evaluated against in-flight conditions. Smart Materials and Structures, 2019, 28, 065008.	3.5	60
63	Photo-crosslinkable recombinant collagen mimics for tissue engineering applications. Journal of Materials Chemistry B, 2019, 7, 3100-3108.	5.8	31
64	Welcome to <i>JPhys Photonics</i>. JPhys Photonics, 2019, 1, 010401.	4.6	0
65	Radiation-Induced Effects on Fiber Bragg Gratings Inscribed in Highly Birefringent Photonic Crystal Fiber. IEEE Transactions on Nuclear Science, 2019, 66, 120-124.	2.0	3
66	High frequency operation of an integrated electro-absorption modulator onto a vertical-cavity surface-emitting laser. JPhys Photonics, 2019, 1, 02LT01.	4.6	5
67	Two-photon direct laser writing of beam expansion tapers on single-mode optical fibers. Optics and Laser Technology, 2019, 112, 292-298.	4.6	18
68	Design of illumination optics with extended sources based on wavefront tailoring. Optica, 2019, 6, 966.	9.3	30
69	Prescribed intensity patterns from extended emitters by means of a generalized wavefront-tailoring method. , 2019, , .		0
70	Towards poly(D,L-lactic acid)-based biodegradable and biocompatible polymer optical fiber. , 2019, , .		0
71	Vertical electro-absorption modulator design and its integration in a VCSEL. Journal Physics D: Applied Physics, 2018, 51, 145101.	2.8	7
72	Directional Coupler Based on Single-Crystal Diamond Waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 2018, 24, 1-9.	2.9	9

#	ARTICLE	IF	CITATIONS
73	Characterization of Artificial Sweeteners Using Raman Spectroscopy. Reference Series in Phytochemistry, 2018, , 479-491.	0.4	0
74	Synergistic effect of Î²-carrageenan and gelatin blends towards adipose tissue engineering. Carbohydrate Polymers, 2018, 189, 1-9.	10.2	40
75	Ring opening copolymerisation of lactide and mandelide for the development of environmentally degradable polyesters with controllable glass transition temperatures. Reactive and Functional Polymers, 2018, 128, 16-23.	4.1	8
76	Anomalous transparency in photonic crystals and its application to point-by-point grating inscription in photonic crystal fibers. Scientific Reports, 2018, 8, 5470.	3.3	10
77	Clear to clear laser welding for joining thermoplastic polymers: A comparative study based on physicochemical characterization. Journal of Materials Processing Technology, 2018, 255, 808-815.	6.3	29
78	High frequency characterization of a vertical electro-absorption modulator for data communications. , 2018, , .		2
79	Evaluation of 3D-culture methods for the hepatic differentiation of human skin-derived stem cells. Toxicology Letters, 2018, 295, S111.	0.8	0
80	Localized optical-quality doping of graphene on silicon waveguides through a TFSA-containing polymer matrix. Journal of Materials Chemistry C, 2018, 6, 10739-10750.	5.5	2
81	Phase mask-based IR femtosecond grating inscription in a photonic crystal fiber with short focal length cylindrical lens. , 2018, , .		0
82	Photopolymerizable Materials for Cell Encapsulation. , 2018, , 353-396.		5
83	Electrically tunable VCSEL with intra-cavity liquid crystal: Design, optimization, and analysis of polarization- and mode-stability. Optics Communications, 2018, 427, 271-277.	2.1	14
84	IR femtosecond pulsed laser-based fiber Bragg grating inscription in a photonic crystal fiber using a phase mask and a short focal length lens. Optics Express, 2018, 26, 14741.	3.4	6
85	Grapheneâ€™s nonlinear-optical physics revealed through exponentially growing self-phase modulation. Nature Communications, 2018, 9, 2675.	12.8	67
86	Extra-ordinary nonlinear-optical behavior in silica-core waveguides covered with graphene. , 2018, , .		0
87	Highly Reactive Thiolâ€Norborene Photoâ€Click Hydrogels: Toward Improved Processability. Macromolecular Rapid Communications, 2018, 39, e1800181.	3.9	77
88	Endothelialization and Anticoagulation Potential of Surfaceâ€Modified PET Intended for Vascular Applications. Macromolecular Bioscience, 2018, 18, e1800125.	4.1	28
89	Aerospace-grade compatible surface mounted optical fibre sensor for structural health monitoring of composite structures. , 2018, , .		2
90	Visible Supercontinuum Light Generation in Integrated Diamond-on-Insulator Waveguides. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
91	Highly birefringent photonic crystal fiber compatible with IR femtosecond grating inscription methods. , 2018, , .		0
92	Integration of electro-absorption modulator in a vertical-cavity surface-emitting laser. , 2018, , .		0
93	Prescribed intensity patterns from extended sources by means of a wavefront-matching procedure. , 2018, , .		0
94	Design of an optical refocusing illumination system for use in laser-scanning devices. , 2018, , .		0
95	Design of a freeform, luminance spreading illumination lens with a continuous surface. , 2018, , .		0
96	Relaxing alignment tolerance in single-mode fiber connections using 3D nanoprinted beam expanders. , 2018, , .		0
97	Indirect Rapid Prototyping: Opening Up Unprecedented Opportunities in Scaffold Design and Applications. <i>Annals of Biomedical Engineering</i> , 2017, 45, 58-83.	2.5	40
98	Single lithography-step self-aligned fabrication process for Vertical-Cavity Surface-Emitting Lasers. <i>Materials Science in Semiconductor Processing</i> , 2017, 61, 35-38.	4.0	10
99	Photonics enhanced sensors for food monitoring: part 2. <i>IEEE Instrumentation and Measurement Magazine</i> , 2017, 20, 31-37.	1.6	6
100	Injection Locking and Polarization Switching Bistability in a 1550 nm VCSEL Subject to Parallel Optical Injection. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017, 23, 1-10.	2.9	11
101	Fibre optic sensor based measurements of flow-induced vibration in a liquid metal cooled nuclear reactor set-up. , 2017, , .		0
102	Oxide-confined VCSELs fabricated with a simple self-aligned process flow. <i>Semiconductor Science and Technology</i> , 2017, 32, 125004.	2.0	2
103	Soft tissue fillers for adipose tissue regeneration: From hydrogel development toward clinical applications. <i>Acta Biomaterialia</i> , 2017, 63, 37-49.	8.3	77
104	Cross-Linkable Gelatins with Superior Mechanical Properties Through Carboxylic Acid Modification: Increasing the Two-Photon Polymerization Potential. <i>Biomacromolecules</i> , 2017, 18, 3260-3272.	5.4	104
105	Photonics enhanced sensors for food monitoring: Part 3. <i>IEEE Instrumentation and Measurement Magazine</i> , 2017, 20, 46-55.	1.6	5
106	Dynamic 3D strain measurements with embedded micro-structured optical fiber Bragg grating sensors during impact on a CFRP coupon. , 2017, , .		0
107	Internal scattering as an optical screening method to identify peeled potatoes giving rise to an excess of acrylamide. <i>Journal of Food Engineering</i> , 2017, 195, 255-261.	5.2	1
108	Optofluidic Chip for Single-Beam Optical Trapping of Particles Enabling Confocal Raman Measurements. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017, 23, 176-184.	2.9	2

#	ARTICLE	IF	CITATIONS
109	Simultaneous injection locking and polarization switching in vcsels subject to parallel optical injection. , 2017, , .		0
110	Compact illumination optic with three freeform surfaces for improved beam control. Optics Express, 2017, 25, 29627.	3.4	27
111	Polarization dynamics induced by parallel optical injection in a single-mode VCSEL. Optics Letters, 2017, 42, 2130.	3.3	15
112	Analysis of the polarization of single-mode vertical-cavity surface-emitting lasers subject to parallel optical injection. Journal of the Optical Society of America B: Optical Physics, 2017, 34, 447.	2.1	9
113	Fibre Bragg Gratings in Embedded Microstructured Optical Fibres Allow Distinguishing between Symmetric and Anti-Symmetric Lamb Waves in Carbon Fibre Reinforced Composites. Sensors, 2017, 17, 1948.	3.8	9
114	Characterizing Flow-Induced Vibrations of Fuel Assemblies for Future Liquid Metal Cooled Nuclear Reactors Using Quasi-Distributed Fibre-Optic Sensors. Applied Sciences (Switzerland), 2017, 7, 864.	2.5	12
115	Prototyping and Replication of Polymer Freeform Optical Components. , 2017, , .		1
116	Point-by-point fiber Bragg grating inscription in a dedicated multi-ring hexagonal lattice photonic crystal fiber. , 2017, , .		0
117	Polarization switching nonlinear dynamics in long-wavelength single-mode VCSELs subject to parallel optical injection. , 2017, , .		0
118	Vertical integration of an electro-absorption modulator within a VCSEL device. , 2017, , .		0
119	Opportunities for visible supercontinuum light generation in integrated diamond waveguides. Optics Letters, 2017, 42, 3804.	3.3	10
120	Optical design of freeform mirror systems with tailored field curvatures for corneal imaging. , 2017, , .		1
121	Optical trapping of particles combined with confocal Raman spectroscopy in an optofluidic chip. , 2017, , .		0
122	Fabrication of High-Precision Micro-Opto-Mechanical Components through Deep Proton Writing. , 2017, , .		0
123	Modeling, Fabrication and Testing of Hybrid Lenses in a Multichannel, Multiresolution Imaging System. , 2017, , .		0
124	Optofluidic Chips for Raman Spectroscopy and Optical Trapping. , 2017, , .		0
125	Integrated confocal Raman probe combined with a free-form reflector based lab-on-chip. , 2017, , .		1
126	Design of a miniaturized integrated spectrometer for spectral tissue sensing. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
127	Design of focal beam shaping system through irradiance and phase control. Proceedings of SPIE, 2016, , .	0.8	0
128	Specular gloss versus surface topography for oil-filled nanoparticle coatings on paper. Color Research and Application, 2016, 41, 596-610.	1.6	2
129	Switchable circular beam deflectors. Journal Physics D: Applied Physics, 2016, 49, 165101.	2.8	2
130	Patterning of graphene on silicon-on-insulator waveguides through laser ablation and plasma etching. , 2016, , .		0
131	A numerical study on the importance of non-uniform index modification during femtosecond grating inscription in microstructured optical fibers. , 2016, , .		0
132	Proof-of-concept demonstration of free-form optics enhanced confocal Raman spectroscopy in combination with optofluidic lab-on-chip. Proceedings of SPIE, 2016, , .	0.8	0
133	Spectroscopic monitoring and melt pool temperature estimation during the laser metal deposition process. Journal of Laser Applications, 2016, 28, .	1.7	8
134	Photonics enhanced sensors for food monitoring: part 1. IEEE Instrumentation and Measurement Magazine, 2016, 19, 35-45.	1.6	11
135	Deep proton writing of high aspect ratio SU-8 micro-pillars on glass. Nuclear Instruments & Methods in Physics Research B, 2016, 389-390, 5-12.	1.4	2
136	Low-Loss Millimeter-Length Waveguides and Grating Couplers in Single-Crystal Diamond. Journal of Lightwave Technology, 2016, 34, 5576-5582.	4.6	15
137	Non-destructive detection of mycotoxins in maize kernels using diffuse reflectance spectroscopy. Food Control, 2016, 70, 48-57.	5.5	13
138	Design and prototyping of self-centering optical single-mode fiber alignment structures. Journal of Micromechanics and Microengineering, 2016, 26, 065007.	2.6	7
139	Polarization properties of localized structures in VCSELs. Proceedings of SPIE, 2016, , .	0.8	0
140	Theoretical and experimental study of polarization switching in long-wavelength VCSELs subject to parallel optical injection. , 2016, , .		0
141	Multifield direct design method for ultrashort throw ratio projection optics with two tailored mirrors. Applied Optics, 2016, 55, 3794.	2.1	33
142	Design of infrared and ultraviolet Raman lasers based on grating-coupled integrated diamond ring resonators. Journal of the Optical Society of America B: Optical Physics, 2016, 33, B5.	2.1	13
143	Chaos synchronization in mutually coupled long-wavelength vertical-cavity surface-emitting lasers with long delay time. , 2016, , .		0
144	Direct design of two freeform optical surfaces for wide field of view line imaging applications. Proceedings of SPIE, 2016, , .	0.8	1

#	ARTICLE	IF	CITATIONS
145	Inverse Abel transform algorithms to determine the radial profile of the photoelastic coefficient of glass optical fibers. , 2016, , .		0
146	Chaos in solitary VCSELs: asymmetry and noise. , 2016, , .		0
147	One- and two-photon induced fluorescence spectroscopy enabling the detection of localized aflatoxin contamination in individual maize kernels. , 2016, , .		1
148	Self-aligned BCB planarization method for high-frequency signal injection in a VCSEL with an integrated modulator. Proceedings of SPIE, 2016, , .	0.8	2
149	One way synchronization of polarization chaos from a solitary Vertical-Cavity Surface-Emitting Laser. Proceedings of SPIE, 2016, , .	0.8	0
150	Negative Kerr Nonlinearity of Graphene as seen via Chirped-Pulse-Pumped Self-Phase Modulation. Physical Review Applied, 2016, 6, .	3.8	68
151	Photonics-enhanced smart imaging systems. Proceedings of SPIE, 2016, , .	0.8	0
152	Optical design of an ultrashort throw ratio projector with two freeform mirrors. , 2016, , .		2
153	Reflective liquid crystal hybrid beam-steerer. Optics Express, 2016, 24, 21541.	3.4	13
154	Enhanced performance of refractive laser beam shapers through additional phase control at focus. Optical Engineering, 2016, 55, 085106.	1.0	0
155	Authenticity screening of stained glass windows using optical spectroscopy. Scientific Reports, 2016, 6, 37726.	3.3	22
156	Enhancement of Chaos Bandwidth in VCSELs Induced by Simultaneous Orthogonal Optical Injection and Optical Feedback. IEEE Journal of Quantum Electronics, 2016, 52, 1-9.	1.9	7
157	Understanding the influence of the structured cladding on the reflectivity of femtosecond laser written gratings in photonic crystal fibers. , 2016, , .		0
158	Foundry-compatible SOI waveguides with a graphene top layer for wideband wavelength conversion. , 2016, , .		3
159	Hot-embossing replication of self-centering optical fiber alignment structures prototyped by deep proton writing. Optical Engineering, 2016, 55, 076112.	1.0	6
160	Determination of the radial profile of the photoelastic coefficient of polymer optical fibers. , 2016, , .		0
161	Optical-quality controllable wet-chemical doping of graphene through a uniform, transparent and low-roughness F4-TCNQ/MEK layer. RSC Advances, 2016, 6, 104491-104501.	3.6	10
162	Simultaneous calculation of three optical surfaces in the 3D SMS freeform RXI optic. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
163	Polarization- and Modal-Control in a Vertical-Cavity Surface-Emitting Laser With an External-Cavity Formed by a Liquid Crystal Overlay. <i>Journal of Lightwave Technology</i> , 2016, 34, 5437-5443.	4.6	2
164	Deep proton writing with 12ÅMeV protons for rapid prototyping of microstructures in polymethylmethacrylate. <i>Journal of Micro/ Nanolithography, MEMS, and MOEMS</i> , 2016, 15, 044501.	0.9	3
165	Vector cavity solitons in broad area Vertical-Cavity Surface-Emitting Lasers. <i>Scientific Reports</i> , 2016, 6, 20428.	3.3	21
166	Direct design of laser-beam shapers, zoom-beam expanders, and combinations thereof. <i>Proceedings of SPIE</i> , 2016, , .	0.8	0
167	Freeform optical design of an XY-zoom beam expander. , 2016, , .		1
168	Speckle perception and disturbance limit in laser based projectors. <i>Proceedings of SPIE</i> , 2016, , .	0.8	1
169	Plasma treatment of fiber facets for increased (de)mating endurance in physical contact fiber connectors. , 2016, , .		0
170	Replication of self-centering optical fiber alignment structures using hot embossing. <i>Proceedings of SPIE</i> , 2016, , .	0.8	1
171	Dual fiber optical trapping in a polymer-based microfluidic chip. , 2016, , .		0
172	Polarization switching and injection locking in vertical-cavity surface-emitting lasers subject to parallel optical injection. <i>Optics Letters</i> , 2016, 41, 2664.	3.3	29
173	Modeling and design of infrared and ultraviolet integrated diamond ring Raman lasers. , 2016, , .		1
174	Thermal effects on the photoelastic coefficient of polymer optical fibers. <i>Optics Letters</i> , 2016, 41, 2517.	3.3	14
175	Polydopamine“Gelatin as Universal Cell-Interactive Coating for Methacrylate-Based Medical Device Packaging Materials: When Surface Chemistry Overrides Substrate Bulk Properties. <i>Biomacromolecules</i> , 2016, 17, 56-68.	5.4	21
176	Chaos synchronization in mutually coupled 1550-nm vertical-cavity surface-emitting lasers with parallel polarizations and long delay time. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, 90.	2.1	15
177	Light through glass: The spectrum of Late Antique glass from Cyprus. <i>Journal of Archaeological Science: Reports</i> , 2016, 7, 614-624.	0.5	11
178	Optofluidic multi-measurement system for the online monitoring of lubricant oil. <i>Measurement Science and Technology</i> , 2016, 27, 015004.	2.6	1
179	Relation between optical non-contact profilometry and AFM roughness parameters on coated papers with oil-filled nanoparticles. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016, 82, 75-93.	5.0	16
180	Nonlinear Dynamics of Vertical-Cavity Surface-Emitting Lasers: Deterministic Chaos and Random Number Generation. <i>Springer Proceedings in Physics</i> , 2016, , 59-69.	0.2	0

#	ARTICLE	IF	CITATIONS
181	Opportunities for Wideband Wavelength Conversion in Foundry-Compatible Silicon Waveguides Covered With Graphene. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 347-359.	2.9	19
182	Photonic Crystal Fibers for Femtosecond Laser Point-by-Point Grating Inscription. , 2016, , .		1
183	Biodegradable Polyesters: From Monomer to Application. , 2016, , 786-835.		0
184	Novel microfluidic devices for Raman spectroscopy and optical trapping. , 2016, , .		0
185	Laser ablation- and plasma etching-based patterning of graphene on silicon-on-insulator waveguides. Optics Express, 2015, 23, 26639.	3.4	23
186	Mass-manufacturable polymer microfluidic device for dual fiber optical trapping. Optics Express, 2015, 23, 30991.	3.4	17
187	Multi-fields direct design approach in 3D: calculating a two-surface freeform lens with an entrance pupil for line imaging systems. Optics Express, 2015, 23, 34042.	3.4	14
188	Speckle disturbance limit in laser-based cinema projection systems. Scientific Reports, 2015, 5, 14105.	3.3	23
189	Compact Å©tendue-preserving light-mixing optics. Optics Express, 2015, 23, A1485.	3.4	3
190	Electrically Controllable Liquid Crystal Component for Efficient Light Steering. IEEE Photonics Journal, 2015, 7, 1-13.	2.0	22
191	Modeling and design of a multichannel chromatic aberration compensated imaging system. , 2015, , .		0
192	Optical quality study of refractive lenses made out of oxide glass using hot embossing. Infrared Physics and Technology, 2015, 73, 212-218.	2.9	4
193	Microwave signal generation using a 1550 nm VCSEL subject to dual-beam parallel optical injection. , 2015, , .		0
194	Analytic design of a zoom XY-beam expander with freeform optical surfaces. Optics Express, 2015, 23, 30438.	3.4	21
195	Polarization switching in 1550nm VCSELs subject to parallel optical injection. , 2015, , .		0
196	Photo-crosslinkable biopolymers targeting stem cell adhesion and proliferation: the case study of gelatin and starch-based IPNs. Journal of Materials Science: Materials in Medicine, 2015, 26, 104.	3.6	12
197	Free-Form Optics Enhanced Confocal Raman Spectroscopy for Optofluidic Lab-on-Chips. IEEE Journal of Selected Topics in Quantum Electronics, 2015, 21, 79-86.	2.9	20
198	Simultaneous Quasi-Phase Matching of Two Arbitrary Four-Wave-Mixing Processes. Journal of Lightwave Technology, 2015, 33, 1726-1736.	4.6	4

#	ARTICLE	IF	CITATIONS
199	Optical detection of aflatoxins in maize using one- and two-photon induced fluorescence spectroscopy. Food Control, 2015, 51, 408-416.	5.5	45
200	Cryogel-PCL combination scaffolds for bone tissue repair. Journal of Materials Science: Materials in Medicine, 2015, 26, 123.	3.6	31
201	Plastic light coupler for absorbance detection in silicon microfluidic channels. Microfluidics and Nanofluidics, 2015, 18, 559-568.	2.2	10
202	Late antique glass distribution and consumption in Cyprus: a chemical study. Journal of Archaeological Science, 2015, 61, 213-222.	2.4	55
203	Incoupling and outcoupling of light from a luminescent rod using a compound parabolic concentrator. Optical Engineering, 2015, 54, 055101.	1.0	14
204	Laser ablation of micro-photonic structures for efficient light collection and distribution. Journal Physics D: Applied Physics, 2015, 48, 245101.	2.8	3
205	The role of highly non-linear index change mechanism during femtosecond grating writing in microstructured optical fibers. , 2015, , .		0
206	Iron speciation in soda-lime-silica glass: a comparison of XANES and UV-vis-NIR spectroscopy. Journal of Analytical Atomic Spectrometry, 2015, 30, 1552-1561.	3.0	42
207	Microstructured optical fiber Bragg grating as an internal three-dimensional strain sensor for composite laminates. Smart Materials and Structures, 2015, 24, 055003.	3.5	27
208	Opportunities for designing microstructured optical fibers for efficient femtosecond laser grating inscription. , 2015, , .		0
209	Free space ranging based on a chaotic long-wavelength VCSEL with optical feedback. , 2015, , .		0
210	Hybrid VCSEL: liquid crystal systems. , 2015, , .		0
211	Measurement of Temperature-Dependent Polarization Parameters in Long-Wavelength VCSELs. IEEE Journal of Selected Topics in Quantum Electronics, 2015, 21, 636-642.	2.9	11
212	Direct design approach to calculate a two-surface lens with an entrance pupil for application in wide field-of-view imaging. Optical Engineering, 2015, 54, 015102.	1.0	12
213	Effect of temperature on polarization switching in long-wavelength VCSELs. Proceedings of SPIE, 2015, , .	0.8	0
214	Numerical modeling of femtosecond laser inscribed IR gratings in photonic crystal fibers. Optics Express, 2015, 23, 709.	3.4	12
215	Algorithms for determining the radial profile of the photoelastic coefficient in glass and polymer optical fibers. Optics Express, 2015, 23, 18943.	3.4	4
216	Optical modeling of changeable laser image functionality with analysis of the viewing performance. Applied Optics, 2015, 54, 6162.	2.1	1

#	ARTICLE	IF	CITATIONS
217	Optimization of electrically tunable VCSEL with intracavity nematic liquid crystal. Optics Express, 2015, 23, 15706.	3.4	11
218	Efficient color mixing through \tilde{A} conservation using freeform optics. , 2015, , .		2
219	Flow-cytometric identification of vinegars using a multi-parameter analysis optical detection module. , 2015, , .		0
220	Optical design of static and dynamic laser beam shaping systems. Proceedings of SPIE, 2015, , .	0.8	1
221	Freeform \tilde{A} -preserving optics for light and color mixing. , 2015, , .		0
222	Direct design of a two-surface lens including an entrance pupil for imaging applications. , 2015, , .		0
223	Reverse replication of circular micro grating structures with soft lithography. , 2015, , .		2
224	Indirect additive manufacturing as an elegant tool for the production of self-supporting low density gelatin scaffolds. Journal of Materials Science: Materials in Medicine, 2015, 26, 247.	3.6	38
225	Potential Benefits of Freeform Optics in On-Axis Imaging Applications. , 2015, , .		0
226	Raman Spectroscopy for Distinguishing the Composition of Table-top Artificial Sweeteners. Procedia Engineering, 2014, 87, 240-243.	1.2	2
227	On a possible method to measure the radial profile of the photoelastic constant in step-index optical fiber. , 2014, , .		1
228	Lubricant oil condition monitoring using a scattering-free single-wavelength optical scheme. Proceedings of SPIE, 2014, , .	0.8	0
229	Internal strain monitoring in composite materials with embedded photonic crystal fiber Bragg gratings. Proceedings of SPIE, 2014, , .	0.8	1
230	Scientific evaluation of an intra-curricular educational kit to foster inquiry-based learning (IBL). , 2014, , .		0
231	Proof-of-concept demonstration of a miniaturized multi-resolution refocusing imaging system using an electrically tunable lens. Proceedings of SPIE, 2014, , .	0.8	0
232	Developing intra-curricular photonics educational material for secondary schools in Europe. Proceedings of SPIE, 2014, , .	0.8	0
233	Opto-mechanical design of a buckling cavity in a novel high-performance outside-plant robust field installable single-mode fibre connector. Proceedings of SPIE, 2014, , .	0.8	0
234	Plastic Optical Fibers for Sensing Applications. , 2014, , .		4

#	ARTICLE	IF	CITATIONS
235	Opportunities for Raman wavelength conversion with silicon microdisks. , 2014, , .		0
236	Cavity solitons in vertical-cavity surface-emitting lasers. , 2014, , .		1
237	Modal propagation and imaging characteristics of a custom designed coherent fiberbundle for endomicroscopy. Proceedings of SPIE, 2014, , .	0.8	0
238	Light-modulating pressure sensor with integrated flexible organic light-emitting diode. Applied Optics, 2014, 53, 2766.	1.8	4
239	Two-channel multiresolution refocusing imaging system using a tunable liquid lens. Applied Optics, 2014, 53, 4002.	1.8	9
240	Design of large scale plasmonic nanoslit arrays for arbitrary mode conversion and demultiplexing. Optics Express, 2014, 22, 646.	3.4	10
241	Experimental observation of localized structures in medium size VCSELs. Optics Express, 2014, 22, 762.	3.4	23
242	Adjoint-enabled optimization of optical devices based on coupled-mode equations. Optics Express, 2014, 22, 19423.	3.4	2
243	Human speckle perception threshold for still images from a laser projection system. Optics Express, 2014, 22, 23965.	3.4	39
244	Microstructured optical fiber Bragg grating-based strain and temperature sensing in the concrete buffer of the Belgian supercontainer concept. Proceedings of SPIE, 2014, , .	0.8	4
245	Disbond monitoring in adhesive joints using shear stress optical fiber sensors. Smart Materials and Structures, 2014, 23, 075006.	3.5	27
246	OLED integrated silicon membranes for light-modulation devices. , 2014, , .		0
247	Refocusing capabilities in a miniaturized multi-channel multi-resolution imaging system using a tunable lens. , 2014, , .		0
248	Total internal reflectionâ€‘based module for fluorescence and absorbance detection. Journal of Micro/ Nanolithography, MEMS, and MOEMS, 2014, 13, 033001.	0.9	7
249	Reflective polarimetric vibration sensor based on temperature-independent FBG in HiBi microstructured optical fiber. , 2014, , .		3
250	Random bit generation using polarization chaos from free-running laser diode. , 2014, , .		0
251	Comprehensive numerical design approach for refractive laser beam shapers to generate annular irradiance profiles. Optical Engineering, 2014, 53, 085103.	1.0	5
252	Microstructured optical fiber Bragg grating-based shear stress sensing in adhesive bonds. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
253	The use of one- and two-photon induced fluorescence spectroscopy for the optical characterization of carcinogenic aflatoxins. Proceedings of SPIE, 2014, , .	0.8	2
254	Self-centering fiber alignment structures for high-precision field installable single-mode fiber connectors. Proceedings of SPIE, 2014, , .	0.8	3
255	Synthetic diamond as a new material for on-chip nonlinear wavelength converters. , 2014, , .		0
256	New vistas in refractive laser beam shaping with an analytic design approach. Proceedings of SPIE, 2014, , .	0.8	0
257	Fiber Bragg grating-based shear strain sensors for adhesive bond monitoring. Proceedings of SPIE, 2014, , .	0.8	1
258	Optomechanical design of a buckling cavity in a low-cost high-performance ferruleless field-installable single-mode fiber connector. Optical Engineering, 2014, 53, 106102.	1.0	2
259	Proof-of-concept demonstration of a total internal reflection based module for fluorescence and absorbance detection using a 3D-printed syringe pump. Proceedings of SPIE, 2014, , .	0.8	2
260	Design of refractive laser beam shapers to generate complex irradiance profiles. Proceedings of SPIE, 2014, , .	0.8	0
261	Advanced simulation tool for optical time-domain reflectometry (OTDR) with arbitrary pulse shapes. , 2014, , .		0
262	Proof-of-concept demonstration of a miniaturized three-channel multiresolution imaging system. Proceedings of SPIE, 2014, , .	0.8	1
263	Challenges in the fabrication of fibre Bragg gratings in silica and polymer microstructured optical fibres. Laser and Photonics Reviews, 2014, 8, 27-52.	8.7	63
264	Vertical-Cavity Surface-Emitting Laser With Cholesteric Liquid Crystal Overlay. Journal of Lightwave Technology, 2014, 32, 20-26.	4.6	8
265	Refractive laser beam shaping by means of a functional differential equation based design approach. Optics Express, 2014, 22, 8001.	3.4	28
266	Assessment and numerical search for minimal Taylor's dispersion in micro-machined channels of nearly rectangular cross-section. Journal of Chromatography A, 2014, 1368, 70-81.	3.7	26
267	Optical Time-Domain Reflectometry Simulations of Passive Optical Networks: A Linear Time-Invariant System Approach for Arbitrary Pulses. Journal of Lightwave Technology, 2014, 32, 3008-3019.	4.6	4
268	A XANES study of chromophores: the case of black glass. Analytical Methods, 2014, 6, 2662-2671.	2.7	29
269	Integration of uniform porous shell layers in very long pillar array columns using electrochemical anodization for liquid chromatography. Analyst, The, 2014, 139, 618-625.	3.5	34
270	Mechanical Strength of Microstructured Optical Fibers. Journal of Lightwave Technology, 2014, 32, 2193-2201.	4.6	8

#	ARTICLE	IF	CITATIONS
271	Polarization Switching Regions of Optically Injected Long-Wavelength VCSELs. IEEE Journal of Quantum Electronics, 2014, 50, 921-928.	1.9	10
272	Lubricant oil condition monitoring by means of a scattering-free LED-based system. , 2014, , .		1
273	On the limitations of the first-order nonlinear Schrödinger equation in slow-light photonic crystal structures. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 1660.	2.1	0
274	Physical random bit generation from chaotic solitary laser diode. Optics Express, 2014, 22, 17271.	3.4	78
275	Raman Stokes/Anti-Stokes Wavelength Conversion in "Automatically" Quasi-Phase-Matched Silicon Microdisk Resonators. Journal of Lightwave Technology, 2014, 32, 2939-2950.	4.6	0
276	Replicating micro-optical structures using soft embossing technique. , 2014, , .		1
277	Photonic crystal lenses for transverse focusing of laser illumination in microstructured optical fibers. , 2014, , .		0
278	Design of large scale plasmonic nanoslit arrays for arbitrary mode conversion and demultiplexing. Proceedings of SPIE, 2014, , .	0.8	0
279	Efficient four-wave mixing by phase-mismatch switching. , 2014, , .		0
280	The influence of a light pipe on the coherence properties in laser projectors. Proceedings of SPIE, 2014, , .	0.8	0
281	Microstructured fibers optimized for transverse load and pressure sensing. , 2014, , .		0
282	Micro-Optics Technology Supply Chain as Key-enabler for Applied Research and Industrial Innovation. , 2014, , .		0
283	Deterministic polarization chaos in a laser diode. IEICE Proceeding Series, 2014, 1, 195-198.	0.0	0
284	Embedded fiber Bragg gratings in photonic crystal fiber for cure cycle monitoring of carbon fiber-reinforced polymer materials. Proceedings of SPIE, 2013, , .	0.8	2
285	Quasi-Phase-Matching of Four-Wave-Mixing-Based Wavelength Conversion by Phase-Mismatch Switching. Journal of Lightwave Technology, 2013, 31, 2113-2121.	4.6	19
286	Optical Feedback in Vertical-Cavity Surface-Emitting Lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2013, 19, 1700312-1700312.	2.9	40
287	Continuous Wave Threshold Characteristics of Coupled-Cavity VCSELs: Experiment and Model. Journal of Lightwave Technology, 2013, 31, 3726-3734.	4.6	4
288	Optical measurements and pattern-recognition techniques for identifying the characteristics of beer and distinguishing Belgian beers. Sensors and Actuators B: Chemical, 2013, 179, 140-149.	7.8	24

#	ARTICLE	IF	CITATIONS
289	Vertical-cavity surface-emitting laser emitting circularly polarized light. Laser Physics Letters, 2013, 10, 105003.	1.4	14
290	Exploring the speed limits of liquid chromatography using shear-driven flows through 45 and 85 nm deep nano-channels. Analyst, The, 2013, 138, 6127.	3.5	13
291	Quantum filtering using POVM measurements. , 2013, , .		0
292	Polarization chaos from a free-running quantum dot laser diode. , 2013, , .		0
293	Deterministic polarization chaos from a laser diode. Nature Photonics, 2013, 7, 60-65.	31.4	172
294	Deep Proton Writing for the rapid prototyping of polymer micro-components for optical interconnects and optofluidics. Nuclear Instruments & Methods in Physics Research B, 2013, 307, 243-247.	1.4	8
295	Fast quantum-optical random-number generators. Physical Review A, 2013, 87, .	2.5	23
296	Energy-per-Bit Limits in Plasmonic Integrated Photodetectors. IEEE Journal of Selected Topics in Quantum Electronics, 2013, 19, 3800210-3800210.	2.9	12
297	VCSELs with nematic and cholesteric liquid crystal overlays. Proceedings of SPIE, 2013, , .	0.8	0
298	Colour and Chemistry of the Glass Finds in the Roman Villa of Treignes, Belgium. Procedia Chemistry, 2013, 8, 55-64.	0.7	10
299	Ray optics in combination with the Gaussian beam propagation method for optical trapping of free-shaped particles in micro fluidic systems. , 2013, , .		0
300	Demonstration of a multichannel, multiresolution imaging system. Applied Optics, 2013, 52, 6081.	1.8	31
301	Propagation of partially coherent light through a light pipe. Optics Express, 2013, 21, 17007.	3.4	7
302	Shear stress sensing with Bragg grating-based sensors in microstructured optical fibers. Optics Express, 2013, 21, 20404.	3.4	46
303	Numerical characterization of an ultra-high NA coherent fiber bundle part I: modal analysis. Optics Express, 2013, 21, 21991.	3.4	9
304	Numerical characterization of an ultra-high NA coherent fiber bundle part II: point spread function analysis. Optics Express, 2013, 21, 25403.	3.4	6
305	Potential benefits of free-form optics in on-axis imaging applications with high aspect ratio. Optics Express, 2013, 21, 31072.	3.4	53
306	Tailored free-form optics with movement to integrate tracking in concentrating photovoltaics. Optics Express, 2013, 21, A401.	3.4	41

#	ARTICLE	IF	CITATIONS
307	Influence of measurement noise on the determination of the radial profile of the photoelastic coefficient in step-index optical fibers. Applied Optics, 2013, 52, 8451.	1.8	6
308	Photonic Crystal Mikaelian Lenses and Their Potential Use as Transverse Focusing Elements in Microstructured Fibers. IEEE Photonics Journal, 2013, 5, 7100512-7100512.	2.0	13
309	Low-coherence interferometry with polynomial interpolation on Compute Unified Device Architecture-enabled graphics processing units. Optical Engineering, 2013, 52, 094105.	1.0	11
310	Delay feedback induces drift of multi-peaks cavity solitons in VCSEL devices. , 2013, , .		0
311	Experimental investigation of bending properties of large mode area photonic crystal fibre with double lattice constant structure. , 2013, , .		0
312	Energy-per-bit and noise limits in plasmonic integrated photodetectors. Proceedings of SPIE, 2013, , .	0.8	0
313	A three-channel miniaturized optical system for multi-resolution imaging. Proceedings of SPIE, 2013, , .	0.8	0
314	Traveling wave electro-optically modulated coupled-cavity surface emitting lasers. Proceedings of SPIE, 2013, , .	0.8	0
315	New ways to reach out. Physics World, 2013, 26, 17-18.	0.0	1
316	B-CALM: AN OPEN-SOURCE MULTI-GPU-BASED 3D-FDTD WITH MULTI-POLE DISPERSION FOR PLASMONICS. Progress in Electromagnetics Research, 2013, 138, 467-478.	4.4	10
317	Gloss, hydrophobicity and surface texture of papers with organic nanoparticle coatings. Nordic Pulp and Paper Research Journal, 2013, 28, 28-41.	0.7	2
318	Multi-channel Micro-optical Smart Imaging Systems. , 2013, , .		0
319	Diffuse-light absorption spectroscopy for beer classification and prediction of alcoholic content. Proceedings of SPIE, 2012, , .	0.8	0
320	Analytic free-form lens design for tracking integration in concentrating photovoltaics. Proceedings of SPIE, 2012, , .	0.8	1
321	The potential of Raman spectroscopy in glass studies. , 2012, , .		3
322	Delay induces motion of multi-peak localized structures in cavity semiconductors. , 2012, , .		3
323	Design of a novel multicore optical fibre for imaging and beam delivery in endoscopy. Proceedings of SPIE, 2012, , .	0.8	1
324	Dental composite resins: measuring the polymerization shrinkage using optical fiber Bragg grating sensors. Proceedings of SPIE, 2012, , .	0.8	7

#	ARTICLE	IF	CITATIONS
325	Evaluation of an extensive speckle measurement method. Proceedings of SPIE, 2012, , .	0.8	0
326	On the influence of hexagonal lattice photonic crystal fiber parameters on femtosecond grating inscription. Proceedings of SPIE, 2012, , .	0.8	1
327	Temperature-insensitive polarimetric vibration sensor based on HiBi microstructured optical fiber. Applied Optics, 2012, 51, 6130.	1.8	21
328	The potential of UV-VIS-NIR absorption spectroscopy in glass studies. Proceedings of SPIE, 2012, , .	0.8	8
329	Design of a multichannel, multiresolution smart imaging system. Applied Optics, 2012, 51, 4810.	1.8	13
330	Analytic design method for optimal imaging: coupling three ray sets using two free-form lens profiles. Optics Express, 2012, 20, 5576.	3.4	68
331	Sensing characteristics of the rocking filters in microstructured fibers optimized for hydrostatic pressure measurements. Optics Express, 2012, 20, 23320.	3.4	27
332	Traveling wave electrode design of electro-optically modulated coupled-cavity surface-emitting lasers. Optics Express, 2012, 20, 26184.	3.4	5
333	Electro-optically modulated coupled-cavity VCSELs: electrical design optimization for high-speed operation. Proceedings of SPIE, 2012, , .	0.8	1
334	Analytic free-form lens design in 3D: coupling three ray sets using two lens surfaces. Optics Express, 2012, 20, 10839.	3.4	49
335	Optical measurements and pattern recognition techniques for authenticating top-fermented and bottom-fermented beers and predicting the alcoholic strength. , 2012, , .		0
336	Towards flexible photonic sensing skins with optical fiber sensors. , 2012, , .		0
337	High-performance wavelength tuning of a mid-infrared solid-state laser using a resonant diffraction grating. Proceedings of SPIE, 2012, , .	0.8	3
338	Photonics Explorer: revolutionizing photonics in the classroom. Proceedings of SPIE, 2012, , .	0.8	3
339	B-CALM: an open-source GPU-based 3D-FDTD with multi-pole dispersion for plasmonics. Proceedings of SPIE, 2012, , .	0.8	1
340	Optical characterization of a miniaturized large field of view motion sensor. Proceedings of SPIE, 2012, , .	0.8	0
341	Optimized wavelength conversion in silicon waveguides based on off-Raman-resonance operation. , 2012, , .		0
342	Rocking filter in microstructured fiber for high resolution hydrostatic pressure measurements. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
343	Rapid prototyping of interfacing microcomponents for printed circuit board-level optical interconnects. Proceedings of SPIE, 2012, , .	0.8	0
344	Diffuse-light absorption spectroscopy for discriminating Belgian beers. Proceedings of SPIE, 2012, , .	0.8	0
345	The study of vegetation indices for the monitoring of differences in chlorophyll and carotenoid composition in green vegetables. Proceedings of SPIE, 2012, , .	0.8	1
346	Design and fabrication of advanced fiber alignment structures for field-installable fiber connectors. Proceedings of SPIE, 2012, , .	0.8	0
347	850nm VCSEL with a liquid crystal overlay. , 2012, , .		0
348	Extending the phase mismatch formalism for silicon-based wavelength converters. , 2012, , .		0
349	Photonically enhanced polymer labs-on-a-chip. Proceedings of SPIE, 2012, , .	0.8	0
350	The experimental characterization of the absorption and scatter properties of photopolymers. Proceedings of SPIE, 2012, , .	0.8	1
351	Potential prospects in archaeological research by using optical spectroscopy through a black glass ocular. Proceedings of SPIE, 2012, , .	0.8	3
352	An iterative approach for modeling the interaction of a partial coherent light distribution with an absorbing photosensitive polymer. , 2012, , .		0
353	Lost transparency! Weathering phenomena on the archaeological window glass collection of the Cistercian Abbey of the Dunes - Koksijde (Belgium). , 2012, , .		1
354	Using optical spectroscopy to characterize the material of a 16thc. stained glass window. , 2012, , .		6
355	Perfect imaging of three object points with only two analytic lens surfaces in two dimensions. , 2012, , .		6
356	Microstructure-assisted grating inscription in photonic crystal fibers. , 2012, , .		2
357	Leverage photonics with efficient partnerships between science and industry. Advanced Optical Technologies, 2012, 1, 103-107.	1.7	0
358	Supercontinuum generation in all-solid photonic crystal fiber with low index core. Laser Physics, 2012, 22, 784-790.	1.2	12
359	Mechanical reliability of microstructured optical fibers: a comparative study of tensile and bending strength. Proceedings of SPIE, 2012, , .	0.8	2
360	Opportunities for wavelength conversion with on-chip diamond ring resonators. Laser and Photonics Reviews, 2012, 6, 793-801.	8.7	20

#	ARTICLE	IF	CITATIONS
361	Novel nonlinear photonic functionalities in silicon nanowires. , 2012, , .		0
362	Photonic Crystal Fiber With Large Mode Area and Characteristic Bending Properties. IEEE Photonics Technology Letters, 2012, 24, 1409-1411.	2.5	28
363	Control Over the Pressure Sensitivity of Bragg Grating-Based Sensors in Highly Birefringent Microstructured Optical Fibers. IEEE Photonics Technology Letters, 2012, 24, 527-529.	2.5	37
364	Optical design of a multi-channel, multi-resolution imaging system. Proceedings of SPIE, 2012, , .	0.8	1
365	Monitoring of gamma-irradiated Yb-doped optical fibers through pump induced refractive index changes effect. , 2012, , .		1
366	Standardized speckle measurement method matched to human speckle perception in laser projection systems. Optics Express, 2012, 20, 8770.	3.4	73
367	Applying optical design methods to the development of application specific photonic crystal fibres. , 2012, , .		2
368	Photonic crystal fiber with large-mode area and low-bending loss for high-power compact lasers and amplifiers. , 2012, , .		0
369	Design of a low-bending-loss large-mode-area photonic crystal fiber. Proceedings of SPIE, 2012, , .	0.8	3
370	Analytic free-form lens design for imaging applications with high aspect ratio. , 2012, , .		5
371	Cobalt absorption bands for the differentiation of historical Na and Ca/K rich glass. Surface and Interface Analysis, 2012, 44, 219-226.	1.8	33
372	B-CALM: An open-source GPU-based 3D-FDTD with multi-pole dispersion for plasmonics. Optical and Quantum Electronics, 2012, 44, 285-290.	3.3	11
373	Efficient disparity vector prediction schemes with modified P frame for 2D camera arrays. Journal of Visual Communication and Image Representation, 2012, 23, 287-292.	2.8	6
374	Transverse propagation of ultraviolet and infrared femtosecond laser pulses in photonic crystal fibers. Photonics Letters of Poland, 2012, 4, .	0.4	5
375	Integrated polymer optofluidic chips. , 2012, , .		0
376	Optical characterization of a polymer micro-optical light coupler for silicon channels. Photonics Letters of Poland, 2012, 4, .	0.4	0
377	Towards micro-structured optical fiber sensors for transverse strain sensing in smart composite materials. , 2011, , .		11
378	B-CALM: An open-source GPU-based 3D-FDTD with multi-pole dispersion for plasmonics. , 2011, , .		3

#	ARTICLE	IF	CITATIONS
379	Low-Loss Patch Cords by Effective Splicing of Various Photonic Crystal Fibers With Standard Single Mode Fiber. <i>Journal of Lightwave Technology</i> , 2011, 29, 2940-2946.	4.6	18
380	Electrical Design of High-Speed Electro-Optically Modulated Coupled-Cavity VCSELs. <i>Journal of Lightwave Technology</i> , 2011, 29, 2992-2998.	4.6	12
381	Tracking integration in concentrating photovoltaics using laterally moving optics. <i>Optics Express</i> , 2011, 19, A207.	3.4	46
382	Polarization switching and polarization mode hopping in quantum dot vertical-cavity surface-emitting lasers. <i>Optics Express</i> , 2011, 19, 2476.	3.4	28
383	Geometrical study of a hexagonal lattice photonic crystal fiber for efficient femtosecond laser grating inscription. <i>Optics Express</i> , 2011, 19, 7705.	3.4	42
384	Vertical-cavity surface-emitting laser with liquid crystal overlay. <i>Optics Express</i> , 2011, 19, 16749.	3.4	17
385	Optimized wavelength conversion in silicon waveguides based on off-Raman-resonance operation: extending the phase mismatch formalism. <i>Optics Express</i> , 2011, 19, 18810.	3.4	7
386	Large-mode-area photonic crystal fiber with double lattice constant structure and low bending loss. <i>Optics Express</i> , 2011, 19, 22628.	3.4	58
387	Optical spectroscopy as a rapid and low-cost tool for the first-line analysis of glass artefacts: a step-by-step plan for Roman green glass. <i>Journal of Archaeological Science</i> , 2011, 38, 2387-2398.	2.4	26
388	Deep Proton Writing: A Rapid Prototyping Tool for Polymer Micro-Optical and Micro-Mechanical Components. , 2011, , .		1
389	Nonlinear Dynamics of Vertical-Cavity Surface-Emitting Lasers. <i>Advances in Optical Technologies</i> , 2011, 2011, 1-16.	0.8	13
390	Super-Resolution Image Reconstruction considering Inaccurate Subpixel Motion Information. , 2011, , 613-642.		0
391	Integrating tracking in concentrating photovoltaics using non-rotational symmetric laterally moving optics. , 2011, , .		4
392	Fundamentals of Image Processing. , 2011, , 71-96.		6
393	Compressive Optical Imaging: Architectures and Algorithms. , 2011, , 485-505.		45
394	Basics of Information Theory. , 2011, , 49-69.		0
395	Human Face Recognition and Image Statistics using Matlab. , 2011, , 809-831.		1
396	Phase-Space Tomography of Optical Beams. , 2011, , 789-808.		2

#	ARTICLE	IF	CITATIONS
397	Wavelength Conversion Based on Raman- and Non-Resonant Four-Wave Mixing in Silicon Nanowire Rings Without Dispersion Engineering. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1078-1091.	2.9	31
398	Ultrathin Optoelectronic Device Packaging in Flexible Carriers. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 617-628.	2.9	44
399	Visible and near-infrared absorption spectroscopy by an integrating sphere and optical fibers for quantifying and discriminating the adulteration of extra virgin olive oil from Tuscany. Analytical and Bioanalytical Chemistry, 2011, 399, 1315-1324.	3.7	48
400	Low-loss wavelength tuning of a mid-infrared Cr ²⁺ :ZnSe laser using a Littrow-mounted resonant diffraction grating. Laser Physics Letters, 2011, 8, 606-612.	1.4	7
401	Raman spectroscopy as a rapid screening method for ancient plain window glass. Journal of Raman Spectroscopy, 2011, 42, 1055-1061.	2.5	18
402	Using Raman spectroscopy as a tool for the detection of iron in glass. Journal of Raman Spectroscopy, 2011, 42, 1789-1795.	2.5	38
403	Paper coatings with multi-scale roughness evaluated at different sampling sizes. Applied Surface Science, 2011, 257, 5613-5625.	6.1	29
404	All-fiber Rayleigh ring mirror with an optical control of the resonance. , 2011, , .		0
405	Satellite payloads with optical interconnects: Solving the bandwidth bottleneck in space. , 2011, , .		0
406	Influence of Fiber Orientation on Femtosecond Bragg Grating Inscription in Pure Silica Microstructured Optical Fibers. IEEE Photonics Technology Letters, 2011, 23, 1832-1834.	2.5	22
407	Pump induced refractive index changes in gamma-irradiated Yb-doped optical fibers. , 2011, , .		0
408	Photonic crystal fiber Bragg grating based sensors: opportunities for applications in healthcare. Proceedings of SPIE, 2011, , .	0.8	5
409	Vertical-Cavity Surface-Emitting Lasers with coupled cavities and with liquid crystal overlay. , 2011, , .		1
410	Reduced complexity multi-view video coding scheme for 2D camera arrays. , 2011, , .		0
411	Microstructured Optical Fiber Sensors Embedded in a Laminate Composite for Smart Material Applications. Sensors, 2011, 11, 2566-2579.	3.8	70
412	Photonic crystal fiber Bragg grating based sensors “ opportunities for applications in healthcare. , 2011, , .		1
413	Design and fabrication of embedded micro-mirror inserts for out-of-plane coupling in PCB-level optical interconnections. , 2010, , .		1
414	Low-speckle laser projection using farfield nonmodal emission of a broad-area vertical-cavity surface-emitting laser. , 2010, , .		1

#	ARTICLE	IF	CITATIONS
415	Optical injection dynamics of quantum dot lasers: influence of the excited states. Proceedings of SPIE, 2010, , .	0.8	0
416	Populating multi-fiber fiberoptic connectors using an interferometric measurement of fiber tip position and facet quality. Proceedings of SPIE, 2010, , .	0.8	0
417	Applications of coherent anti-Stokes Raman scattering in silicon photonics. Proceedings of SPIE, 2010, , .	0.8	0
418	Optical sampling of ultrahigh bitrate signals using highly nonlinear chalcogenide planar waveguides or tapered fibers. Proceedings of SPIE, 2010, , .	0.8	0
419	Benchmarking concentrating photovoltaic systems. Proceedings of SPIE, 2010, , .	0.8	3
420	Realistic opto-mechanical simulation and tolerancing of an automotive optical transmitter coupling system. , 2010, , .		0
421	3.3: Efficient PolarizationBased Stereoscopic Projector with Extended Color Gamut: Combining Two Projectors into One. Digest of Technical Papers SID International Symposium, 2010, 41, 9-12.	0.3	0
422	High density optical pressure sensor foil based on arrays of crossing flexible waveguides. Proceedings of SPIE, 2010, , .	0.8	3
423	Cycle-accurate evaluation of reconfigurable photonic networks-on-chip. Proceedings of SPIE, 2010, , .	0.8	1
424	UV Bragg grating inscription in germanium-doped photonic crystal fibers. Proceedings of SPIE, 2010, , .	0.8	1
425	Optical interconnects for satellite payloads: overview of the state-of-the-art. , 2010, , .		1
426	Diffuse-light absorption spectroscopy by fiber optics for detecting and quantifying the adulteration of extra virgin olive oil. , 2010, , .		1
427	Polymer photonic sensing skin. Proceedings of SPIE, 2010, , .	0.8	1
428	Optical characterization of semiconductor microlenses using a Mach-Zehnder interferometer in the near-infrared region. , 2010, , .		1
429	Deep proton writing: a powerful rapid prototyping technology for various micro-optical components. , 2010, , .		1
430	Raman scattering in submicron and nanoscale structures. , 2010, , .		0
431	Efficient disparity vector coding for multi-view 3D displays. , 2010, , .		4
432	Speckle characteristics of a laser projector using nonmodal laser emission of a semiconductor laser. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
433	Enhancing the efficiency of silicon Raman converters. , 2010, , .		1
434	Highly birefringent soft glass rectangular photonic crystal fibers with elliptical holes. Applied Physics B: Lasers and Optics, 2010, 99, 13-17.	2.2	15
435	Design and Tolerance Analysis of Out-of-Plane Coupling Components for Printed-Circuit-Board-Level Optical Interconnections. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 1347-1354.	2.9	5
436	Fully Flexible Optoelectronic Foil. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 1355-1362.	2.9	6
437	Coherent anti-Stokes Raman scattering in Raman lasers and Raman wavelength converters. Laser and Photonics Reviews, 2010, 4, 656-670.	8.7	17
438	Stereoscopic projector for polarized viewing with extended color gamut. Displays, 2010, 31, 73-81.	3.7	11
439	Color uniformity in compact LED illumination for DMD projectors. , 2010, , .		5
440	Analysis of two novel concepts for multiview three-dimensional displays using one projector. Optical Engineering, 2010, 49, 127401.	1.0	5
441	An insect eye-based image sensor with very large field of view. , 2010, , .		10
442	Single projector multiview displays: directional illumination compared to beam steering. Proceedings of SPIE, 2010, , .	0.8	6
443	Design and optimization of GRIN lens arrays for high-resolution digital colour presses. Proceedings of SPIE, 2010, , .	0.8	1
444	High-contrast all-glass volumetric photonic crystal. Proceedings of SPIE, 2010, , .	0.8	0
445	Visible and near-infrared spectral signatures for adulteration assessment of extra virgin olive oil. , 2010, , .		0
446	Polarizing photonic crystal fiber with low index inclusion in the core. Journal of Optics (United Kingdom), 2010, 11, 022201.	2.2	5
447	Diffuse-light absorption spectroscopy and chemometrics for discrimination and quantification of extra virgin olive oil adulterants. , 2010, , .		2
448	Self-pulsations and excitability in optically injected quantum-dot lasers: Impact of the excited states and spontaneous emission noise. Physical Review A, 2010, 82, .	2.5	27
449	High-resolution optical sampling of 640 Gbit/s data using dispersion-engineered chalcogenide photonic wire. Electronics Letters, 2010, 46, 223.	1.0	31
450	LED projection architectures for stereoscopic and multiview 3D displays. , 2010, , .		2

#	ARTICLE	IF	CITATIONS
451	Tolerance analysis of a micro-optical detection system for on-line monitoring of lubricant oils. Journal of Micromechanics and Microengineering, 2010, 20, 105018.	2.6	7
452	Down scaling of micro-structured Fresnel lenses for solar concentration: a quantitative investigation. , 2010, , .		3
453	Optical spectroscopy applied to the analysis of medieval and post-medieval plain flat glass fragments excavated in Belgium. , 2010, , .		9
454	The identification of chromophores in ancient glass by the use of UV-VIS-NIR spectroscopy. , 2010, , .		10
455	In Situ Interferometric Monitoring of Fiber Insertion in Fiber Connector Components. IEEE Photonics Technology Letters, 2010, 22, 60-62.	2.5	7
456	Quasi-Phase-Matched Cavity-Enhanced Raman Converter Based on a Silicon Nanowire Ring. IEEE Photonics Technology Letters, 2010, 22, 1796-1798.	2.5	11
457	Interferometric technique for faceted microstructure metrology using an index matching liquid. Applied Optics, 2010, 49, 732.	2.1	8
458	Miniaturization of Fresnel lenses for solar concentration: a quantitative investigation. Applied Optics, 2010, 49, 2339.	2.1	19
459	Highly birefringent microstructured fibers with enhanced sensitivity to hydrostatic pressure. Optics Express, 2010, 18, 15113.	3.4	137
460	Extremely large-mode-area photonic crystal fibre with low bending loss. Optics Express, 2010, 18, 15408.	3.4	56
461	Demonstration of a multiview projection display using decentered microlens arrays. Optics Express, 2010, 18, 26092.	3.4	21
462	Coupled-cavity surface-emitting lasers: spectral and polarization threshold characteristics and electrooptic switching. Optics Express, 2010, 18, 27525.	3.4	21
463	Point-by-point fiber Bragg grating inscription in free-standing step-index and photonic crystal fibers using near-IR femtosecond laser. Optics Letters, 2010, 35, 1647.	3.3	78
464	High-Resolution Optical Sampling of 640-Gb/s Data Using Four-Wave Mixing in Dispersion-Engineered Highly Nonlinear As ₂ S ₃ Planar Waveguides. Journal of Lightwave Technology, 2010, 28, 209-215.	4.6	47
465	Bragg Grating Inscription in GeO ₂ -Doped Microstructured Optical Fibers. Journal of Lightwave Technology, 2010, 28, 1459-1467.	4.6	41
466	Intrinsic gain switching in optically injected quantum dot laser lasing simultaneously from the ground and excited state. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 2416.	2.1	15
467	Polarization properties and instabilities of QD VCSELs. Proceedings of SPIE, 2010, , .	0.8	2
468	Models for coherent anti-Stokes Raman scattering in Raman devices and in spectroscopy. Proceedings of SPIE, 2010, , .	0.8	1

#	ARTICLE	IF	CITATIONS
469	Polarization dynamics of vertical-cavity surface-emitting lasers: impact of optical feedback and optical injection. , 2010, , .		0
470	Development of silicate hollow core photonic crystal fiber. Photonics Letters of Poland, 2010, 2, .	0.4	0
471	Chaotic polarization dynamics and chaos synchronization in VCSELs. , 2009, , .		0
472	Bistable localized light structure with linear polarization in medium size vertical-cavity surface-emitting lasers. , 2009, , .		0
473	Innovative spectroscopy of liquids: a fiber optic supercontinuum source and an integrating sphere for scattering-free absorption measurements. , 2009, , .		2
474	Architectural study of reconfigurable photonic Networks-on-Chip for multi-core processors. , 2009, , .		4
475	High-resolution optical sampling by means of dispersionshifted highly nonlinear chalcogenide waveguides. , 2009, , .		2
476	Optimal photonic-crystal parameters assuring single-mode operation of 1300 nm AlInGaAs vertical-cavity surface-emitting laser. Journal of Applied Physics, 2009, 105, 093102.	2.5	15
477	High-resolution optical sampling of 640-Gb/s signals using highly nonlinear chalcogenide waveguides. , 2009, , .		0
478	Nonlinear dynamics and synchronization in two mutually coupled vertical-cavity surface-emitting lasers. , 2009, , .		0
479	CARS-based silicon photonics. , 2009, , .		1
480	Optical fiber spectroscopy for measuring quality indicators of lubricant oils. Measurement Science and Technology, 2009, 20, 034011.	2.6	23
481	Thermally Controlled Onset of Spatially Incoherent Emission in a Broad-Area Vertical-Cavity Surface-Emitting Laser. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 555-562.	2.9	11
482	Ultra flat supercontinuum generation in silicate dual core microstructured fiber. Laser Physics Letters, 2009, 6, 575-581.	1.4	34
483	Birefringent photonic crystal fibers with zero polarimetric sensitivity to temperature. Applied Physics B: Lasers and Optics, 2009, 94, 635-640.	2.2	34
484	Strong modes discrimination and low threshold in cw regime of 1300 nm AlInGaAs/InP VCSEL induced by photonic crystal. Physica Status Solidi (A) Applications and Materials Science, 2009, 206, 1396-1403.	1.8	11
485	Transverse UV-laser irradiation-induced defects and absorption in a single-mode erbium-doped optical fiber. Optical Materials, 2009, 31, 1296-1299.	3.6	3
486	Two LCOS full color projector with efficient LED illumination engine. Displays, 2009, 30, 155-163.	3.7	15

#	ARTICLE	IF	CITATIONS
487	Mapping of two-polarization-mode dynamics in vertical-cavity surface-emitting lasers with optical injection. <i>Physical Review E</i> , 2009, 80, 026218.	2.1	22
488	Linearly polarized bistable localized structure in medium-size vertical-cavity surface-emitting lasers. <i>Physical Review A</i> , 2009, 79, .	2.5	41
489	Depolarization of light in microstructured fibers filled with liquid crystals. <i>Opto-electronics Review</i> , 2009, 17, .	2.4	6
490	Light propagation in highly birefringent photonic liquid crystal fibers. <i>Opto-electronics Review</i> , 2009, 17, .	2.4	9
491	Low-Power Reconfigurable Network Architecture for On-Chip Photonic Interconnects. , 2009, , .		15
492	Multi-Parameter Sensing Based on Photonic Liquid Crystal Fibers. <i>Molecular Crystals and Liquid Crystals</i> , 2009, 502, 220-234.	0.9	11
493	Dynamics of vertical-cavity surface-emitting lasers with optical injection: a two-mode model approach. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2009, 26, 1603.	2.1	16
494	Fabrication of spherical microlenses by a combination of isotropic wet etching of silicon and molding techniques. <i>Optics Express</i> , 2009, 17, 6283.	3.4	103
495	Micro-step localization using double charge optical vortex interferometer. <i>Optics Express</i> , 2009, 17, 16144.	3.4	33
496	Low-speckle laser projection with a broad-area vertical-cavity surface-emitting laser in the nonmodal emission regime. <i>Applied Optics</i> , 2009, 48, 792.	2.1	17
497	Radiation Sensitivity of EDFAs Based on Highly Er-Doped Fibers. <i>Journal of Lightwave Technology</i> , 2009, 27, 1540-1545.	4.6	29
498	Transversal Load Sensing With Fiber Bragg Gratings in Microstructured Optical Fibers. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 6-8.	2.5	83
499	Tolerance Design of an Optomechanical Transmitter Assembly for Automotive Applications. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 1178-1180.	2.5	7
500	Response of FBCs in Microstructured and Bow Tie Fibers Embedded in Laminated Composite. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 1290-1292.	2.5	37
501	Far-Field Nonmodal Laser Emission for Low-Speckle Laser Projection. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 1487-1489.	2.5	2
502	Micro-optic reflection and transmission interferometer for complete microlens characterization. <i>Measurement Science and Technology</i> , 2009, 20, 025901.	2.6	11
503	Polarization instabilities and nonlinear dynamics in a quantum dot laser. , 2009, , .		0
504	Orthogonally polarized bistable localized light structures in medium size vertical-cavity surface-emitting lasers. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
505	Polarization dynamics in vertical-cavity surface-emitting lasers subject to optical injection or current modulation. , 2009, , .		0
506	Design of a compact projection display for the visualization of 3D images using polarization sensitive eyeglasses. Journal of the Society for Information Display, 2009, 17, 603-609.	2.1	7
507	Spatially Resolved Characterization of the Coherence Area in the Incoherent Emission Regime of a Broad-Area Vertical-Cavity Surface-Emitting Laser. IEEE Journal of Quantum Electronics, 2009, 45, 249-255.	1.9	13
508	Polarization- and Transverse-Mode Dynamics in Optically Injected and Gain-Switched Vertical-Cavity Surface-Emitting Lasers. IEEE Journal of Quantum Electronics, 2009, 45, 1473-1481.	1.9	41
509	Polarization Switching in Quantum-Dot Vertical-Cavity Surface-Emitting Lasers. IEEE Photonics Technology Letters, 2009, 21, 1008-1010.	2.5	18
510	Fiber Bragg gratings in microstructured optical fibers for stress monitoring. Proceedings of SPIE, 2009, , .	0.8	0
511	MT-compatible interface between peripheral fiber ribbons and printed circuit board-integrated optical waveguides. Proceedings of SPIE, 2009, , .	0.8	2
512	Supercontinuum generation with microstructured fibers made of soft glass. Photonics Letters of Poland, 2009, 1, .	0.4	0
513	LED projector with two liquid crystal on silicon light valves and a fly's eye integrator. Displays, 2008, 29, 464-470.	3.7	7
514	Spectral properties of edge-emitting semiconductor laser subject to optical feedback from extremely short external cavity. Optical and Quantum Electronics, 2008, 40, 69-81.	3.3	5
515	Threshold characteristics of bottom-emitting long wavelength VCSELs with photonic-crystal within the top mirror. Optical and Quantum Electronics, 2008, 40, 149-154.	3.3	1
516	Predicting the performance of reconfigurable optical interconnects in distributed shared-memory systems. Photonic Network Communications, 2008, 15, 25-40.	2.7	9
517	Highly birefringent and dichroic photonic crystal VCSEL design. Optics Communications, 2008, 281, 3149-3152.	2.1	15
518	Comparison of the light output of LCOS projection architectures using LEDs. Displays, 2008, 29, 1-9.	3.7	10
519	Light polarization fingerprints on nonlinear dynamics of vertical-cavity surface-emitting lasers. Opto-electronics Review, 2008, 16, .	2.4	2
520	Silicon cascade. Nature Photonics, 2008, 2, 132-133.	31.4	4
521	Miniaturized Detection System for Fluorescence and Absorbance Measurements in Chromatographic Applications. IEEE Journal of Selected Topics in Quantum Electronics, 2008, 14, 140-150.	2.9	15
522	Transverse mode competition effects on the dynamics of gain-switched vertical-cavity surface-emitting lasers. Applied Physics Letters, 2008, 93, 131103.	3.3	6

#	ARTICLE	IF	CITATIONS
523	Optical design of a compact illumination system for LED projection displays. Proceedings of SPIE, 2008, , .	0.8	0
524	Mass Manufacturable 180° Bend Single-Mode Fiber Socket Using Hole-Assisted Low Bending Loss Fiber. IEEE Photonics Technology Letters, 2008, 20, 187-189.	2.5	9
525	Embedded Micromirror Inserts for Optical Printed Circuit Boards. IEEE Photonics Technology Letters, 2008, 20, 1727-1729.	2.5	20
526	Effect of the Fiber Coating on the Radiation Sensitivity of Type I FBGs. IEEE Photonics Technology Letters, 2008, 20, 1802-1804.	2.5	28
527	Fiber Bragg Gratings in Germanium-Doped Highly Birefringent Microstructured Optical Fibers. IEEE Photonics Technology Letters, 2008, 20, 554-556.	2.5	52
528	Mach-Zehnder Interferometer for Real-Time <i>In Situ</i> Monitoring of Refractive Microlens Characteristics at the Fabrication Level. IEEE Photonics Technology Letters, 2008, 20, 748-750.	2.5	2
529	Hot Embossing of Microoptical Components Prototyped by Deep Proton Writing. IEEE Photonics Technology Letters, 2008, 20, 1539-1541.	2.5	29
530	Highly birefringent holey fibers with zero polarimetric sensitivity to temperature. Proceedings of SPIE, 2008, , .	0.8	0
531	Modal gain and confinement factors in top- and bottom-emitting photonic-crystal VCSEL. Journal Physics D: Applied Physics, 2008, 41, 085102.	2.8	14
532	Tolerance analysis of a micro-optical detection unit for fluorescence and absorbance measurements in lab-on-a-chip micro-channels for chromatographic applications. , 2008, , .		1
533	Impact of light polarization on chaos synchronization of mutually coupled VCSELs. Optics Letters, 2008, 33, 3031.	3.3	15
534	Projection display for the generation of two orthogonal polarized images using liquid crystal on silicon panels and light emitting diodes. Applied Optics, 2008, 47, 1535.	2.1	12
535	Design and tolerance analysis of a low bending loss hole-assisted fiber using statistical design methodology. Optics Express, 2008, 16, 5061.	3.4	16
536	Deep microstructure topography characterization with optical vortex interferometer. Optics Express, 2008, 16, 19179.	3.4	43
537	EAT-by-LIGHT: Fiber-Optic and Micro-Optic Devices for Food Quality and Safety Assessment. IEEE Sensors Journal, 2008, 8, 1342-1354.	4.7	36
538	The Behavior of CARS in Anti-Stokes Raman Converters Operating at Exact Raman Resonance. IEEE Journal of Quantum Electronics, 2008, 44, 1248-1255.	1.9	10
539	Photonic crystal fibers for sensing applications. , 2008, , .		3
540	Out-of-plane Coupling Structures for Optical Printed Circuit Boards. , 2008, , .		1

#	ARTICLE	IF	CITATIONS
541	Design of a reconfigurable optical interconnect for large-scale multiprocessor networks. Proceedings of SPIE, 2008, , .	0.8	2
542	Characterization of Refractive Index Distribution in Spherical Microlenses Fabricated by Deep Proton Writing. IEEE Photonics Technology Letters, 2008, 20, 208-210.	2.5	2
543	Core Versus Cladding Effects of Proton Irradiation on Erbium-Doped Optical Fiber: Micro-Luminescence Study. IEEE Transactions on Nuclear Science, 2008, 55, 2223-2228.	2.0	18
544	Pa€250L: <i>Late News Poster</i>: Lowâ€Speckle Laser Projection with a Broadâ€Area VCSEL in the Incoherent Emission Regime. Digest of Technical Papers SID International Symposium, 2008, 39, 2098-2101.	0.3	0
545	Demonstration of a polarization-based full-color stereoscopic projection display using liquid crystal on silicon panels and light emitting diodes. Proceedings of SPIE, 2008, , .	0.8	0
546	Real time and in situ monitoring of microlenses fabricated with deep proton writing. Proceedings of SPIE, 2008, , .	0.8	0
547	Fluorescence and absorbance measurements for chromatographic analysis using a miniaturized micro-optical detection unit. Proceedings of SPIE, 2008, , .	0.8	2
548	Interferometric method for in-situ monitoring of fiber insertion in 2D fiber connectors fabricated through Deep Proton Writing. , 2008, , .		1
549	Realistic opto-mechanical modelling of plastic optical fiber coupling systems. , 2008, , .		2
550	Coupling structures for out-of-plane coupling in optical PCBs. , 2008, , .		0
551	Characterization of the optical parameters of high aspect ratio polymer micro-optical components. , 2008, , .		1
552	<title>Soft glass photonic crystal fibers for supercontinuum generation</title>. , 2008, , .		0
553	Excitation of a two-mode limit cycle dynamics on the route to polarization switching in a VCSEL subject orthogonal to optical injection. Proceedings of SPIE, 2008, , .	0.8	2
554	The fabrication and characterization of fiber Bragg gratings in highly birefringent photonic crystal fibers for sensing applications. Proceedings of SPIE, 2008, , .	0.8	1
555	Characterization of all-glass photonic band gap fiber. Proceedings of SPIE, 2008, , .	0.8	0
556	Double cavity feedback and experimental observation of coherence resonance. , 2008, , .		0
557	Improved design of a laser scanning system for food analysis applications. , 2008, , .		0
558	Enhanced pluggable out-of-plane coupling components for printed circuit board-level optical interconnections. Proceedings of SPIE, 2008, , .	0.8	3

#	ARTICLE	IF	CITATIONS
559	Benchmarking instrumentation tools for the characterization of microlenses within the EC Network of Excellence on Micro-Optics (NEMO). Proceedings of SPIE, 2008, , .	0.8	1
560	Replication of deep micro-optical components prototyped by Deep Proton Writing. , 2008, , .		7
561	Tomographic studies of 3D refractive index and birefringence distribution in M-O elements replicated by hot embossing technology. , 2008, , .		0
562	Towards flexible routing schemes for polymer optical interconnections on printed circuit boards. , 2008, , .		1
563	Reliable simulation of optical bridge system by exchanging optical field data. , 2008, , .		0
564	A novel optical technique for the detection of stone fragments in fruits. , 2008, , .		0
565	A low loss 180 degrees coupling fiber socket making use of low bending loss hole-assisted fiber. Proceedings of SPIE, 2008, , .	0.8	0
566	Broadband supercontinuum generation with photonic crystal fibers made of soft glass. , 2008, , .		0
567	Optical fiber spectroscopy for measuring quality indicators of lubricant oils. , 2008, , .		3
568	Investigations of bending loss oscillations in large mode area photonic crystal fibers. Proceedings of SPIE, 2008, , .	0.8	1
569	Toward supercontinuum generation with non-symmetric double core microstructured fibers. , 2008, , .		2
570	Fabrication method to create high-aspect ratio pillars for photonic coupling of board level interconnects. Proceedings of SPIE, 2008, , .	0.8	1
571	Polarization control and stabilization of VCSELs by means of optical feedback from an extremely short external cavity. , 2007, , .		0
572	Coupled 3D opto-mechanically study of a free-space optical intra-chip interconnect module. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	0
573	Low-Cost Micro-Optical Modules for Datacommunication to Optical Interconnections from the LAN-to the PCB-Level. , 2007, , .		0
574	Diffraction design of a Selective Broadcaster in Reconfigurable Optical Interconnects. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	0
575	Elastomeric inverse moulding and vacuum casting process characterization for the fabrication of arrays of concave refractive microlenses. Journal of Micromechanics and Microengineering, 2007, 17, 81-88.	2.6	210
576	Low-cost micro-optics for PCB-level photonic interconnects. , 2007, 6476, 162.		2

#	ARTICLE	IF	CITATIONS
577	Measurements of polarimetric sensitivity to temperature in birefringent holey fibres. Measurement Science and Technology, 2007, 18, 3055-3060.	2.6	33
578	Sensing with photonic crystal fibres. , 2007, , .		3
579	Polarized optical feedback from an extremely short external cavity for controlling and stabilizing the polarization of vertical cavity surface emitting lasers. Applied Physics Letters, 2007, 90, 121104.	3.3	14
580	Experimental Evidence of Coherence Resonance in a Time-Delayed Bistable System. Physical Review Letters, 2007, 99, 023903.	7.8	48
581	Role of external cavity reflectivity for achieving polarization control and stabilization of vertical cavity surface emitting laser. Applied Physics Letters, 2007, 90, 031117.	3.3	9
582	SPAD arrays and micro-optics: towards a real single photon spectrometer. Journal of Modern Optics, 2007, 54, 199-212.	1.3	19
583	Using a flyâ€™s eye integrator in efficient illumination engines with multiple light-emitting diode light sources. Optical Engineering, 2007, 46, 043001.	1.0	35
584	Two liquid crystal on silicon panel projector with efficient light-emitting diode illumination engine. Optical Engineering, 2007, 46, 124002.	1.0	8
585	Photonic crystal fibers: new opportunities for sensing. Proceedings of SPIE, 2007, , .	0.8	13
586	Enhancement methods for CARS-based heat mitigation and application to near- and mid-infrared silicon-based Raman lasers. , 2007, , .		0
587	Iterative resonator model describing the Stokes and anti-Stokes emission of a continuous-wave silicon-based Raman laser. , 2007, , .		1
588	Modeling mid-infrared continuous-wave silicon-based Raman lasers. , 2007, , .		6
589	Silicate photonic crystal fibers with rectangular lattice and elliptical holes. , 2007, , .		0
590	LED based full color stereoscopic projection system. , 2007, , .		4
591	Investigations of birefringence of the fundamental and the higher order modes in index guiding photonic crystal fiber. , 2007, , .		0
592	<title>Sensing applications of photonic crystal fibres</title>. , 2007, , .		1
593	<title>Polarizing photonic crystal fibers for different operation range</title>. Proceedings of SPIE, 2007, , .	0.8	0
594	14.1: Efficient and Compact Illumination in LED Projection Displays. Digest of Technical Papers SID International Symposium, 2007, 38, 947-950.	0.3	8

#	ARTICLE	IF	CITATIONS
595	Toward a hyperspectral optical signature of extra virgin olive oil. , 2007, , .		6
596	Sensing properties of Bragg grating in highly birefringent and single mode photonic crystal fiber. , 2007, , .		2
597	Eat-by-light: fiber-optic and micro-optic devices for food safety and quality assessment. Proceedings of SPIE, 2007, , .	0.8	2
598	Eat-by-light fiber-optic and micro-optic devices for food quality and safety assessment. , 2007, , .		1
599	Mitigating heat dissipation in a hydrogen-based Raman laser using coherent anti-Stokes Raman scattering. , 2007, , .		0
600	Optimal Designs of Telecommunications Oriented Photonic-Crystal VCSELs. , 2007, , .		0
601	Cooling Silicon Raman Lasers with Coherent Anti-Stokes Raman Scattering. Optics and Photonics News, 2007, 18, 24.	0.5	3
602	Optimal radii of photonic crystal holes within DBR mirrors in long wavelength VCSEL. Optics Express, 2007, 15, 1301.	3.4	29
603	Fabrication and characterization of microlens arrays using a cantilever-based spotter. Optics Express, 2007, 15, 6900.	3.4	32
604	Experimental investigations of bending loss oscillations in large mode area photonic crystal fibers. Optics Express, 2007, 15, 13547.	3.4	40
605	Tolerance Analysis for Multilayer Optical Interconnections Integrated on a Printed Circuit Board. Journal of Lightwave Technology, 2007, 25, 2395-2401.	4.6	18
606	Gamma radiation induced loss in erbium doped optical fibers. Journal of Non-Crystalline Solids, 2007, 353, 477-480.	3.1	19
607	Proton- and Gamma-Induced Effects on Erbium-Doped Optical Fibers. IEEE Transactions on Nuclear Science, 2007, 54, 2426-2434.	2.0	68
608	Mitigating Heat Dissipation in Raman Lasers Using Coherent Anti-Stokes Raman Scattering. Physical Review Letters, 2007, 99, 093903.	7.8	32
609	Optical cooling of Raman lasers using CARS. , 2007, , .		2
610	Radial distribution of proton-induced effects in erbium-doped optical fibers: micro-luminescence study. , 2007, , .		2
611	Pulsed X-Ray and Continuous Gamma Radiation Effects on Erbium Doped Optical Fibers Properties. IEEE Transactions on Nuclear Science, 2007, 54, 2598-2603.	2.0	8
612	Laser Ablated Micromirrors for Printed Circuit Board Integrated Optical Interconnections. IEEE Photonics Technology Letters, 2007, 19, 822-824.	2.5	20

#	ARTICLE	IF	CITATIONS
613	Discrete Out-of-Plane Coupling Components for Printed Circuit Board-Level Optical Interconnections. IEEE Photonics Technology Letters, 2007, 19, 1753-1755.	2.5	29
614	Predicting reconfigurable interconnect performance in distributed shared-memory systems. The Integration VLSI Journal, 2007, 40, 382-393.	2.1	5
615	Analytical evaluation of bending loss oscillations in photonic crystal fibers. Optics Communications, 2007, 269, 261-270.	2.1	21
616	Mitigating Heat Dissipation in Near- and Mid-Infrared Silicon-Based Raman Lasers Using CARSâ€”Part I: Theoretical Analysis. IEEE Journal of Selected Topics in Quantum Electronics, 2007, 13, 770-782.	2.9	9
617	Mitigating Heat Dissipation in Near- and Mid-Infrared Silicon-Based Raman Lasers Using CARSâ€”Part II: Numerical Demonstration. IEEE Journal of Selected Topics in Quantum Electronics, 2007, 13, 783-788.	2.9	7
618	Measurements of sensitivity to hydrostatic pressure and temperature in highly birefringent photonic crystal fibers. Optical and Quantum Electronics, 2007, 39, 481-489.	3.3	23
619	Modal behavior of photonic-crystal vertical-cavity surface-emitting diode laser analyzed with Plane Wave Admittance Method. Optical and Quantum Electronics, 2007, 39, 427-433.	3.3	3
620	Dynamic characteristics of nonlinear Bragg gratings in photonic crystal fibres. Optical and Quantum Electronics, 2007, 39, 455-467.	3.3	2
621	Single-Polarization Single-Mode Photonic Band Gap Fiber. Acta Physica Polonica A, 2007, 111, 239-245.	0.5	10
622	<title>High birefringent photonic crystal optical fiber for Bragg gratings inscriptions</title>. Proceedings of SPIE, 2007, , .	0.8	0
623	Nonlinear dynamics and polarization bistability in optically injected VCSELs. , 2006, , .		1
624	<title>Polarization switching in VCSELs induced by optical injection</title>. , 2006, , .		1
625	Measurements of hydrostatic pressure and temperature sensitivity in birefringent holey fibers. , 2006, 6182, 586.		0
626	Investigation of Polarization Properties of VCSELs Subject to Optical Feedback From an Extremely Short External Cavityâ€”Part I: Theoretical Analysis. IEEE Journal of Quantum Electronics, 2006, 42, 89-101.	1.9	41
627	Investigation of Polarization Properties of VCSELs Subject to Optical Feedback From an Extremely Short External Cavityâ€”Part II: Experiments. IEEE Journal of Quantum Electronics, 2006, 42, 102-107.	1.9	15
628	Mapping of the Dynamics Induced by Orthogonal Optical Injection in Vertical-Cavity Surface-Emitting Lasers. IEEE Journal of Quantum Electronics, 2006, 42, 198-207.	1.9	99
629	Stokes-Anti-Stokes Iterative Resonator Method for Modeling Raman Lasers. IEEE Journal of Quantum Electronics, 2006, 42, 1144-1156.	1.9	28
630	Selective optical broadcast component for reconfigurable multiprocessor interconnects. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 828-837.	2.9	26

#	ARTICLE	IF	CITATIONS
631	A new generation of low-voltage single-photon micro-sensors with timing capability. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 567, 83-88.	1.6	12
632	Laser ablation of parallel optical interconnect waveguides. IEEE Photonics Technology Letters, 2006, 18, 1106-1108.	2.5	50
633	High-precision 2-D SM fiber connectors fabricated through deep proton writing. IEEE Photonics Technology Letters, 2006, 18, 1164-1166.	2.5	24
634	Tailoring light polarization in vertical cavity surface emitting lasers by isotropic optical feedback from an extremely short external cavity. Applied Physics Letters, 2006, 89, 091102.	3.3	11
635	Comparing glass and plastic refractive microlenses fabricated with different technologies. Journal of Optics, 2006, 8, S407-S429.	1.5	149
636	Propagation of spatially partially coherent emission from a vertical-cavity surface-emitting laser. Optics Letters, 2006, 31, 1178.	3.3	8
637	Enhanced cross phase modulation instability in birefringent photonic crystal fibers in the anomalous dispersion regime. Optics Express, 2006, 14, 8290.	3.4	12
638	Diffusion limitation: a possible source for the occurrence of doughnut patterns on DNA microarrays. BioTechniques, 2006, 41, 609-616.	1.8	17
639	Iterative resonator model describing the continuous-wave operation of a Raman laser. , 2006, , .		0
640	Optical characterization of spherical microlenses: a round robin experiment within the EC Network of Excellence on Micro-Optics (NEMO). , 2006, , .		0
641	Technology of high-birefringent photonic crystal fibers for sensing applications. , 2006, , .		1
642	Rapid micro-optical prototyping technology for fabricating optical interconnection modules at the MCM and PCB level. , 2006, 6393, 13.		0
643	Light propagation in a GRIN microlens with gain or loss and comparison with lossless case. , 2006, , .		0
644	Nonmodal emission characteristics of broad-area vertical-cavity surface-emitting lasers. , 2006, 6184, 313.		1
645	Low-cost plastic micro-optics for board level optical interconnections. , 2006, , .		0
646	A novel optical detection system for chromatography applications. , 2006, , .		0
647	Cylindrical microlenses fabricated by Deep Proton Writing. , 2006, , .		0
648	Design of axisymmetrical tailored concentrators for LED light source applications. , 2006, 6196, 27.		1

#	ARTICLE	IF	CITATIONS
649	PULSE PACKAGE DYNAMICS IN VCSELS WITH DELAYED OPTICAL FEEDBACK FROM A SHORT EXTERNAL CAVITY. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 353-358.	0.4	0
650	Polarizing Properties of Photonic Crystal Fibers. , 2006, , .		4
651	Development of a fabrication technology for integrating low cost optical interconnects on a printed circuit board. , 2006, 6126, 25.		1
652	Efficient illumination in LED-based projection systems using lenslet integrators. , 2006, 6196, 48.		13
653	Full vectorial electromagnetic modeling of vertical-cavity surface-emitting diode lasers by the plane wave admittance method. , 2006, 6185, 290.		9
654	Continuous-wave fiber-pumped Cr ²⁺ :ZnSe laser. , 2006, 6190, 70.		2
655	Design, modeling, and prototyping of microinterferometric tomography system for optical fiber inspection. , 2006, , .		3
656	Roughness measurements on coupling structures for optical interconnections integrated on a printed circuit board. , 2006, , .		0
657	Design of a light-guide used for the real-time monitoring of LCD-displays. , 2006, , .		0
658	Speeding up multiprocessor machines with reconfigurable optical interconnects. , 2006, , .		3
659	Laser-ablated coupling structures for stacked optical interconnections on printed circuit boards. , 2006, , .		6
660	Prototyping micro-optical components with integrated out-of-plane coupling structures using deep lithography with protons. , 2006, 6185, 33.		6
661	Design, fabrication, and replication of micro-optical components for educational purposes within the network of excellence in micro-optics (NEMO). , 2006, 6185, 91.		7
662	Investigation of polarization properties of VCSELS subject to optical feedback from an extremely short external cavity. , 2006, 6185, 299.		0
663	Packaging a free-space intra-chip optical interconnect module: Monte Carlo tolerance study and assembly results. , 2006, 6185, 201.		1
664	Selective optical broadcasting in reconfigurable multiprocessor interconnects. , 2006, 6185, 145.		3
665	Comparison of various optical characterization techniques for the surface analysis of optical-grade germanium infrared materials. , 2006, , .		0
666	Continuous-wave broadly tunable Cr ²⁺ :ZnSe laser pumped by a thulium fiber laser. Optics Communications, 2006, 268, 115-120.	2.1	34

#	ARTICLE	IF	CITATIONS
667	Quantitative topography characterization of surfaces with asymmetric roughness induced by AC-graining on aluminium. <i>Surface and Coatings Technology</i> , 2006, 201, 918-926.	4.8	10
668	Tunable properties of light propagation in photonic liquid crystal fibers. <i>Opto-electronics Review</i> , 2006, 14, .	2.4	2
669	Dynamics of vertical-cavity surface-emitting lasers in the short external cavity regime: Pulse packages and polarization mode competition. <i>Physical Review A</i> , 2006, 73, .	2.5	45
670	Nonlinear dynamics accompanying polarization switching in vertical-cavity surface-emitting lasers with orthogonal optical injection. <i>Applied Physics Letters</i> , 2006, 88, 101106.	3.3	66
671	Polarization Switching Bistability and Dynamics in Vertical-Cavity Surface-Emitting Laser under Orthogonal Optical Injection. <i>Optical and Quantum Electronics</i> , 2006, 38, 429-443.	3.3	39
672	Numerical Analysis of Highly Birefringent Photonic Crystal Fibers with Bragg Reflectors. <i>Optical and Quantum Electronics</i> , 2006, 38, 535-545.	3.3	5
673	SINPHOS - SINGle PHOton Spectrometer for biomedical application. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2006, 150, 317-320.	0.4	7
674	Optomechanical Monte Carlo Tolerancing Study of a Packaged Free-Space Intra-MCM Optical Interconnect System. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2006, 12, 988-996.	2.9	7
675	Analysis of light propagation mechanisms in photonic liquid crystal fibers. , 2006, 6182, 438.		0
676	Deep proton writing: a rapid prototyping polymer micro-fabrication tool for micro-optical modules. <i>New Journal of Physics</i> , 2006, 8, 270-270.	2.9	41
677	Optical detection techniques for laser sorting machines. , 2006, , .		2
678	Increased lumens per Å©tendue by combining pulsed light-emitting diodes. <i>Optical Engineering</i> , 2006, 45, 034002.	1.0	8
679	Use of the polarization properties of fiber Bragg gratings for sensing purposes. , 2006, 6189, 516.		1
680	Polarization Dynamics in VCSELS Induced by Optical Injection. , 2006, , .		0
681	Reconfigurable interconnection networks in Distributed Shared Memory systems: a study on communication patterns. , 2006, , .		1
682	Embedded laser ablated micro-mirrors for intra- and out-of-plane coupling in multilayer optical interconnects. , 2006, , .		0
683	The European Network of Excellence in Micro-Optics (NEMO). , 2006, , .		0
684	Bandgap tuning through material anisotropy as a novel physical mechanism for liquid crystal filled photonic crystal fiber sensors. , 2005, , .		0

#	ARTICLE	IF	CITATIONS
685	Application of microinterferometric tomography as an evaluation tool for phase micro-objects. , 2005, 5776, 596.		4
686	Analysis of birefringent doped-core holey fibers for Bragg gratings. , 2005, 5855, 351.		2
687	<title>Increased lumens per etendue by combining pulsed LEDs</title>. , 2005, , .		7
688	Temperature sensitivity in birefringent photonic crystal fiber with triple defect. , 2005, , .		0
689	Real-time in situ sag characterization of microlenses fabricated with Deep Lithography with Protons. , 2005, , .		0
690	Laser ablation and laser direct writing as enabling technologies for the definition of micro-optical elements. , 2005, , .		5
691	Analysis of data from optical sensors with composite filtering. , 2005, 5855, 824.		0
692	Temperature and pressure sensitivities of the highly birefringent photonic crystal fiber with core asymmetry. Applied Physics B: Lasers and Optics, 2005, 81, 325-331.	2.2	62
693	Modeling of the polarization behavior of elliptical surface-relief VCSELs. Optical and Quantum Electronics, 2005, 37, 241-252.	3.3	13
694	Photonic crystal fibers with material anisotropy. Optical and Quantum Electronics, 2005, 37, 253-264.	3.3	13
695	Thermal and spectral effects in polarimetric strain sensors based on highly birefringent fibers. , 2005, 5952, 162.		0
696	Sensitivity of highly birefringent photonic bandgap fibers to temperature and strain. , 2005, , .		2
697	Phase and group modal birefringence of triple-defect photonic crystal fibres. Journal of Optics, 2005, 7, 763-766.	1.5	26
698	Low-cost microinterferometric tomography system for 3D refraction index distribution measurements in the optical fiber splices. , 2005, 5855, 347.		4
699	Experimental and theoretical investigations of birefringent holey fibers with a triple defect. Applied Optics, 2005, 44, 2652.	2.1	59
700	Laser cleaving of glass fibers and glass fiber arrays. Journal of Lightwave Technology, 2005, 23, 609-614.	4.6	17
701	Intensity behavior underlying pulse packages in semiconductor lasers that are subject to optical feedback. Journal of the Optical Society of America B: Optical Physics, 2005, 22, 777.	2.1	11
702	Spatial decoherence of pulsed broad-area vertical-cavity surface-emitting lasers. Optics Express, 2005, 13, 9337.	3.4	33

#	ARTICLE	IF	CITATIONS
703	Tomographic microinterferometry of refractive index distribution. , 2004, , .		0
704	Comparative study of glass and plastic refractive microlenses and their fabrication techniques. , 2004, , .		2
705	Semiconductor lasers for quantum sensing. , 2004, , .		5
706	Residence time distribution and coherence resonance of optical-feedback-induced polarization mode hopping in vertical-cavity surface-emitting lasers. Physical Review A, 2004, 69, .	2.5	26
707	Optical-injection-induced polarization switching in polarization-bistable vertical-cavity surface-emitting lasers. Journal of Applied Physics, 2004, 96, 6002-6007.	2.5	45
708	Study of optical feedback effects in an extremely short external cavity configuration. , 2004, 5452, 591.		0
709	Receiverless detection schemes for optical clock distribution. , 2004, , .		4
710	Quantum confined Stark effect in coupled-cavity VCSELs. , 2004, , .		0
711	<title>Birefringence in photonic crystal fibers: a numerical approach based on the plane-wave method</title>. , 2004, 5576, 54.		2
712	Plastic Microlens Arrays by Deep Lithography with Protons: Fabrication and Characterization. Japanese Journal of Applied Physics, 2004, 43, 5832-5839.	1.5	16
713	A novel microstep device for the size separation of cells. Electrophoresis, 2004, 25, 1714-1722.	2.4	14
714	Electrical and polarization controlled bistability and oscillations in photorefractive birefringent Fabry-Pérot resonators. Optics Communications, 2004, 231, 417-429.	2.1	1
715	Polarization switching induced by phase change in extremely short external cavity vertical-cavity surface-emitting lasers. Applied Physics Letters, 2004, 84, 2763-2765.	3.3	38
716	Controlled Polarization Switching in VCSELs by Means of Asymmetric Current Injection. IEEE Photonics Technology Letters, 2004, 16, 708-710.	2.5	32
717	Wave-optical components for reconfigurable short-distance optical interconnects. , 2004, , .		0
718	Time scales of polarization switching in different types of VCSELs. , 2004, 5452, 433.		1
719	Self-pulsation in vertical-cavity surface-emitting lasers as a result of the interplay between carrier-induced antiguiding and built-in index guiding. Journal of the Optical Society of America B: Optical Physics, 2004, 21, 1192.	2.1	4
720	MT-Compatible Laser-Ablated Interconnections for Optical Printed Circuit Boards. Journal of Lightwave Technology, 2004, 22, 2083-2090.	4.6	77

#	ARTICLE	IF	CITATIONS
721	The fabrication and characterization of plastic microlens arrays by deep lithography with protons. , 2004, , .		2
722	Coherence resonance in a bistable laser system with time delay. , 2004, 5468, 142.		0
723	<title>Dynamical effects in photorefractive Fabry-Perot resonators</title>. , 2004, , .		0
724	Deep lithography with protons as an alternative fabrication technology for high-precision 2D fiber connector components. , 2004, , .		0
725	<title>Photonic crystal fibers: state of the art and future perspectives</title>. , 2004, , .		5
726	Optical feedback from extremely short external cavity in VCSEL. , 2004, , .		0
727	<title>Multiparameter sensitivities of birefringent photonic crystal fiber</title>. , 2004, , .		3
728	Optical implementations of threshold decomposition and morphological operations with dual-rail processing. , 2004, , .		0
729	Photonic interconnects to silicon chips. , 2004, 5359, 337.		0
730	Design and implementation of an on-campus free-space laser datalink: a photonics case study for electrical and photonic engineering students. , 2004, 5578, 756.		0
731	Basic aspects of deep lithography with particles for the fabrication of micro-optical and micromechanical structures. , 2004, , .		4
732	<title>Light propagation in birefringent doped-core holey fibers</title>. , 2004, , .		0
733	Advanced optical fiber communication simulations in electrotechnical engineering education. , 2004, , .		0
734	Low-cost microoptical modules for mcm level optical interconnections. IEEE Journal of Selected Topics in Quantum Electronics, 2003, 9, 518-530.	2.9	44
735	Receiver-less optical clock injection for clock distribution networks. IEEE Journal of Selected Topics in Quantum Electronics, 2003, 9, 400-409.	2.9	62
736	Introduction to the issue on optical interconnects. IEEE Journal of Selected Topics in Quantum Electronics, 2003, 9, 347-349.	2.9	15
737	Ion micro-beam diagnostics with photodetectors. Nuclear Instruments & Methods in Physics Research B, 2003, 209, 340-344.	1.4	8
738	Direct writing of microlenses in polycarbonate with excimer laser ablation. Applied Optics, 2003, 42, 6349.	2.1	69

#	ARTICLE	IF	CITATIONS
739	Optical feedback induces polarization mode hopping in vertical-cavity surface-emitting lasers. Optics Letters, 2003, 28, 1543.	3.3	144
740	Optical feedback induces polarization mode-hopping in vertical-cavity surface-emitting lasers. , 2003, , .		1
741	Ion microbeam diagnostics with scintillators for application of deep lithography with particles. IEEE Transactions on Nuclear Science, 2003, 50, 774-777.	2.0	4
742	Polarization-mode hopping in single-mode vertical-cavity surface-emitting lasers: Theory and experiment. Physical Review A, 2003, 68, .	2.5	44
743	Diagnostic Tools For Low Intensity Ion Micro-Beams. AIP Conference Proceedings, 2003, , .	0.4	0
744	Increasing the functionality of free-space micro-optical intrachip modules with DOEs: towards reconfigurable photonic interconnects. , 2003, , .		0
745	Polarization mode hopping in vertical-cavity surface-emitting lasers induced by optical feedback. , 2003, , .		0
746	Plastic micro-optical modules for VCSEL-based free-space intra-chip interconnections: demonstrator testbeds with OE-FPGAs. , 2003, 4942, 324.		1
747	Reconfigurable optical interconnects for parallel computer systems: design space issues. , 2003, 4942, 236.		1
748	Controlled polarization switching in intracavity contacted VCSELs. , 2003, 4942, 84.		0
749	Optimizing deep lithography with protons for the fabrication of 2D fiber alignment structures. , 2003, 5145, 87.		3
750	Polarization behavior and mode structure of vertical-cavity surface-emitting lasers with elliptical surface relief. , 2003, , .		5
751	Comparison of thermal and polarization switching frequency response in VCSELs. , 2003, 4942, 72.		0
752	Two-dimensional plastic microlens arrays by deep lithography with protons: fabrication and characterization. Journal of Optics, 2002, 4, S22-S28.	1.5	44
753	Polarization behavior of vertical-cavity surface-emitting lasers under the influence of in-plane anisotropic strain. , 2002, 4649, 281.		6
754	High-impedance high-frequency silicon detector response for precise receiverless optical clock injection. , 2002, 4654, 78.		11
755	Frequency response of current modulation induced polarization switching in VCSELs. , 2002, 4649, 245.		1
756	Multichannel free-space intrachip optical interconnections: combining plastic micro-optical modules and VCSEL-based OE-FPGA. , 2002, 4652, 177.		3

#	ARTICLE	IF	CITATIONS
757	Mathematical morphology operations with a comparator array processor. Optics Letters, 2002, 27, 1818.	3.3	6
758	Optical pump-probe measurements of the latency of silicon CMOS optical interconnects. IEEE Photonics Technology Letters, 2002, 14, 1214-1216.	2.5	11
759	Deep lithography with protons: Modelling and predicting the performances of a novel fabrication technology for micro-optical components. Nuclear Instruments & Methods in Physics Research B, 2002, 193, 346-351.	1.4	1
760	Polarization behavior of vertical-cavity surface-emitting lasers: Experiments, models and applications. AIP Conference Proceedings, 2001, , .	0.4	31
761	Photorefractive beam-fanning effect and self-pulsations in coated LiNbO ₃ slabs. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2001, 18, 1741.	1.5	3
762	<title>Free-space monolithic microoptical modules: a low-cost route for photonic interconnects to silicon</title>. , 2001, , .		0
763	Photonic morphological image processing. , 2001, , .		0
764	<title>Monitoring the stress build-up in dental cements: a novel optical characterization technique</title>. , 2001, 4156, 309.		1
765	<title>Microlens arrays fabricated by deep lithography with protons and their characterization</title>. , 2001, , .		2
766	Polarization switching dynamics in single-mode VCSELs. , 2001, 4286, 34.		3
767	<title>Demonstrating optoelectronic interconnect in a FPGA-based prototype system using flip-chip mounted 2D arrays of optical components and 2D POF-ribbon arrays as optical pathways</title>. , 2001, , .		8
768	<title>Design and optimization of VCSEL-based micro-optical relay systems: bringing optical information to silicon chips</title>. , 2001, 4455, 209.		2
769	<title>Replication of refractive micro-optomechanical components made with deep lithography with protons</title>. , 2001, 4408, 329.		10
770	Free-space optical interconnection modules for two-dimensional photonic very large scale integration circuitry based on microlenses and gradient-refractive-index lenses. Optical Engineering, 2001, 40, 2431.	1.0	5
771	In-plane strain modification of polarization behavior of vertical-cavity surface-emitting lasers. , 2001, 4286, 55.		2
772	<title>Low-cost MOEM interconnect modules for 2×10^{12} aggregate bandwidth to silicon chips</title>. , 2001, , .		3
773	<title>Intracavity contacted VCSELs with polarization control</title>. , 2000, , .		8
774	<title>Board-to-board parallel optical interconnects using large-diameter graded-index polymer optical fiber (GIPOF)</title>. , 2000, 4089, 234.		0

#	ARTICLE	IF	CITATIONS
775	<title>Polarization switching and modulation dynamics in gain- and index-guided VCSELs</title>. , 2000, , .		11
776	Free-space optical interconnection modules for 2D photonic-VLSI circuitry based on microlenses and GRINs. , 2000, , .		0
777	Plastic micro-optical modules for high-throughput interchip optical interconnections. , 2000, 4114, 110.		0
778	<title>Optical area I/O enhanced FPGA with 256 optical channels per chip</title>. , 2000, 4089, 752.		2
779	Impact of in-plane anisotropic strain on the polarization behavior of vertical-cavity surface-emitting lasers. Applied Physics Letters, 2000, 77, 1590-1592.	3.3	102
780	Optics in computing: introduction to the feature issue. Applied Optics, 2000, 39, 669.	2.1	0
781	Architectural approach to the role of optics in monoprocessor and multiprocessor machines. Applied Optics, 2000, 39, 671.	2.1	59
782	Plastic microoptical interconnection modules for parallel free-space interand intra-MCM data communication. Proceedings of the IEEE, 2000, 88, 769-779.	21.3	38
783	Polarization stabilization in vertical-cavity surface-emitting lasers through asymmetric current injection. IEEE Photonics Technology Letters, 2000, 12, 945-947.	2.5	47
784	Refractive and diffractive micro-optics in optical interconnects. , 2000, , .		1
785	Performances of optical multi-chip-module interconnects: comparing guided-wave and free-space pathways. Journal of Optics, 1999, 1, 255-261.	1.5	7
786	Fast optical thresholding with an array of optical thyristor differential pairs. Journal of Optics, 1999, 1, 276-279.	1.5	2
787	<title>Polarization switching in VCSELs: experiments and theory</title>. , 1999, 3749, 302.		0
788	Fast optical thresholding with an array of optoelectronic transceiver elements. IEEE Photonics Technology Letters, 1999, 11, 367-369.	2.5	14
789	Data transparent reconfigurable optical interconnections using polarization switching in VCSEL's induced by optical injection. IEEE Photonics Technology Letters, 1999, 11, 985-987.	2.5	34
790	Effect of photon-energy-dependent loss and gain mechanisms on polarization switching in vertical-cavity surface-emitting lasers. Journal of the Optical Society of America B: Optical Physics, 1999, 16, 2106.	2.1	122
791	Transient behavior in interference bistable devices. , 1999, , .		1
792	<title>Combining optoelectronic transceiver arrays and micro-optical components for photonically enhanced digital processors</title>. , 1999, 3729, 81.		2

#	ARTICLE	IF	CITATIONS
793	<title>Photonics in digital computing: paradigms and proof-of-principle demonstrators</title>. , 1999, 3749, 272.		0
794	<title>Demonstrator system for mathematical morphology operations on gray-level images</title>. , 1999, 3900, 31.		2
795	<title>Photonics for nuclear industry: issues, problems, and potential solutions</title>. , 1999, , .		2
796	Optics in Computing. Journal of Optics, 1999, 1, .	1.5	0
797	Optoelectronic logic operations using thyristor differential pairs and diffractive optical elements. , 1999, , .		0
798	Realization of Mathematical Morphology Operations with an Optoelectronic Demonstrator System for Early Image Processing. , 1999, , .		0
799	A cascable polarization-based 1-to-9 multimode optical fiber switch using a PMMA fiber array holder. Journal of Lightwave Technology, 1998, 16, 1464-1472.	4.6	3
800	Polarization switching in VCSEL's due to thermal lensing. IEEE Photonics Technology Letters, 1998, 10, 6-8.	2.5	129
801	Polarization-based reconfigurable optical interconnects in free-space optical processing modules. IEEE Photonics Technology Letters, 1998, 10, 367-369.	2.5	6
802	Data transparent reconfigurable optical interconnections based on polarization-switching VCSELs and polarization-selective diffractive optical elements. IEEE Photonics Technology Letters, 1998, 10, 973-975.	2.5	19
803	Demonstration of a monolithic multichannel module for multi-Gb/s intra-MCM optical interconnects. IEEE Photonics Technology Letters, 1998, 10, 1629-1631.	2.5	14
804	Free-space reconfigurable optical interconnection based on polarization-switching VCSELs and polarization-selective diffractive optical elements. , 1998, , .		2
805	Experimental demonstration of a multichannel micro-optical bridge for multi-gigabit per second free-space intra-MCM interconnects. , 1998, , .		0
806	Performance simulations of optical multichip-module interconnects: comparing guided-wave and free-space pathways. , 1998, , .		2
807	Guided-wave versus free-space pathways for optical intra-multichip-module interconnects: performance simulations and design rules. , 1998, , .		0
808	Preliminary results on high-total-dose testing of semiconductor photonic sources: a comparison of VCSELs and resonant-cavity LEDs. , 1998, 3440, 47.		7
809	DNA sequence detection by means of two-bit correlation. , 1998, 3490, 174.		0
810	Technological aspects of deep proton lithography for the fabrication of micro-optical elements for photonics in computing applications. , 1998, 3490, 409.		1

#	ARTICLE	IF	CITATIONS
811	Demonstration of a reconfigurable fanout interconnection system using arrays of optical thyristors. , 1998, 3490, 147.		0
812	Fast optical thresholding with an optical thyristor array. , 1998, 3490, 247.		2
813	Increasing the performance of polarization-selective diffractive optical elements. , 1998, , .		0
814	<title>Portable device for in-situ recording of reflection holograms with diode lasers</title>. , 1998, 3358, 397.		0
815	Optical interconnection system for arrays of microemitters and detectors: combining printed microlenses and large-diameter GRINs. , 1998, 3490, 155.		0
816	Teaching optics for other disciplines. , 1997, 3190, 190.		0
817	Integrated practical classes in photonics at the Vrije Universiteit Brussel. , 1997, , .		0
818	<title>Highly polarization-selective diffractive optical elements in calcite with an index-matching gap material</title>. , 1997, 3010, 124.		0
819	<title>Free-space optical interconnect and processing demonstrators with arrays of light-emitting thyristors</title>. , 1997, 3002, 156.		5
820	Influence of gamma radiation on the electrooptic behavior of planar nematic liquid crystal cells. IEEE Photonics Technology Letters, 1997, 9, 481-483.	2.5	8
821	Compact optical imaging system for arrays of optical thyristors. Applied Optics, 1997, 36, 3070.	2.1	14
822	Polarization-selective diffractive optical elements with an index-matching gap material. Applied Optics, 1997, 36, 4681.	2.1	31
823	Polarimetric optical fiber sensors: aspects of sensitivity and practical implementation. Optical Review, 1997, 4, A75.	2.0	5
824	Proposal for Stochastic Bit Stream Processing Using Optoelectronic Smart Pixels: A Neural Network Architectural Case Study. Journal of Parallel and Distributed Computing, 1997, 41, 92-108.	4.1	0
825	Origin of the saturation of the third-order optical nonlinear response of one-dimensional conjugated systems. Chemical Physics Letters, 1997, 270, 471-475.	2.6	10
826	Parallel optoelectronic data transcription with fan-out between planes of PnpN optical thyristors. IEEE Photonics Technology Letters, 1996, 8, 464-466.	2.5	14
827	Demonstration of optoelectronic logic operations with differential pairs of optical thyristors. IEEE Photonics Technology Letters, 1996, 8, 467-469.	2.5	14
828	<title>Novel polarization sensitive optoelectronic switching device for optical information processing</title>. , 1996, , .		0

#	ARTICLE	IF	CITATIONS
829	<title>Radiation effects on nematic liquid crystal devices</title>. , 1996, , .		7
830	Optical properties of pyrrole oligomers: a coupled quantum oscillator approach. Chemical Physics Letters, 1996, 251, 47-51.	2.6	4
831	POLARIZATION DRIVEN POLARIZATION BISTABILITY IN ANISOTROPIC INTERFERENCE FILTERS. Journal of Nonlinear Optical Physics and Materials, 1996, 05, 351-365.	1.8	5
832	Perspectives for optical data processing and communication systems using optical thyristors. , 1996, , .		0
833	<title>Highly polarization selective diffractive optical elements for use in optical interconnection and routing systems</title>. , 1995, , .		2
834	<title>Interconnection issues for vertical-to-surface-transmission electrophotonic device (VSTEP) optoelectronic information processing systems</title>. , 1995, , .		1
835	<title>Optoelectronic programmable logic array which employs diffractive interconnections</title>. , 1995, , .		4
836	Fibre Optic Sensors: Potential, applications and state of the art of the technology. , 1995, , 647-689.		0
837	Optical response of conjugated polymers. Physical Review B, 1993, 48, 8651-8657.	3.2	19
838	Polarization-induced switching and polarization bistability in nonlinear planar resonators with diffusive nonlinearity. , 1993, 1807, 136.		0
839	<title>Optical module for dynamically reconfigurable nearest-neighbor interconnects</title>. , 1993, , .		0
840	Saturation of the hyperpolarizability of oligothiophenes. Physical Review Letters, 1990, 65, 2141-2144.	7.8	134
841	Self-consistent stationary description of a nonlinear fabry-perot. Optics Communications, 1989, 71, 317-322.	2.1	19
842	Two-beam nonlinear Fabry-Perot transmission characteristics. Optics Communications, 1989, 74, 238-244.	2.1	17
843	Optical bistability and switching in nonresonant GaAs:Cr self-electrooptic effect devices. Applied Optics, 1988, 27, 1769.	2.1	1
844	Extending the effective index method for arbitrarily shaped inhomogeneous optical waveguides. Journal of Lightwave Technology, 1988, 6, 1153-1159.	4.6	20
845	An alignment technique for a ring laser cavity. Optics and Laser Technology, 1984, 16, 269-270.	4.6	6
846	Ion micro-beam diagnostics with scintillators for application of deep lithography with particles. , 0, , .		0

#	ARTICLE	IF	CITATIONS
847	Optically interconnected integrated circuits to solve the CMOS interconnect bottleneck. , 0, , .		14
848	Programmable CNN based on optical thyristors for early image processing. , 0, , .		1
849	Deep lithography with protons: a generic technology for the fabrication of refractive micro-optical modules. , 0, , .		10
850	Two-dimensional optical interconnect between CMOS IC's. , 0, , .		10
851	Demonstrating POF based optoelectronic interconnect in a multi-FPGA prototype system. , 0, , .		5
852	Frequency response of polarization switching in different types of VCSELs. , 0, , .		0
853	Mode analysis of doped-core holey fibers. , 0, , .		0
854	Sensitivity of holey fiber based sensors. , 0, , .		9
855	Modeling Bragg gratings in doped-core holey fibers. , 0, , .		0
856	Interplay of form and material birefringence in photonic crystal fibers: application for sensing. , 0, , .		8
857	Analysis of multiparameter optical sensor data with composite filtering algorithms. , 0, , .		0
858	Production of Inorganic thin Scintillating Films for Ion Beam Monitoring Devices. , 0, , .		0
859	Optical spectral signatures of liquids by means of fiber optic technology for product and quality parameter identification. Journal of the European Optical Society-Rapid Publications, 0, 4, .	1.9	0
860	Matrixes of unconventional micro-optical components molded with etched silicon. Journal of the European Optical Society-Rapid Publications, 0, 5, .	1.9	4
861	Characterization of Micro-optics. , 0, , 265-292.		0
862	Demonstration of parallel optical data input for arrays of PnpN optical thyristors. , 0, , .		0