

# Chuan-Yue Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/741277/publications.pdf>

Version: 2024-02-01

220  
papers

5,912  
citations

87888

38  
h-index

128289

60  
g-index

233  
all docs

233  
docs citations

233  
times ranked

7191  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Reduced default mode network functional connectivity in patients with recurrent major depressive disorder. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 9078-9083. | 7.1  | 441       |
| 2  | Genome-wide association study identifies a susceptibility locus for schizophrenia in Han Chinese at 11p11.2. Nature Genetics, 2011, 43, 1228-1231.  | 21.4 | 264       |
| 3  | Effect of Antipsychotic Medication Alone vs Combined With Psychosocial Intervention on Outcomes of Early-Stage Schizophrenia. Archives of General Psychiatry, 2010, 67, 895.                                      | 12.3 | 124       |
| 4  | The reliability and validity of PHQ-9 in patients with major depressive disorder in psychiatric hospital. BMC Psychiatry, 2020, 20, 474.  | 2.6  | 112       |
| 5  | Abnormal baseline brain activity in bipolar depression: A resting state functional magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2012, 203, 175-179.                                      | 1.8  | 110       |
| 6  | Five novel loci associated with antipsychotic treatment response in patients with schizophrenia: a genome-wide association study. Lancet Psychiatry, the, 2018, 5, 327-338.                                       | 7.4  | 110       |
| 7  | An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels. Pharmacopsychiatry, 2022, 55, 73-86.                 | 3.3  | 107       |
| 8  | Clozapine for treatment-resistant bipolar disorder: a systematic review. Bipolar Disorders, 2015, 17, 235-247.  | 1.9  | 105       |
| 9  | Regional Homogeneity within the Default Mode Network in Bipolar Depression: A Resting-State Functional Magnetic Resonance Imaging Study. PLoS ONE, 2012, 7, e48181.   | 2.5  | 83        |
| 10 | Disrupted intrinsic functional brain topology in patients with major depressive disorder. Molecular Psychiatry, 2021, 26, 7363-7371.  | 7.9  | 82        |
| 11 | Effects of childhood trauma on personality in a sample of Chinese adolescents. Child Abuse and Neglect, 2014, 38, 788-796.  | 2.6  | 76        |
| 12 | Altered resting-state dynamic functional brain networks in major depressive disorder: Findings from the REST-meta-MDD consortium. Neurolmage: Clinical, 2020, 26, 102163.   | 2.7  | 76        |
| 13 | Detection of Circulating miRNA Levels in Schizophrenia. American Journal of Psychiatry, 2015, 172, 1141-1147.   | 7.2  | 74        |
| 14 | Common variants on 2p16.1, 6p22.1 and 10q24.32 are associated with schizophrenia in Han Chinese population. Molecular Psychiatry, 2017, 22, 954-960.  | 7.9  | 74        |
| 15 | Clozapine in China. Pharmacopsychiatry, 2008, 41, 1-9.  | 3.3  | 73        |
| 16 | Metformin for Weight Gain and Metabolic Abnormalities Associated With Antipsychotic Treatment. Journal of Clinical Psychopharmacology, 2015, 35, 499-509.   | 1.4  | 70        |
| 17 | Regional homogeneity of resting-state brain abnormalities in bipolar and unipolar depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 41, 52-59.                                    | 4.8  | 68        |
| 18 | Resting-state abnormal baseline brain activity in unipolar and bipolar depression. Neuroscience Letters, 2012, 516, 202-206.  | 2.1  | 65        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The dynamic characteristics of the anterior cingulate cortex in resting-state fMRI of patients with depression. <i>Journal of Affective Disorders</i> , 2018, 227, 391-397.   | 4.1 | 64        |
| 20 | Risperidone Maintenance Treatment in Schizophrenia: A Randomized, Controlled Trial. <i>American Journal of Psychiatry</i> , 2010, 167, 676-685.   | 7.2 | 61        |
| 21 | Do Asian Patients Require Only Half of the Clozapine Dose Prescribed for Caucasians? A Critical Overview. <i>Indian Journal of Psychological Medicine</i> , 2020, 42, 4-10.   | 1.5 | 61        |
| 22 | Decreased Resting-State Activity in the Precuneus Is Associated With Depressive Episodes in Recurrent Depression. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e372-e382.  | 2.2 | 61        |
| 23 | A Randomized, Crossover Comparison of Herbal Medicine and Bromocriptine Against Risperidone-Induced Hyperprolactinemia in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 264-370. | 1.4 | 60        |
| 24 | Abnormal spontaneous neural activity in the anterior insular and anterior cingulate cortices in anxious depression. <i>Behavioural Brain Research</i> , 2015, 281, 339-347.   | 2.2 | 58        |
| 25 | Clozapine Metabolism in East Asians and Caucasians. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 135-144.  | 1.4 | 58        |
| 26 | Difference in amplitude of low-frequency fluctuation between currently depressed and remitted females with major depressive disorder. <i>Brain Research</i> , 2013, 1540, 74-83.  | 2.2 | 57        |
| 27 | Biotypes of major depressive disorder: Neuroimaging evidence from resting-state default mode network patterns. <i>NeuroImage: Clinical</i> , 2020, 28, 102514.  | 2.7 | 51        |
| 28 | Adjunctive Aripiprazole Versus Placebo for Antipsychotic-Induced Hyperprolactinemia: Meta-Analysis of Randomized Controlled Trials. <i>PLoS ONE</i> , 2013, 8, e70179.  | 2.5 | 51        |
| 29 | Resting-state brain activity in major depressive disorder patients and their siblings. <i>Journal of Affective Disorders</i> , 2013, 149, 299-306.  | 4.1 | 50        |
| 30 | Clozapine is strongly associated with the risk of pneumonia and inflammation. <i>Annals of General Psychiatry</i> , 2020, 33, e100183.  | 3.1 | 50        |
| 31 | Prevalence and socio-demographic correlates of major depressive episode in rural and urban areas of Beijing, China. <i>Journal of Affective Disorders</i> , 2009, 115, 323-330.   | 4.1 | 49        |
| 32 | Antipsychotic Polypharmacy in Inpatients with Schizophrenia in Asia (2001~2009). <i>Pharmacopsychiatry</i> , 2012, 45, 7-12.  | 3.3 | 47        |
| 33 | Childhood trauma associates with clinical features of bipolar disorder in a sample of Chinese patients. <i>Journal of Affective Disorders</i> , 2014, 168, 58-63.   | 4.1 | 47        |
| 34 | Clinical Utility and Lifespan Profiling of Neurological Soft Signs in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2016, 42, 560-570.  | 4.3 | 47        |
| 35 | Serum concentrations of clozapine and norclozapine in the prediction of relapse of patients with schizophrenia. <i>Schizophrenia Research</i> , 2006, 83, 201-210.  | 2.0 | 46        |
| 36 | The Neglect of Left-Behind Children in China: A Meta-Analysis. <i>Trauma, Violence, and Abuse</i> , 2021, 22, 1326-1338.  | 6.2 | 45        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Once-daily duloxetine 60mg in the treatment of major depressive disorder: Multicenter, double-blind, randomized, paroxetine-controlled, non-inferiority trial in China, Korea, Taiwan and Brazil. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 295-307. | 1.8 | 44        |
| 38 | Characteristics and clinical correlates of prospective memory performance in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 135, 34-39.   | 2.0 | 44        |
| 39 | Voxel-based morphometry study of the insular cortex in female patients with current and remitted depression. <i>Neuroscience</i> , 2014, 262, 190-199.  | 2.3 | 42        |
| 40 | Childhood trauma associates with clinical features of schizophrenia in a sample of Chinese inpatients. <i>Psychiatry Research</i> , 2015, 228, 702-707.   | 3.3 | 41        |
| 41 | Mutations in ASH1L confer susceptibility to Tourette syndrome. <i>Molecular Psychiatry</i> , 2020, 25, 476-490.   | 7.9 | 41        |
| 42 | Experiential pleasure deficits in different stages of schizophrenia. <i>Schizophrenia Research</i> , 2015, 166, 98-103.   | 2.0 | 39        |
| 43 | Evidence for the Contribution of NOS1 Gene Polymorphism (rs3782206) to Prefrontal Function in Schizophrenia Patients and Healthy Controls. <i>Neuropsychopharmacology</i> , 2015, 40, 1383-1394.  | 5.4 | 39        |
| 44 | Exploring the Prevalence of Clozapine Phenotypic Poor Metabolizers in 4 Asian Samples. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 644-648.   | 1.4 | 39        |
| 45 | The Differential Effects of Steady-State Fluvoxamine on the Pharmacokinetics of Olanzapine and Clozapine in Healthy Volunteers. <i>Journal of Clinical Pharmacology</i> , 2004, 44, 785-792.  | 2.0 | 38        |
| 46 | Use of the MATRICS consensus cognitive battery (MCCB) to evaluate cognitive deficits in bipolar disorder: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0176212.  | 2.5 | 38        |
| 47 | Increased Salience Network Activity in Patients With Insomnia Complaints in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 93.  | 2.6 | 38        |
| 48 | Clozapine Use in Schizophrenia: Findings of the Research on Asia Psychotropic Prescription (REAP) Studies from 2001 to 2009. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 968-975.   | 2.3 | 37        |
| 49 | Around 3% of 1,300 Levels Were Elevated during Infections in a Retrospective Review of 131 Beijing Hospital In-Patients with More than 24,000 Days of Clozapine Treatment. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 255-257.                             | 8.8 | 37        |
| 50 | Adjunctive metformin for antipsychotic-induced hyperprolactinemia: A systematic review. <i>Psychiatry Research</i> , 2016, 237, 257-263.  | 3.3 | 36        |
| 51 | Whole-genome sequencing of monozygotic twins discordant for schizophrenia indicates multiple genetic risk factors for schizophrenia. <i>Journal of Genetics and Genomics</i> , 2017, 44, 295-306.   | 3.9 | 36        |
| 52 | Depression-like behavior in rat: Involvement of galanin receptor subtype 1 in the ventral periaqueductal gray. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4726-35.  | 7.1 | 35        |
| 53 | Neurocognitive effects of first- and second-generation antipsychotic drugs in early-stage schizophrenia: A naturalistic 12-month follow-up study. <i>Neuroscience Letters</i> , 2011, 503, 141-146.   | 2.1 | 34        |
| 54 | An Epidemiological Study of Concomitant Use of Chinese Medicine and Antipsychotics in Schizophrenic Patients: Implication for Herb-Drug Interaction. <i>PLoS ONE</i> , 2011, 6, e17239.   | 2.5 | 34        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Increased ALFF and functional connectivity of the right striatum in bipolar disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110140.   | 4.8  | 33        |
| 56 | Effect of Damaging Rare Mutations in Synapse-Related Gene Sets on Response to Short-term Antipsychotic Medication in Chinese Patients With Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 1261.  | 11.0 | 32        |
| 57 | Socio-demographic and clinical determinants of quality of life in Chinese patients with schizophrenia: a prospective study. <i>Quality of Life Research</i> , 2010, 19, 317-322.  | 3.1  | 31        |
| 58 | Population pharmacokinetics of clozapine and its primary metabolite norclozapine in Chinese patients with schizophrenia. <i>Acta Pharmacologica Sinica</i> , 2012, 33, 1409-1416.   | 6.1  | 30        |
| 59 | Use of electroconvulsive therapy for Asian patients with schizophrenia (2001â€“2009): Trends and correlates. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 489-496.  | 1.8  | 30        |
| 60 | Comparative study of the efficacy and safety between blonanserin and risperidone for the treatment of schizophrenia in Chinese patients: A double-blind, parallel-group multicenter randomized trial. <i>Journal of Psychiatric Research</i> , 2015, 69, 102-109. | 3.1  | 30        |
| 61 | Alteration of spontaneous neuronal activity within the salience network in partially remitted depression. <i>Brain Research</i> , 2015, 1599, 93-102.   | 2.2  | 29        |
| 62 | Social Cognitive Role of Schizophrenia Candidate Gene GABRB2. <i>PLoS ONE</i> , 2013, 8, e62322.  | 2.5  | 29        |
| 63 | Adjunctive mood stabilizer treatment for hospitalized schizophrenia patients: Asia psychotropic prescription study (2001â€“2008). <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 1157-1164.  | 2.1  | 28        |
| 64 | Adjunctive benzodiazepine treatment of hospitalized schizophrenia patients in Asia from 2001 to 2008. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 735-745.  | 2.1  | 28        |
| 65 | Masking of speech in people with first-episode schizophrenia and people with chronic schizophrenia. <i>Schizophrenia Research</i> , 2012, 134, 33-41.   | 2.0  | 28        |
| 66 | &lt;p&gt;Quality of life in euthymic patients with unipolar major depressive disorder and bipolar disorder&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1649-1657.   | 2.2  | 28        |
| 67 | The effect of left-behind phenomenon and physical neglect on behavioral problems of children. <i>Child Abuse and Neglect</i> , 2019, 88, 144-151.   | 2.6  | 28        |
| 68 | Comparison of cognitive performance in bipolar disorder, major depressive disorder, unaffected firstâ€degree relatives, and healthy controls. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 70-76.   | 1.8  | 28        |
| 69 | Multiple dose pharmacokinetics of risperidone and 9-hydroxyrisperidone in Chinese female patients with schizophrenia. <i>Acta Pharmacologica Sinica</i> , 2006, 27, 381-386.  | 6.1  | 27        |
| 70 | Cigarette Smoking in Patients with Schizophrenia in China: Prospective, Multicentre Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 456-462.   | 2.3  | 27        |
| 71 | Association of insight with sociodemographic and clinical factors, quality of life, and cognition in Chinese patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2012, 53, 140-144.  | 3.1  | 27        |
| 72 | Therapeutic Drug Monitoring of Psychotropic Drugs in China. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 816-822.   | 2.0  | 27        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Genetic variation in the calcium/calmodulin-dependent protein kinase (CaMK) pathway is associated with antidepressant response in females. <i>Journal of Affective Disorders</i> , 2012, 136, 558-566.  | 4.1 | 26        |
| 74 | Metabolic Effects of 7 Antipsychotics on Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .   | 2.2 | 26        |
| 75 | Effect of childhood trauma on cognitive functions in a sample of Chinese patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2017, 76, 147-152.  | 3.1 | 25        |
| 76 | Deficits of perceived spatial separation induced prepulse inhibition in patients with schizophrenia: relationships to symptoms and neurocognition. <i>BMC Psychiatry</i> , 2017, 17, 135.   | 2.6 | 25        |
| 77 | Altered resting-state functional connectivity of the insula in individuals with clinical high-risk and patients with first-episode schizophrenia. <i>Psychiatry Research</i> , 2019, 282, 112608.   | 3.3 | 25        |
| 78 | Classification of First-Episode Schizophrenia, Chronic Schizophrenia and Healthy Control Based on Brain Network of Mismatch Negativity by Graph Neural Network. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 1784-1794.                  | 4.9 | 25        |
| 79 | Determination of atomoxetine in human plasma by a high performance liquid chromatographic method with ultraviolet detection using liquid-liquid extraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 854, 128-134. | 2.3 | 24        |
| 80 | Coping and Involuntary Responses to Stress in Chinese University Students: Psychometric Properties of the Responses to Stress Questionnaire. <i>Journal of Personality Assessment</i> , 2010, 92, 356-361.  | 2.1 | 24        |
| 81 | Effectiveness of maintenance treatments with atypical and typical antipsychotics in stable schizophrenia with early stage: 1-year naturalistic study. <i>Psychopharmacology</i> , 2011, 216, 475-484.   | 3.1 | 24        |
| 82 | Cognitive dysfunction correlates with elevated serum S100B concentration in drug-free acutely relapsed patients with schizophrenia. <i>Psychiatry Research</i> , 2017, 247, 6-11.   | 3.3 | 24        |
| 83 | An open-label randomised comparison of aripiprazole, olanzapine and risperidone for the acute treatment of first-episode schizophrenia: Eight-week outcomes. <i>Journal of Psychopharmacology</i> , 2019, 33, 1227-1236.  | 4.0 | 24        |
| 84 | Abnormal Dynamic Functional Network Connectivity Estimated from Default Mode Network Predicts Symptom Severity in Major Depressive Disorder. <i>Brain Connectivity</i> , 2021, 11, 838-849.   | 1.7 | 24        |
| 85 | Association of Carotid Intima-media Thickness and Atherosclerotic Plaque with Periodontal Status. <i>Journal of Dental Research</i> , 2014, 93, 744-751.  | 5.2 | 23        |
| 86 | Pneumonia Can Cause Clozapine Intoxication: A Case Report. <i>Psychosomatics</i> , 2017, 58, 652-656.   | 2.5 | 23        |
| 87 | Differential of Frequency and Duration Mismatch Negativity and Theta Power Deficits in First-Episode and Chronic Schizophrenia. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 37.   | 2.0 | 23        |
| 88 | Disrupted hemispheric connectivity specialization in patients with major depressive disorder: Evidence from the REST-meta-MDD Project. <i>Journal of Affective Disorders</i> , 2021, 284, 217-228.  | 4.1 | 23        |
| 89 | Differential effects of classical and atypical antipsychotic drugs on rotenone-induced neurotoxicity in PC12 cells. <i>European Neuropsychopharmacology</i> , 2007, 17, 768-773.  | 0.7 | 22        |
| 90 | Sex Differences in Use of Psychotropic Drugs and Drug-Induced Side Effects in Schizophrenia Patients: Findings of the Research on Asia Psychotropic Prescription (REAP) Studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 193-198.                     | 2.3 | 21        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Predictors of Remission of Early-Onset Poststroke Depression and the Interaction Between Depression and Cognition During Follow-Up. <i>Frontiers in Psychiatry</i> , 2018, 9, 738.   | 2.6 | 21        |
| 92  | Two cases of high serum clozapine concentrations occurring during inflammation in Chinese patients. <i>International Journal of Psychiatry in Medicine</i> , 2018, 53, 292-305.  | 1.8 | 20        |
| 93  | Biomarkers for Prediction of Schizophrenia: Insights From Resting-State EEG Microstates. <i>IEEE Access</i> , 2020, 8, 213078-213093.  | 4.2 | 20        |
| 94  | Reduced nucleus accumbens functional connectivity in reward network and default mode network in patients with recurrent major depressive disorder. <i>Translational Psychiatry</i> , 2022, 12, .                             | 4.8 | 20        |
| 95  | Predictors of relapse in Chinese schizophrenia patients: a prospective, multi-center study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1325-1330.   | 3.1 | 19        |
| 96  | The relationship between obesity and health-related quality of life in Chinese patients with schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 16-20.                               | 2.4 | 19        |
| 97  | Common use of high doses of antipsychotic medications in older Asian patients with schizophrenia (2001â€“2009). <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 359-366.                                    | 2.7 | 19        |
| 98  | Efficacy and Safety of Adjunctive Aripiprazole in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 628-636.  | 1.4 | 19        |
| 99  | Change of psychotropic drug prescription for schizophrenia in a psychiatric institution in Beijing, China between 1999 and 2008. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2010, 48, 270-274. | 0.6 | 19        |
| 100 | Sex differences in patients with schizophrenia: A prospective, multi-center study. <i>Psychiatry Research</i> , 2010, 177, 294-298.  | 3.3 | 18        |
| 101 | Prepulse inhibition in patients with bipolar disorder: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2019, 19, 282.   | 2.6 | 18        |
| 102 | Adjunctive antidepressant prescriptions for hospitalized patients with schizophrenia in Asia (2001â€“2009). <i>Asia-Pacific Psychiatry</i> , 2013, 5, E81-7.   | 2.2 | 17        |
| 103 | Plasma Galanin is a Biomarker for Severity of Major Depressive Disorder. <i>International Journal of Psychiatry in Medicine</i> , 2014, 48, 109-119.   | 1.8 | 17        |
| 104 | Effect of rs1344706 in the ZNF804A gene on the connectivity between the hippocampal formation and posterior cingulate cortex. <i>Schizophrenia Research</i> , 2016, 170, 48-54.  | 2.0 | 17        |
| 105 | Erythropoietin for Cognitive Deficits Associated with Schizophrenia, Bipolar Disorder, and Major Depression: A Systematic Review. <i>Pharmacopsychiatry</i> , 2018, 51, 100-104.   | 3.3 | 17        |
| 106 | Aberrant Functional Network Connectivity Transition Probability in Major Depressive Disorder. , 2020, 2020, 1493-1496.   |     | 17        |
| 107 | Insight in Chinese schizophrenia patients: a 12-month follow-up. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011, 18, 751-757.  | 2.1 | 16        |
| 108 | Common Use of Antipsychotic Polypharmacy in Older Asian Patients With Schizophrenia (2001â€“2009). <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 809-813.  | 1.4 | 16        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | A Neuropeptide Y Variant (rs16139) Associated with Major Depressive Disorder in Replicate Samples from Chinese Han Population. <i>PLoS ONE</i> , 2013, 8, e57042.   | 2.5 | 16        |
| 110 | Population Pharmacokinetic/Pharmacodynamic Model of Clozapine for Characterizing the Relationship Between Accumulated Exposure and PANSS Scores in Patients With Schizophrenia. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 378-386.             | 2.0 | 16        |
| 111 | Effect of rs1063843 in the <i>CAMKK2</i> gene on the dorsolateral prefrontal cortex. <i>Human Brain Mapping</i> , 2016, 37, 2398-2406.  | 3.6 | 16        |
| 112 | The effect of increased family finance and dual-parental absence since infancy on Children's cognitive Abilities. <i>Social Science and Medicine</i> , 2020, 266, 113361.   | 3.8 | 16        |
| 113 | The Impact of Smoking, Sex, Infection, and Comedication Administration on Oral Olanzapine: A Population Pharmacokinetic Model in Chinese Psychiatric Patients. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2021, 46, 353-371. | 1.6 | 16        |
| 114 | Gender Differences in Sociodemographic and Clinical Characteristic and the Quality of Life of Chinese Schizophrenia Patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 450-455.  | 2.3 | 15        |
| 115 | Use of Clozapine in Older Asian Patients with Schizophrenia between 2001 and 2009. <i>PLoS ONE</i> , 2013, 8, e66154.   | 2.5 | 15        |
| 116 | Functional brain abnormalities in major depressive disorder using the Hilbert-Huang transform. <i>Brain Imaging and Behavior</i> , 2018, 12, 1556-1568.   | 2.1 | 15        |
| 117 | Effect of rs1344706 in the <i>ZNF804A</i> gene on the brain network. <i>NeuroImage: Clinical</i> , 2018, 17, 1000-1005.   | 2.7 | 15        |
| 118 | Gender differences of neurocognitive functioning in patients with first-episode schizophrenia in China. <i>Comprehensive Psychiatry</i> , 2019, 95, 152132.   | 3.1 | 15        |
| 119 | EEG-Based Brain Functional Connectivity in First-Episode Schizophrenia Patients, Ultra-High-Risk Individuals, and Healthy Controls During P50 Suppression. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 379.                                  | 2.0 | 15        |
| 120 | Discriminating schizophrenia disease progression using a P50 sensory gating task with dense-array EEG, clinical assessments, and cognitive tests. <i>Expert Review of Neurotherapeutics</i> , 2019, 19, 459-470.                                    | 2.8 | 15        |
| 121 | Anticipatory pleasure for future rewards is attenuated in patients with schizophrenia but not in individuals with schizotypal traits. <i>Schizophrenia Research</i> , 2019, 206, 118-126.   | 2.0 | 15        |
| 122 | Use of Anticholinergic Drugs in Patients with Schizophrenia in Asia from 2001 to 2009. <i>Pharmacopsychiatry</i> , 2011, 44, 114-118.   | 3.3 | 14        |
| 123 | Quality of Life of Patients With Euthymic Bipolar Disorder and Its Associations With Demographic and Clinical Characteristics, Psychopathology, and Cognitive Deficits. <i>Perspectives in Psychiatric Care</i> , 2014, 50, 44-50.                  | 1.9 | 14        |
| 124 | Efficacy and safety of aripiprazole in Chinese Han schizophrenia subjects: A randomized, double-blind, active parallel-controlled, multicenter clinical trial. <i>Schizophrenia Research</i> , 2014, 157, 112-119.                                  | 2.0 | 14        |
| 125 | Peony-Glycyrrhiza Decoction, an Herbal Preparation, Inhibits Clozapine Metabolism via Cytochrome P450s, but Not Flavin-Containing Monooxygenase in In Vitro Models. <i>Drug Metabolism and Disposition</i> , 2015, 43, 1147-1153.                   | 3.3 | 14        |
| 126 | More dampened monocytic Toll-like receptor 4 response to lipopolysaccharide and its association with cognitive function in Chinese Han first-episode patients with schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 300-306.               | 2.0 | 14        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Prospective Memory Performance in Non-Psychotic First-Degree Relatives of Patients with Schizophrenia: A Controlled Study. PLoS ONE, 2014, 9, e111562.   | 2.5 | 14        |
| 128 | Striatal Resting-State Connectivity Abnormalities Associated With Different Clinical Stages of Major Depressive Disorder. Journal of Clinical Psychiatry, 2020, 81, .  | 2.2 | 14        |
| 129 | Voxel-based morphometry study of the insular cortex in bipolar depression. Psychiatry Research - Neuroimaging, 2014, 224, 89-95.   | 1.8 | 13        |
| 130 | Peony-Glycyrrhiza Decoction for Antipsychotic-Related Hyperprolactinemia in Women With Schizophrenia. Journal of Clinical Psychopharmacology, 2016, 36, 572-579.   | 1.4 | 13        |
| 131 | Longitudinal changes in prospective memory and their clinical correlates at 1-year follow-up in first-episode schizophrenia. PLoS ONE, 2017, 12, e0172114.   | 2.5 | 13        |
| 132 | The low frequency of reported sexual dysfunction in Asian patients with schizophrenia (2001-2009): low occurrence or ignored side effect?. Human Psychopharmacology, 2011, 26, 352-357.  | 1.5 | 12        |
| 133 | Disappearance of the unmasking effect of temporally pre-presented lipreading cues on speech recognition in people with chronic schizophrenia. Schizophrenia Research, 2013, 150, 594-595.  | 2.0 | 12        |
| 134 | Testing the role of genetic variation of the MC4R gene in Chinese population in antipsychotic-induced metabolic disturbance. Science China Life Sciences, 2019, 62, 535-543.   | 4.9 | 12        |
| 135 | Adjunctive Mood Stabilizer and Benzodiazepine Use in Older Asian Patients with Schizophrenia, 2001-2009. Pharmacopsychiatry, 2012, 45, 217-222.  | 3.3 | 11        |
| 136 | Use of first- and second-generation antipsychotic medications in older patients with schizophrenia in Asia (2001-2009). Australian and New Zealand Journal of Psychiatry, 2012, 46, 1159-1164.                                   | 2.3 | 11        |
| 137 | Association of Galanin and Major Depressive Disorder in the Chinese Han Population. PLoS ONE, 2013, 8, e64617.   | 2.5 | 11        |
| 138 | QTc prolongation in schizophrenia patients in Asia: clinical correlates and trends between 2004 and 2008/2009. Human Psychopharmacology, 2015, 30, 94-99.  | 1.5 | 11        |
| 139 | Quantitative determination of risperidone, paliperidone and olanzapine in human serum by liquid chromatography-tandem mass spectrometry coupled with on-line solid-phase extraction. Biomedical Chromatography, 2018, 32, e4209. | 1.7 | 11        |
| 140 | Rates and predictors of one-year antipsychotic treatment discontinuation in first-episode schizophrenia: Results from an open-label, randomized, real world clinical trial. Psychiatry Research, 2019, 273, 631-640.             | 3.3 | 11        |
| 141 | The effects of CACNA1C gene polymorphism on prefrontal cortex in both schizophrenia patients and healthy controls. Schizophrenia Research, 2019, 204, 193-200.   | 2.0 | 11        |
| 142 | The VNTR of the <i>AS3MT</i> gene is associated with brain activations during a memory span task and their training-induced plasticity. Psychological Medicine, 2021, 51, 1927-1932.   | 4.5 | 11        |
| 143 | Prepulse inhibition in first-degree relatives of schizophrenia patients: A systematic review. Microbial Biotechnology, 2021, 15, 652-661.  | 1.7 | 11        |
| 144 | Activation of FXR by ganoderic acid A promotes remyelination in multiple sclerosis via anti-inflammation and regeneration mechanism. Biochemical Pharmacology, 2021, 185, 114422.  | 4.4 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Frequency of Hyperprolactinemia and Its Associations With Demographic and Clinical Characteristics and Antipsychotic Medications in Psychiatric Inpatients in China. <i>Perspectives in Psychiatric Care</i> , 2014, 50, 257-263.                      | 1.9 | 10        |
| 146 | Prolactin related symptoms during risperidone maintenance treatment: results from a prospective, multicenter study of schizophrenia. <i>BMC Psychiatry</i> , 2016, 16, 386.  | 2.6 | 10        |
| 147 | Increased Posterior Insula-Sensorimotor Connectivity Is Associated with Cognitive Function in Healthy Participants with Sleep Complaints. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 35.   | 2.0 | 10        |
| 148 | Sex-specific effects of methylenetetrahydrofolate reductase polymorphisms on schizophrenia with methylation changes. <i>Comprehensive Psychiatry</i> , 2019, 94, 152121.   | 3.1 | 10        |
| 149 | The attenuated visual scanpaths of patients with schizophrenia whilst recognizing emotional facial expressions are worsened in natural social scenes. <i>Schizophrenia Research</i> , 2020, 220, 155-163.  | 2.0 | 10        |
| 150 | Impaired Sensorimotor Gating Using the Acoustic Prepulse Inhibition Paradigm in Individuals at a Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 128-137.  | 4.3 | 10        |
| 151 | Proper use of clozapine: experiences in China. <i>Shanghai Archives of Psychiatry</i> , 2012, 24, 108-9.   | 0.7 | 10        |
| 152 | Tardive dyskinesia in the treatment of schizophrenia: the findings of the Research on Asian Psychotropic Prescription Pattern (REAP) survey (2001 – 2009). <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2011, 49, 382-387. | 0.6 | 10        |
| 153 | Weight Changes and their Associations with Demographic and Clinical Characteristics in Risperidone Maintenance Treatment for Schizophrenia. <i>Pharmacopsychiatry</i> , 2011, 44, 135-141.   | 3.3 | 9         |
| 154 | Association between Tourette Syndrome and the Dopamine D3 Receptor Gene Rs6280. <i>Chinese Medical Journal</i> , 2015, 128, 654-658.   | 2.3 | 9         |
| 155 | Development of a population pharmacokinetic model of olanzapine for Chinese health volunteers and patients with schizophrenia. <i>BMJ Open</i> , 2018, 8, e020070.   | 1.9 | 9         |
| 156 | Network functional connectivity analysis in individuals at ultrahigh risk for psychosis and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2019, 290, 51-57.   | 1.8 | 9         |
| 157 | Evidence for the contribution of COMT gene Val158/108Met polymorphism (rs4680) to working memory training-related prefrontal plasticity. <i>Brain and Behavior</i> , 2020, 10, e01523.   | 2.2 | 9         |
| 158 | Pre-emptive pulse inhibition deficits in individuals at clinical high-risk for psychosis: A systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2021, 15, 794-806.   | 1.7 | 9         |
| 159 | Brain-Specific Oxysterols and Risk of Schizophrenia in Clinical High-Risk Subjects and Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 711734.   | 2.6 | 9         |
| 160 | Prospective memory deficits in euthymic bipolar disorder patients: A preliminary study. <i>Asia-Pacific Psychiatry</i> , 2013, 5, 183-190.   | 2.2 | 8         |
| 161 | QT Interval Prolongation Associated with Intramuscular Ziprasidone in Chinese Patients: A Case Report and a Comprehensive Literature Review with Meta-Analysis. <i>Case Reports in Psychiatry</i> , 2014, 2014, 1-8.                                   | 0.5 | 8         |
| 162 | Individual differences in schizophrenia. <i>BJPsych Open</i> , 2017, 3, 265-273.   | 0.7 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Speech-on-speech masking and psychotic symptoms in schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2018, 12, 37-39.  | 1.3 | 8         |
| 164 | Deficits of perceived spatial separation-induced prepulse inhibition in patients with bipolar disorder compared to healthy controls. <i>Journal of Affective Disorders</i> , 2018, 240, 63-71.   | 4.1 | 8         |
| 165 | ERP evidence for the effect of working memory span training on working memory maintenance: A randomized controlled trial. <i>Neurobiology of Learning and Memory</i> , 2020, 167, 107129.  | 1.9 | 8         |
| 166 | Discriminative Analysis of Symptom Severity and Ultra-High Risk of Schizophrenia Using Intrinsic Functional Connectivity. <i>International Journal of Neural Systems</i> , 2020, 30, 2050047.  | 5.2 | 8         |
| 167 | The effect of selective serotonin reuptake inhibitors on cognitive impairment in patients with depression: A prospective, multicenter, observational study. <i>Journal of Psychiatric Research</i> , 2021, 141, 26-33.                                 | 3.1 | 8         |
| 168 | Prevalence and Prescription of Antidepressants in Depression with Somatic Comorbidity in Asia. <i>Chinese Medical Journal</i> , 2015, 128, 853-858.  | 2.3 | 8         |
| 169 | Common use of anticholinergic medications in older patients with schizophrenia: findings of the Research on Asian Psychotropic Prescription Pattern (REAP) study, 2001–2009. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 305-311. | 2.7 | 7         |
| 170 | A new sex-specific underlying mechanism for female schizophrenia: accelerated skewed X chromosome inactivation. <i>Biology of Sex Differences</i> , 2020, 11, 39.  | 4.1 | 7         |
| 171 | Effect of ZNF804A gene polymorphism (rs1344706) on the plasticity of the functional coupling between the right dorsolateral prefrontal cortex and the contralateral hippocampal formation. <i>NeuroImage: Clinical</i> , 2020, 27, 102279.             | 2.7 | 7         |
| 172 | The effectiveness and safety of amisulpride in Chinese patients with schizophrenia: An 8-week, prospective, open-label, multicenter, single-arm study. <i>Asia-Pacific Psychiatry</i> , 2016, 8, 241-244.  | 2.2 | 6         |
| 173 | Higher Serum C-Reactive Protein Levels in Catatonic Patients: A Comparison to Non-catatonic Patients and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2020, 46, 1155-1164.  | 4.3 | 6         |
| 174 | Defects of Gamma Oscillations in Auditory Steady-State Evoked Potential of Schizophrenia. <i>Shanghai Archives of Psychiatry</i> , 2018, 30, 27-38.  | 0.7 | 6         |
| 175 | Socio-Demographic and Clinical Profiles of Paranoid and Nonparanoid Schizophrenia: A Prospective, Multicenter Study in China. <i>Perspectives in Psychiatric Care</i> , 2011, 47, 126-130.   | 1.9 | 5         |
| 176 | Predictive Value of Prospective Memory for Remission in First-Episode Schizophrenia. <i>Perspectives in Psychiatric Care</i> , 2014, 50, 102-110.  | 1.9 | 5         |
| 177 | Extrapyramidal Symptoms During Risperidone Maintenance Treatment in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 125-129.  | 1.4 | 5         |
| 178 | Impact of childhood trauma on sensorimotor gating in Chinese patients with chronic schizophrenia. <i>Psychiatry Research</i> , 2018, 263, 69-73.   | 3.3 | 5         |
| 179 | Impact of childhood trauma on sensory gating in patients with first-episode schizophrenia. <i>BMC Psychiatry</i> , 2018, 18, 258.  | 2.6 | 5         |
| 180 | Reduced Plasma Dopamine- $\beta$ -Hydroxylase Activity Is Associated With the Severity of Bipolar Disorder: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 566091.  | 2.6 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Involvement of Scratch2 in GalR1-mediated depression-like behaviors in the rat ventral periaqueductal gray. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, e1922586118.                         | 7.1 | 5         |
| 182 | The Elimination Rate after Clozapine Overdose in Chinese Schizophrenia Patients: A Population Pharmacokinetics Model Study. <i>Pharmacopsychiatry</i> , 2015, 48, 150-155.   | 3.3 | 4         |
| 183 | The contribution of the contingent negative variation (CNV) to goal maintenance. <i>Schizophrenia Research</i> , 2018, 195, 372-377.   | 2.0 | 4         |
| 184 | Altered Dynamic Functional Connectivity in Early Psychosis Between the Salience Network and Visual Network. <i>Neuroscience</i> , 2022, 491, 166-175.  | 2.3 | 4         |
| 185 | Relative Bioequivalence Evaluation of Two Oral Atomoxetine Hydrochloride Capsules: A Single Dose, Randomized, Open-Label, 2-Period Crossover Study in Healthy Chinese Volunteers under Fasting Conditions. <i>Drug Research</i> , 2013, 63, 564-567. | 1.7 | 3         |
| 186 | Single- and Multiple-Dose Milnacipran Pharmacokinetics in Healthy Han Chinese Volunteers. <i>Clinical Pharmacokinetics</i> , 2016, 55, 889-896.  | 3.5 | 3         |
| 187 | Longitudinal trajectory analysis of antipsychotic response in patients with schizophrenia: 6-week, randomised, open-label, multicentre clinical trial. <i>BJPsych Open</i> , 2020, 6, e126.  | 0.7 | 3         |
| 188 | Which Subgroup of First-Episode Schizophrenia Patients Can Remit During the First Year of Antipsychotic Treatment?. <i>Frontiers in Psychiatry</i> , 2020, 11, 566.  | 2.6 | 3         |
| 189 | Quetiapine-Associated Rhabdomyolysis. <i>Journal of Clinical Psychopharmacology</i> , 2020, 40, 619-624.   | 1.4 | 3         |
| 190 | Schizophrenia Patient Shows a Rare Interleukin 15 Receptor alpha Variant Disrupting Signal Transduction. <i>Current Molecular Medicine</i> , 2019, 19, 560-569.  | 1.3 | 3         |
| 191 | Population pharmacokinetic-pharmacodynamic (PopPK/PD) modeling of risperidone and its active metabolite in Chinese schizophrenia patients. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016, 54, 378-389.               | 0.6 | 3         |
| 192 | Dynamic brain functional network based on EEG microstate during sensory gating in schizophrenia. <i>Journal of Neural Engineering</i> , 2022, 19, 026007.  | 3.5 | 3         |
| 193 | Detection of Schizophrenia Cases From Healthy Controls With Combination of Neurocognitive and Electrophysiological Features. <i>Frontiers in Psychiatry</i> , 2022, 13, 810362.  | 2.6 | 3         |
| 194 | Analysis of fractured dental implant body from five different implant systems: a long-term retrospective study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2022, 51, 1355-1361.  | 1.5 | 3         |
| 195 | Convergent and divergent gray matter volume abnormalities in unaffected first-degree relatives and ultra-high risk individuals of schizophrenia. <i>NPJ Schizophrenia</i> , 2022, 8, .   | 3.6 | 3         |
| 196 | Prescribing patterns of low doses of antipsychotic medications in older Asian patients with schizophrenia, 2001-2009. <i>International Psychogeriatrics</i> , 2012, 24, 1002-1008.   | 1.0 | 2         |
| 197 | Lack of association between dendritic cell nuclear protein-1 gene and major depressive disorder in the Han Chinese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 7-10.                               | 4.8 | 2         |
| 198 | The <i>ANKK1</i> gene and facial affect processing: An ERP study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 861-866.  | 1.7 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Interaction Between Variations in Dopamine D2 and Serotonin 2A Receptor is Associated with Short-Term Response to Antipsychotics in Schizophrenia. <i>Neuroscience Bulletin</i> , 2019, 35, 1102-1105.                  | 2.9 | 2         |
| 200 | Sequential Multiple-Assignment Randomized Trials to Compare Antipsychotic Treatments (SMART-CAT) in first-episode schizophrenia patients: Rationale and trial design. <i>Schizophrenia Research</i> , 2021, 230, 87-94. | 2.0 | 2         |
| 201 | Menstrual Dysfunction in Women With Schizophrenia During Risperidone Maintenance Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 135-139.  | 1.4 | 2         |
| 202 | Differential contributions between objective and subjective psychosis-like experiences to suicidal ideation in college students. <i>Microbial Biotechnology</i> , 2021, , .   | 1.7 | 2         |
| 203 | The Unique Contribution of Past Bullying Experiences to the Presence of Psychosis-Like Experiences in University Students. <i>Frontiers in Psychiatry</i> , 2022, 13, 839630.   | 2.6 | 2         |
| 204 | Reply to Uchida et al. Letter. <i>American Journal of Psychiatry</i> , 2010, 167, 994-995.  | 7.2 | 1         |
| 205 | Brief Questionnaire Derived from PANSS Using a General Probability Model to Assess and Monitor the Clinical Features of Schizophrenia. <i>Pharmacopsychiatry</i> , 2016, 49, 117-123.                                   | 3.3 | 1         |
| 206 | Adjunctive Peony-Glycyrrhiza Decoction for antipsychotic-induced hyperprolactinemia. <i>The Cochrane Library</i> , 0, , .   | 2.8 | 1         |
| 207 | Symptomatic remission in schizophrenia: Results from a risperidone maintenance treatment study. <i>Psychiatry Research</i> , 2017, 258, 289-294.  | 3.3 | 1         |
| 208 | Spontaneous hyperactivity in Ash1l mutant mice, a new model for Tourette syndrome. <i>Molecular Psychiatry</i> , 2020, 25, 241-242.   | 7.9 | 1         |
| 209 | Antipsychotic treatment in older schizophrenia patients with extrapyramidal side effects in Asia (2001) Tj ETQq1 1 0,784314,rgBT /Over  | 0,6 | 1         |
| 210 | The effects of childhood trauma on personality in unaffected first-degree relatives of patients with major depressive disorder. <i>BMC Psychiatry</i> , 2022, 22, 312.  | 2.6 | 1         |
| 211 | S15. ABNORMAL EYE TRACKING IN PATIENTS WITH SCHIZOPHRENIA UNDER THE SOCIAL SCENE. <i>Schizophrenia Bulletin</i> , 2018, 44, S329-S329.  | 4.3 | 0         |
| 212 | S72. PRO-SOCIAL PROSPECTIVE MEMORY PERFORMANCE IS ASSOCIATED WITH PLASMA OXYTOCIN LEVEL IN SEXUALLY DIMORPHIC WAY IN FIRST-DEGREE RELATIVES OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S352-S352.      | 4.3 | 0         |
| 213 | T39. IMPAIRED SENSORIMOTOR GATING USING THE ACOUSTIC PREPULSE INHIBITION PARADIGM IN INDIVIDUALS AT A CLINICAL HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S246-S246.                            | 4.3 | 0         |
| 214 | T37. PREPULSE INHIBITION IN UNAFFECTED SIBLINGS OF SCHIZOPHRENIA AND CLINICAL-HIGH RISK WITHOUT FAMILY HISTORY OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S245-S246.                                       | 4.3 | 0         |
| 215 | M5. A MULTIMODAL STUDY ON THE INFLUENCE OF LEFT-BEHIND CHILDREN'S VISUAL PERCEPTION PROCESSING. <i>Schizophrenia Bulletin</i> , 2020, 46, S134-S135.  | 4.3 | 0         |
| 216 | Clinical Course and Clinical Features in MDD Patients: General and Specific Role of Subtypes of Childhood Trauma. <i>Counseling Psychologist</i> , 2021, 49, 650-672.   | 1.2 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Evaluation of a fecal occult blood test with reverse passive hemagglutination for colorectal neoplasm screening. <i>World Journal of Gastroenterology</i> , 2011, 3, 38.               | 3.3 | 0         |
| 218 | Mismatch Negativity in Han Chinese Patients with Schizophrenia: A Meta-Analysis. <i>Shanghai Archives of Psychiatry</i> , 2017, 29, 259-267.   | 0.7 | 0         |
| 219 | Ceramic Inlay Bonded Interfaces in Minimally Invasive Preparations: Damage and Contributing Mechanisms in Sliding Contact. <i>Operative Dentistry</i> , 2021, , .                      | 1.2 | 0         |
| 220 | Reduced Serum Levels of Soluble Interleukin-15 Receptor $\hat{\pm}$ in Schizophrenia and Its Relationship to the Excited Phenotype. <i>Frontiers in Psychiatry</i> , 2022, 13, 842003. | 2.6 | 0         |