

Chuan-Yue Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/741277/publications.pdf>

Version: 2024-02-01

220
papers

5,912
citations

87888

38
h-index

128289

60
g-index

233
all docs

233
docs citations

233
times ranked

7191
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamic brain functional network based on EEG microstate during sensory gating in schizophrenia. <i>Journal of Neural Engineering</i> , 2022, 19, 026007.	3.5	3
2	Reduced Serum Levels of Soluble Interleukin-15 Receptor $\hat{\pm}$ in Schizophrenia and Its Relationship to the Excited Phenotype. <i>Frontiers in Psychiatry</i> , 2022, 13, 842003.	2.6	0
3	Detection of Schizophrenia Cases From Healthy Controls With Combination of Neurocognitive and Electrophysiological Features. <i>Frontiers in Psychiatry</i> , 2022, 13, 810362.	2.6	3
4	Altered Dynamic Functional Connectivity in Early Psychosis Between the Salience Network and Visual Network. <i>Neuroscience</i> , 2022, 491, 166-175.	2.3	4
5	An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels. <i>Pharmacopsychiatry</i> , 2022, 55, 73-86.	3.3	107
6	The Unique Contribution of Past Bullying Experiences to the Presence of Psychosis-Like Experiences in University Students. <i>Frontiers in Psychiatry</i> , 2022, 13, 839630.	2.6	2
7	The effects of childhood trauma on personality in unaffected first-degree relatives of patients with major depressive disorder. <i>BMC Psychiatry</i> , 2022, 22, 312.	2.6	1
8	Analysis of fractured dental implant body from five different implant systems: a long-term retrospective study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2022, 51, 1355-1361.	1.5	3
9	Convergent and divergent gray matter volume abnormalities in unaffected first-degree relatives and ultra-high risk individuals of schizophrenia. <i>NPJ Schizophrenia</i> , 2022, 8, .	3.6	3
10	Reduced nucleus accumbens functional connectivity in reward network and default mode network in patients with recurrent major depressive disorder. <i>Translational Psychiatry</i> , 2022, 12, .	4.8	20
11	Increased ALFF and functional connectivity of the right striatum in bipolar disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110140.	4.8	33
12	Sequential Multiple-Assignment Randomized Trials to Compare Antipsychotic Treatments (SMART-CAT) in first-episode schizophrenia patients: Rationale and trial design. <i>Schizophrenia Research</i> , 2021, 230, 87-94.	2.0	2
13	Prepulse inhibition deficits in individuals at clinical high risk for psychosis: A systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2021, 15, 794-806.	1.7	9
14	The VNTR of the <i>AS3MT</i> gene is associated with brain activations during a memory span task and their training-induced plasticity. <i>Psychological Medicine</i> , 2021, 51, 1927-1932.	4.5	11
15	The Neglect of Left-Behind Children in China: A Meta-Analysis. <i>Trauma, Violence, and Abuse</i> , 2021, 22, 1326-1338.	6.2	45
16	Prepulse inhibition in first-degree relatives of schizophrenia patients: A systematic review. <i>Microbial Biotechnology</i> , 2021, 15, 652-661.	1.7	11
17	Impaired Sensorimotor Gating Using the Acoustic Prepulse Inhibition Paradigm in Individuals at a Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 128-137.	4.3	10
18	Classification of First-Episode Schizophrenia, Chronic Schizophrenia and Healthy Control Based on Brain Network of Mismatch Negativity by Graph Neural Network. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 1784-1794.	4.9	25

#	ARTICLE	IF	CITATIONS
19	Abnormal Dynamic Functional Network Connectivity Estimated from Default Mode Network Predicts Symptom Severity in Major Depressive Disorder. <i>Brain Connectivity</i> , 2021, 11, 838-849.	1.7	24
20	Menstrual Dysfunction in Women With Schizophrenia During Risperidone Maintenance Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 135-139.	1.4	2
21	Activation of FXR by ganoderic acid A promotes remyelination in multiple sclerosis via anti-inflammation and regeneration mechanism. <i>Biochemical Pharmacology</i> , 2021, 185, 114422.	4.4	11
22	Clinical Course and Clinical Features in MDD Patients: General and Specific Role of Subtypes of Childhood Trauma. <i>Counseling Psychologist</i> , 2021, 49, 650-672.	1.2	0
23	The Impact of Smoking, Sex, Infection, and Comedication Administration on Oral Olanzapine: A Population Pharmacokinetic Model in Chinese Psychiatric Patients. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2021, 46, 353-371.	1.6	16
24	Disrupted hemispheric connectivity specialization in patients with major depressive disorder: Evidence from the REST-meta-MDD Project. <i>Journal of Affective Disorders</i> , 2021, 284, 217-228.	4.1	23
25	Reduced Plasma Dopamine- β -Hydroxylase Activity Is Associated With the Severity of Bipolar Disorder: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 566091.	2.6	5
26	Involvement of Scratch2 in GalR1-mediated depression-like behaviors in the rat ventral periaqueductal gray. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, e1922586118.	7.1	5
27	Brain-Specific Oxysterols and Risk of Schizophrenia in Clinical High-Risk Subjects and Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 711734.	2.6	9
28	Disrupted intrinsic functional brain topology in patients with major depressive disorder. <i>Molecular Psychiatry</i> , 2021, 26, 7363-7371.	7.9	82
29	The effect of selective serotonin reuptake inhibitors on cognitive impairment in patients with depression: A prospective, multicenter, observational study. <i>Journal of Psychiatric Research</i> , 2021, 141, 26-33.	3.1	8
30	Differential contributions between objective and subjective psychosis-like experiences to suicidal ideation in college students. <i>Microbial Biotechnology</i> , 2021, , .	1.7	2
31	Ceramic Inlay Bonded Interfaces in Minimally Invasive Preparations: Damage and Contributing Mechanisms in Sliding Contact. <i>Operative Dentistry</i> , 2021, , .	1.2	0
32	Mutations in ASH1L confer susceptibility to Tourette syndrome. <i>Molecular Psychiatry</i> , 2020, 25, 476-490.	7.9	41
33	Evidence for the contribution of COMT gene Val158/108Met polymorphism (rs4680) to working memory training-related prefrontal plasticity. <i>Brain and Behavior</i> , 2020, 10, e01523.	2.2	9
34	Altered resting-state dynamic functional brain networks in major depressive disorder: Findings from the REST-meta-MDD consortium. <i>NeuroImage: Clinical</i> , 2020, 26, 102163.	2.7	76
35	ERP evidence for the effect of working memory span training on working memory maintenance: A randomized controlled trial. <i>Neurobiology of Learning and Memory</i> , 2020, 167, 107129.	1.9	8
36	The reliability and validity of PHQ-9 in patients with major depressive disorder in psychiatric hospital. <i>BMC Psychiatry</i> , 2020, 20, 474.	2.6	112

#	ARTICLE	IF	CITATIONS
37	Longitudinal trajectory analysis of antipsychotic response in patients with schizophrenia: 6-week, randomised, open-label, multicentre clinical trial. <i>BJPsych Open</i> , 2020, 6, e126.	0.7	3
38	The effect of increased family finance and dual-parental absence since infancy on Children's cognitive Abilities. <i>Social Science and Medicine</i> , 2020, 266, 113361.	3.8	16
39	Do Asian Patients Require Only Half of the Clozapine Dose Prescribed for Caucasians? A Critical Overview. <i>Indian Journal of Psychological Medicine</i> , 2020, 42, 4-10.	1.5	61
40	A new sex-specific underlying mechanism for female schizophrenia: accelerated skewed X chromosome inactivation. <i>Biology of Sex Differences</i> , 2020, 11, 39.	4.1	7
41	Biotypes of major depressive disorder: Neuroimaging evidence from resting-state default mode network patterns. <i>NeuroImage: Clinical</i> , 2020, 28, 102514.	2.7	51
42	T39. IMPAIRED SENSORIMOTOR GATING USING THE ACOUSTIC PREPULSE INHIBITION PARADIGM IN INDIVIDUALS AT A CLINICAL HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S246-S246.	4.3	0
43	Aberrant Functional Network Connectivity Transition Probability in Major Depressive Disorder. , 2020, 2020, 1493-1496.		17
44	T37. PREPULSE INHIBITION IN UNAFFECTED SIBLINGS OF SCHIZOPHRENIA AND CLINICAL-HIGH RISK WITHOUT FAMILY HISTORY OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S245-S246.	4.3	0
45	Biomarkers for Prediction of Schizophrenia: Insights From Resting-State EEG Microstates. <i>IEEE Access</i> , 2020, 8, 213078-213093.	4.2	20
46	Clozapine is strongly associated with the risk of pneumonia and inflammation. <i>Annals of General Psychiatry</i> , 2020, 33, e100183.	3.1	50
47	Discriminative Analysis of Symptom Severity and Ultra-High Risk of Schizophrenia Using Intrinsic Functional Connectivity. <i>International Journal of Neural Systems</i> , 2020, 30, 2050047.	5.2	8
48	Which Subgroup of First-Episode Schizophrenia Patients Can Remit During the First Year of Antipsychotic Treatment?. <i>Frontiers in Psychiatry</i> , 2020, 11, 566.	2.6	3
49	Effect of ZNF804A gene polymorphism (rs1344706) on the plasticity of the functional coupling between the right dorsolateral prefrontal cortex and the contralateral hippocampal formation. <i>NeuroImage: Clinical</i> , 2020, 27, 102279.	2.7	7
50	Around 3% of 1,300 Levels Were Elevated during Infections in a Retrospective Review of 131 Beijing Hospital In-Patients with More than 24,000 Days of Clozapine Treatment. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 255-257.	8.8	37
51	M5. A MULTIMODAL STUDY ON THE INFLUENCE OF LEFT-BEHIND CHILDREN'S VISUAL PERCEPTION PROCESSING. <i>Schizophrenia Bulletin</i> , 2020, 46, S134-S135.	4.3	0
52	Spontaneous hyperactivity in <i>Ash1l</i> mutant mice, a new model for Tourette syndrome. <i>Molecular Psychiatry</i> , 2020, 25, 241-242.	7.9	1
53	Higher Serum C-Reactive Protein Levels in Catatonic Patients: A Comparison to Non-catatonic Patients and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2020, 46, 1155-1164.	4.3	6
54	The attenuated visual scanpaths of patients with schizophrenia whilst recognizing emotional facial expressions are worsened in natural social scenes. <i>Schizophrenia Research</i> , 2020, 220, 155-163.	2.0	10

#	ARTICLE	IF	CITATIONS
55	Quetiapine-Associated Rhabdomyolysis. <i>Journal of Clinical Psychopharmacology</i> , 2020, 40, 619-624.	1.4	3
56	Metabolic Effects of 7 Antipsychotics on Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	26
57	Striatal Resting-State Connectivity Abnormalities Associated With Different Clinical Stages of Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	14
58	<p>Quality of life in euthymic patients with unipolar major depressive disorder and bipolar disorder</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1649-1657.	2.2	28
59	Network functional connectivity analysis in individuals at ultrahigh risk for psychosis and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2019, 290, 51-57.	1.8	9
60	Gender differences of neurocognitive functioning in patients with first-episode schizophrenia in China. <i>Comprehensive Psychiatry</i> , 2019, 95, 152132.	3.1	15
61	Prepulse inhibition in patients with bipolar disorder: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2019, 19, 282.	2.6	18
62	Altered resting-state functional connectivity of the insula in individuals with clinical high-risk and patients with first-episode schizophrenia. <i>Psychiatry Research</i> , 2019, 282, 112608.	3.3	25
63	EEG-Based Brain Functional Connectivity in First-Episode Schizophrenia Patients, Ultra-High-Risk Individuals, and Healthy Controls During P50 Suppression. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 379.	2.0	15
64	Sex-specific effects of methylenetetrahydrofolate reductase polymorphisms on schizophrenia with methylation changes. <i>Comprehensive Psychiatry</i> , 2019, 94, 152121.	3.1	10
65	An open-label randomised comparison of aripiprazole, olanzapine and risperidone for the acute treatment of first-episode schizophrenia: Eight-week outcomes. <i>Journal of Psychopharmacology</i> , 2019, 33, 1227-1236.	4.0	24
66	Interaction Between Variations in Dopamine D2 and Serotonin 2A Receptor is Associated with Short-Term Response to Antipsychotics in Schizophrenia. <i>Neuroscience Bulletin</i> , 2019, 35, 1102-1105.	2.9	2
67	Discriminating schizophrenia disease progression using a P50 sensory gating task with dense-array EEG, clinical assessments, and cognitive tests. <i>Expert Review of Neurotherapeutics</i> , 2019, 19, 459-470.	2.8	15
68	Differential of Frequency and Duration Mismatch Negativity and Theta Power Deficits in First-Episode and Chronic Schizophrenia. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 37.	2.0	23
69	Reduced default mode network functional connectivity in patients with recurrent major depressive disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9078-9083.	7.1	441
70	Testing the role of genetic variation of the MC4R gene in Chinese population in antipsychotic-induced metabolic disturbance. <i>Science China Life Sciences</i> , 2019, 62, 535-543.	4.9	12
71	Rates and predictors of one-year antipsychotic treatment discontinuation in first-episode schizophrenia: Results from an open-label, randomized, â€œreal worldâ€-clinical trial. <i>Psychiatry Research</i> , 2019, 273, 631-640.	3.3	11
72	Exploring the Prevalence of Clozapine Phenotypic Poor Metabolizers in 4 Asian Samples. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 644-648.	1.4	39

#	ARTICLE	IF	CITATIONS
73	Clozapine Metabolism in East Asians and Caucasians. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 135-144.	1.4	58
74	Anticipatory pleasure for future rewards is attenuated in patients with schizophrenia but not in individuals with schizotypal traits. <i>Schizophrenia Research</i> , 2019, 206, 118-126.	2.0	15
75	The effect of left-behind phenomenon and physical neglect on behavioral problems of children. <i>Child Abuse and Neglect</i> , 2019, 88, 144-151.	2.6	28
76	Comparison of cognitive performance in bipolar disorder, major depressive disorder, unaffected first-degree relatives, and healthy controls. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 70-76.	1.8	28
77	More dampened monocytic Toll-like receptor 4 response to lipopolysaccharide and its association with cognitive function in Chinese Han first-episode patients with schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 300-306.	2.0	14
78	The effects of CACNA1C gene polymorphism on prefrontal cortex in both schizophrenia patients and healthy controls. <i>Schizophrenia Research</i> , 2019, 204, 193-200.	2.0	11
79	Schizophrenia Patient Shows a Rare Interleukin 15 Receptor alpha Variant Disrupting Signal Transduction. <i>Current Molecular Medicine</i> , 2019, 19, 560-569.	1.3	3
80	Impact of childhood trauma on sensorimotor gating in Chinese patients with chronic schizophrenia. <i>Psychiatry Research</i> , 2018, 263, 69-73.	3.3	5
81	Quantitative determination of risperidone, paliperidone and olanzapine in human serum by liquid chromatography-tandem mass spectrometry coupled with on-line solid-phase extraction. <i>Biomedical Chromatography</i> , 2018, 32, e4209.	1.7	11
82	Five novel loci associated with antipsychotic treatment response in patients with schizophrenia: a genome-wide association study. <i>Lancet Psychiatry</i> , 2018, 5, 327-338.	7.4	110
83	Functional brain abnormalities in major depressive disorder using the Hilbert-Huang transform. <i>Brain Imaging and Behavior</i> , 2018, 12, 1556-1568.	2.1	15
84	Two cases of high serum clozapine concentrations occurring during inflammation in Chinese patients. <i>International Journal of Psychiatry in Medicine</i> , 2018, 53, 292-305.	1.8	20
85	Speech-on-speech masking and psychotic symptoms in schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2018, 12, 37-39.	1.3	8
86	Erythropoietin for Cognitive Deficits Associated with Schizophrenia, Bipolar Disorder, and Major Depression: A Systematic Review. <i>Pharmacopsychiatry</i> , 2018, 51, 100-104.	3.3	17
87	The contribution of the contingent negative variation (CNV) to goal maintenance. <i>Schizophrenia Research</i> , 2018, 195, 372-377.	2.0	4
88	Effect of rs1344706 in the ZNF804A gene on the brain network. <i>NeuroImage: Clinical</i> , 2018, 17, 1000-1005.	2.7	15
89	The dynamic characteristics of the anterior cingulate cortex in resting-state fMRI of patients with depression. <i>Journal of Affective Disorders</i> , 2018, 227, 391-397.	4.1	64
90	S15. ABNORMAL EYE TRACKING IN PATIENTS WITH SCHIZOPHRENIA UNDER THE SOCIAL SCENE. <i>Schizophrenia Bulletin</i> , 2018, 44, S329-S329.	4.3	0

#	ARTICLE	IF	CITATIONS
91	Effect of Damaging Rare Mutations in Synapse-Related Gene Sets on Response to Short-term Antipsychotic Medication in Chinese Patients With Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 1261.	11.0	32
92	Development of a population pharmacokinetic model of olanzapine for Chinese health volunteers and patients with schizophrenia. <i>BMJ Open</i> , 2018, 8, e020070.	1.9	9
93	Increased Salience Network Activity in Patients With Insomnia Complaints in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 93.	2.6	38
94	Deficits of perceived spatial separation-induced prepulse inhibition in patients with bipolar disorder compared to healthy controls. <i>Journal of Affective Disorders</i> , 2018, 240, 63-71.	4.1	8
95	Increased Posterior Insula-Sensorimotor Connectivity Is Associated with Cognitive Function in Healthy Participants with Sleep Complaints. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 35.	2.0	10
96	Impact of childhood trauma on sensory gating in patients with first-episode schizophrenia. <i>BMC Psychiatry</i> , 2018, 18, 258.	2.6	5
97	S72. PRO-SOCIAL PROSPECTIVE MEMORY PERFORMANCE IS ASSOCIATED WITH PLASMA OXYTOCIN LEVEL IN SEXUALLY DIMORPHIC WAY IN FIRST-DEGREE RELATIVES OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S352-S352.	4.3	0
98	Predictors of Remission of Early-Onset Poststroke Depression and the Interaction Between Depression and Cognition During Follow-Up. <i>Frontiers in Psychiatry</i> , 2018, 9, 738.	2.6	21
99	Defects of Gamma Oscillations in Auditory Steady-State Evoked Potential of Schizophrenia. <i>Shanghai Archives of Psychiatry</i> , 2018, 30, 27-38.	0.7	6
100	Effect of childhood trauma on cognitive functions in a sample of Chinese patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2017, 76, 147-152.	3.1	25
101	Pneumonia Can Cause Clozapine Intoxication: A Case Report. <i>Psychosomatics</i> , 2017, 58, 652-656.	2.5	23
102	Whole-genome sequencing of monozygotic twins discordant for schizophrenia indicates multiple genetic risk factors for schizophrenia. <i>Journal of Genetics and Genomics</i> , 2017, 44, 295-306.	3.9	36
103	Common variants on 2p16.1, 6p22.1 and 10q24.32 are associated with schizophrenia in Han Chinese population. <i>Molecular Psychiatry</i> , 2017, 22, 954-960.	7.9	74
104	Symptomatic remission in schizophrenia: Results from a risperidone maintenance treatment study. <i>Psychiatry Research</i> , 2017, 258, 289-294.	3.3	1
105	Individual differences in schizophrenia. <i>BJPsych Open</i> , 2017, 3, 265-273.	0.7	8
106	Deficits of perceived spatial separation induced prepulse inhibition in patients with schizophrenia: relationships to symptoms and neurocognition. <i>BMC Psychiatry</i> , 2017, 17, 135.	2.6	25
107	Cognitive dysfunction correlates with elevated serum S100B concentration in drug-free acutely relapsed patients with schizophrenia. <i>Psychiatry Research</i> , 2017, 247, 6-11.	3.3	24
108	Longitudinal changes in prospective memory and their clinical correlates at 1-year follow-up in first-episode schizophrenia. <i>PLoS ONE</i> , 2017, 12, e0172114.	2.5	13

#	ARTICLE	IF	CITATIONS
109	Use of the MATRICS consensus cognitive battery (MCCB) to evaluate cognitive deficits in bipolar disorder: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0176212.	2.5	38
110	Decreased Resting-State Activity in the Precuneus Is Associated With Depressive Episodes in Recurrent Depression. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e372-e382.	2.2	61
111	Mismatch Negativity in Han Chinese Patients with Schizophrenia: A Meta-Analysis. <i>Shanghai Archives of Psychiatry</i> , 2017, 29, 259-267.	0.7	0
112	Extrapyramidal Symptoms During Risperidone Maintenance Treatment in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 125-129.	1.4	5
113	Effect of rs1063843 in the <i>CAMKK2</i> gene on the dorsolateral prefrontal cortex. <i>Human Brain Mapping</i> , 2016, 37, 2398-2406.	3.6	16
114	The <i>ANKK3</i> gene and facial affect processing: An ERP study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 861-866.	1.7	2
115	Prolactin related symptoms during risperidone maintenance treatment: results from a prospective, multicenter study of schizophrenia. <i>BMC Psychiatry</i> , 2016, 16, 386.	2.6	10
116	Efficacy and Safety of Adjunctive Aripiprazole in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 628-636.	1.4	19
117	Brief Questionnaire Derived from PANSS Using a General Probability Model to Assess and Monitor the Clinical Features of Schizophrenia. <i>Pharmacopsychiatry</i> , 2016, 49, 117-123.	3.3	1
118	The effectiveness and safety of amisulpride in Chinese patients with schizophrenia: An 8-week, prospective, open-label, multicenter, single-arm study. <i>Asia-Pacific Psychiatry</i> , 2016, 8, 241-244.	2.2	6
119	Depression-like behavior in rat: Involvement of galanin receptor subtype 1 in the ventral periaqueductal gray. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4726-35.	7.1	35
120	Peony-Glycyrrhiza Decoction for Antipsychotic-Related Hyperprolactinemia in Women With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 572-579.	1.4	13
121	Adjunctive metformin for antipsychotic-induced hyperprolactinemia: A systematic review. <i>Psychiatry Research</i> , 2016, 237, 257-263.	3.3	36
122	Effect of rs1344706 in the <i>ZNF804A</i> gene on the connectivity between the hippocampal formation and posterior cingulate cortex. <i>Schizophrenia Research</i> , 2016, 170, 48-54.	2.0	17
123	Clinical Utility and Lifespan Profiling of Neurological Soft Signs in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2016, 42, 560-570.	4.3	47
124	Single- and Multiple-Dose Milnacipran Pharmacokinetics in Healthy Han Chinese Volunteers. <i>Clinical Pharmacokinetics</i> , 2016, 55, 889-896.	3.5	3
125	Population pharmacokinetic-pharmacodynamic (PopPK/PD) modeling of risperidone and its active metabolite in Chinese schizophrenia patients. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016, 54, 378-389.	0.6	3
126	Metformin for Weight Gain and Metabolic Abnormalities Associated With Antipsychotic Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 499-509.	1.4	70

#	ARTICLE	IF	CITATIONS
127	Association between Tourette Syndrome and the Dopamine D3 Receptor Gene Rs6280. Chinese Medical Journal, 2015, 128, 654-658.	2.3	9
128	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001–2009): Trends and correlates. Psychiatry and Clinical Neurosciences, 2015, 69, 489-496.	1.8	30
129	Alteration of spontaneous neuronal activity within the salience network in partially remitted depression. Brain Research, 2015, 1599, 93-102.	2.2	29
130	Abnormal spontaneous neural activity in the anterior insular and anterior cingulate cortices in anxious depression. Behavioural Brain Research, 2015, 281, 339-347.	2.2	58
131	Experiential pleasure deficits in different stages of schizophrenia. Schizophrenia Research, 2015, 166, 98-103.	2.0	39
132	Childhood trauma associates with clinical features of schizophrenia in a sample of Chinese inpatients. Psychiatry Research, 2015, 228, 702-707.	3.3	41
133	Comparative study of the efficacy and safety between blonanserin and risperidone for the treatment of schizophrenia in Chinese patients: A double-blind, parallel-group multicenter randomized trial. Journal of Psychiatric Research, 2015, 69, 102-109.	3.1	30
134	QTc prolongation in schizophrenia patients in Asia: clinical correlates and trends between 2004 and 2008/2009. Human Psychopharmacology, 2015, 30, 94-99.	1.5	11
135	Detection of Circulating miRNA Levels in Schizophrenia. American Journal of Psychiatry, 2015, 172, 1141-1147.	7.2	74
136	Peony-Glycyrrhiza Decoction, an Herbal Preparation, Inhibits Clozapine Metabolism via Cytochrome P450s, but Not Flavin-Containing Monooxygenase in In Vitro Models. Drug Metabolism and Disposition, 2015, 43, 1147-1153.	3.3	14
137	The Elimination Rate after Clozapine Overdose in Chinese Schizophrenia Patients: A Population Pharmacokinetics Model Study. Pharmacopsychiatry, 2015, 48, 150-155.	3.3	4
138	Evidence for the Contribution of NOS1 Gene Polymorphism (rs3782206) to Prefrontal Function in Schizophrenia Patients and Healthy Controls. Neuropsychopharmacology, 2015, 40, 1383-1394.	5.4	39
139	Clozapine for treatment-resistant bipolar disorder: a systematic review. Bipolar Disorders, 2015, 17, 235-247.	1.9	105
140	Prevalence and Prescription of Antidepressants in Depression with Somatic Comorbidity in Asia. Chinese Medical Journal, 2015, 128, 853-858.	2.3	8
141	Frequency of Hyperprolactinemia and Its Associations With Demographic and Clinical Characteristics and Antipsychotic Medications in Psychiatric Inpatients in China. Perspectives in Psychiatric Care, 2014, 50, 257-263.	1.9	10
142	Predictive Value of Prospective Memory for Remission in First-Episode Schizophrenia. Perspectives in Psychiatric Care, 2014, 50, 102-110.	1.9	5
143	Quality of Life of Patients With Euthymic Bipolar Disorder and Its Associations With Demographic and Clinical Characteristics, Psychopathology, and Cognitive Deficits. Perspectives in Psychiatric Care, 2014, 50, 44-50.	1.9	14
144	Common use of high doses of antipsychotic medications in older Asian patients with schizophrenia (2001–2009). International Journal of Geriatric Psychiatry, 2014, 29, 359-366.	2.7	19

#	ARTICLE	IF	CITATIONS
145	Population Pharmacokinetic/Pharmacodynamic Model of Clozapine for Characterizing the Relationship Between Accumulated Exposure and PANSS Scores in Patients With Schizophrenia. Therapeutic Drug Monitoring, 2014, 36, 378-386.	2.0	16
146	QT Interval Prolongation Associated with Intramuscular Ziprasidone in Chinese Patients: A Case Report and a Comprehensive Literature Review with Meta-Analysis. Case Reports in Psychiatry, 2014, 2014, 1-8.	0.5	8
147	Voxel-based morphometry study of the insular cortex in female patients with current and remitted depression. Neuroscience, 2014, 262, 190-199.	2.3	42
148	Voxel-based morphometry study of the insular cortex in bipolar depression. Psychiatry Research - Neuroimaging, 2014, 224, 89-95.	1.8	13
149	Efficacy and safety of aripiprazole in Chinese Han schizophrenia subjects: A randomized, double-blind, active parallel-controlled, multicenter clinical trial. Schizophrenia Research, 2014, 157, 112-119.	2.0	14
150	Childhood trauma associates with clinical features of bipolar disorder in a sample of Chinese patients. Journal of Affective Disorders, 2014, 168, 58-63.	4.1	47
151	Association of Carotid Intima-media Thickness and Atherosclerotic Plaque with Periodontal Status. Journal of Dental Research, 2014, 93, 744-751.	5.2	23
152	Effects of childhood trauma on personality in a sample of Chinese adolescents. Child Abuse and Neglect, 2014, 38, 788-796.	2.6	76
153	Plasma Galanin is a Biomarker for Severity of Major Depressive Disorder. International Journal of Psychiatry in Medicine, 2014, 48, 109-119.	1.8	17
154	Prospective Memory Performance in Non-Psychotic First-Degree Relatives of Patients with Schizophrenia: A Controlled Study. PLoS ONE, 2014, 9, e111562.	2.5	14
155	Common use of anticholinergic medications in older patients with schizophrenia: findings of the Research on Asian Psychotropic Prescription Pattern (REAP) study, 2001-2009. International Journal of Geriatric Psychiatry, 2013, 28, 305-311.	2.7	7
156	Regional homogeneity of resting-state brain abnormalities in bipolar and unipolar depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 41, 52-59.	4.8	68
157	Difference in amplitude of low-frequency fluctuation between currently depressed and remitted females with major depressive disorder. Brain Research, 2013, 1540, 74-83.	2.2	57
158	Lack of association between dendritic cell nuclear protein-1 gene and major depressive disorder in the Han Chinese population. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 45, 7-10.	4.8	2
159	Disappearance of the unmasking effect of temporally pre-presented lipreading cues on speech recognition in people with chronic schizophrenia. Schizophrenia Research, 2013, 150, 594-595.	2.0	12
160	Resting-state brain activity in major depressive disorder patients and their siblings. Journal of Affective Disorders, 2013, 149, 299-306.	4.1	50
161	Relative Bioequivalence Evaluation of Two Oral Atomoxetine Hydrochloride Capsules: A Single Dose, Randomized, Open-Label, 2-Period Crossover Study in Healthy Chinese Volunteers under Fasting Conditions. Drug Research, 2013, 63, 564-567.	1.7	3
162	The relationship between obesity and health-related quality of life in Chinese patients with schizophrenia. International Journal of Psychiatry in Clinical Practice, 2013, 17, 16-20.	2.4	19

#	ARTICLE	IF	CITATIONS
163	Therapeutic Drug Monitoring of Psychotropic Drugs in China. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 816-822.	2.0	27
164	Prospective memory deficits in euthymic bipolar disorder patients: A preliminary study. <i>Asia-Pacific Psychiatry</i> , 2013, 5, 183-190.	2.2	8
165	Adjunctive antidepressant prescriptions for hospitalized patients with schizophrenia in Asia (2001-2009). <i>Asia-Pacific Psychiatry</i> , 2013, 5, E81-7.	2.2	17
166	A Neuropeptide Y Variant (rs16139) Associated with Major Depressive Disorder in Replicate Samples from Chinese Han Population. <i>PLoS ONE</i> , 2013, 8, e57042.	2.5	16
167	Use of Clozapine in Older Asian Patients with Schizophrenia between 2001 and 2009. <i>PLoS ONE</i> , 2013, 8, e66154.	2.5	15
168	Association of Galanin and Major Depressive Disorder in the Chinese Han Population. <i>PLoS ONE</i> , 2013, 8, e64617.	2.5	11
169	Social Cognitive Role of Schizophrenia Candidate Gene GABRB2. <i>PLoS ONE</i> , 2013, 8, e62322.	2.5	29
170	Adjunctive Aripiprazole Versus Placebo for Antipsychotic-Induced Hyperprolactinemia: Meta-Analysis of Randomized Controlled Trials. <i>PLoS ONE</i> , 2013, 8, e70179.	2.5	51
171	Antipsychotic Polypharmacy in Inpatients with Schizophrenia in Asia (2001-2009). <i>Pharmacopsychiatry</i> , 2012, 45, 7-12.	3.3	47
172	Adjunctive Mood Stabilizer and Benzodiazepine Use in Older Asian Patients with Schizophrenia, 2001-2009. <i>Pharmacopsychiatry</i> , 2012, 45, 217-222.	3.3	11
173	Common Use of Antipsychotic Polypharmacy in Older Asian Patients With Schizophrenia (2001-2009). <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 809-813.	1.4	16
174	Prescribing patterns of low doses of antipsychotic medications in older Asian patients with schizophrenia, 2001-2009. <i>International Psychogeriatrics</i> , 2012, 24, 1002-1008.	1.0	2
175	Abnormal baseline brain activity in bipolar depression: A resting state functional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 203, 175-179.	1.8	110
176	Use of first- and second-generation antipsychotic medications in older patients with schizophrenia in Asia (2001-2009). <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1159-1164.	2.3	11
177	Resting-state abnormal baseline brain activity in unipolar and bipolar depression. <i>Neuroscience Letters</i> , 2012, 516, 202-206.	2.1	65
178	Association of insight with sociodemographic and clinical factors, quality of life, and cognition in Chinese patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2012, 53, 140-144.	3.1	27
179	Masking of speech in people with first-episode schizophrenia and people with chronic schizophrenia. <i>Schizophrenia Research</i> , 2012, 134, 33-41.	2.0	28
180	Characteristics and clinical correlates of prospective memory performance in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 135, 34-39.	2.0	44

#	ARTICLE	IF	CITATIONS
181	Population pharmacokinetics of clozapine and its primary metabolite norclozapine in Chinese patients with schizophrenia. <i>Acta Pharmacologica Sinica</i> , 2012, 33, 1409-1416.	6.1	30
182	Regional Homogeneity within the Default Mode Network in Bipolar Depression: A Resting-State Functional Magnetic Resonance Imaging Study. <i>PLoS ONE</i> , 2012, 7, e48181.	2.5	83
183	Genetic variation in the calcium/calmodulin-dependent protein kinase (CaMK) pathway is associated with antidepressant response in females. <i>Journal of Affective Disorders</i> , 2012, 136, 558-566.	4.1	26
184	Proper use of clozapine: experiences in China. <i>Shanghai Archives of Psychiatry</i> , 2012, 24, 108-9.	0.7	10
185	Antipsychotic treatment in older schizophrenia patients with extrapyramidal side effects in Asia (2001-2009). <i>Trends in Psychiatry and Behavioral Science</i> , 2012, 7, 10-14.	0.6	1
186	Genome-wide association study identifies a susceptibility locus for schizophrenia in Han Chinese at 11p11.2. <i>Nature Genetics</i> , 2011, 43, 1228-1231.	21.4	264
187	Neurocognitive effects of first- and second-generation antipsychotic drugs in early-stage schizophrenia: A naturalistic 12-month follow-up study. <i>Neuroscience Letters</i> , 2011, 503, 141-146.	2.1	34
188	Adjunctive mood stabilizer treatment for hospitalized schizophrenia patients: Asia psychotropic prescription study (2001-2008). <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 1157-1164.	2.1	28
189	Insight in Chinese schizophrenia patients: a 12-month follow-up. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011, 18, 751-757.	2.1	16
190	Socio-Demographic and Clinical Profiles of Paranoid and Nonparanoid Schizophrenia: A Prospective, Multicenter Study in China. <i>Perspectives in Psychiatric Care</i> , 2011, 47, 126-130.	1.9	5
191	Predictors of relapse in Chinese schizophrenia patients: a prospective, multi-center study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1325-1330.	3.1	19
192	Effectiveness of maintenance treatments with atypical and typical antipsychotics in stable schizophrenia with early stage: 1-year naturalistic study. <i>Psychopharmacology</i> , 2011, 216, 475-484.	3.1	24
193	The low frequency of reported sexual dysfunction in Asian patients with schizophrenia (2001-2009): low occurrence or ignored side effect?. <i>Human Psychopharmacology</i> , 2011, 26, 352-357.	1.5	12
194	Weight Changes and their Associations with Demographic and Clinical Characteristics in Risperidone Maintenance Treatment for Schizophrenia. <i>Pharmacopsychiatry</i> , 2011, 44, 135-141.	3.3	9
195	Use of Anticholinergic Drugs in Patients with Schizophrenia in Asia from 2001 to 2009. <i>Pharmacopsychiatry</i> , 2011, 44, 114-118.	3.3	14
196	Adjunctive benzodiazepine treatment of hospitalized schizophrenia patients in Asia from 2001 to 2008. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 735-745.	2.1	28
197	Clozapine Use in Schizophrenia: Findings of the Research on Asia Psychotropic Prescription (REAP) Studies from 2001 to 2009. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 968-975.	2.3	37
198	Sex Differences in Use of Psychotropic Drugs and Drug-Induced Side Effects in Schizophrenia Patients: Findings of the Research on Asia Psychotropic Prescription (REAP) Studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 193-198.	2.3	21

#	ARTICLE	IF	CITATIONS
199	An Epidemiological Study of Concomitant Use of Chinese Medicine and Antipsychotics in Schizophrenic Patients: Implication for Herb-Drug Interaction. PLoS ONE, 2011, 6, e17239.	2.5	34
200	Tardive dyskinesia in the treatment of schizophrenia: the findings of the Research on Asian Psychotropic Prescription Pattern (REAP) survey (2001 – 2009). International Journal of Clinical Pharmacology and Therapeutics, 2011, 49, 382-387.	0.6	10
201	Evaluation of a fecal occult blood test with reverse passive hemagglutination for colorectal neoplasm screening. World Journal of Gastroenterology, 2011, 3, 38.	3.3	0
202	Reply to Uchida et al. Letter. American Journal of Psychiatry, 2010, 167, 994-995.	7.2	1
203	Socio-demographic and clinical determinants of quality of life in Chinese patients with schizophrenia: a prospective study. Quality of Life Research, 2010, 19, 317-322.	3.1	31
204	Effect of Antipsychotic Medication Alone vs Combined With Psychosocial Intervention on Outcomes of Early-Stage Schizophrenia. Archives of General Psychiatry, 2010, 67, 895.	12.3	124
205	Gender Differences in Sociodemographic and Clinical Characteristic and the Quality of Life of Chinese Schizophrenia Patients. Australian and New Zealand Journal of Psychiatry, 2010, 44, 450-455.	2.3	15
206	Cigarette Smoking in Patients with Schizophrenia in China: Prospective, Multicentre Study. Australian and New Zealand Journal of Psychiatry, 2010, 44, 456-462.	2.3	27
207	Risperidone Maintenance Treatment in Schizophrenia: A Randomized, Controlled Trial. American Journal of Psychiatry, 2010, 167, 676-685.	7.2	61
208	Sex differences in patients with schizophrenia: A prospective, multi-center study. Psychiatry Research, 2010, 177, 294-298.	3.3	18
209	Coping and Involuntary Responses to Stress in Chinese University Students: Psychometric Properties of the Responses to Stress Questionnaire. Journal of Personality Assessment, 2010, 92, 356-361.	2.1	24
210	Change of psychotropic drug prescription for schizophrenia in a psychiatric institution in Beijing, China between 1999 and 2008. International Journal of Clinical Pharmacology and Therapeutics, 2010, 48, 270-274.	0.6	19
211	Prevalence and socio-demographic correlates of major depressive episode in rural and urban areas of Beijing, China. Journal of Affective Disorders, 2009, 115, 323-330.	4.1	49
212	Clozapine in China. Pharmacopsychiatry, 2008, 41, 1-9.	3.3	73
213	A Randomized, Crossover Comparison of Herbal Medicine and Bromocriptine Against Risperidone-Induced Hyperprolactinemia in Patients With Schizophrenia. Journal of Clinical Psychopharmacology, 2008, 28, 264-370.	1.4	60
214	Differential effects of classical and atypical antipsychotic drugs on rotenone-induced neurotoxicity in PC12 cells. European Neuropsychopharmacology, 2007, 17, 768-773.	0.7	22
215	Determination of atomoxetine in human plasma by a high performance liquid chromatographic method with ultraviolet detection using liquid-liquid extraction. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 854, 128-134.	2.3	24
216	Once-daily duloxetine 60 mg in the treatment of major depressive disorder: Multicenter, double-blind, randomized, paroxetine-controlled, non-inferiority trial in China, Korea, Taiwan and Brazil. Psychiatry and Clinical Neurosciences, 2007, 61, 295-307.	1.8	44

#	ARTICLE	IF	CITATIONS
217	Serum concentrations of clozapine and norclozapine in the prediction of relapse of patients with schizophrenia. <i>Schizophrenia Research</i> , 2006, 83, 201-210.	2.0	46
218	Multiple dose pharmacokinetics of risperidone and 9-hydroxyrisperidone in Chinese female patients with schizophrenia. <i>Acta Pharmacologica Sinica</i> , 2006, 27, 381-386.	6.1	27
219	The Differential Effects of Steady-State Fluvoxamine on the Pharmacokinetics of Olanzapine and Clozapine in Healthy Volunteers. <i>Journal of Clinical Pharmacology</i> , 2004, 44, 785-792.	2.0	38
220	Adjunctive Peony-Glycyrrhiza Decoction for antipsychotic-induced hyperprolactinemia. <i>The Cochrane Library</i> , 0, , .	2.8	1