

# Jun Kobayashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7417022/publications.pdf>

Version: 2024-02-01

82  
papers

4,150  
citations

76326

40  
h-index

110387

64  
g-index

85  
all docs

85  
docs citations

85  
times ranked

3563  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preservation of heparin-binding EGF-like growth factor activity on heparin-modified poly(N-isopropylacrylamide)-grafted surfaces. RSC Advances, 2021, 11, 37225-37232.	3.6	2
2	Cell sheet tissue engineering: Cell sheet preparation, harvesting/manipulation, and transplantation. Journal of Biomedical Materials Research - Part A, 2019, 107, 955-967.	4.0	142
3	Design of Temperature-Responsive Polymer-Grafted Surfaces for Cell Sheet Preparation and Manipulation. Bulletin of the Chemical Society of Japan, 2019, 92, 817-824.	3.2	72
4	Design of Temperature-Responsive Cell Culture Surfaces for Cell Sheet-Based Regenerative Therapy and 3D Tissue Fabrication. Advances in Experimental Medicine and Biology, 2018, 1078, 371-393.	1.6	8
5	Effect of Temperature Changes on Serum Protein Adsorption on Thermoresponsive Cell-Culture Surfaces Monitored by A Quartz Crystal Microbalance with Dissipation. International Journal of Molecular Sciences, 2018, 19, 1516.	4.1	19
6	On-off affinity binding modulation on thermoresponsive polymer-grafted surfaces for capture and release of proteins and cells. Journal of Biomaterials Science, Polymer Edition, 2017, 28, 939-957.	3.5	15
7	Cell Sheet Technologies. , 2016, , 97-113.		0
8	ECM-mimicking thermoresponsive surface for manipulating hepatocyte sheets with maintenance of hepatic functions. , 2016, , .		1
9	Protein separations via thermally responsive ionic block copolymer brush layers. RSC Advances, 2016, 6, 26254-26263.	3.6	38
10	Thermoresponsive anionic block copolymer brushes with a strongly anionic bottom segment for effective interactions with biomolecules. RSC Advances, 2016, 6, 93169-93179.	3.6	20
11	A heparin-modified thermoresponsive surface with heparin-binding epidermal growth factor-like growth factor for maintaining hepatic functions in vitro and harvesting hepatocyte sheets. Regenerative Therapy, 2016, 3, 97-106.	3.0	32
12	Fabrication of functional liver tissues by cell sheet-based bioassembler technologies. , 2015, , .		0
13	Measurement of the dynamic behavior of thin poly(N-isopropylacrylamide) hydrogels and their phase transition temperatures measured using reflectometric interference spectroscopy. Journal of Nanoparticle Research, 2015, 17, 1.	1.9	9
14	Thermoresponsive hydrophobic copolymer brushes modified porous monolithic silica for high-resolution bioseparation. RSC Advances, 2015, 5, 66155-66167.	3.6	42
15	Stripe-Patterned Thermo-responsive Cell Culture Dish for Cell Separation without Cell Labeling. Small, 2015, 11, 681-687.	10.0	8
16	Sociocytology Illuminated by Reconstructing Functional Tissue with Cell Sheet Based Technology. , 2015, , 327-345.		0
17	Surface design of antibody-immobilized thermoresponsive cell culture dishes for recovering intact cells by low-temperature treatment. Journal of Biomedical Materials Research - Part A, 2014, 102, 3883-3893.	4.0	12
18	Biofunctional Thermo-Responsive Polymeric Surface with Micropatterns for Label Free Cell Separation. Materials Research Society Symposia Proceedings, 2014, 1621, 107-112.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Micropatterning with a Liquid Crystal Display (LCD) Projector. <i>Methods in Cell Biology</i> , 2014, 119, 141-158.	1.1	8
20	Thermoresponsive Anionic Copolymer Brushes Containing Strong Acid Moieties for Effective Separation of Basic Biomolecules and Proteins. <i>Biomacromolecules</i> , 2014, 15, 3846-3858.	5.4	40
21	Rate control of cell sheet recovery by incorporating hydrophilic pattern in thermoresponsive cell culture dish. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 2849-2856.	4.0	16
22	Monolithic Silica Rods Grafted with Thermoresponsive Anionic Polymer Brushes for High-Speed Separation of Basic Biomolecules and Peptides. <i>Biomacromolecules</i> , 2014, 15, 1204-1215.	5.4	46
23	Thermoresponsive Copolymer Brushes Possessing Quaternary Amine Groups for Strong Anion-Exchange Chromatographic Matrices. <i>Biomacromolecules</i> , 2014, 15, 1031-1043.	5.4	42
24	Switching of cell growth/detachment on heparin-functionalized thermoresponsive surface for rapid cell sheet fabrication and manipulation. <i>Biomaterials</i> , 2013, 34, 4214-4222.	11.4	64
25	Thermoresponsive thin hydrogel-grafted surfaces for biomedical applications. <i>Reactive and Functional Polymers</i> , 2013, 73, 939-944.	4.1	11
26	Thermally Modulated Cationic Copolymer Brush on Monolithic Silica Rods for High-Speed Separation of Acidic Biomolecules. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 1442-1452.	8.0	42
27	Heparin-functionalized thermoresponsive surface. <i>Organogenesis</i> , 2013, 9, 125-127.	1.2	7
28	A Molded Hyaluronic Acid Gel as a Micro-Template for Blood Capillaries. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2013, 24, 135-147.	3.5	10
29	Selective Cell Adhesion and Detachment on Antibody-Immobilized Thermoresponsive Surfaces by Temperature Changes. <i>Journal of Robotics and Mechatronics</i> , 2013, 25, 637-643.	1.0	2
30	Thermoresponsive affinity interaction between cells and immobilized antibodies on poly(N-isopropylacrylamide)-grafted surfaces. , 2012, , .		0
31	Simultaneous Enhancement of Cell Proliferation and Thermally Induced Harvest Efficiency Based on Temperature-Responsive Cationic Copolymer-Grafted Microcarriers. <i>Biomacromolecules</i> , 2012, 13, 1765-1773.	5.4	56
32	Shear stress-dependent cell detachment from temperature-responsive cell culture surfaces in a microfluidic device. <i>Biomaterials</i> , 2012, 33, 7405-7411.	11.4	59
33	Modulation of graft architectures for enhancing hydrophobic interaction of biomolecules with thermoresponsive polymer-grafted surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 99, 95-101.	5.0	20
34	High Stability of Thermoresponsive Polymer-Brush-Grafted Silica Beads as Chromatography Matrices. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 1998-2008.	8.0	61
35	Thermally responsive microcarriers with optimal poly(N-isopropylacrylamide) grafted density for facilitating cell adhesion/detachment in suspension culture. <i>Acta Biomaterialia</i> , 2012, 8, 3904-3913.	8.3	42
36	Temperature-responsive poly(N-isopropylacrylamide)-grafted microcarriers for large-scale non-invasive harvest of anchorage-dependent cells. <i>Biomaterials</i> , 2012, 33, 3803-3812.	11.4	65

#	ARTICLE	IF	CITATIONS
37	Thermo-responsive protein adsorbing materials for purifying pharmaceutical protein on exposed charging surface. <i>Journal of Materials Chemistry</i> , 2011, 21, 2590-2593.	6.7	47
38	Fabrication of microfluidic device on temperature-responsive cell culture surface for studying the shear stress-dependent cell detachment. , 2011, , .		0
39	Fabrication of thermoresponsive surface for cell sheet harvest by photopolymerization. , 2011, , .		0
40	Thermoresponsive Polymer Brush on Monolithic-Silica-Rod for the High-Speed Separation of Bioactive Compounds. <i>Langmuir</i> , 2011, 27, 10830-10839.	3.5	51
41	Effect of reaction solvent on the preparation of thermo-responsive stationary phase through a surface initiated atom transfer radical polymerization. <i>Journal of Chromatography A</i> , 2011, 1218, 8617-8628.	3.7	42
42	Thermally-modulated on/off-adsorption materials for pharmaceutical protein purification. <i>Biomaterials</i> , 2011, 32, 619-627.	11.4	78
43	Preparation of thermo-responsive polymer brushes on hydrophilic polymeric beads by surface-initiated atom transfer radical polymerization for a highly resolutive separation of peptides. <i>Journal of Chromatography A</i> , 2010, 1217, 5978-5985.	3.7	44
44	Characterization of Ultra-thin Temperature-responsive Polymer Layer and Its Polymer Thickness Dependency on Cell Attachment/Detachment Properties. <i>Macromolecular Bioscience</i> , 2010, 10, 1117-1129.	4.1	109
45	Effective separation of peptides using highly dense thermo-responsive polymer brush-grafted porous polystyrene beads. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2191-2198.	2.3	39
46	Thermo-responsive polymer brush-grafted porous polystyrene beads for all-aqueous chromatography. <i>Journal of Chromatography A</i> , 2010, 1217, 522-529.	3.7	79
47	Hydration of poly(N-isopropylacrylamide) brushes on micro-silica beads measured by a fluorescent probe. <i>Chemical Physics Letters</i> , 2010, 491, 193-198.	2.6	8
48	Fabrication of a thermoresponsive cell culture dish: a key technology for cell sheet tissue engineering. <i>Science and Technology of Advanced Materials</i> , 2010, 11, 014111.	6.1	53
49	Thermoresponsive Polymer Brush Surfaces with Hydrophobic Groups for All-Aqueous Chromatography. <i>ACS Applied Materials &amp; Interfaces</i> , 2010, 2, 1247-1253.	8.0	61
50	Preparation of Thermoresponsive Anionic Copolymer Brush Surfaces for Separating Basic Biomolecules. <i>Biomacromolecules</i> , 2010, 11, 215-223.	5.4	41
51	Development of Microfabrication Technology with Maskless Photolithography Device Using LCD Projector. <i>Journal of Robotics and Mechatronics</i> , 2010, 22, 608-612.	1.0	5
52	Development of the maskless photolithography device with an LCD-projector for fabrication of micropatterned surfaces. , 2009, , .		0
53	Temperature-responsive intelligent interfaces for biomolecular separation and cell sheet engineering. <i>Journal of the Royal Society Interface</i> , 2009, 6, S293-309.	3.4	214
54	Fabrication of transferable micropatterned-co-cultured cell sheets with microcontact printing. <i>Biomaterials</i> , 2009, 30, 5427-5432.	11.4	101

#	ARTICLE	IF	CITATIONS
55	Mass preparation of size-controlled mouse embryonic stem cell aggregates and induction of cardiac differentiation by cell patterning method. <i>Biomaterials</i> , 2009, 30, 4384-4389.	11.4	61
56	Temperature-responsive glass coverslips with an ultrathin poly(N-isopropylacrylamide) layer. <i>Acta Biomaterialia</i> , 2009, 5, 470-476.	8.3	101
57	Live cells-based cytotoxic sensorchip fabricated in a microfluidic system. <i>Biotechnology and Bioengineering</i> , 2008, 99, 1513-1517.	3.3	37
58	Preparation of Thermoresponsive Cationic Copolymer Brush Surfaces and Application of the Surface to Separation of Biomolecules. <i>Biomacromolecules</i> , 2008, 9, 1340-1347.	5.4	119
59	Millisecond treatment of cells using microfluidic devices via two-step carrier-medium exchange. <i>Lab on A Chip</i> , 2008, 8, 772.	6.0	43
60	Effects of Graft Densities and Chain Lengths on Separation of Bioactive Compounds by Nanolayered Thermoresponsive Polymer Brush Surfaces. <i>Langmuir</i> , 2008, 24, 511-517.	3.5	160
61	Second-Generation Maskless Photolithography Device for Surface Micropatterning and Microfluidic Channel Fabrication. <i>Analytical Chemistry</i> , 2008, 80, 1323-1327.	6.5	56
62	Influence of Graft Interface Polarity on Hydration/Dehydration of Grafted Thermoresponsive Polymer Brushes and Steroid Separation Using All-Aqueous Chromatography. <i>Langmuir</i> , 2008, 24, 10981-10987.	3.5	62
63	Temperature-Modulated Interaction Changes with Adenosine Nucleotides on Intelligent Cationic, Thermoresponsive Surfaces <sup>1</sup> . <i>Journal of Bioactive and Compatible Polymers</i> , 2007, 22, 575-588.	2.1	35
64	Development of the Maskless Exposure Device equipped with a LCD-Projector for Fabrication of Micropatterned Surfaces and Microfluidic Channels. , 2007, , .		1
65	Cell migration assay using multiple laminar flows in PDMS microchannel. , 2007, , .		0
66	Interfacial Property Modulation of Thermoresponsive Polymer Brush Surfaces and Their Interaction with Biomolecules. <i>Langmuir</i> , 2007, 23, 9409-9415.	3.5	143
67	Cellular control of tissue architectures using a three-dimensional tissue fabrication technique. <i>Biomaterials</i> , 2007, 28, 4939-4946.	11.4	177
68	The use of biotin-avidin binding to facilitate biomodification of thermoresponsive culture surfaces. <i>Biomaterials</i> , 2007, 28, 5471-5476.	11.4	41
69	On-chip cell migration assay using microfluidic channels. <i>Biomaterials</i> , 2007, 28, 4017-4022.	11.4	132
70	Temperature-responsive cell culture surfaces for regenerative medicine with cell sheet engineering. <i>Progress in Polymer Science</i> , 2007, 32, 1123-1133.	24.7	243
71	Microfluidic devices for size-dependent separation of liver cells. <i>Biomedical Microdevices</i> , 2007, 9, 637-645.	2.8	110
72	Grand Espoir: Robotics in Regenerative Medicine. <i>Journal of Robotics and Mechatronics</i> , 2007, 19, 500-505.	1.0	6

#	ARTICLE	IF	CITATIONS
73	Immobilization of biomolecules onto thermoresponsive culture dishes by affinity binding. , 2006, , .		0
74	Thermal Modulated Interaction of Aqueous Steroids Using Polymer-Grafted Capillaries. Langmuir, 2006, 22, 425-430.	3.5	81
75	Maskless liquid-crystal-display projection photolithography for improved design flexibility of cellular micropatterns. Biomaterials, 2006, 27, 3005-3009.	11.4	69
76	An index formula for the degree of (S)+-mappings associated with one-dimensional p-Laplacian. Abstract and Applied Analysis, 2004, 2004, 981-995.	0.7	14
77	Preparation of Microfluidic Devices Using Micropatterning of a Photosensitive Material by a Maskless, Liquid-Crystal-Display Projection Method. Advanced Materials, 2004, 16, 1997-2001.	21.0	36
78	Micropatterned surfaces prepared using a liquid crystal projector-modified photopolymerization device and microfluidics. Journal of Biomedical Materials Research Part B, 2004, 69A, 391-397.	3.1	26
79	Cell micropatterning using photopolymerization with a liquid crystal device commercial projector. Biomaterials, 2004, 25, 2047-2053.	11.4	98
80	Cross-Linked Thermoresponsive Anionic Polymer-Grafted Surfaces To Separate Bioactive Basic Peptides. Analytical Chemistry, 2003, 75, 3244-3249.	6.5	94
81	Aqueous chromatography utilizing hydrophobicity-modified anionic temperature-responsive hydrogel for stationary phases. Journal of Chromatography A, 2002, 958, 109-119.	3.7	95
82	Aqueous Chromatography Utilizing pH-/Temperature-Responsive Polymer Stationary Phases To Separate Ionic Bioactive Compounds. Analytical Chemistry, 2001, 73, 2027-2033.	6.5	126