

# Richard Neubig

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7420517/publications.pdf>

Version: 2024-02-01

265  
papers

13,276  
citations

22153

59  
h-index

30087

103  
g-index

416  
all docs

416  
docs citations

416  
times ranked

12013  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                                    | IF   | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1  | International Union of Pharmacology Committee on Receptor Nomenclature and Drug Classification. XXXVIII. Update on Terms and Symbols in Quantitative Pharmacology. <i>Pharmacological Reviews</i> , 2003, 55, 597-606.                     | 16.0 | 536       |
| 2  | International Union of Pharmacology. XLVI. G Protein-Coupled Receptor List. <i>Pharmacological Reviews</i> , 2005, 57, 279-288.                                                                                                            | 16.0 | 452       |
| 3  | Phagocyte-derived catecholamines enhance acute inflammatory injury. <i>Nature</i> , 2007, 449, 721-725.                                                                                                                                    | 27.8 | 396       |
| 4  | Acetylcholine and local anesthetic binding to Torpedo nicotinic postsynaptic membranes after removal of nonreceptor peptides.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979, 76, 690-694. | 7.1  | 352       |
| 5  | Regulators of G-Protein signalling as new central nervous system drug targets. <i>Nature Reviews Drug Discovery</i> , 2002, 1, 187-197.                                                                                                    | 46.4 | 351       |
| 6  | Membrane organization in G $\alpha$ protein mechanisms. <i>FASEB Journal</i> , 1994, 8, 939-946.                                                                                                                                           | 0.5  | 344       |
| 7  | The Highly Conserved DRY Motif of Class A G Protein-Coupled Receptors: Beyond the Ground State. <i>Molecular Pharmacology</i> , 2007, 71, 959-964.                                                                                         | 2.3  | 322       |
| 8  | International Union of Basic and Clinical Pharmacology. LXVII. Recommendations for the Recognition and Nomenclature of G Protein-Coupled Receptor Heteromultimers. <i>Pharmacological Reviews</i> , 2007, 59, 5-13.                        | 16.0 | 274       |
| 9  | International Union of Basic and Clinical Pharmacology. LXXXVIII. G Protein-Coupled Receptor List: Recommendations for New Pairings with Cognate Ligands. <i>Pharmacological Reviews</i> , 2013, 65, 967-986.                              | 16.0 | 250       |
| 10 | International Union of Pharmacology. LVI. Ghrelin Receptor Nomenclature, Distribution, and Function. <i>Pharmacological Reviews</i> , 2005, 57, 541-546.                                                                                   | 16.0 | 215       |
| 11 | Structure of G $\beta\gamma$ -p63RhoGEF-RhoA Complex Reveals a Pathway for the Activation of RhoA by GPCRs. <i>Science</i> , 2007, 318, 1923-1927.                                                                                         | 12.6 | 206       |
| 12 | IUPHAR-DB: the IUPHAR database of G protein-coupled receptors and ion channels. <i>Nucleic Acids Research</i> , 2009, 37, D680-D685.                                                                                                       | 14.5 | 199       |
| 13 | CCG-1423: a small-molecule inhibitor of RhoA transcriptional signaling. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 2249-2260.                                                                                                         | 4.1  | 189       |
| 14 | International Union of Basic and Clinical Pharmacology. XC. Multisite Pharmacology: Recommendations for the Nomenclature of Receptor Allosterism and Allosteric Ligands. <i>Pharmacological Reviews</i> , 2014, 66, 918-947.               | 16.0 | 189       |
| 15 | M4 Muscarinic Receptor Signaling Ameliorates Striatal Plasticity Deficits in Models of L-DOPA-Induced Dyskinesia. <i>Neuron</i> , 2015, 88, 762-773.                                                                                       | 8.1  | 183       |
| 16 | Small Molecule Protein-Protein Interaction Inhibitors as CNS Therapeutic Agents: Current Progress and Future Hurdles. <i>Neuropsychopharmacology</i> , 2009, 34, 126-141.                                                                  | 5.4  | 164       |
| 17 | Regulator of G protein signaling proteins: novel multifunctional drug targets. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2001, 297, 837-45.                                                                           | 2.5  | 156       |
| 18 | Novel Rho/MRTF/SRF Inhibitors Block Matrix-stiffness and TGF- $\beta$ -Induced Fibrogenesis in Human Colonic Myofibroblasts. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 154-165.                                                       | 1.9  | 155       |

| #  | ARTICLE                                                                                                                                                                                                                                                                                   | IF   | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | A Point Mutation in G $\alpha$ and G $\beta$ 1 Blocks Interaction with Regulator of G Protein Signaling Proteins. <i>Journal of Biological Chemistry</i> , 1998, 273, 12794-12797.                                                                                                        | 3.4  | 152       |
| 20 | Redox Modification of Nuclear Actin by MICAL-2 Regulates SRF Signaling. <i>Cell</i> , 2014, 156, 563-576.                                                                                                                                                                                 | 28.9 | 142       |
| 21 | Conformations of Torpedo acetylcholine receptor associated with ion transport and desensitization. <i>Biochemistry</i> , 1982, 21, 3460-3467.                                                                                                                                             | 2.5  | 141       |
| 22 | Immunofluorescence localization at the mammalian neuromuscular junction of the Mr 43,000 protein of Torpedo postsynaptic membranes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981, 78, 5230-5234.                                        | 7.1  | 140       |
| 23 | Inhibition of Myocardin-Related Transcription Factor/Serum Response Factor Signaling Decreases Lung Fibrosis and Promotes Mesenchymal Cell Apoptosis. <i>American Journal of Pathology</i> , 2015, 185, 969-986.                                                                          | 3.8  | 138       |
| 24 | AT1 Receptor Mutant Lacking Heterotrimeric G Protein Coupling Activates the Src-Ras-ERK Pathway without Nuclear Translocation of ERKs. <i>Journal of Biological Chemistry</i> , 2002, 277, 9268-9277.                                                                                     | 3.4  | 131       |
| 25 | Fluorescent BODIPY-GTP Analogs: Real-Time Measurement of Nucleotide Binding to G Proteins. <i>Analytical Biochemistry</i> , 2001, 291, 109-117.                                                                                                                                           | 2.4  | 130       |
| 26 | Identification of Small-Molecule Inhibitors of RGS4 Using a High-Throughput Flow Cytometry Protein Interaction Assay. <i>Molecular Pharmacology</i> , 2007, 71, 169-175.                                                                                                                  | 2.3  | 123       |
| 27 | A Spatial Focusing Model for G Protein Signals. <i>Journal of Biological Chemistry</i> , 2003, 278, 7278-7284.                                                                                                                                                                            | 3.4  | 121       |
| 28 | Guanine nucleotide effects on catecholamine secretion from digitonin-permeabilized adrenal chromaffin cells.. <i>Journal of Biological Chemistry</i> , 1986, 261, 10182-10188.                                                                                                            | 3.4  | 120       |
| 29 | Receptor-selective Effects of Endogenous RGS3 and RGS5 to Regulate Mitogen-activated Protein Kinase Activation in Rat Vascular Smooth Muscle Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 24949-24958.                                                                      | 3.4  | 115       |
| 30 | RAC1P29S Induces a Mesenchymal Phenotypic Switch via Serum Response Factor to Promote Melanoma Development and Therapy Resistance. <i>Cancer Cell</i> , 2019, 36, 68-83.e9.                                                                                                               | 16.8 | 104       |
| 31 | Mechanism of agonist and antagonist binding to .alpha.2 adrenergic receptors: evidence for a precoupled receptor-guanine nucleotide protein complex. <i>Biochemistry</i> , 1988, 27, 2374-2384.                                                                                           | 2.5  | 101       |
| 32 | Guanine nucleotide effects on catecholamine secretion from digitonin-permeabilized adrenal chromaffin cells. <i>Journal of Biological Chemistry</i> , 1986, 261, 10182-8.                                                                                                                 | 3.4  | 101       |
| 33 | Novel form of crosstalk between G protein and tyrosine kinase pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 5417-5421.                                                                                                     | 7.1  | 93        |
| 34 | Receptor and Membrane Interaction Sites on G $\beta$ 2. <i>Journal of Biological Chemistry</i> , 1996, 271, 3336-3339.                                                                                                                                                                    | 3.4  | 92        |
| 35 | Endogenous RGS Protein Action Modulates $\mu$ -Opioid Signaling through G $\alpha$ . <i>Journal of Biological Chemistry</i> , 2003, 278, 9418-9425.                                                                                                                                       | 3.4  | 92        |
| 36 | Targeting the Myofibroblast Genetic Switch: Inhibitors of Myocardin-Related Transcription Factor/Serum Response Factor Regulated Gene Transcription Prevent Fibrosis in a Murine Model of Skin Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 349, 480-486. | 2.5  | 92        |

| #  | ARTICLE                                                                                                                                                                                                         | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Binding of an alpha 2 adrenergic receptor third intracellular loop peptide to G beta and the amino terminus of G alpha.. Journal of Biological Chemistry, 1994, 269, 27618-27624.                               | 3.4 | 91        |
| 38 | REGULATORs OF G PROTEIN SIGNALING & DRUGS OF ABUSE. Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics, 2005, 5, 30-41.                                                 | 3.4 | 86        |
| 39 | N-Terminal Residues Control Proteasomal Degradation of RGS2, RGS4, and RGS5 in Human Embryonic Kidney 293 Cells. Molecular Pharmacology, 2007, 71, 1040-1050.                                                   | 2.3 | 84        |
| 40 | Regulators of G Protein Signaling Proteins as Targets for Drug Discovery. Progress in Molecular Biology and Translational Science, 2010, 91, 81-119.                                                            | 1.7 | 84        |
| 41 | Rapid Kinetics of Regulator of G-protein Signaling (RGS)-mediated G $\beta$ and G $\alpha$ Deactivation. Journal of Biological Chemistry, 2000, 275, 33497-33503.                                               | 3.4 | 83        |
| 42 | Endogenous RGS Proteins and G $\beta$ Subtypes Differentially Control Muscarinic and Adenosine-Mediated Chronotropic Effects. Circulation Research, 2006, 98, 659-666.                                          | 4.5 | 83        |
| 43 | The novel alpha-2 adrenergic radioligand [3H]-MK912 is alpha-2C selective among human alpha-2A, alpha-2B and alpha-2C adrenoceptors. Journal of Pharmacology and Experimental Therapeutics, 1994, 271, 1558-65. | 2.5 | 81        |
| 44 | Binding of an alpha 2 adrenergic receptor third intracellular loop peptide to G beta and the amino terminus of G alpha. Journal of Biological Chemistry, 1994, 269, 27618-24.                                   | 3.4 | 79        |
| 45 | Inverse agonist activity of agouti and agouti-related protein. Peptides, 2003, 24, 603-609.                                                                                                                     | 2.4 | 77        |
| 46 | Pleiotropic Phenotype of a Genomic Knock-In of an RGS-Insensitive G184S Gnai2 Allele. Molecular and Cellular Biology, 2006, 26, 6870-6879.                                                                      | 2.3 | 75        |
| 47 | GPCR-OKB: the G Protein Coupled Receptor Oligomer Knowledge Base. Bioinformatics, 2010, 26, 1804-1805.                                                                                                          | 4.1 | 74        |
| 48 | Movement disorder in <i>GNAO1</i> encephalopathy associated with gain-of-function mutations. Neurology, 2017, 89, 762-770.                                                                                      | 1.1 | 73        |
| 49 | Determinants of G $\beta$ and G $\gamma$ Binding. Journal of Biological Chemistry, 1998, 273, 7934-7940.                                                                                                        | 3.4 | 71        |
| 50 | Cellular Mechanisms of Tissue Fibrosis. 8. Current and future drug targets in fibrosis: focus on Rho GTPase-regulated gene transcription. American Journal of Physiology - Cell Physiology, 2014, 307, C2-C13.  | 4.6 | 71        |
| 51 | Reversible, Allosteric Small-Molecule Inhibitors of Regulator of G Protein Signaling Proteins. Molecular Pharmacology, 2010, 78, 524-533.                                                                       | 2.3 | 70        |
| 52 | Two peptides from the alpha 2A-adrenergic receptor alter receptor G protein coupling by distinct mechanisms. Journal of Biological Chemistry, 1991, 266, 11025-9.                                               | 3.4 | 70        |
| 53 | Thinking Outside of the "RGS Box": New Approaches to Therapeutic Targeting of Regulators of G Protein Signaling: Fig. 1.. Molecular Pharmacology, 2010, 78, 550-557.                                            | 2.3 | 67        |
| 54 | G $\beta$ Activator Region of G $\beta$ 2A-Adrenergic Receptors: Distinct Basic Residues Mediate G $\beta$ versus G $\gamma$ Activation. Molecular Pharmacology, 1999, 56, 1005-1013.                           | 2.3 | 66        |

| #  | ARTICLE                                                                                                                                                                                                                                        | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Walker A Lysine Mutations of TAP1 and TAP2 Interfere with Peptide Translocation but Not Peptide Binding. <i>Journal of Biological Chemistry</i> , 2001, 276, 7526-7533.                                                                        | 3.4 | 65        |
| 56 | Thrombin and Lysophosphatidic Acid Receptors Utilize Distinct rhoGEFs in Prostate Cancer Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 28831-28834.                                                                               | 3.4 | 65        |
| 57 | Stimulation of Cellular Signaling and G Protein Subunit Dissociation by G Protein $\beta\gamma$ Subunit-binding Peptides. <i>Journal of Biological Chemistry</i> , 2003, 278, 19634-19641.                                                     | 3.4 | 64        |
| 58 | A mechanistic review on GNAO1-associated movement disorder. <i>Neurobiology of Disease</i> , 2018, 116, 131-141.                                                                                                                               | 4.4 | 62        |
| 59 | A Juxtamembrane Mutation in the N Terminus of the Dopamine Transporter Induces Preference for an Inward-Facing Conformation. <i>Molecular Pharmacology</i> , 2009, 75, 514-524.                                                                | 2.3 | 61        |
| 60 | Optimization of novel nipecotic bis(amide) inhibitors of the Rho/MKL1/SRF transcriptional pathway as potential anti-metastasis agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 3826-3832.                                | 2.2 | 61        |
| 61 | Multiple Gi protein subtypes regulate a single effector mechanism. <i>Molecular Pharmacology</i> , 1991, 40, 707-11.                                                                                                                           | 2.3 | 61        |
| 62 | Design, synthesis and prostate cancer cell-based studies of analogs of the Rho/MKL1 transcriptional pathway inhibitor, CCG-1423. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 665-672.                                        | 2.2 | 60        |
| 63 | RGS inhibition at $G_{i2}$ selectively potentiates 5-HT <sub>1A</sub> -mediated antidepressant effects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11086-11091.                       | 7.1 | 60        |
| 64 | Detection of G Protein-selective G Protein-coupled Receptor (GPCR) Conformations in Live Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 17167-17178.                                                                               | 3.4 | 60        |
| 65 | A newly identified complex of spinophilin and the tyrosine phosphatase, SHP-1, modulates platelet activation by regulating G protein-dependent signaling. <i>Blood</i> , 2012, 119, 1935-1945.                                                 | 1.4 | 57        |
| 66 | Agonist and antagonist binding to alpha 2-adrenergic receptors in purified membranes from human platelets. Implications of receptor-inhibitory nucleotide-binding protein stoichiometry. <i>Molecular Pharmacology</i> , 1985, 28, 475-86.     | 2.3 | 57        |
| 67 | Membrane reconstitution of high-affinity .alpha.2-adrenergic agonist binding with guanine nucleotide regulatory proteins. <i>Biochemistry</i> , 1987, 26, 3664-3672.                                                                           | 2.5 | 56        |
| 68 | A Nanomolar-Potency Small Molecule Inhibitor of Regulator of G-Protein Signaling Proteins. <i>Biochemistry</i> , 2011, 50, 3181-3192.                                                                                                          | 2.5 | 55        |
| 69 | Nonadrenergic [3H]idazoxan binding sites are physically distinct from alpha 2-adrenergic receptors. <i>Molecular Pharmacology</i> , 1990, 37, 65-8.                                                                                            | 2.3 | 55        |
| 70 | Mutagenesis and peptide analysis of the DRY motif in the $\beta_2$ A adrenergic receptor: evidence for alternate mechanisms in G protein-coupled receptors. <i>Biochemical and Biophysical Research Communications</i> , 2002, 293, 1233-1241. | 2.1 | 52        |
| 71 | RGS/Gi <sub>2</sub> interactions modulate platelet accumulation and thrombus formation at sites of vascular injury. <i>Blood</i> , 2010, 116, 6092-6100.                                                                                       | 1.4 | 52        |
| 72 | Local delivery of novel MRTF/SRF inhibitors prevents scar tissue formation in a preclinical model of fibrosis. <i>Scientific Reports</i> , 2017, 7, 518.                                                                                       | 3.3 | 52        |

| #  | ARTICLE                                                                                                                                                                                                                                          | IF   | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 73 | Compartmentation of receptors and guanine nucleotide-binding proteins in NG108-15 cells: lack of cross-talk in agonist binding among the alpha 2-adrenergic, muscarinic, and opiate receptors. <i>Molecular Pharmacology</i> , 1993, 43, 434-43. | 2.3  | 52        |
| 74 | Timing is everything. <i>Life Sciences</i> , 2000, 68, 647-658.                                                                                                                                                                                  | 4.3  | 51        |
| 75 | Receptor $\alpha$ G Protein $\beta$ Specificity: $\beta$ 11 Shows Unique Potency for A1Adenosine and 5-HT1AReceptors $\alpha$ . <i>Biochemistry</i> , 2001, 40, 10532-10541.                                                                     | 2.5  | 51        |
| 76 | Inverse Agonist Activity at the $\alpha$ 2A-Adrenergic Receptor. <i>Molecular Pharmacology</i> , 2001, 59, 532-542.                                                                                                                              | 2.3  | 51        |
| 77 | Molecular Cloning and Characterization of a Novel Regulator of G-protein Signaling from Mouse Hematopoietic Stem Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 915-923.                                                             | 3.4  | 51        |
| 78 | RGS-Insensitive G-Protein Mutations to Study the Role of Endogenous RGS Proteins. <i>Methods in Enzymology</i> , 2004, 389, 229-243.                                                                                                             | 1.0  | 51        |
| 79 | Galanin Receptor 1 Has Anti-proliferative Effects in Oral Squamous Cell Carcinoma. <i>Journal of Biological Chemistry</i> , 2005, 280, 22564-22571.                                                                                              | 3.4  | 51        |
| 80 | Resistance to Diet-Induced Obesity and Improved Insulin Sensitivity in Mice With a Regulator of G Protein Signaling $\alpha$ Insensitive G184S Gnaï2 Allele. <i>Diabetes</i> , 2008, 57, 77-85.                                                  | 0.6  | 50        |
| 81 | Agonist-directed trafficking of porcine alpha(2A)-adrenergic receptor signaling in Chinese hamster ovary cells: l-isoproterenol selectively activates G(s). <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2000, 294, 539-47.    | 2.5  | 50        |
| 82 | International Union of Pharmacology. LXXII. Recommendations for Trace Amine Receptor Nomenclature. <i>Pharmacological Reviews</i> , 2009, 61, 1-8.                                                                                               | 16.0 | 49        |
| 83 | Receptor $\alpha$ Antagonist Interactions in the Complexes of Agouti and Agouti-Related Protein with Human Melanocortin 1 and 4 Receptors $\alpha$ . <i>Biochemistry</i> , 2005, 44, 3418-3431.                                                  | 2.5  | 47        |
| 84 | Fluorescent guanine nucleotide analogs and G protein activation. <i>Journal of Biological Chemistry</i> , 1994, 269, 13771-8.                                                                                                                    | 3.4  | 47        |
| 85 | Assembly of High Order G $\beta$ q-Effector Complexes with RGS Proteins. <i>Journal of Biological Chemistry</i> , 2008, 283, 34923-34934.                                                                                                        | 3.4  | 46        |
| 86 | Complementary Cell-Based High-Throughput Screens Identify Novel Modulators of the Unfolded Protein Response. <i>Journal of Biomolecular Screening</i> , 2011, 16, 825-835.                                                                       | 2.6  | 44        |
| 87 | MScreen: An Integrated Compound Management and High-Throughput Screening Data Storage and Analysis System. <i>Journal of Biomolecular Screening</i> , 2012, 17, 1080-1087.                                                                       | 2.6  | 44        |
| 88 | Increased CD39 Nucleotidase Activity on Microparticles from Patients with Idiopathic Pulmonary Arterial Hypertension. <i>PLoS ONE</i> , 2012, 7, e40829.                                                                                         | 2.5  | 43        |
| 89 | NMR Structure of the Second Intracellular Loop of the $\alpha$ 2A Adrenergic Receptor: Evidence for a Novel Cytoplasmic Helix $\alpha$ . <i>Biochemistry</i> , 2002, 41, 3596-3604.                                                              | 2.5  | 42        |
| 90 | Requirements and ontology for a G protein-coupled receptor oligomerization knowledge base. <i>BMC Bioinformatics</i> , 2007, 8, 177.                                                                                                             | 2.6  | 42        |

| #   | ARTICLE                                                                                                                                                                                                                                            | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91  | High-Throughput Screening for Small-Molecule Inhibitors of LARG-Stimulated RhoA Nucleotide Binding via a Novel Fluorescence Polarization Assay. <i>Journal of Biomolecular Screening</i> , 2009, 14, 161-172.                                      | 2.6 | 42        |
| 92  | Pharmacokinetic optimization of CCG-203971: Novel inhibitors of the Rho/MRTF/SRF transcriptional pathway as potential antifibrotic therapeutics for systemic scleroderma. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 1744-1749. | 2.2 | 42        |
| 93  | Real-time Detection of Basal and Stimulated G Protein GTPase Activity Using Fluorescent GTP Analogues. <i>Journal of Biological Chemistry</i> , 2005, 280, 7712-7719.                                                                              | 3.4 | 41        |
| 94  | Analyzing Binding Data. <i>Current Protocols in Neuroscience</i> , 2010, 52, Unit 7.5.                                                                                                                                                             | 2.6 | 41        |
| 95  | Small Molecule Inhibitors of Regulators of G Protein Signaling (RGS) Proteins. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 146-150.                                                                                                          | 2.8 | 41        |
| 96  | Selectivity and Anti-Parkinson's Potential of Thiadiazolidinone RGS4 Inhibitors. <i>ACS Chemical Neuroscience</i> , 2015, 6, 911-919.                                                                                                              | 3.5 | 41        |
| 97  | COVID-19's A Theory of Autoimmunity Against ACE-2 Explained. <i>Frontiers in Immunology</i> , 2021, 12, 582166.                                                                                                                                    | 4.8 | 41        |
| 98  | Interdomain Interactions Regulate GDP Release from Heterotrimeric G Proteins. <i>Biochemistry</i> , 1999, 38, 13795-13800.                                                                                                                         | 2.5 | 40        |
| 99  | Endogenous RGS proteins modulate SA and AV nodal functions in isolated heart: implications for sick sinus syndrome and AV block. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H2532-H2539.                | 3.2 | 40        |
| 100 | Phase-Locked Signals Elucidate Circuit Architecture of an Oscillatory Pathway. <i>PLoS Computational Biology</i> , 2010, 6, e1001040.                                                                                                              | 3.2 | 40        |
| 101 | Rho-mediated signaling promotes BRAF inhibitor resistance in de-differentiated melanoma cells. <i>Oncogene</i> , 2020, 39, 1466-1483.                                                                                                              | 5.9 | 40        |
| 102 | Inhibition of adenylate cyclase is mediated by the high affinity conformation of the alpha 2-adrenergic receptor. <i>Molecular Pharmacology</i> , 1988, 34, 814-22.                                                                                | 2.3 | 40        |
| 103 | Peptides as probes for G protein signal transduction. <i>Cellular Signalling</i> , 1994, 6, 841-849.                                                                                                                                               | 3.6 | 39        |
| 104 | Allosteric Inhibition of the Regulator of G Protein Signaling's G12 Protein's Protein Interaction by CCG-4986. <i>Molecular Pharmacology</i> , 2010, 78, 360-365.                                                                                  | 2.3 | 39        |
| 105 | Effect of Circulating Epinephrine on Platelet Function and Hematocrit. <i>Hypertension</i> , 1995, 25, 1096-1105.                                                                                                                                  | 2.7 | 39        |
| 106 | Polyplexed Flow Cytometry Protein Interaction Assay: A Novel High-Throughput Screening Paradigm for RGS Protein Inhibitors. <i>Journal of Biomolecular Screening</i> , 2009, 14, 610-619.                                                          | 2.6 | 38        |
| 107 | Analysis of Guanine Nucleotide Binding and Exchange Kinetics of the <i>Escherichia coli</i> GTPase Era. <i>Journal of Bacteriology</i> , 2000, 182, 3460-3466.                                                                                     | 2.2 | 37        |
| 108 | Endogenous Regulator of G Protein Signaling Proteins Suppress G12o-Dependent, 1/4-Opioid Agonist-Mediated Adenyl Cyclase Supersensitization. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 310, 215-222.                    | 2.5 | 37        |

| #   | ARTICLE                                                                                                                                                                                                                                                                                                            | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Spermine in semen of male sea lamprey acts as a sex pheromone. <i>PLoS Biology</i> , 2019, 17, e3000332.                                                                                                                                                                                                           | 5.6 | 37        |
| 110 | Regulators of G $\alpha$ f protein signaling (RGS proteins): Novel central nervous system drug targets. <i>Chemical Biology and Drug Design</i> , 2002, 60, 312-316.                                                                                                                                               | 1.1 | 36        |
| 111 | Detection of G Proteins by Affinity Probe Capillary Electrophoresis Using a Fluorescently Labeled GTP Analogue. <i>Analytical Chemistry</i> , 2003, 75, 4297-4304.                                                                                                                                                 | 6.5 | 36        |
| 112 | Ligand-Receptor-G-Protein Molecular Assemblies on Beads for Mechanistic Studies and Screening by Flow Cytometry. <i>Molecular Pharmacology</i> , 2003, 64, 1227-1238.                                                                                                                                              | 2.3 | 35        |
| 113 | Pharmacological Inhibition of Myocardin-related Transcription Factor Pathway Blocks Lung Metastases of RhoC-Overexpressing Melanoma. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 193-204.                                                                                                                     | 4.1 | 35        |
| 114 | Gain-of-function mutation in Gnao1: A murine model of epileptiform encephalopathy (EIEE17)? <i>Mammalian Genome</i> , 2014, 25, 202-210.                                                                                                                                                                           | 2.2 | 34        |
| 115 | 5-Aryl-1,3,4-oxadiazol-2-ylthioalkanoic Acids: A Highly Potent New Class of Inhibitors of Rho/Myocardin-Related Transcription Factor (MRTF)/Serum Response Factor (SRF)-Mediated Gene Transcription as Potential Antifibrotic Agents for Scleroderma. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 4350-4369. | 6.4 | 34        |
| 116 | Structural requirements for G(o) activation by receptor-derived peptides: activation and modulation domains of the alpha 2-adrenergic receptor i3c region. <i>Molecular Pharmacology</i> , 1996, 50, 351-8.                                                                                                        | 2.3 | 34        |
| 117 | Conformational Dynamics of a Regulator of G-Protein Signaling Protein Reveals a Mechanism of Allosteric Inhibition by a Small Molecule. <i>ACS Chemical Biology</i> , 2013, 8, 2778-2784.                                                                                                                          | 3.4 | 33        |
| 118 | Chemerin-induced arterial contraction is Gi- and calcium-dependent. <i>Vascular Pharmacology</i> , 2017, 88, 30-41.                                                                                                                                                                                                | 2.1 | 33        |
| 119 | Rapid kinetics of .alpha.2-adrenergic inhibition of adenylate cyclase. Evidence for a distal rate-limiting step. <i>Biochemistry</i> , 1989, 28, 8778-8786.                                                                                                                                                        | 2.5 | 32        |
| 120 | Lateral mobility of tetramethylrhodamine (TMR) labelled G protein $\alpha$ and $\beta\gamma$ subunits in NG 108-15 cells. <i>Cellular Signalling</i> , 1994, 6, 663-679.                                                                                                                                           | 3.6 | 32        |
| 121 | Partial G Protein Activation by Fluorescent Guanine Nucleotide Analogs. <i>Journal of Biological Chemistry</i> , 1996, 271, 4791-4797.                                                                                                                                                                             | 3.4 | 32        |
| 122 | Depicting a protein's two faces: GPCR classification by phylogenetic tree-based HMMs. <i>FEBS Letters</i> , 2003, 554, 95-99.                                                                                                                                                                                      | 2.8 | 32        |
| 123 | Structure-based design, synthesis, and pharmacologic evaluation of peptide RGS4 inhibitors. <i>Chemical Biology and Drug Design</i> , 2004, 63, 141-146.                                                                                                                                                           | 1.1 | 32        |
| 124 | The Loss of RGS Protein-G $\alpha$ Interactions Results in Markedly Impaired Mouse Neutrophil Trafficking to Inflammatory Sites. <i>Molecular and Cellular Biology</i> , 2012, 32, 4561-4571.                                                                                                                      | 2.3 | 32        |
| 125 | Real-time Analysis of G Protein-coupled Receptor Reconstitution in a Solubilized System. <i>Journal of Biological Chemistry</i> , 2001, 276, 22453-22460.                                                                                                                                                          | 3.4 | 31        |
| 126 | Fluorescence Analysis of Receptor-G Protein Interactions in Cell Membranes. <i>Biochemistry</i> , 2002, 41, 12858-12867.                                                                                                                                                                                           | 2.5 | 31        |



| #   | ARTICLE                                                                                                                                                                                                                                                       | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Role of signalling molecules in behaviours mediated by the $\hat{\mu}$ opioid receptor agonist SNC80. <i>British Journal of Pharmacology</i> , 2018, 175, 891-901.                                                                                            | 5.4 | 31        |
| 128 | Interpreting Hydrogen-Deuterium Exchange Events in Proteins Using Atomistic Simulations: Case Studies on Regulators of G-Protein Signaling Proteins. <i>Journal of Physical Chemistry B</i> , 2018, 122, 9314-9323.                                           | 2.6 | 30        |
| 129 | Differential modulation of $\mu$ opioid receptor signaling to adenylyl cyclase by regulators of G protein signaling proteins 4 or 8 and 7 in permeabilised C6 cells is $G_{i\pm}$ subtype dependent. <i>Journal of Neurochemistry</i> , 2010, 112, 1026-1034. | 3.9 | 29        |
| 130 | Differential Control of Opioid Antinociception to Thermal Stimuli in a Knock-In Mouse Expressing Regulator of G-Protein Signaling-Insensitive $G_{i\pm}$ Protein. <i>Journal of Neuroscience</i> , 2013, 33, 4369-4377.                                       | 3.6 | 29        |
| 131 | Induction of the matricellular protein CCN1 through RhoA and MRTF-A contributes to ischemic cardioprotection. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 75, 152-161.                                                                        | 1.9 | 29        |
| 132 | Real-time Analysis of Ternary Complex on Particles. <i>Journal of Biological Chemistry</i> , 2004, 279, 13514-13521.                                                                                                                                          | 3.4 | 28        |
| 133 | Identification of Pirin as a Molecular Target of the CCG-1423/CCG-203971 Series of Antifibrotic and Antimetastatic Compounds. <i>ACS Pharmacology and Translational Science</i> , 2019, 2, 92-100.                                                            | 4.9 | 28        |
| 134 | Coupling Efficacy and Selectivity of the Human $\hat{\mu}$ -Opioid Receptor Expressed as Receptor- $G_{i\pm}$ Fusion Proteins in <i>Escherichia coli</i> . <i>Journal of Neurochemistry</i> , 2002, 75, 1190-1199.                                            | 3.9 | 27        |
| 135 | Mechanism of Action and Structural Requirements of Constrained Peptide Inhibitors of RGS Proteins. <i>Chemical Biology and Drug Design</i> , 2006, 67, 266-274.                                                                                               | 3.2 | 27        |
| 136 | Regions in the G Protein $\hat{\beta}$ Subunit Important for Interaction with Receptors and Effectors. <i>Molecular Pharmacology</i> , 2006, 69, 877-887.                                                                                                     | 2.3 | 27        |
| 137 | Use of Flow Cytometric Methods to Quantify Protein-Protein Interactions. <i>Current Protocols in Cytometry</i> , 2010, 51, Unit 13.11.1-15.                                                                                                                   | 3.7 | 27        |
| 138 | Regulator of G Protein Signaling Protein Suppression of $G_{i\pm}$ Protein-Mediated $\hat{\beta}$ -Adrenergic Receptor Inhibition of Mouse Hippocampal CA3 Epileptiform Activity. <i>Molecular Pharmacology</i> , 2009, 75, 1222-1230.                        | 2.3 | 26        |
| 139 | Novel Peptide Ligands of RGS4 from a Focused One-Bead, One-Compound Library. <i>Chemical Biology and Drug Design</i> , 2008, 72, 111-119.                                                                                                                     | 3.2 | 25        |
| 140 | Roles of $G_{i\pm}$ Tryptophans in GTP Hydrolysis, GDP Release, and Fluorescence Signals. <i>Biochemistry</i> , 1998, 37, 837-843.                                                                                                                            | 2.5 | 24        |
| 141 | Missing Links: Mechanisms of Protean Agonism: Fig. 1.. <i>Molecular Pharmacology</i> , 2007, 71, 1200-1202.                                                                                                                                                   | 2.3 | 24        |
| 142 | The hypertension-coronary heart disease dilemma: the catecholamine-blood platelet connection. <i>Journal of Hypertension</i> , 1989, 7, 851-860.                                                                                                              | 0.5 | 23        |
| 143 | Selective inactivation of guanine-nucleotide-binding regulatory protein (G-protein) $\hat{\beta}$ and $\hat{\beta}$ subunits by urea. <i>Biochemical Journal</i> , 2001, 354, 337-344.                                                                        | 3.7 | 23        |
| 144 | Cardiotonic Steroids Stabilize Regulator of G Protein Signaling 2 Protein Levels. <i>Molecular Pharmacology</i> , 2012, 82, 500-509.                                                                                                                          | 2.3 | 23        |

| #   | ARTICLE                                                                                                                                                                                                                              | IF   | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 145 | Multisite interactions of receptors and G proteins: enhanced potency of dimeric receptor peptides in modifying G protein function. <i>Molecular Pharmacology</i> , 1994, 45, 1191-7.                                                 | 2.3  | 23        |
| 146 | A conserved hydrophobic surface of the LARG pleckstrin homology domain is critical for RhoA activation in cells. <i>Cellular Signalling</i> , 2009, 21, 1569-1578.                                                                   | 3.6  | 22        |
| 147 | Design and synthesis of tag-free photoprobes for the identification of the molecular target for CCG-1423, a novel inhibitor of the Rho/MKL1/SRF signaling pathway. <i>Beilstein Journal of Organic Chemistry</i> , 2013, 9, 966-973. | 2.2  | 22        |
| 148 | Pharmacologic reduction of sympathetic drive increases platelet alpha-2 receptor number. <i>Clinical Pharmacology and Therapeutics</i> , 1985, 38, 519-524.                                                                          | 4.7  | 21        |
| 149 | Parallel inactivation of $\beta_2$ -adrenergic agonist binding and Ni by alkaline treatment. <i>FEBS Letters</i> , 1985, 192, 321-325.                                                                                               | 2.8  | 21        |
| 150 | Rapid kinetics of G protein subunit association: A rate-limiting conformational change?. <i>FEBS Letters</i> , 1994, 355, 251-253.                                                                                                   | 2.8  | 21        |
| 151 | Fluorescence Approaches to Study G Protein Mechanisms. <i>Methods in Enzymology</i> , 2002, 344, 403-420.                                                                                                                            | 1.0  | 21        |
| 152 | Reversible inhibitors of regulators of G-protein signaling identified in a high-throughput cell-based calcium signaling assay. <i>Cellular Signalling</i> , 2013, 25, 2848-2855.                                                     | 3.6  | 21        |
| 153 | FBXO44-Mediated Degradation of RGS2 Protein Uniquely Depends on a Cullin 4B/DDB1 Complex. <i>PLoS ONE</i> , 2015, 10, e0123581.                                                                                                      | 2.5  | 21        |
| 154 | Small-Molecule Inhibition of Rho/MKL/SRF Transcription in Prostate Cancer Cells: Modulation of Cell Cycle, ER Stress, and Metastasis Gene Networks. <i>Microarrays (Basel, Switzerland)</i> , 2016, 5, 13.                           | 1.4  | 21        |
| 155 | Differential Protein Dynamics of Regulators of G-Protein Signaling: Role in Specificity of Small-Molecule Inhibitors. <i>Journal of the American Chemical Society</i> , 2018, 140, 3454-3460.                                        | 13.7 | 21        |
| 156 | Band-pass processing in a GPCR signaling pathway selects for NFAT transcription factor activation. <i>Integrative Biology (United Kingdom)</i> , 2015, 7, 1378-1386.                                                                 | 1.3  | 20        |
| 157 | RGS-Insensitive G Proteins as In Vivo Probes of RGS Function. <i>Progress in Molecular Biology and Translational Science</i> , 2015, 133, 13-30.                                                                                     | 1.7  | 20        |
| 158 | Digoxin-Mediated Upregulation of RGS2 Protein Protects against Cardiac Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 357, 311-319.                                                                    | 2.5  | 20        |
| 159 | In vitro and in vivo delivery of a sustained release nanocarrier-based formulation of an MRTF/SRF inhibitor in conjunctival fibrosis. <i>Journal of Nanobiotechnology</i> , 2018, 16, 97.                                            | 9.1  | 20        |
| 160 | Synthesis and characterization of fluorescently labeled bovine brain G protein subunits. <i>Biochemistry</i> , 1993, 32, 2401-2408.                                                                                                  | 2.5  | 19        |
| 161 | The role of regulator of G protein signaling 4 in delta-opioid receptor-mediated behaviors. <i>Psychopharmacology</i> , 2017, 234, 29-39.                                                                                            | 3.1  | 19        |
| 162 | p-[125I]iodoclonidine is a partial agonist at the alpha 2-adrenergic receptor. <i>Molecular Pharmacology</i> , 1990, 38, 214-21.                                                                                                     | 2.3  | 19        |

| #   | ARTICLE                                                                                                                                                                                                                                               | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Large-scale purification of $\alpha$ 2-adrenergic receptor-enriched membranes from human platelets. Persistent association of guanine nucleotides with nonpurified membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1986, 854, 67-76. | 2.6 | 18        |
| 164 | Microfabricated Channel Array Electrophoresis for Characterization and Screening of Enzymes Using RGS $\alpha$ G Protein Interactions as a Model System. <i>Analytical Chemistry</i> , 2008, 80, 5225-5231.                                           | 6.5 | 18        |
| 165 | A covalent peptide inhibitor of RGS4 identified in a focused one-bead, one compound library screen. <i>BMC Pharmacology</i> , 2009, 9, 9.                                                                                                             | 0.4 | 18        |
| 166 | Mind Your Salts: When the Inactive Constituent Isn't: Fig. 1.. <i>Molecular Pharmacology</i> , 2010, 78, 558-559.                                                                                                                                     | 2.3 | 18        |
| 167 | Mouse models of GNAO1-associated movement disorder: Allele- and sex-specific differences in phenotypes. <i>PLoS ONE</i> , 2019, 14, e0211066.                                                                                                         | 2.5 | 18        |
| 168 | ANG II type 1 receptor downregulation does not require receptor endocytosis or G protein coupling. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 281, C801-C809.                                                                    | 4.6 | 17        |
| 169 | Diabetic neuropathy: inhibitory G protein dysfunction involves PKC-dependent phosphorylation of Go $\alpha$ . <i>Journal of Neurochemistry</i> , 2003, 86, 1006-1014.                                                                                 | 3.9 | 17        |
| 170 | Affinity Assays Using Fluorescence Anisotropy with Capillary Electrophoresis Separation. <i>Analytical Chemistry</i> , 2004, 76, 7380-7386.                                                                                                           | 6.5 | 17        |
| 171 | G $\alpha$ Subunit Coordinates with Ephrin-B to Balance Self-Renewal and Differentiation in Neural Progenitor Cells. <i>Stem Cells</i> , 2010, 28, 1581-1589.                                                                                         | 3.2 | 17        |
| 172 | G $\alpha$ i2-mediated protection from ischaemic injury is modulated by endogenous RGS proteins in the mouse heart. <i>Cardiovascular Research</i> , 2011, 91, 45-52.                                                                                 | 3.8 | 17        |
| 173 | The Rho/MRTF pathway inhibitor CCG-222740 reduces stellate cell activation and modulates immune cell populations in KrasG12D; Pdx1-Cre (KC) mice. <i>Scientific Reports</i> , 2019, 9, 7072.                                                          | 3.3 | 17        |
| 174 | Sensitization of human $\alpha$ 1- and $\alpha$ 2-adrenergic venous responses by guanadrel sulfate. <i>Clinical Pharmacology and Therapeutics</i> , 1990, 48, 537-543.                                                                                | 4.7 | 16        |
| 175 | Isoflurane-Induced Changes in Righting Response and Breathing Are Modulated by RGS Proteins. <i>Anesthesia and Analgesia</i> , 2009, 109, 1500-1505.                                                                                                  | 2.2 | 16        |
| 176 | Hi-Fi transmission of periodic signals amid cell-to-cell variability. <i>Molecular BioSystems</i> , 2011, 7, 2238.                                                                                                                                    | 2.9 | 16        |
| 177 | Toll-like Receptor-Induced Inflammatory Cytokines are Suppressed by Gain of Function or Overexpression of G $\alpha$ i2 Protein. <i>Inflammation</i> , 2012, 35, 1611-1617.                                                                           | 3.8 | 16        |
| 178 | Cotransfection of second and third intracellular loop fragments inhibit angiotensin AT1a receptor activation of phospholipase C in HEK-293 cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1998, 285, 216-22.                   | 2.5 | 16        |
| 179 | G $\alpha$ i2 signaling: friend or foe in cardiac injury and heart failure?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2012, 385, 443-453.                                                                                              | 3.0 | 15        |
| 180 | Identification of Protein Kinase C Activation as a Novel Mechanism for RGS2 Protein Upregulation through Phenotypic Screening of Natural Product Extracts. <i>Molecular Pharmacology</i> , 2014, 86, 406-416.                                         | 2.3 | 15        |

| #   | ARTICLE                                                                                                                                                                                                              | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Regulator of G Protein Signaling 6 Protects the Heart from Ischemic Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017, 360, 409-416.                                                       | 2.5 | 15        |
| 182 | How does a key fit a flexible lock? Structure and dynamics in receptor function. <i>BioEssays</i> , 1989, 11, 136-141.                                                                                               | 2.5 | 14        |
| 183 | Selective inactivation of guanine-nucleotide-binding regulatory protein (G-protein) $\alpha$ and $\beta\gamma$ subunits by urea. <i>Biochemical Journal</i> , 2001, 354, 337.                                        | 3.7 | 14        |
| 184 | RGS-Insensitive $G\alpha$ Subunits: Probes of $G\alpha$ Subtype-Selective Signaling and Physiological Functions of RGS Proteins. <i>Methods in Molecular Biology</i> , 2011, 756, 75-98.                             | 0.9 | 14        |
| 185 | The DRY motif and the four corners of the cubic ternary complex model. <i>Cellular Signalling</i> , 2017, 35, 16-23.                                                                                                 | 3.6 | 14        |
| 186 | Mice with GNAO1 R209H Movement Disorder Variant Display Hyperlocomotion Alleviated by Risperidone. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 373, jpet.119.262733.                        | 2.5 | 14        |
| 187 | Temperature effects on $\beta$ -2-adrenergic receptor-Gi interactions. <i>Biochemical Pharmacology</i> , 1988, 37, 2815-2821.                                                                                        | 4.4 | 13        |
| 188 | Specificity of Receptor-G Protein Coupling: Protein Structure and Cellular Determinants. <i>Seminars in Neuroscience</i> , 1998, 9, 189-197.                                                                         | 2.2 | 13        |
| 189 | Regulation of Protease-activated Receptor 1 Signaling by the Adaptor Protein Complex 2 and R4 Subfamily of Regulator of G Protein Signaling Proteins. <i>Journal of Biological Chemistry</i> , 2014, 289, 1580-1591. | 3.4 | 13        |
| 190 | Interplay of cysteine exposure and global protein dynamics in small-molecule recognition by a regulator of G-protein signaling protein. <i>Proteins: Structure, Function and Bioinformatics</i> , 2019, 87, 146-156. | 2.6 | 13        |
| 191 | A threshold level of coupled G-proteins is required to transduce neutrophil responses. <i>Journal of Immunology</i> , 1992, 149, 2172-8.                                                                             | 0.8 | 13        |
| 192 | Subsecond modulation of formyl peptide-linked guanine nucleotide-binding proteins by guanosine 5'-O-(3-thio)triphosphate in permeabilized neutrophils. <i>Molecular Pharmacology</i> , 1993, 43, 734-40.             | 2.3 | 13        |
| 193 | Resonance energy transfer between guanine nucleotide binding protein subunits and membrane lipids. <i>Biochemistry</i> , 1993, 32, 2409-2414.                                                                        | 2.5 | 12        |
| 194 | Human Missense Mutations in Regulator of G Protein Signaling 2 Affect the Protein Function Through Multiple Mechanisms. <i>Molecular Pharmacology</i> , 2017, 92, 451-458.                                           | 2.3 | 12        |
| 195 | Ribozyme- and siRNA-Mediated Suppression of RGS-Containing RhoGEF Proteins. <i>Methods in Enzymology</i> , 2004, 389, 244-265.                                                                                       | 1.0 | 11        |
| 196 | Microfluidic interrogation and mathematical modeling of multi-regime calcium signaling dynamics. <i>Integrative Biology (United Kingdom)</i> , 2013, 5, 932.                                                         | 1.3 | 11        |
| 197 | A Two-Pulse Cellular Stimulation Test Elucidates Variability and Mechanisms in Signaling Pathways. <i>Biophysical Journal</i> , 2019, 116, 962-973.                                                                  | 0.5 | 11        |
| 198 | A central role for R7bp in the regulation of itch sensation. <i>Pain</i> , 2017, 158, 931-944.                                                                                                                       | 4.2 | 11        |

| #   | ARTICLE                                                                                                                                                                                                                              | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Structure-Based Design, Synthesis, and Activity of Peptide Inhibitors of RGS4 GAP Activity. <i>Methods in Enzymology</i> , 2004, 389, 266-277.                                                                                       | 1.0 | 10        |
| 200 | Coupling an receptor peptide to G-protein: A new photolabeling agent. <i>Peptides</i> , 1994, 15, 829-834.                                                                                                                           | 2.4 | 9         |
| 201 | Lack of association of G-protein $\alpha_2$ - and $\beta_2$ -subunit N-terminal fragments provides evidence against the coiled-coil model of subunit- $\alpha_3\beta_3$ assembly. <i>Biochemical Journal</i> , 1995, 309, 377-380.   | 3.7 | 9         |
| 202 | Conditional disruption of interactions between $\alpha_2$ and regulator of G protein signaling (RGS) proteins protects the heart from ischemic injury. <i>BMC Pharmacology &amp; Toxicology</i> , 2014, 15, 29.                      | 2.4 | 9         |
| 203 | And the Winner Is $\alpha_2$ RGS4!. <i>Circulation Research</i> , 2008, 103, 444-446.                                                                                                                                                | 4.5 | 8         |
| 204 | Glossary of terms used in biomolecular screening (IUPAC Recommendations 2011). <i>Pure and Applied Chemistry</i> , 2011, 83, 1129-1158.                                                                                              | 1.9 | 8         |
| 205 | Regulation of G protein signaling by the 70kDa heat shock protein. <i>Cellular Signalling</i> , 2013, 25, 389-396.                                                                                                                   | 3.6 | 8         |
| 206 | An Interhelical Salt Bridge Controls Flexibility and Inhibitor Potency for Regulators of G-protein Signaling Proteins 4, 8, and 19. <i>Molecular Pharmacology</i> , 2019, 96, 683-691.                                               | 2.3 | 8         |
| 207 | Class A Orphans (version 2019.5) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .                                                                                      | 0.2 | 8         |
| 208 | In vitro protein kinase activity measurement by flow cytometry. <i>Analytical Biochemistry</i> , 2008, 383, 180-185.                                                                                                                 | 2.4 | 7         |
| 209 | RGS Proteins and $\alpha_2$ Modulate Sleep, Wakefulness, and Disruption of Sleep/ Wake States after Isoflurane and Sevoflurane Anesthesia. <i>Sleep</i> , 2016, 39, 393-404.                                                         | 1.1 | 7         |
| 210 | Transforming Growth Factor $\alpha_1$ Increases Expression of Contractile Genes in Human Pulmonary Arterial Smooth Muscle Cells by Potentiating Sphingosine-1-Phosphate Signaling. <i>Molecular Pharmacology</i> , 2021, 100, 83-90. | 2.3 | 7         |
| 211 | Class A Orphans (version 2020.5) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2020, 2020, .                                                                                      | 0.2 | 7         |
| 212 | Optimisation of Intestinal Fibrosis and Survival in the MouseS. TyphimuriumModel for Anti-fibrotic Drug Discovery and Preclinical Applications. <i>Journal of Crohn's and Colitis</i> , 2016, 11, jjw210.                            | 1.3 | 6         |
| 213 | Loss-of-Function Mutations in Human Regulator of G Protein Signaling RGS2 Differentially Regulate Pharmacological Reactivity of Resistance Vasculature. <i>Molecular Pharmacology</i> , 2019, 96, 826-834.                           | 2.3 | 6         |
| 214 | Two highly related odorant receptors specifically detect $\alpha$ -bile acid pheromones in sea lamprey ( <i>Petromyzon marinus</i> ). <i>Journal of Biological Chemistry</i> , 2020, 295, 12153-12166.                               | 3.4 | 6         |
| 215 | Inhibition of the Myocardin-Related Transcription Factor Pathway Increases Efficacy of Trametinib in NRAS-Mutant Melanoma Cell Lines. <i>Cancers</i> , 2021, 13, 2012.                                                               | 3.7 | 6         |
| 216 | Convergent olfactory trace amine-associated receptors detect biogenic polyamines with distinct motifs via a conserved binding site. <i>Journal of Biological Chemistry</i> , 2021, 297, 101268.                                      | 3.4 | 6         |

| #   | ARTICLE                                                                                                                                                                              | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 217 | Subcellular distribution of $\beta_2$ -adrenergic receptors, pertussis-toxin substrate and adenylate cyclase in human platelets. <i>Biochemical Journal</i> , 1990, 265, 755-762.    | 3.7 | 5         |
| 218 | Fluorescence-Based Adenylyl Cyclase Assay Adaptable to High Throughput Screening. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2007, 10, 289-298.                  | 1.1 | 5         |
| 219 | Capillary Electrophoresis Assay for G Protein-Coupled Receptor-Mediated GTPase Activity. <i>Analytical Chemistry</i> , 2007, 79, 1158-1163.                                          | 6.5 | 5         |
| 220 | NMR Methods for Detection of Small Molecule Binding to RGS4. <i>Methods in Enzymology</i> , 2013, 522, 133-152.                                                                      | 1.0 | 5         |
| 221 | Ibrutinib Blocks YAP1 Activation and Reverses BRAF Inhibitor Resistance in Melanoma Cells. <i>Molecular Pharmacology</i> , 2022, 101, 1-12.                                          | 2.3 | 5         |
| 222 | Mice with monoallelic <i>GNAO1</i> loss exhibit reduced inhibitory synaptic input to cerebellar Purkinje cells. <i>Journal of Neurophysiology</i> , 2022, 127, 607-622.              | 1.8 | 5         |
| 223 | Modern NMR spectroscopy of proteins and peptides in solution and its relevance to drug design. <i>Journal of Computer - Aided Molecular Design</i> , 1993, 1, 391-417.               | 1.0 | 4         |
| 224 | Expression of novel splice variants of the G protein subunit, $G_{\alpha 12}$ , is tissue-specific and age-dependent in the rat. <i>Gene</i> , 2002, 296, 249-255.                   | 2.2 | 4         |
| 225 | GNAI2 and regulators of G protein signaling as a potential Noonan syndrome mechanism. <i>Medical Hypotheses</i> , 2009, 73, 56-59.                                                   | 1.5 | 4         |
| 226 | Identifying chemopreventive agents for obesity-associated cancers using an efficient, 3D high-throughput transformation assay. <i>Scientific Reports</i> , 2019, 9, 10278.           | 3.3 | 4         |
| 227 | Mice with an RGS-insensitive $G_{\alpha 12}$ protein show growth hormone axis dysfunction. <i>Molecular and Cellular Endocrinology</i> , 2021, 521, 111098.                          | 3.2 | 3         |
| 228 | Class A Orphans in GtoPdb v.2021.3. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2021, 2021, .                                                                                     | 0.2 | 3         |
| 229 | Role of hippocampal 5-HT1A receptors in the antidepressant-like phenotype of mice expressing RGS-insensitive $G_{\alpha 12}$ protein. <i>Neuropharmacology</i> , 2018, 141, 296-304. | 4.1 | 2         |
| 230 | BRAF Inhibitor Resistance Confers Increased Sensitivity to Mitotic Inhibitors. <i>Frontiers in Oncology</i> , 2022, 12, 766794.                                                      | 2.8 | 2         |
| 231 | Targeting regulators of G protein signaling (RGS proteins) to enhance agonist specificity. , 2006, , 93-103.                                                                         |     | 1         |
| 232 | Characterization and mechanistic investigation of CCG-4986, a small molecule RGS4 inhibitor. <i>FASEB Journal</i> , 2007, 21, A431.                                                  | 0.5 | 1         |
| 233 | Development of a Time Resolved FRET High-Throughput Assay to Identify Inhibitors of the RGS4/ $G_{\alpha 12}$ Interaction. <i>FASEB Journal</i> , 2007, 21, A431.                    | 0.5 | 1         |
| 234 | G protein-coupled estrogen receptor (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .                  | 0.2 | 1         |

| #   | ARTICLE                                                                                                                                                                                                                         | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 235 | USING EVOLUTIONARY METHODS TO STUDY G-PROTEIN COUPLED RECEPTORS. , 2001, , .                                                                                                                                                    |     | 1         |
| 236 | Peptide ligands of Regulators of Gâ€Protein Signaling 4 (RGS4) identified by screening of a focused oneâ€bead, oneâ€compound peptide library. FASEB Journal, 2007, 21, A1002.                                                   | 0.5 | 1         |
| 237 | RGS4 negatively modulates Nociceptin/Orphanin FQ opioid receptor signaling: implication for Lâ€Dopaâ€induced dyskinesia.. British Journal of Pharmacology, 2021, , .                                                            | 5.4 | 1         |
| 238 | A Glowing Opportunity to Target YAP in Lung Fibrosis. American Journal of Respiratory Cell and Molecular Biology, 2022, 67, 1-2.                                                                                                | 2.9 | 1         |
| 239 | Cover Image, Volume 87, Issue 2. Proteins: Structure, Function and Bioinformatics, 2019, 87, C1.                                                                                                                                | 2.6 | 0         |
| 240 | G protein-coupled estrogen receptor in GtoPdb v.2021.3. IUPHAR/BPS Guide To Pharmacology CITE, 2021, 2021, .                                                                                                                    | 0.2 | 0         |
| 241 | Biphasic regulation of muâ€opioid signaling to adenylyl cyclase by GTPase accelerating protein (GAP) activity of RGS7. FASEB Journal, 2007, 21, A430.                                                                           | 0.5 | 0         |
| 242 | Î±2A adrenergic receptor mediated antiepileptic effects via GÎ±o proteins. FASEB Journal, 2008, 22, 729.3.                                                                                                                      | 0.5 | 0         |
| 243 | Genetic deletion of Regulators of G protein Signaling (RGS) protein activity enhances buprenorphine antinociception while limiting withdrawal behaviors associated with chronic administration. FASEB Journal, 2008, 22, 907.7. | 0.5 | 0         |
| 244 | Mice lacking RGS protein activity at GÎ±i2 exhibit a 5HT1A receptorâ€mediated antidepressantâ€like phenotype. FASEB Journal, 2008, 22, 907.8.                                                                                   | 0.5 | 0         |
| 245 | High Throughput Screening Using A Polyplexed Flow Cytometry Protein Interaction Assay (FCPIA) for Small Molecule Inhibitors of Regulator of G protein Signaling (RGS) Proteins. FASEB Journal, 2008, 22, 907.2.                 | 0.5 | 0         |
| 246 | Functional Selectivity at Adrenergic Receptors. , 2009, , 107-124.                                                                                                                                                              |     | 0         |
| 247 | RGS7 Protein Suppression of Gao Proteinâ€Mediated Î±2Aâ€Adrenergic Receptor Inhibition of Mouse Hippocampal CA3 Epileptiform Activity. FASEB Journal, 2010, 24, 587.3.                                                          | 0.5 | 0         |
| 248 | Differential effects of Go and Gi2 on seizure threshold. FASEB Journal, 2011, 25, 1010.2.                                                                                                                                       | 0.5 | 0         |
| 249 | Targeting degradation pathways of RGS2 using highâ€throughput siRNA screening. FASEB Journal, 2012, 26, 838.9.                                                                                                                  | 0.5 | 0         |
| 250 | S1P induces CCN1 expression through RhoA/MRTFâ€a activation and protects cardiomyocytes against cell death. FASEB Journal, 2012, 26, 1060.4.                                                                                    | 0.5 | 0         |
| 251 | Generation of GÎ± i2 G184S conditional mutant mice to study regulator of G protein signaling (RGS) proteins. FASEB Journal, 2012, 26, 1114.10.                                                                                  | 0.5 | 0         |
| 252 | RGS 2 and RGS 4 Differentially Modulate G Protein Coupled Receptor Signaling in the Mouse Aorta. FASEB Journal, 2013, 27, 1095.3.                                                                                               | 0.5 | 0         |

| #   | ARTICLE                                                                                                                                                                                                     | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 253 | Dynamic control of Allosteric Inhibitor Specificity for RGS4. FASEB Journal, 2013, 27, 1095.11.                                                                                                             | 0.5 | 0         |
| 254 | Increased Go activity in C57Bl/6J mice enhances sensitivity to a model of epilepsy. FASEB Journal, 2013, 27, 660.1.                                                                                         | 0.5 | 0         |
| 255 | Regulator of G Protein Signaling Protein 6 (RGS6) Protects the Heart from Ischemic Injury. FASEB Journal, 2015, 29, 1026.8.                                                                                 | 0.5 | 0         |
| 256 | RGS4 Differentially Regulates Antidepressant and Locomotor Behaviors In Vivo. FASEB Journal, 2015, 29, 618.11.                                                                                              | 0.5 | 0         |
| 257 | RGS2 Protein Degradation is Mediated by a Novel Cullin 4B/Box 44 E3 Ligase Complex. FASEB Journal, 2015, 29, 618.15.                                                                                        | 0.5 | 0         |
| 258 | Investigating Regulator of G-protein Signaling (RGS) Protein Dynamics by Hydrogen/Deuterium Exchange. FASEB Journal, 2017, 31, 665.8.                                                                       | 0.5 | 0         |
| 259 | Novel antifibrotic target related to RhoA-induced MRTF activation in fibrotic diseases. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, SY84-4.                      | 0.0 | 0         |
| 260 | Loss of function RGS2 mutations augment vascular contractility ex vivo. FASEB Journal, 2018, 32, 699.2.                                                                                                     | 0.5 | 0         |
| 261 | Role of Protein Dynamics in Selectivity of Thiadiazolidinone Inhibition of RGS Proteins. FASEB Journal, 2018, 32, 557.9.                                                                                    | 0.5 | 0         |
| 262 | A Salt Bridge between $\alpha 4$ and $\alpha 5$ Helices Drives Differences in Flexibility and Potency of Inhibition among Regulator of G-protein Signaling (RGS) Proteins. FASEB Journal, 2019, 33, 784.16. | 0.5 | 0         |
| 263 | Mice with Gnao1 G203R Gain-of-Function (GOF) Mutation Phenocopy Combined Movement Disorder and Seizures of Patients. FASEB Journal, 2019, 33, 667.4.                                                        | 0.5 | 0         |
| 264 | Class A Orphans (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. IUPHAR/BPS Guide To Pharmacology CITE, 2019, 2019, .                                                                     | 0.2 | 0         |
| 265 | Mice With Monoallelic <i>GNAO1</i> Loss Exhibit Reduced Inhibitory Synaptic Input to Cerebellar Purkinje Cells. FASEB Journal, 2022, 36, .                                                                  | 0.5 | 0         |