Dietrich Ernst

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7421525/publications.pdf

Version: 2024-02-01

159585 155660 3,124 68 30 55 citations h-index g-index papers 68 68 68 3592 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Ragweed plants grown under elevated CO ₂ levels produce pollen which elicit stronger allergic lung inflammation. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1718-1730.	5.7	35
2	Pollen of common ragweed (Ambrosia artemisiifolia L.): Illumina-based de novo sequencing and differential transcript expression upon elevated NO2/O3. Environmental Pollution, 2017, 224, 503-514.	7.5	31
3	Pollen-Associated Microbiome Correlates with Pollution Parameters and the Allergenicity of Pollen. PLoS ONE, 2016, 11, e0149545.	2.5	70
4	Effects of NO2 and Ozone on Pollen Allergenicity. Frontiers in Plant Science, 2016, 7, 91.	3.6	44
5	Common ragweed (<i>Ambrosia artemisiifolia</i> L.): allergenicity and molecular characterization of pollen after plant exposure to elevated NO ₂ . Plant, Cell and Environment, 2016, 39, 147-164.	5.7	88
6	Pollen and <scp>UV</scp> â€B radiation strongly affect the inflammasome response in human primary keratinocytes. Experimental Dermatology, 2016, 25, 991-993.	2.9	9
7	Heteroplasmy and atrazine resistance in <i>Chenopodium album</i> and <i>Senecio vulgaris</i> Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2016, 71, 267-272.	1.4	1
8	Large-Scale Phenomics Identifies Primary and Fine-Tuning Roles for CRKs in Responses Related to Oxidative Stress. PLoS Genetics, 2015, 11, e1005373.	3.5	167
9	Ragweed (Ambrosia artemisiifolia) pollen allergenicity: SuperSAGE transcriptomic analysis upon elevated CO2 and drought stress. BMC Plant Biology, 2014, 14, 176.	3.6	80
10	Effects of glyphosate on the bacterial community associated with roots of transgenic Roundup Ready® soybean. European Journal of Soil Biology, 2014, 63, 41-48.	3.2	37
11	Large-scale protein analysis of European beech trees following four vegetation periods of twice ambient ozone exposure. Journal of Proteomics, 2014, 109, 417-435.	2.4	8
12	Integrated Studies on Abiotic Stress Defence in Trees. Developments in Environmental Science, 2013, , 289-307.	0.5	4
13	Molecular and Immunological Characterization of Ragweed (Ambrosia artemisiifolia L.) Pollen after Exposure of the Plants to Elevated Ozone over a Whole Growing Season. PLoS ONE, 2013, 8, e61518.	2.5	58
14	Experimental â€~omics' data in tree research: facing complexity. Trees - Structure and Function, 2012, 26, 1723-1735.	1.9	15
15	Gene expression analysis in the green macroalga <i>Acrosiphonia arcta</i> (Dillw.) J. Ag.: Method optimization and influence of ultraviolet radiation. Phycological Research, 2012, 60, 151-160.	1.6	3
16	Ethylenediurea (EDU): A research tool for assessment and verification of the effects of ground level ozone on plants under natural conditions. Environmental Pollution, 2011, 159, 3283-3293.	7.5	101
17	Effects of high levels of CO2 on gene expression in two different genotypes of Fagus sylvatica. BMC Proceedings, 2011, 5, .	1.6	0
18	PAR modulation of the UV-dependent levels of flavonoid metabolites in Arabidopsis thaliana (L.) Heynh. leaf rosettes: cumulative effects after a whole vegetative growth period. Protoplasma, 2010, 243, 95-103.	2.1	59

#	Article	IF	CITATIONS
19	Comparison of two ecotypes of the metal hyperaccumulator Thlaspi caerulescens (J. & Lamp; C. PRESL) at the transcriptional level. Protoplasma, 2010, 239, 81-93.	2.1	20
20	Transcriptional signatures in leaves of adult European beech trees (Fagus sylvatica L.) in an experimentally enhanced free air ozone setting. Environmental Pollution, 2010, 158, 977-982.	7.5	14
21	Ozone fumigation (twice ambient) reduces leaf infestation following natural and artificial inoculation by the endophytic fungus Apiognomonia errabunda of adult European beech trees. Environmental Pollution, 2010, 158, 1043-1050.	7.5	22
22	Ozone affects shikimate pathway transcripts and monomeric lignin composition in European beech (Fagus sylvatica L.). European Journal of Forest Research, 2009, 128, 109-116.	2.5	33
23	Ozone affects shikimate pathway genes and secondary metabolites in saplings of European beech (Fagus sylvatica L.) grown under greenhouse conditions. Trees - Structure and Function, 2009, 23, 539-553.	1.9	31
24	Transcript responses in leaves of ozone-treated beech saplings seasons at an outdoor free air model fumigation site over two growing seasons. Plant and Soil, 2009, 323, 61-74.	3.7	26
25	Phytoreduction and volatilization of mercury by ascorbate in Arabidopsis thaliana, European beech and Norway spruce. Applied Geochemistry, 2008, 23, 494-502.	3.0	16
26	Quantification of mRNAs and Housekeeping Gene Selection for Quantitative Real-Time RT-PCR Normalization in European Beech (Fagus sylvatica L.) during Abiotic and Biotic Stress. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2008, 63, 574-582.	1.4	17
27	Molecular Investigations of the Soil, Rhizosphere and Transgenic Glufosinate-Resistant Rape and Maize Plants in Combination with Herbicide (Basta [®]) Application under Field Conditions. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2008, 63, 864-872.	1.4	8
28	Transcriptional profiling of summer wheat, grown under different realistic UV-B irradiation regimes. Journal of Plant Physiology, 2007, 164, 913-922.	3 . 5	18
29	Identification of a new member of the WRKY family in tobacco. Involved in ozone-induced gene regulation?. Acta Physiologiae Plantarum, 2006, 28, 117-125.	2.1	6
30	Transcription Profiling of the Metal-hyperaccumulator Thlaspi caerulescens (J. & C. PRESL). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2005, 60, 216-223.	1.4	15
31	Caesiumâ€affected gene expression in Arabidopsis thaliana. New Phytologist, 2005, 165, 747-754.	7.3	58
32	Ascorbate promotes emission of mercury vapour from plants. Plant, Cell and Environment, 2005, 28, 1487-1495.	5.7	27
33	Lowâ€level radiocaesium exposure alters gene expression in roots of Arabidopsis. New Phytologist, 2005, 168, 141-148.	7.3	47
34	Crosstalk and differential response to abiotic and biotic stressors reflected at the transcriptional level of effector genes from secondary metabolism. Plant Molecular Biology, 2004, 54, 817-835.	3.9	111
35	cis Elements and Transcription Factors Regulating Gene Promoters in Response to Environmental Stress. Ecological Studies, 2004, , 151-176.	1.2	4
36	Ozone-induced gene expression occurs via ethylene-dependent and -independent signalling. Plant Molecular Biology, 2003, 51, 599-607.	3.9	38

3

#	Article	IF	CITATIONS
37	A novel method for in vitro culture of plants: Cultivation of barley in a floating hydroponic system. Plant Molecular Biology Reporter, 2003, 21, 405-409.	1.8	16
38	Nitric oxide burst and nitric oxide-dependent gene induction in plants. Plant Physiology and Biochemistry, 2002, 40, 625-631.	5.8	40
39	Ethylene- and ozone-induced regulation of a grapevine resveratrol synthase gene: different responsive promoter regions. Plant Physiology and Biochemistry, 2002, 40, 865-870.	5.8	24
40	Tropospheric Ozone. Tree Physiology, 2002, , 307-324.	2.5	0
41	Early changes in mRNA populations in leaves of ultraviolet-B-treated European beech (Fagus sylvatica) Tj ETQq1 1	0,784314 2.1	rgBT /Over
42	Ozone and UV-B Responses of Trees and the Question of Forest Sustainability. Tree Physiology, 2001, , 157-166.	2.5	2
43	[47] Ozone effects on plant defense. Methods in Enzymology, 2000, 319, 520-535.	1.0	18
44	Molecular cloning and functional expression of a stress-induced multifunctional O-methyltransferase with pinosylvin methyltransferase activity from Scots pine (Pinus sylvestris L.). Plant Molecular Biology, 2000, 44, 733-745.	3.9	72
45	A simple and efficient protocol for isolation of functional RNA from plant tissues rich in secondary metabolites. Plant Molecular Biology Reporter, 2000, 18, 33-39.	1.8	158
46	Gene Induction of Stilbene Biosynthesis in Scots Pine in Response to Ozone Treatment, Wounding, and Fungal Infection. Plant Physiology, 2000, 124, 865-872.	4.8	84
47	Cloning and characterization of two members of the chalcone synthase gene family from walnut. Plant Physiology and Biochemistry, 1999, 37, 721-730.	5.8	21
48	Mercuric-lon-Induced Gene Expression in Arabidopsis thaliana. International Journal of Phytoremediation, $1999,1,153-167.$	3.1	11
49	Induction of stilbene synthase and cinnamyl alcohol dehydrogenase mRNAs in Scots pine (Pinus) Tj ETQq1 1 0.78	4314 rgBT 3.2	 Overlock 41
50	The cinnamyl alcohol dehydrogenase gene structure in Picea abies (L.) Karst.: genomic sequences, Southern hybridization, genetic analysis and phylogenetic relationships. Trees - Structure and Function, 1998, 12, 453-463.	1.9	8
51	Ozone: An abiotic elicitor of plant defence reactions. Trends in Plant Science, 1998, 3, 47-50.	8.8	328
52	The cinnamyl alcohol dehydrogenase gene structure in. Trees - Structure and Function, 1998, 12, 453.	1.9	8
53	Molecular cloning of ozone-inducible protein from Pinus sylvestris L. with high sequence similarity to vertebrate 3-hydroxy-3-methylglutaryl-CoA-synthase. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1997, 1350, 247-252.	2.4	36
54	Differential transcript induction of parsley pathogenesis-related proteins and of a small heat shock protein by ozone and heat shock. Plant Molecular Biology, 1997, 33, 343-350.	3.9	64

#	Article	IF	CITATIONS
55	An ozone-responsive region of the grapevine resveratrol synthase promoter differs from the basal pathogen-responsive sequence. Plant Molecular Biology, 1997, 34, 417-426.	3.9	121
56	Chalcone synthase activity and polyphenolic compounds of shoot tissues from adult and rejuvenated walnut trees. Planta, 1997, 203, 275-282.	3.2	20
57	Ozone- and ethylene-induced regulation of a grapevine resveratrol synthase promoter in transgenic tobacco. Acta Physiologiae Plantarum, 1997, 19, 467-474.	2.1	19
58	Ozone induction of ethylene emission in tomato plants: regulation by differential accumulation of transcripts for the biosynthetic enzymes. Plant Journal, 1997, 12, 1151-1162.	5.7	133
59	ß-1,3-Glucanase mRNA is Locally, but not Systemically Induced in Nicotiana Tabacum L. cv. BEL W3 after Ozone Fumigation. Journal of Plant Physiology, 1996, 148, 215-221.	3.5	19
60	Tissue localization of u.v.â∈Bâ∈screening pigments and of chalcone synthase mRNA in needles of Scots pine seedlings. New Phytologist, 1996, 132, 247-258.	7.3	180
61	Induction of pathogen defence genes in parsley (Petroselinum crispum L.) plants by ozone. Proceedings of the Royal Society of Edinburgh Section B Biological Sciences, 1994, 102, 63-74.	0.2	1
62	Oxidative stress and plant secondary metabolism: 6″-O-malonylapiin in parsley. Phytochemistry, 1993, 34, 687-691.	2.9	35
63	Molecular cloning, sequence analysis and elicitor-/ozone-induced accumulation of cinnamyl alcohol dehydrogenase from Norway spruce (Picea abies L.). Plant Molecular Biology, 1993, 23, 145-156.	3.9	80
64	Biochemical Plant Responses to Ozone. Plant Physiology, 1992, 99, 1321-1328.	4.8	156
65	Isolation of functional RNA from plant tissues rich in phenolic compounds. Analytical Biochemistry, 1991, 197, 91-95.	2.4	74
66	Changes of cytokinin nucleotides in an anise cell culture (Pimpinella anisum L.) during growth and embryogenesis. Plant Cell Reports, 1985, 4, 140-143.	5.6	13
67	Effect of exogenous cytokinins on growth and somatic embryogenesis in anise cells (Pimpinella) Tj ETQq $1\ 1\ 0.78$	4314 rgBT 3.2	 Oyerlock
68	Ambrosia artemisiifolia: Ein "neues" Kraut mit hohem allergenen Potenzial. , 0, , .		0