Melissa L Pilewskie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7424239/publications.pdf

Version: 2024-02-01

57 1,888 24 42
papers citations h-index g-index

58 58 58 2169
all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | How Often Does Neoadjuvant Chemotherapy Avoid Axillary Dissection in Patients With Histologically Confirmed Nodal Metastases? Results of a Prospective Study. Annals of Surgical Oncology, 2016, 23, 3467-3474. | 1.5 | 232 |
| 2 | Axillary Nodal Management Following Neoadjuvant Chemotherapy. JAMA Oncology, 2017, 3, 549. | 7.1 | 174 |
| 3 | Lobular Carcinoma in Situ: A 29-Year Longitudinal Experience Evaluating Clinicopathologic Features and Breast Cancer Risk. Journal of Clinical Oncology, 2015, 33, 3945-3952. | 1.6 | 153 |
| 4 | Skin Flap Necrosis After Mastectomy With Reconstruction: A Prospective Study. Annals of Surgical Oncology, 2016, 23, 257-264. | 1.5 | 121 |
| 5 | Margins in breast cancer: How much is enough?. Cancer, 2018, 124, 1335-1341. | 4.1 | 88 |
| 6 | Does a Positive Axillary Lymph Node Needle Biopsy Result Predict the Need for an Axillary Lymph Node Dissection in Clinically Node-Negative Breast Cancer Patients in the ACOSOG Z0011 Era?. Annals of Surgical Oncology, 2016, 23, 1123-1128. | 1.5 | 82 |
| 7 | MRI and Prediction of Pathologic Complete Response in the Breast and Axilla after Neoadjuvant Chemotherapy for Breast Cancer. Journal of the American College of Surgeons, 2017, 225, 740-746. | 0.5 | 77 |
| 8 | Is Preoperative Axillary Imaging Beneficial in Identifying Clinically Node-Negative Patients Requiring Axillary Lymph Node Dissection?. Journal of the American College of Surgeons, 2016, 222, 138-145. | 0.5 | 68 |
| 9 | Do LORIS Trial Eligibility Criteria Identify a Ductal Carcinoma In Situ Patient Population at Low Risk of Upgrade to Invasive Carcinoma?. Annals of Surgical Oncology, 2016, 23, 3487-3493. | 1.5 | 66 |
| 10 | Nodal Recurrence in Patients With Node-Positive Breast Cancer Treated With Sentinel Node Biopsy Alone After Neoadjuvant Chemotherapy—A Rare Event. JAMA Oncology, 2021, 7, 1851. | 7.1 | 61 |
| 11 | Perioperative Breast MRI Is Not Associated with Lower Locoregional Recurrence Rates in DCIS Patients Treated With or Without Radiation. Annals of Surgical Oncology, 2014, 21, 1552-1560. | 1.5 | 50 |
| 12 | Standard Pathologic Features Can Be Used to Identify a Subset of Estrogen Receptor-Positive, HER2 Negative Patients Likely to Benefit from Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2017, 24, 2556-2562. | 1.5 | 45 |
| 13 | Women with Low-Risk DCIS Eligible for the LORIS Trial After Complete Surgical Excision: How Low Is Their Risk After Standard Therapy?. Annals of Surgical Oncology, 2016, 23, 4253-4261. | 1.5 | 40 |
| 14 | The Optimal Treatment Plan to Avoid Axillary Lymph Node Dissection in Early-Stage Breast Cancer Patients Differs by Surgical Strategy and Tumor Subtype. Annals of Surgical Oncology, 2017, 24, 3527-3533. | 1.5 | 40 |
| 15 | Effect of Margin Width on Local Recurrence in Triple-Negative Breast Cancer Patients Treated with Breast-Conserving Therapy. Annals of Surgical Oncology, 2014, 21, 1209-1214. | 1.5 | 39 |
| 16 | Evaluation of Local and Distant Recurrence Patterns in Patients with Triple-Negative Breast Cancer According to Age. Annals of Surgical Oncology, 2017, 24, 698-704. | 1.5 | 39 |
| 17 | Delay in radiotherapy is associated with an increased risk of disease recurrence in women with ductal carcinoma in situ. Cancer, 2018, 124, 46-54. | 4.1 | 37 |
| 18 | Chemoprevention Uptake for Breast Cancer Risk Reduction Varies by Risk Factor. Annals of Surgical Oncology, 2019, 26, 2127-2135. | 1.5 | 37 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Magnetic resonance imaging in patients with newly diagnosed breast cancer: A review of the literature. Cancer, 2014, 120, 2080-2089. | 4.1 | 35 |
| 20 | Insulin resistance contributes to racial disparities in breast cancer prognosis in US women. Breast Cancer Research, 2020, 22, 40. | 5.0 | 33 |
| 21 | How Effective is Neoadjuvant Endocrine Therapy (NET) in Downstaging the Axilla and Achieving Breast-Conserving Surgery?. Annals of Surgical Oncology, 2020, 27, 4702-4710. | 1.5 | 31 |
| 22 | The Tyrer–Cuzick Model Inaccurately Predicts Invasive Breast Cancer Risk in Women With LCIS. Annals of Surgical Oncology, 2020, 27, 736-740. | 1.5 | 29 |
| 23 | The Incidence of Adjacent Synchronous Invasive Carcinoma and/or Ductal Carcinoma In Situ in Patients with Intraductal Papilloma without Atypia on Core Biopsy: Results from a Prospective Multi-Institutional Registry (TBCRC 034). Annals of Surgical Oncology, 2021, 28, 2573-2578. | 1.5 | 27 |
| 24 | Age and Receptor Status Do Not Indicate the Need for Axillary Dissection in Patients with Sentinel Lymph Node Metastases. Annals of Surgical Oncology, 2016, 23, 3481-3486. | 1.5 | 25 |
| 25 | Neoadjuvant Endocrine Therapy in Clinical Practice. JAMA Oncology, 2021, 7, 1700. | 7.1 | 23 |
| 26 | Differences Among a Modern Cohort of BRCA Mutation Carriers Choosing Bilateral Prophylactic Mastectomies Compared to Breast Surveillance. Annals of Surgical Oncology, 2017, 24, 3048-3054. | 1.5 | 22 |
| 27 | Impact of Body Mass Index on Clinical Axillary Nodal Assessment in Breast Cancer Patients. Annals of Surgical Oncology, 2016, 23, 3324-3329. | 1.5 | 21 |
| 28 | National trends in contralateral prophylactic mastectomy in women with locally advanced breast cancer. Journal of Surgical Oncology, 2019, 119, 79-87. | 1.7 | 20 |
| 29 | Microscopic Extracapsular Extension in Sentinel Lymph Nodes Does Not Mandate Axillary Dissection in Z0011-Eligible Patients. Annals of Surgical Oncology, 2020, 27, 1617-1624. | 1.5 | 20 |
| 30 | Contrast-Enhanced Mammography for Screening Women after Breast Conserving Surgery. Cancers, 2020, 12, 3495. | 3.7 | 16 |
| 31 | Local Transdermal Delivery of Telapristone Acetate Through Breast Skin, Compared With Oral Treatment: A Randomized Doubleâ€Blind, Placeboâ€Controlled Phase II Trial. Clinical Pharmacology and Therapeutics, 2021, 109, 728-738. | 4.7 | 15 |
| 32 | Is Sentinel Lymph Node Biopsy Indicated at Completion Mastectomy for Ductal Carcinoma In Situ?. Annals of Surgical Oncology, 2016, 23, 2229-2234. | 1.5 | 14 |
| 33 | Applications for Breast Magnetic Resonance Imaging. Surgical Oncology Clinics of North America, 2014, 23, 431-449. | 1.5 | 13 |
| 34 | Age and molecular subtypes: Impact on surgical decisions. Journal of Surgical Oncology, 2014, 110, 8-14. | 1.7 | 13 |
| 35 | Differences between screen-detected and interval breast cancers among BRCA mutation carriers. Breast Cancer Research and Treatment, 2019, 175, 141-148. | 2.5 | 10 |
| 36 | Do Body Mass Index and Breast Density Impact Cancer Risk Among Women with Lobular Carcinoma In Situ?. Annals of Surgical Oncology, 2020, 27, 1844-1851. | 1.5 | 10 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Comparison of Outcomes for Classic-Type Lobular Carcinoma In Situ Managed with Surgical Excision After Core Biopsy Versus Observation. Annals of Surgical Oncology, 2022, 29, 1670-1679. | 1.5 | 9 |
| 38 | Comparison of Outcomes Between BRCA Pathogenic Variant Carriers Undergoing Breast-Conserving Surgery Versus Mastectomy. Annals of Surgical Oncology, 2022, 29, 4706-4713. | 1.5 | 9 |
| 39 | Optimal surgical management for high-risk populations. Breast, 2015, 24, S91-S95. | 2.2 | 7 |
| 40 | Axillary Downstaging in Occult Primary Breast Cancer After Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2021, 28, 968-974. | 1.5 | 7 |
| 41 | Risk of Contralateral Breast Cancer in Women with Ductal Carcinoma In Situ Associated with Synchronous Ipsilateral Lobular Carcinoma In Situ. Annals of Surgical Oncology, 2019, 26, 4317-4325. | 1.5 | 6 |
| 42 | To Look or Not to Look? Axillary Imaging: Less May Be More. Journal of Breast Imaging, 2021, 3, 666-671. | 1.3 | 5 |
| 43 | Breast Cancer in the Elderly: Is MRI Helpful?. Breast Journal, 2015, 21, 651-657. | 1.0 | 4 |
| 44 | Reply to "Implications of abnormal preoperative axillary imaging in the post Z011 era― Gland Surgery, 2016, 5, 453-454. | 1.1 | 3 |
| 45 | Impact of self-reported data on the acquisition of multi-generational family history and lifestyle factors among women seen in a high-risk breast screening program: a focus on modifiable risk factors and genetic referral. Breast Cancer Research and Treatment, 2017, 162, 275-282. | 2.5 | 3 |
| 46 | Association of Insulin Resistance and Higher Oncotype DXâ,,¢ Recurrence Score. Annals of Surgical Oncology, 2021, 28, 5941-5947. | 1.5 | 3 |
| 47 | Confusion Over Differences in Registration and Randomization Criteria for the LORIS (Low-Risk DCIS) Trial: A Reply. Annals of Surgical Oncology, 2017, 24, 568-569. | 1.5 | 2 |
| 48 | Accuracy of the Breast Cancer Surveillance Consortium Model Among Women with LCIS. Breast Cancer Research and Treatment, 2022, 194, 257-264. | 2.5 | 2 |
| 49 | ASO Author Reflections: Avoiding an Axillary Lymph Node Dissection: The Benefit of Neoadjuvant Chemotherapy for Occult Primary Breast Cancer. Annals of Surgical Oncology, 2020, 27, 865-866. | 1.5 | 1 |
| 50 | ASO Author Reflections: Conceptualizing Risk in Women with Lobular Carcinoma In Situ. Annals of Surgical Oncology, 2020, 27, 1852-1853. | 1.5 | 1 |
| 51 | The Effect of Margin Width on Local Recurrence of Triple Negative Breast Cancer. Current Breast Cancer Reports, 2014, 6, 32-37. | 1.0 | 0 |
| 52 | ASO Author Reflections: Variation in the Use of Chemoprevention According to Breast Cancer Risk Factor. Annals of Surgical Oncology, 2019, 26, 616-616. | 1.5 | 0 |
| 53 | ASO Author Reflections: Breast Cancer Risk Assessment in Women with LCIS—More Work Is Needed. Annals of Surgical Oncology, 2020, 27, 741-742. | 1.5 | 0 |
| 54 | ASO Author Reflections: Nodal Downstaging and Conversion to Breast-Conserving Surgery Following Neoadjuvant Endocrine Therapy. Annals of Surgical Oncology, 2020, 27, 693-694. | 1.5 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | ASO Author Reflections: Observation After a Core Biopsy Diagnosis of Classic-Type LCIS Is a Safe Standard of Practice. Annals of Surgical Oncology, 2022, 29, 1680-1681. | 1.5 | O |
| 56 | ASO Visual Abstract: Comparison of Outcomes for Classic-Type Lobular Carcinoma In Situ Managed with Surgical Excision After Core Biopsy Versus Observation. Annals of Surgical Oncology, 2022, 29, 1682-1682. | 1.5 | 0 |
| 57 | Synchronous and metachronous bilateral breast cancer among women with a history of lobular carcinoma in situ. Breast Cancer Research and Treatment, 2022, , . | 2.5 | O |