Melissa L Pilewskie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7424239/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	ASO Author Reflections: Observation After a Core Biopsy Diagnosis of Classic-Type LCIS Is a Safe Standard of Practice. Annals of Surgical Oncology, 2022, 29, 1680-1681.	1.5	Ο
2	Comparison of Outcomes for Classic-Type Lobular Carcinoma In Situ Managed with Surgical Excision After Core Biopsy Versus Observation. Annals of Surgical Oncology, 2022, 29, 1670-1679.	1.5	9
3	ASO Visual Abstract: Comparison of Outcomes for Classic-Type Lobular Carcinoma In Situ Managed with Surgical Excision After Core Biopsy Versus Observation. Annals of Surgical Oncology, 2022, 29, 1682-1682.	1.5	0
4	Synchronous and metachronous bilateral breast cancer among women with a history of lobular carcinoma in situ. Breast Cancer Research and Treatment, 2022, , .	2.5	0
5	Comparison of Outcomes Between BRCA Pathogenic Variant Carriers Undergoing Breast-Conserving Surgery Versus Mastectomy. Annals of Surgical Oncology, 2022, 29, 4706-4713.	1.5	9
6	Accuracy of the Breast Cancer Surveillance Consortium Model Among Women with LCIS. Breast Cancer Research and Treatment, 2022, 194, 257-264.	2.5	2
7	Local Transdermal Delivery of Telapristone Acetate Through Breast Skin, Compared With Oral Treatment: A Randomized Doubleâ€Blind, Placebo ontrolled Phase II Trial. Clinical Pharmacology and Therapeutics, 2021, 109, 728-738.	4.7	15
8	The Incidence of Adjacent Synchronous Invasive Carcinoma and/or Ductal Carcinoma In Situ in Patients with Intraductal Papilloma without Atypia on Core Biopsy: Results from a Prospective Multi-Institutional Registry (TBCRC 034). Annals of Surgical Oncology, 2021, 28, 2573-2578.	1.5	27
9	Axillary Downstaging in Occult Primary Breast Cancer After Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2021, 28, 968-974.	1.5	7
10	Association of Insulin Resistance and Higher Oncotype DXâ"¢ Recurrence Score. Annals of Surgical Oncology, 2021, 28, 5941-5947.	1.5	3
11	Neoadjuvant Endocrine Therapy in Clinical Practice. JAMA Oncology, 2021, 7, 1700.	7.1	23
12	To Look or Not to Look? Axillary Imaging: Less May Be More. Journal of Breast Imaging, 2021, 3, 666-671.	1.3	5
13	Nodal Recurrence in Patients With Node-Positive Breast Cancer Treated With Sentinel Node Biopsy Alone After Neoadjuvant Chemotherapy—A Rare Event. JAMA Oncology, 2021, 7, 1851.	7.1	61
14	The Tyrer–Cuzick Model Inaccurately Predicts Invasive Breast Cancer Risk in Women With LCIS. Annals of Surgical Oncology, 2020, 27, 736-740.	1.5	29
15	Do Body Mass Index and Breast Density Impact Cancer Risk Among Women with Lobular Carcinoma In Situ?. Annals of Surgical Oncology, 2020, 27, 1844-1851.	1.5	10
16	Microscopic Extracapsular Extension in Sentinel Lymph Nodes Does Not Mandate Axillary Dissection in Z0011-Eligible Patients. Annals of Surgical Oncology, 2020, 27, 1617-1624.	1.5	20
17	ASO Author Reflections: Breast Cancer Risk Assessment in Women with LCIS—More Work Is Needed. Annals of Surgical Oncology, 2020, 27, 741-742.	1.5	0
18	Contrast-Enhanced Mammography for Screening Women after Breast Conserving Surgery. Cancers, 2020, 12, 3495.	3.7	16

MELISSA L PILEWSKIE

#	Article	IF	CITATIONS
19	ASO Author Reflections: Avoiding an Axillary Lymph Node Dissection: The Benefit of Neoadjuvant Chemotherapy for Occult Primary Breast Cancer. Annals of Surgical Oncology, 2020, 27, 865-866.	1.5	1
20	How Effective is Neoadjuvant Endocrine Therapy (NET) in Downstaging the Axilla and Achieving Breast-Conserving Surgery?. Annals of Surgical Oncology, 2020, 27, 4702-4710.	1.5	31
21	ASO Author Reflections: Nodal Downstaging and Conversion to Breast-Conserving Surgery Following Neoadjuvant Endocrine Therapy. Annals of Surgical Oncology, 2020, 27, 693-694.	1.5	Ο
22	Insulin resistance contributes to racial disparities in breast cancer prognosis in US women. Breast Cancer Research, 2020, 22, 40.	5.0	33
23	ASO Author Reflections: Conceptualizing Risk in Women with Lobular Carcinoma In Situ. Annals of Surgical Oncology, 2020, 27, 1852-1853.	1.5	1
24	Risk of Contralateral Breast Cancer in Women with Ductal Carcinoma In Situ Associated with Synchronous Ipsilateral Lobular Carcinoma In Situ. Annals of Surgical Oncology, 2019, 26, 4317-4325.	1,5	6
25	Differences between screen-detected and interval breast cancers among BRCA mutation carriers. Breast Cancer Research and Treatment, 2019, 175, 141-148.	2.5	10
26	ASO Author Reflections: Variation in the Use of Chemoprevention According to Breast Cancer Risk Factor. Annals of Surgical Oncology, 2019, 26, 616-616.	1.5	0
27	Chemoprevention Uptake for Breast Cancer Risk Reduction Varies by Risk Factor. Annals of Surgical Oncology, 2019, 26, 2127-2135.	1.5	37
28	National trends in contralateral prophylactic mastectomy in women with locally advanced breast cancer. Journal of Surgical Oncology, 2019, 119, 79-87.	1.7	20
29	Margins in breast cancer: How much is enough?. Cancer, 2018, 124, 1335-1341.	4.1	88
30	Delay in radiotherapy is associated with an increased risk of disease recurrence in women with ductal carcinoma in situ. Cancer, 2018, 124, 46-54.	4.1	37
31	Impact of self-reported data on the acquisition of multi-generational family history and lifestyle factors among women seen in a high-risk breast screening program: a focus on modifiable risk factors and genetic referral. Breast Cancer Research and Treatment, 2017, 162, 275-282.	2.5	3
32	Axillary Nodal Management Following Neoadjuvant Chemotherapy. JAMA Oncology, 2017, 3, 549.	7.1	174
33	Standard Pathologic Features Can Be Used to Identify a Subset of Estrogen Receptor-Positive, HER2 Negative Patients Likely to Benefit from Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2017, 24, 2556-2562.	1.5	45
34	MRI and Prediction of Pathologic Complete Response in the Breast and Axilla after Neoadjuvant Chemotherapy for Breast Cancer. Journal of the American College of Surgeons, 2017, 225, 740-746.	0.5	77
35	Differences Among a Modern Cohort of BRCA Mutation Carriers Choosing Bilateral Prophylactic Mastectomies Compared to Breast Surveillance. Annals of Surgical Oncology, 2017, 24, 3048-3054.	1.5	22
36	The Optimal Treatment Plan to Avoid Axillary Lymph Node Dissection in Early-Stage Breast Cancer Patients Differs by Surgical Strategy and Tumor Subtype. Annals of Surgical Oncology, 2017, 24, 3527-3533.	1.5	40

MELISSA L PILEWSKIE

#	Article	IF	CITATIONS
37	Confusion Over Differences in Registration and Randomization Criteria for the LORIS (Low-Risk DCIS) Trial: A Reply. Annals of Surgical Oncology, 2017, 24, 568-569.	1.5	2
38	Evaluation of Local and Distant Recurrence Patterns in Patients with Triple-Negative Breast Cancer According to Age. Annals of Surgical Oncology, 2017, 24, 698-704.	1.5	39
39	Reply to "Implications of abnormal preoperative axillary imaging in the post Z011 era― Gland Surgery, 2016, 5, 453-454.	1.1	3
40	ls Sentinel Lymph Node Biopsy Indicated at Completion Mastectomy for Ductal Carcinoma In Situ?. Annals of Surgical Oncology, 2016, 23, 2229-2234.	1.5	14
41	How Often Does Neoadjuvant Chemotherapy Avoid Axillary Dissection in Patients With Histologically Confirmed Nodal Metastases? Results of a Prospective Study. Annals of Surgical Oncology, 2016, 23, 3467-3474.	1.5	232
42	Age and Receptor Status Do Not Indicate the Need for Axillary Dissection in Patients with Sentinel Lymph Node Metastases. Annals of Surgical Oncology, 2016, 23, 3481-3486.	1.5	25
43	Do LORIS Trial Eligibility Criteria Identify a Ductal Carcinoma In Situ Patient Population at Low Risk of Upgrade to Invasive Carcinoma?. Annals of Surgical Oncology, 2016, 23, 3487-3493.	1.5	66
44	Women with Low-Risk DCIS Eligible for the LORIS Trial After Complete Surgical Excision: How Low Is Their Risk After Standard Therapy?. Annals of Surgical Oncology, 2016, 23, 4253-4261.	1.5	40
45	Impact of Body Mass Index on Clinical Axillary Nodal Assessment in Breast Cancer Patients. Annals of Surgical Oncology, 2016, 23, 3324-3329.	1.5	21
46	ls Preoperative Axillary Imaging Beneficial in Identifying Clinically Node-Negative Patients Requiring Axillary Lymph Node Dissection?. Journal of the American College of Surgeons, 2016, 222, 138-145.	0.5	68
47	Does a Positive Axillary Lymph Node Needle Biopsy Result Predict the Need for an Axillary Lymph Node Dissection in Clinically Node-Negative Breast Cancer Patients in the ACOSOG Z0011 Era?. Annals of Surgical Oncology, 2016, 23, 1123-1128.	1.5	82
48	Skin Flap Necrosis After Mastectomy With Reconstruction: A Prospective Study. Annals of Surgical Oncology, 2016, 23, 257-264.	1.5	121
49	Breast Cancer in the Elderly: Is MRI Helpful?. Breast Journal, 2015, 21, 651-657.	1.0	4
50	Optimal surgical management for high-risk populations. Breast, 2015, 24, S91-S95.	2.2	7
51	Lobular Carcinoma in Situ: A 29-Year Longitudinal Experience Evaluating Clinicopathologic Features and Breast Cancer Risk. Journal of Clinical Oncology, 2015, 33, 3945-3952.	1.6	153
52	Magnetic resonance imaging in patients with newly diagnosed breast cancer: A review of the literature. Cancer, 2014, 120, 2080-2089.	4.1	35
53	Perioperative Breast MRI Is Not Associated with Lower Locoregional Recurrence Rates in DCIS Patients Treated With or Without Radiation. Annals of Surgical Oncology, 2014, 21, 1552-1560.	1.5	50
54	Effect of Margin Width on Local Recurrence in Triple-Negative Breast Cancer Patients Treated with Breast-Conserving Therapy. Annals of Surgical Oncology, 2014, 21, 1209-1214.	1.5	39

#	Article	IF	CITATIONS
55	The Effect of Margin Width on Local Recurrence of Triple Negative Breast Cancer. Current Breast Cancer Reports, 2014, 6, 32-37.	1.0	0
56	Applications for Breast Magnetic Resonance Imaging. Surgical Oncology Clinics of North America, 2014, 23, 431-449.	1.5	13
57	Age and molecular subtypes: Impact on surgical decisions. Journal of Surgical Oncology, 2014, 110, 8-14.	1.7	13