

Toshihiro Nakamura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7430267/publications.pdf>

Version: 2024-02-01

13
papers

76
citations

1684188
5
h-index

1588992
8
g-index

16
all docs

16
docs citations

16
times ranked

108
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of the atrial wall thickness in normal/mild late-gadolinium enhancement areas on atrial fibrillation rotors in persistent atrial fibrillation patients. <i>Journal of Arrhythmia</i> , 2022, 38, 221-231.	1.2	3
2	Impact of corticosteroid use on the clinical response and prognosis in patients with cardiac sarcoidosis who underwent an upgrade to cardiac resynchronization therapy. <i>Journal of Arrhythmia</i> , 2022, 38, 400-407.	1.2	0
3	Factors related to the skin thickness of cardiovascular implantable electronic device pockets. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 1847-1856.	1.7	4
4	Circulating intermediate monocytes and atrial structural remodeling associated with atrial fibrillation recurrence after catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1035-1043.	1.7	3
5	Late-gadolinium enhancement properties associated with atrial fibrillation rotors in patients with persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1005-1013.	1.7	10
6	Feasibility of catheter ablation in patients with persistent atrial fibrillation guided by fragmented late-gadolinium enhancement areas. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1014-1023.	1.7	4
7	Different tissue thermodynamics between the 40% and 20% radiofrequency power settings under the same ablation index/lesion size index. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 196-204.	1.7	8
8	Circulating intermediate monocytes and toll-like receptor 4 correlate with low-voltage zones in atrial fibrillation. <i>Heart and Vessels</i> , 2020, 35, 1717-1726.	1.2	3
9	Lesion characteristics between cryoballoon ablation and radiofrequency ablation with a contact force-sensing catheter: Late-gadolinium enhancement magnetic resonance imaging assessment. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2572-2581.	1.7	22
10	Lesion distribution after cryoballoon ablation and hotballoon ablation: Late-gadolinium enhancement magnetic resonance imaging analysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1830-1840.	1.7	13
11	Successful modulation of atrial fibrillation drivers anchoring to fibrotic tissue after box isolation using an online real-time phase mapping system: ExTRa Mapping. <i>Journal of Arrhythmia</i> , 2019, 35, 733-736.	1.2	5
12	Wide QRS tachycardia associated with multiple accessory pathways in a patient with Wolff-Parkinson-White syndrome. <i>Journal of Cardiology Cases</i> , 2019, 20, 191-196.	0.5	1
13	A wide QRS complex tachycardia utilizing an atypical accessory pathway in latent Wolff-Parkinson-White syndrome: Manifestation of anterograde conduction during atrial fibrillation without delta waves in sinus rhythm. <i>HeartRhythm Case Reports</i> , 2019, 5, 419-423.	0.4	0