

# Baptiste Pignon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7432662/publications.pdf>

Version: 2024-02-01

65  
papers

1,478  
citations

567281

15  
h-index

345221

36  
g-index

80  
all docs

80  
docs citations

80  
times ranked

2084  
citing authors

#	ARTICLE	IF	CITATIONS
1	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	7.4	528
2	Dramatic reduction of psychiatric emergency consultations during lockdown linked to COVID-19 in Paris and suburbs. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 557-559.	1.8	98
3	Experimental study of crystallization of PolyEtherEtherKetone (PEEK) over a large temperature range using a nano-calorimeter. <i>Polymer Testing</i> , 2014, 36, 10-19.	4.8	97
4	Influence of comorbid alcohol use disorders on the clinical patterns of major depressive disorder: A general population-based study. <i>Drug and Alcohol Dependence</i> , 2018, 187, 40-47.	3.2	84
5	Baclofen for alcohol dependence: Relationships between baclofen and alcohol dosing and the occurrence of major sedation. <i>European Neuropsychopharmacology</i> , 2015, 25, 1631-1636.	0.7	50
6	Sociodemographic and clinical correlates of psychotic symptoms in the general population: Findings from the MHGP survey. <i>Schizophrenia Research</i> , 2018, 193, 336-342.	2.0	43
7	Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. <i>Journal of Affective Disorders</i> , 2017, 210, 174-180.	4.1	32
8	Obsessive-Compulsive Symptoms in Schizophrenia: an Up-To-Date Review of Literature. <i>Current Psychiatry Reports</i> , 2019, 21, 64.	4.5	32
9	Prevalence and predictors of no lifetime utilization of mental health treatment among people with mental disorders in France: findings from the "Mental Health in General Population" (MHGP) survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 567-576.	3.1	27
10	The Place of Antipsychotics in the Therapy of Anxiety Disorders and Obsessive-Compulsive Disorders. <i>Current Psychiatry Reports</i> , 2017, 19, 103.	4.5	25
11	A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. <i>Journal of Affective Disorders</i> , 2018, 226, 66-71.	4.1	25
12	Subclinical psychosis in adult migrants and ethnic minorities: systematic review and meta-analysis. <i>BJPsych Open</i> , 2018, 4, 510-518.	0.7	24
13	A latent class analysis of psychotic symptoms in the general population. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 573-584.	2.3	23
14	Immune Signatures of Treatment-Resistant Schizophrenia: A FondaMental Academic Centers of Expertise for Schizophrenia (FACE-SZ) Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab012.	1.7	20
15	Increased prevalence of anxiety disorders in third-generation migrants in comparison to natives and to first-generation migrants. <i>Journal of Psychiatric Research</i> , 2018, 102, 38-43.	3.1	18
16	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	4.3	17
17	Psychotic, Mood, and Anxiety Disorders and Venous Thromboembolism: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2020, 82, 838-849.	2.0	17
18	Alcohol Use Disorders and Immigration up to the Third Generation in France: Findings from a 39,617-Subject Survey in the General Population. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1137-1143.	2.4	16

#	ARTICLE	IF	CITATIONS
19	Prevalence of psychotic disorders in an urban area of France. <i>BMC Psychiatry</i> , 2015, 15, 204.	2.6	14
20	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14
21	The dose-effect relationship of baclofen in alcohol dependence: A 1-year cohort study. <i>Human Psychopharmacology</i> , 2017, 32, e2593.	1.5	12
22	Very early hallucinatory experiences: a school-based study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 68-75.	5.2	12
23	Treatment of acute myeloblastic leukemia in adults. The GOELAM experience. <i>Hematology and Cell Therapy</i> , 1996, 38, 381-391.	0.7	11
24	Confirmations, advances and recommendations for the daily care of schizophrenia based on the French national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 101, 109927.	4.8	11
25	Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort.. <i>Journal of Affective Disorders</i> , 2020, 274, 617-623.	4.1	11
26	Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the national FACE-SZ dataset. <i>Schizophrenia Research</i> , 2019, 208, 90-96.	2.0	10
27	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019, 49, 2600-2607.	4.5	10
28	Depression with and without a history of psychotic symptoms in the general population: sociodemographic and clinical characteristics. <i>Journal of Affective Disorders</i> , 2020, 273, 247-251.	4.1	10
29	Modeling the Longitudinal Effects of Insight on Depression, Quality of Life and Suicidality in Schizophrenia Spectrum Disorders: Results from the FACE-SZ Cohort. <i>Journal of Clinical Medicine</i> , 2019, 8, 1196.	2.4	9
30	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	4.3	9
31	Spatial distribution of psychotic disorders in an urban area of France: an ecological study. <i>Scientific Reports</i> , 2016, 6, 26190.	3.3	8
32	Small area-level variation in the incidence of psychotic disorders in an urban area in France: an ecological study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 951-960.	3.1	8
33	Religiosity and prevalence of suicide, psychiatric disorders and psychotic symptoms in the French general population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1547-1557.	3.2	8
34	Residential social drift in the two years following a first episode of psychosis. <i>Schizophrenia Research</i> , 2019, 210, 323-325.	2.0	7
35	The puzzle of quality of life in schizophrenia: putting the pieces together with the FACE-SZ cohort. <i>Psychological Medicine</i> , 2022, 52, 1501-1508.	4.5	7
36	Overlap and Mutual Distinctions Between Clinical Recovery and Personal Recovery in People With Schizophrenia in a One-Year Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 382-394.	4.3	7

#	ARTICLE	IF	CITATIONS
37	Relationship between incidence and prevalence in psychotic disorders: An incidenceâ€“prevalenceâ€“mortality model. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1719.	2.1	5
38	Schizophrenia risk factors in exceptional achievers: a re-analysis of a 60-year-old database. <i>Scientific Reports</i> , 2019, 9, 1294.	3.3	5
39	A Latent Class Analysis of Manic and Psychotic Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 721-728.	1.0	5
40	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334.	4.3	5
41	Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. <i>Psychiatry Research</i> , 2021, 303, 114044.	3.3	5
42	Dependence on Internet-Purchased Ethylphenidate. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 472-473.	1.4	4
43	Environment risk factors have different impact on bipolar and psychotic disorders: an analysis of MHGP survey. <i>Psychological Medicine</i> , 2019, 49, 1229-1232.	4.5	4
44	Air pollution and psychiatric disorders: Current and future challenges. <i>Bipolar Disorders</i> , 2020, 22, 437-439.	1.9	4
45	Temporal variation in the incidence of treated psychotic disorders in young people. <i>Schizophrenia Research</i> , 2021, 231, 221-226.	2.0	4
46	PM2.5 and PM10 air pollution peaks are associated with emergency department visits for psychotic and mood disorders. <i>Environmental Science and Pollution Research</i> , 2022, 29, 88577-88586.	5.3	4
47	Alcohol Use Disorder Is Differently Associated With Psychotic Symptoms According To Underlying Psychiatric Disorders: A General Population Study. <i>Alcohol and Alcoholism</i> , 2019, 55, 112-120.	1.6	3
48	Different Associations Between Alcohol Use Disorders and Psychotic Symptoms According to Underlying Psychiatric Disorders: The Need for Replication Studies. <i>Alcohol and Alcoholism</i> , 2020, 55, 455-455.	1.6	3
49	Recommendations of the schizophrenia expert center network for the screening prevention and treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110275.	4.8	3
50	Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110335.	4.8	3
51	Schizophrenia: Developmental Variability Interacts with Risk Factors to Cause the Disorder. <i>BioEssays</i> , 2020, 42, 2000038.	2.5	2
52	No alteration of leukocyte telomere length in first episode psychosis. <i>Psychiatry Research</i> , 2021, 301, 113941.	3.3	2
53	Early-life factors associated with increased risk of disability pension in the national real-world schizophrenia FACE-SZ cohort study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1379-1384.	3.2	2
54	Immuno-metabolic profile of patients with psychotic disorders and metabolic syndrome. Results from the FACE-SZ cohort. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2022, 22, 100436.	2.5	2

#	ARTICLE	IF	CITATIONS
55	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	3.2	2
56	Effect of inclined columnar defects on flux lines pinning in Pb-substituted Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>1</sub> Cu <sub>2</sub> O <sub>8</sub> single crystals. <i>Solid State Communications</i> , 2002, 124, 29-34.	1.9	1
57	Research Letter: Auto-activation deficit in schizophrenia: a case report. <i>Psychological Medicine</i> , 2018, 48, 525-527.	4.5	1
58	La clinique du consentement. <i>European Psychiatry</i> , 2014, 29, 632-632.	0.2	0
59	High cooling rate crystallization study at the surface of thermoplastic parts and thermal contact resistance measurement. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	0
60	T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). <i>Schizophrenia Bulletin</i> , 2018, 44, S166-S167.	4.3	0
61	4CPS-177â€¦Dealing with iatrogenic cardiac arrest in psychiatry, do not overlook monitoring!. , 2019, , .		0
62	Théorie de l'«esprit»: un médiateur entre symptômes et fonctionnement dans la schizophrénie? <i>Annales Medico-Psychologiques</i> , 2021, 179, 338-340.	0.4	0
63	Étude pilote des relations entre manifestations psychotiques et environnement de résidence. <i>Revue Francophone Sur La Santé Et Les Territoires</i> , 0, , .	0.0	0
64	Pilot study of the relationship between psychotic manifestations and living environment. <i>Revue Francophone Sur La Santé Et Les Territoires</i> , 0, , .	0.0	0
65	Shortening telomere is associated with psychotic dimensions in the general population. <i>Schizophrenia Research</i> , 2022, 243, 470-470.	2.0	0