
## **Baptiste Pignon**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7432662/publications.pdf Version: 2024-02-01



| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 1  | The puzzle of quality of life in schizophrenia: putting the pieces together with the FACE-SZ cohort.<br>Psychological Medicine, 2022, 52, 1501-1508.  | 4.5         | 7         |
| 2  | Overlap and Mutual Distinctions Between Clinical Recovery and Personal Recovery in People With Schizophrenia in a One-Year Study. Schizophrenia Bulletin, 2022, 48, 382-394.  | 4.3         | 7         |
| 3  | Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control<br>Study of First-episode Psychosis (EU-GEI). Schizophrenia Bulletin, 2022, 48, 575-589.  | 4.3         | 9         |
| 4  | Early-life factors associated with increased risk of disability pension in the national real-world<br>schizophrenia FACE-SZ cohort study. European Archives of Psychiatry and Clinical Neuroscience, 2022,<br>272, 1379-1384.   | 3.2         | 2         |
| 5  | Shortening telomere is associated with psychotic dimensions in the general population.<br>Schizophrenia Research, 2022, 243, 470-470.   | 2.0         | 0         |
| 6  | Immuno-metabolic profile of patients with psychotic disorders and metabolic syndrome. Results from the FACE-SZ cohort. Brain, Behavior, & Immunity - Health, 2022, 22, 100436.  | 2.5         | 2         |
| 7  | Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). European Archives of Psychiatry and Clinical Neuroscience, 2022, , 1.  | 3.2         | 2         |
| 8  | PM2.5 and PM10 air pollution peaks are associated with emergency department visits for psychotic and mood disorders. Environmental Science and Pollution Research, 2022, 29, 88577-88586.   | 5.3         | 4         |
| 9  | Religiosity and prevalence of suicide, psychiatric disorders and psychotic symptoms in the French general population. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1547-1557.  | 3.2         | 8         |
| 10 | Théorie de l'espritÂ: un médiateur entre symptômes et fonctionnement dans la schizophrénieÂ?. Ann<br>Medico-Psychologiques, 2021, 179, 338-340.   | ales<br>0.4 | 0         |
| 11 | Temporal variation in the incidence of treated psychotic disorders in young people. Schizophrenia<br>Research, 2021, 231, 221-226.  | 2.0         | 4         |
| 12 | The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the<br>Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684.   | 4.3         | 17        |
| 13 | No alteration of leukocyte telomere length in first episode psychosis. Psychiatry Research, 2021, 301, 113941.  | 3.3         | 2         |
| 14 | Recommendations of the schizophrenia expert center network for the screening prevention and<br>treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ<br>national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 110, 110275. | 4.8         | 3         |
| 15 | Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their<br>evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. Psychiatry Research, 2021,<br>303, 114044.   | 3.3         | 5         |
| 16 | Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 111, 110335.  | 4.8         | 3         |
| 17 | Immune Signatures of Treatment-Resistant Schizophrenia: A FondaMental Academic Centers of<br>Expertise for Schizophrenia (FACE-SZ) Study. Schizophrenia Bulletin Open, 2021, 2, sgab012.  | 1.7         | 20        |
| 18 | Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study<br>of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529.   | 4.3         | 14        |

BAPTISTE PIGNON

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | A Latent Class Analysis of Manic and Psychotic Symptoms. Journal of Nervous and Mental Disease, 2020, 208, 721-728.   | 1.0 | 5         |
| 20 | Schizophrenia: Developmental Variability Interacts with Risk Factors to Cause the Disorder. BioEssays, 2020, 42, 2000038.   | 2.5 | 2         |
| 21 | Different Associations Between Alcohol Use Disorders and Psychotic Symptoms According to<br>Underlying Psychiatric Disorders: The Need for Replication Studies. Alcohol and Alcoholism, 2020, 55,<br>455-455.         | 1.6 | 3         |
| 22 | Air pollution and psychiatric disorders: Current and future challenges. Bipolar Disorders, 2020, 22, 437-439.   | 1.9 | 4         |
| 23 | Confirmations, advances and recommendations for the daily care of schizophrenia based on the<br>French national FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry,<br>2020, 101, 109927. | 4.8 | 11        |
| 24 | Dramatic reduction of psychiatric emergency consultations during lockdown linked to<br><scp>COVID</scp> â€19 in Paris and suburbs. Psychiatry and Clinical Neurosciences, 2020, 74, 557-559.                          | 1.8 | 98        |
| 25 | Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large,<br>Multinational, Community Sample. Schizophrenia Bulletin, 2020, 46, 1327-1334.                                   | 4.3 | 5         |
| 26 | Depression with and without a history of psychotic symptoms in the general population:<br>sociodemographic and clinical characteristics. Journal of Affective Disorders, 2020, 273, 247-251.                          | 4.1 | 10        |
| 27 | Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort Journal of Affective Disorders, 2020, 274, 617-623.             | 4.1 | 11        |
| 28 | Psychotic, Mood, and Anxiety Disorders and Venous Thromboembolism: A Systematic Review and<br>Meta-Analysis. Psychosomatic Medicine, 2020, 82, 838-849.   | 2.0 | 17        |
| 29 | Modeling the Longitudinal Effects of Insight on Depression, Quality of Life and Suicidality in<br>Schizophrenia Spectrum Disorders: Results from the FACE-SZ Cohort. Journal of Clinical Medicine,<br>2019, 8, 1196.  | 2.4 | 9         |
| 30 | Obsessive-Compulsive Symptoms in Schizophrenia: an Up-To-Date Review of Literature. Current<br>Psychiatry Reports, 2019, 21, 64.  | 4.5 | 32        |
| 31 | Residential social drift in the two years following a first episode of psychosis. Schizophrenia<br>Research, 2019, 210, 323-325.  | 2.0 | 7         |
| 32 | Alcohol Use Disorder Is Differently Associated With Psychotic Symptoms According To Underlying<br>Psychiatric Disorders: A General Population Study. Alcohol and Alcoholism, 2019, 55, 112-120.                       | 1.6 | 3         |
| 33 | Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the<br>national FACE-SZ dataset. Schizophrenia Research, 2019, 208, 90-96.  | 2.0 | 10        |
| 34 | The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe<br>(EU-GEI): a multicentre case-control study. Lancet Psychiatry,the, 2019, 6, 427-436.                            | 7.4 | 528       |
| 35 | Schizophrenia risk factors in exceptional achievers: a re-analysis of a 60-year-old database. Scientific<br>Reports, 2019, 9, 1294.   | 3.3 | 5         |
| 36 | Environment risk factors have different impact on bipolar and psychotic disorders: an analysis of<br>MHGP survey. Psychological Medicine, 2019, 49, 1229-1232.  | 4.5 | 4         |

BAPTISTE PIGNON

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | 4CPS-177â€Dealing with iatrogenic cardiac arrest in psychiatry, do not overlook monitoring!. , 2019, , .  |     | 0         |
| 38 | Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE).<br>Psychological Medicine, 2019, 49, 2600-2607.  | 4.5 | 10        |
| 39 | Influence of comorbid alcohol use disorders on the clinical patterns of major depressive disorder: A general population-based study. Drug and Alcohol Dependence, 2018, 187, 40-47.   | 3.2 | 84        |
| 40 | Increased prevalence of anxiety disorders in third-generation migrants in comparison to natives and to first-generation migrants. Journal of Psychiatric Research, 2018, 102, 38-43.  | 3.1 | 18        |
| 41 | Sociodemographic and clinical correlates of psychotic symptoms in the general population: Findings from the MHGP survey. Schizophrenia Research, 2018, 193, 336-342.  | 2.0 | 43        |
| 42 | Very early hallucinatory experiences: a schoolâ€based study. Journal of Child Psychology and Psychiatry<br>and Allied Disciplines, 2018, 59, 68-75.   | 5.2 | 12        |
| 43 | A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. Journal of Affective Disorders, 2018, 226, 66-71.   | 4.1 | 25        |
| 44 | Research Letter: Auto-activation deficit in schizophrenia: a case report. Psychological Medicine, 2018,<br>48, 525-527.   | 4.5 | 1         |
| 45 | A latent class analysis of psychotic symptoms in the general population. Australian and New Zealand<br>Journal of Psychiatry, 2018, 52, 573-584.  | 2.3 | 23        |
| 46 | T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). Schizophrenia Bulletin, 2018, 44, S166-S167.  | 4.3 | 0         |
| 47 | Subclinical psychosis in adult migrants and ethnic minorities: systematic review and meta-analysis.<br>BJPsych Open, 2018, 4, 510-518.  | 0.7 | 24        |
| 48 | Relationship between incidence and prevalence in psychotic disorders: An<br>incidence–prevalence–mortality model. International Journal of Methods in Psychiatric Research,<br>2018, 27, e1719.   | 2.1 | 5         |
| 49 | Prevalence and predictors of no lifetime utilization of mental health treatment among people with<br>mental disorders in France: findings from the â€~Mental Health in General Population' (MHCP) survey.<br>Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 567-576. | 3.1 | 27        |
| 50 | Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. Journal of Affective Disorders, 2017, 210, 174-180.   | 4.1 | 32        |
| 51 | Alcohol Use Disorders and Immigration up to the Third Generation in France: Findings from a<br>39,617-Subject Survey in the General Population. Alcoholism: Clinical and Experimental Research, 2017,<br>41, 1137-1143.   | 2.4 | 16        |
| 52 | The dose-effect relationship of baclofen in alcohol dependence: A 1-year cohort study. Human<br>Psychopharmacology, 2017, 32, e2593.  | 1.5 | 12        |
| 53 | The Place of Antipsychotics in the Therapy of Anxiety Disorders and Obsessive-Compulsive Disorders.<br>Current Psychiatry Reports, 2017, 19, 103.   | 4.5 | 25        |
| 54 | High cooling rate crystallization study at the surface of thermoplastic parts and thermal contact resistance measurement. AIP Conference Proceedings, 2016, , .   | 0.4 | 0         |

BAPTISTE PIGNON

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Spatial distribution of psychotic disorders in an urban area of France: an ecological study. Scientific Reports, 2016, 6, 26190.   | 3.3 | 8         |
| 56 | Small area-level variation in the incidence of psychotic disorders in an urban area in France: an ecological study. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 951-960. | 3.1 | 8         |
| 57 | Dependence on Internet-Purchased Ethylphenidate. Journal of Clinical Psychopharmacology, 2015, 35, 472-473.  | 1.4 | 4         |
| 58 | Baclofen for alcohol dependence: Relationships between baclofen and alcohol dosing and the occurrence of major sedation. European Neuropsychopharmacology, 2015, 25, 1631-1636.        | 0.7 | 50        |
| 59 | Prevalence of psychotic disorders in an urban area of France. BMC Psychiatry, 2015, 15, 204.   | 2.6 | 14        |
| 60 | La clinique du consentement. European Psychiatry, 2014, 29, 632-632.   | 0.2 | 0         |
| 61 | Experimental study of crystallization of PolyEtherEtherKetone (PEEK) over a large temperature range using a nano-calorimeter. Polymer Testing, 2014, 36, 10-19.                        | 4.8 | 97        |
| 62 | Effect of inclined columnar defects on flux lines pinning in Pb-substituted Bi2Sr2Ca1Cu2O8 single crystals. Solid State Communications, 2002, 124, 29-34.                              | 1.9 | 1         |
| 63 | Treatment of acute myeloblastic leukemia in adults. The GOELAM experience. Hematology and Cell<br>Therapy, 1996, 38, 381-391.  | 0.7 | 11        |
| 64 | Étude pilote des relations entre manifestations psychotiques et environnement de résidence. Revue<br>Francophone Sur La Santel∙Et Les Territoires, 0, , .                              | 0.0 | 0         |
| 65 | Pilot study of the relationship between psychotic manifestations and living environment. Revue<br>Francophone Sur La Santel•Et Les Territoires, 0, , .                                 | 0.0 | 0         |