

Vito Pistoia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7433916/publications.pdf>

Version: 2024-02-01

123
papers

6,111
citations

61984

43
h-index

76900

74
g-index

127
all docs

127
docs citations

127
times ranked

10232
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Microvesicles released from multiple myeloma cells are equipped with ectoenzymes belonging to canonical and non-canonical adenosinergic pathways and produce adenosine from ATP and NAD ⁺ . <i>Oncolmunology</i> , 2018, 7, e1458809. | 4.6 | 59 |
| 2 | IL-25 dampens the growth of human germinal center-derived B-cell non Hodgkin Lymphoma by curtailing neoangiogenesis. <i>Oncolmunology</i> , 2018, 7, e1397249. | 4.6 | 6 |
| 3 | Bevacizumab-mediated tumor vasculature remodelling improves tumor infiltration and antitumor efficacy of GD2-CAR T cells in a human neuroblastoma preclinical model. <i>Oncolmunology</i> , 2018, 7, e1378843. | 4.6 | 88 |
| 4 | CD38: A Target for Immunotherapeutic Approaches in Multiple Myeloma. <i>Frontiers in Immunology</i> , 2018, 9, 2722. | 4.8 | 124 |
| 5 | Neuroblastoma Cell Lines Are Refractory to Genotoxic Drug-Mediated Induction of Ligands for NK Cell-Activating Receptors. <i>Journal of Immunology Research</i> , 2018, 2018, 1-10. | 2.2 | 7 |
| 6 | Human $\beta\gamma$ T-Cells: From Surface Receptors to the Therapy of High-Risk Leukemias. <i>Frontiers in Immunology</i> , 2018, 9, 984. | 4.8 | 58 |
| 7 | <i>CHL1</i> gene acts as a tumor suppressor in human neuroblastoma. <i>Oncotarget</i> , 2018, 9, 25903-25921. | 1.8 | 24 |
| 8 | The IL-31/IL-31 receptor axis: general features and role in tumor microenvironment. <i>Journal of Leukocyte Biology</i> , 2017, 102, 711-717. | 3.3 | 54 |
| 9 | Constitutional 3p26.3 terminal microdeletion in an adolescent with neuroblastoma. <i>Cancer Biology and Therapy</i> , 2017, 18, 285-289. | 3.4 | 10 |
| 10 | MYCN is an immunosuppressive oncogene dampening the expression of ligands for NK-cell-activating receptors in human high-risk neuroblastoma. <i>Oncolmunology</i> , 2017, 6, e1316439. | 4.6 | 33 |
| 11 | Mesenchymal stromal cells and autoimmunity. <i>International Immunology</i> , 2017, 29, 49-58. | 4.0 | 61 |
| 12 | Boosting Natural Killer Cell-Based Immunotherapy with Anticancer Drugs: a Perspective. <i>Trends in Molecular Medicine</i> , 2017, 23, 1156-1175. | 6.7 | 40 |
| 13 | Adenosine Generated in the Bone Marrow Niche Through a CD38-Mediated Pathway Correlates With Progression of Human Myeloma. <i>Molecular Medicine</i> , 2016, 22, 694-704. | 4.4 | 81 |
| 14 | Isolation and characterization of renal cancer stem cells from patient-derived xenografts. <i>Oncotarget</i> , 2016, 7, 15507-15524. | 1.8 | 20 |
| 15 | Soluble HLA-G and HLA-E Levels in Bone Marrow Plasma Samples Are Related to Disease Stage in Neuroblastoma Patients. <i>Journal of Immunology Research</i> , 2016, 2016, 1-6. | 2.2 | 10 |
| 16 | Involvement of HMGB1 in Resistance to Tumor Vessel-Targeted, Monoclonal Antibody-Based Immunotherapy. <i>Journal of Immunology Research</i> , 2016, 2016, 1-7. | 2.2 | 19 |
| 17 | Recent Advances in Our Understanding of HLA-G Biology: Lessons from a Wide Spectrum of Human Diseases. <i>Journal of Immunology Research</i> , 2016, 2016, 1-14. | 2.2 | 104 |
| 18 | A Promyelocytic Leukemia Protein- α Thrombospondin-2 Axis and the Risk of Relapse in Neuroblastoma. <i>Clinical Cancer Research</i> , 2016, 22, 3398-3409. | 7.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Restricted ROC curves are useful tools to evaluate the performance of tumour markers. <i>Statistical Methods in Medical Research</i> , 2016, 25, 294-314. | 1.5 | 7 |
| 20 | IL-17 superfamily cytokines modulate normal germinal center B cell migration. <i>Journal of Leukocyte Biology</i> , 2016, 100, 913-918. | 3.3 | 36 |
| 21 | CD4 ⁺ CD25 ^{hi} CD127 ⁺ Treg and CD4 ⁺ CD45RO ⁺ CD49b ⁺ LAG3 ⁺ Tr1 cells in bone marrow and peripheral blood samples from children with neuroblastoma. <i>Oncolmmunology</i> , 2016, 5, e1249553. | 4.6 | 17 |
| 22 | Editorial: Targeting JAM-C on mantle cell lymphoma B cells: time for clinical testing?. <i>Journal of Leukocyte Biology</i> , 2016, 100, 835-837. | 3.3 | 0 |
| 23 | Exosomes from human mesenchymal stem cells conduct aerobic metabolism in term and preterm newborn infants. <i>FASEB Journal</i> , 2016, 30, 1416-1424. | 0.5 | 63 |
| 24 | IL12RB2 Polymorphisms correlate with risk of lung adenocarcinoma. <i>Immunobiology</i> , 2016, 221, 291-299. | 1.9 | 6 |
| 25 | PD-L1 expression in metastatic neuroblastoma as an additional mechanism for limiting immune surveillance. <i>Oncolmmunology</i> , 2016, 5, e1064578. | 4.6 | 91 |
| 26 | Pancreatic metastasis from mycosis fungoides mimicking primary pancreatic tumor. <i>World Journal of Gastroenterology</i> , 2016, 22, 3496-3501. | 3.3 | 3 |
| 27 | Î³ T-cell reconstitution after HLA-haploidentical hematopoietic transplantation depleted of TCR-Î±/CD19+ lymphocytes. <i>Blood</i> , 2015, 125, 2349-2358. | 1.4 | 224 |
| 28 | NAD ⁺ -Metabolizing Ectoenzymes in Remodeling Tumor-Host Interactions: The Human Myeloma Model. <i>Cells</i> , 2015, 4, 520-537. | 4.1 | 99 |
| 29 | Expression of FOXP3, CD14, and ARG1 in Neuroblastoma Tumor Tissue from High-Risk Patients Predicts Event-Free and Overall Survival. <i>BioMed Research International</i> , 2015, 2015, 1-10. | 1.9 | 6 |
| 30 | IL-10 and ARG-1 Concentrations in Bone Marrow and Peripheral Blood of Metastatic Neuroblastoma Patients Do Not Associate with Clinical Outcome. <i>Journal of Immunology Research</i> , 2015, 2015, 1-9. | 2.2 | 16 |
| 31 | Fasting induces anti-Warburg effect that increases respiration but reduces ATP-synthesis to promote apoptosis in colon cancer models. <i>Oncotarget</i> , 2015, 6, 11806-11819. | 1.8 | 127 |
| 32 | Cancer associated fibroblasts in hematological malignancies. <i>Oncotarget</i> , 2015, 6, 2589-2603. | 1.8 | 46 |
| 33 | Evaluation of bone marrow as a metastatic site of human neuroblastoma. <i>Annals of the New York Academy of Sciences</i> , 2015, 1335, 23-31. | 3.8 | 25 |
| 34 | Accelerated Tumor Progression in Mice Lacking the ATP Receptor P2X7. <i>Cancer Research</i> , 2015, 75, 635-644. | 0.9 | 157 |
| 35 | The P2X7 receptor is a key modulator of the PI3K/GSK3 ^{Î²} /VEGF signaling network: evidence in experimental neuroblastoma. <i>Oncogene</i> , 2015, 34, 5240-5251. | 5.9 | 149 |
| 36 | Tumor vascular targeted liposomal-bortezomib minimizes side effects and increases therapeutic activity in human neuroblastoma. <i>Journal of Controlled Release</i> , 2015, 211, 44-52. | 9.9 | 49 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | CD56brightCD16 ⁺ NK Cells Produce Adenosine through a CD38-Mediated Pathway and Act as Regulatory Cells Inhibiting Autologous CD4 ⁺ T Cell Proliferation. <i>Journal of Immunology</i> , 2015, 195, 965-972. | 0.8 | 111 |
| 38 | The interleukin (IL)-31/IL-31R axis contributes to tumor growth in human follicular lymphoma. <i>Leukemia</i> , 2015, 29, 958-967. | 7.2 | 31 |
| 39 | Unraveling the contribution of ectoenzymes to myeloma life and survival in the bone marrow niche. <i>Annals of the New York Academy of Sciences</i> , 2015, 1335, 10-22. | 3.8 | 47 |
| 40 | Interleukin-17A promotes the growth of human germinal center derived non-Hodgkin B cell lymphoma. <i>Oncolmmunology</i> , 2015, 4, e1030560. | 4.6 | 21 |
| 41 | Mesenchymal stromal cells and immunity: Introductory overview. <i>Immunology Letters</i> , 2015, 168, 127-128. | 2.5 | 10 |
| 42 | Generation and Characterization of Microvesicles after Daratumumab Interaction with Myeloma Cells. <i>Blood</i> , 2015, 126, 1849-1849. | 1.4 | 16 |
| 43 | Intratumoral diversity of telomere length in individual neuroblastoma tumors. <i>Oncotarget</i> , 2015, 6, 7493-7503. | 1.8 | 37 |
| 44 | A non-canonical adenosinergic pathway led by CD38 in human melanoma cells induces suppression of T cell proliferation. <i>Oncotarget</i> , 2015, 6, 25602-25618. | 1.8 | 79 |
| 45 | CD38 and bone marrow microenvironment. <i>Frontiers in Bioscience - Landmark</i> , 2014, 19, 152. | 3.0 | 26 |
| 46 | ATP/P2X7 axis modulates myeloid-derived suppressor cell functions in neuroblastoma microenvironment. <i>Cell Death and Disease</i> , 2014, 5, e1135-e1135. | 6.3 | 102 |
| 47 | Role of Fractalkine/CX3CL1 and Its Receptor in the Pathogenesis of Inflammatory and Malignant Diseases with Emphasis on B Cell Malignancies. <i>Mediators of Inflammation</i> , 2014, 2014, 1-10. | 3.0 | 71 |
| 48 | Unveiling the role of TNF α in mesenchymal stromal cell-mediated immunosuppression. <i>European Journal of Immunology</i> , 2014, 44, 352-356. | 2.9 | 10 |
| 49 | Binding of HLA-G to ITIM-Bearing Ig-like Transcript 2 Receptor Suppresses B Cell Responses. <i>Journal of Immunology</i> , 2014, 192, 1536-1546. | 0.8 | 137 |
| 50 | Telomere shortening and increased oxidative stress are restricted to venous tissue in patients with varicose veins: A merely local disease?. <i>Vascular Medicine</i> , 2014, 19, 125-130. | 1.5 | 5 |
| 51 | IL-27 Driven Upregulation of Surface HLA-E Expression on Monocytes Inhibits IFN- γ Release by Autologous NK Cells. <i>Journal of Immunology Research</i> , 2014, 2014, 1-7. | 2.2 | 17 |
| 52 | Interactions between HLA-G and HLA-E in Physiological and Pathological Conditions. <i>Frontiers in Immunology</i> , 2014, 5, 394. | 4.8 | 74 |
| 53 | Natural Killer Cells and Neuroblastoma: Tumor Recognition, Escape Mechanisms, and Possible Novel Immunotherapeutic Approaches. <i>Frontiers in Immunology</i> , 2014, 5, 56. | 4.8 | 77 |
| 54 | IL-27 in Human Secondary Lymphoid Organs Attracts Myeloid Dendritic Cells and Impairs HLA Class II-Restricted Antigen Presentation. <i>Journal of Immunology</i> , 2014, 192, 2634-2642. | 0.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Anti-IgE treatment in asthma: Galectin-3 as a predictive marker. <i>Immunology Letters</i> , 2014, 162, 1. | 2.5 | 3 |
| 56 | The emerging role of soluble HLA-G in the control of chemotaxis. <i>Cytokine and Growth Factor Reviews</i> , 2014, 25, 327-335. | 7.2 | 29 |
| 57 | Failure of anti tumor-derived endothelial cell immunotherapy depends on augmentation of tumor hypoxia. <i>Oncotarget</i> , 2014, 5, 10368-10381. | 1.8 | 18 |
| 58 | Combining Not-Propor ROC Curves and Hierarchical Clustering to Detect Differentially Expressed Genes in Microarray Experiments. <i>Lecture Notes in Computer Science</i> , 2014, , 238-247. | 1.3 | 0 |
| 59 | The IL-12 β gene functions as a tumor suppressor in human B cell malignancies. <i>Journal of Clinical Investigation</i> , 2014, 124, 2807-2807. | 8.2 | 0 |
| 60 | Intrathecal Soluble HLA-E Correlates with Disease Activity in Patients with Multiple Sclerosis and may Cooperate with Soluble HLA-G in the Resolution of Neuroinflammation. <i>Journal of NeuroImmune Pharmacology</i> , 2013, 8, 944-955. | 4.1 | 29 |
| 61 | CCL5-glutamate interaction in central nervous system: Early and acute presynaptic defects in EAE mice. <i>Neuropharmacology</i> , 2013, 75, 337-346. | 4.1 | 25 |
| 62 | Enhanced anti-tumor and anti-angiogenic efficacy of a novel liposomal fenretinide on human neuroblastoma. <i>Journal of Controlled Release</i> , 2013, 170, 445-451. | 9.9 | 41 |
| 63 | Mechanisms of the Antitumor Activity of Human $\gamma\delta$ T Cells in Combination With Zoledronic Acid in a Preclinical Model of Neuroblastoma. <i>Molecular Therapy</i> , 2013, 21, 1034-1043. | 8.2 | 47 |
| 64 | Plasma Levels of Soluble HLA-E and HLA-F at Diagnosis May Predict Overall Survival of Neuroblastoma Patients. <i>BioMed Research International</i> , 2013, 2013, 1-9. | 1.9 | 30 |
| 65 | Soluble HLA-G modulates miRNA-210 and miRNA-451 expression in activated CD4+ T lymphocytes. <i>International Immunology</i> , 2013, 25, 279-285. | 4.0 | 10 |
| 66 | Ch14.18 antibody produced in CHO cells in relapsed or refractory Stage 4 neuroblastoma patients. <i>MAbs</i> , 2013, 5, 801-809. | 5.2 | 66 |
| 67 | Immunosuppressive Microenvironment in Neuroblastoma. <i>Frontiers in Oncology</i> , 2013, 3, 167. | 2.8 | 61 |
| 68 | Role of BAFF in Opsoclonus-Myoclonus syndrome, a bridge between cancer and autoimmunity. <i>Journal of Leukocyte Biology</i> , 2013, 94, 183-191. | 3.3 | 13 |
| 69 | Proteome Profiling of Neuroblastoma-Derived Exosomes Reveal the Expression of Proteins Potentially Involved in Tumor Progression. <i>PLoS ONE</i> , 2013, 8, e75054. | 2.5 | 122 |
| 70 | Recovery Of Gamma/Delta+ T Cells After Transplantation With Alpha-Beta+/CD19+ Lymphocyte Depleted Hematopoietic Stem Cells From HLA-Haploidentical Donors. <i>Blood</i> , 2013, 122, 3245-3245. | 1.4 | 1 |
| 71 | Use of the Uteroglobin Platform for the Expression of a Bivalent Antibody against Oncofetal Fibronectin in <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2013, 8, e82878. | 2.5 | 0 |
| 72 | MYCN: from oncoprotein to tumor-associated antigen. <i>Frontiers in Oncology</i> , 2012, 2, 174. | 2.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 73 | Expression of P2X7 Receptor Increases <i>In Vivo</i> Tumor Growth. <i>Cancer Research</i> , 2012, 72, 2957-2969. | 0.9 | 324 |
| 74 | Absence of IL-12R β 2 in CD33+CD38+ pediatric acute myeloid leukemia cells favours progression in NOD/SCID/IL2R β 3C-deficient mice. <i>Leukemia</i> , 2012, 26, 225-235. | 7.2 | 7 |
| 75 | CX3CL1/fractalkine is a novel regulator of normal and malignant human B cell function. <i>Journal of Leukocyte Biology</i> , 2012, 92, 51-58. | 3.3 | 15 |
| 76 | Structure-activity relationships of novel substituted naphthalene diimides as anticancer agents. <i>European Journal of Medicinal Chemistry</i> , 2012, 57, 417-428. | 5.5 | 44 |
| 77 | Fasting Cycles Retard Growth of Tumors and Sensitize a Range of Cancer Cell Types to Chemotherapy. <i>Science Translational Medicine</i> , 2012, 4, 124ra27. | 12.4 | 531 |
| 78 | Enhanced anti-neuroblastoma activity of a fenretinide complexed form after intravenous administration. <i>Journal of Pharmacy and Pharmacology</i> , 2012, 64, 228-236. | 2.4 | 5 |
| 79 | Ciclesonide modulates in vitro allergen-driven activation of blood mononuclear cells and allergen-specific T-cell blasts. <i>Immunology Letters</i> , 2012, 141, 190-196. | 2.5 | 2 |
| 80 | Targeting acute myeloid leukemia cells with cytokines. <i>Journal of Leukocyte Biology</i> , 2012, 92, 567-575. | 3.3 | 12 |
| 81 | Anti-leukemic properties of IL-12, IL-23 and IL-27: Differences and similarities in the control of pediatric B acute lymphoblastic leukemia. <i>Critical Reviews in Oncology/Hematology</i> , 2012, 83, 310-318. | 4.4 | 16 |
| 82 | Close Interactions between Mesenchymal Stem Cells and Neuroblastoma Cell Lines Lead to Tumor Growth Inhibition. <i>PLoS ONE</i> , 2012, 7, e48654. | 2.5 | 23 |
| 83 | Immunosuppressive Treatments in Acute Myocardial Infarction and Stroke. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 59-67. | 1.6 | 7 |
| 84 | Receptor activator of NF- κ B ligand (RANKL) increases the release of neutrophil products associated with coronary vulnerability. <i>Thrombosis and Haemostasis</i> , 2012, 107, 124-139. | 3.4 | 34 |
| 85 | Multiple target molecular monitoring of bone marrow and peripheral blood samples from patients with localized neuroblastoma and healthy donors. <i>Pediatric Blood and Cancer</i> , 2012, 58, 43-49. | 1.5 | 25 |
| 86 | Bone marrow of neuroblastoma patients shows downregulation of CXCL12 expression and presence of IFN signature. <i>Pediatric Blood and Cancer</i> , 2012, 59, 44-51. | 1.5 | 22 |
| 87 | Response to rituximab in 3 children with opsoclonus-myoclonus syndrome resistant to conventional treatments. <i>European Journal of Paediatric Neurology</i> , 2012, 16, 192-195. | 1.6 | 22 |
| 88 | Bone Marrow-Infiltrating Human Neuroblastoma Cells Express High Levels of Calprotectin and HLA-G Proteins. <i>PLoS ONE</i> , 2012, 7, e29922. | 2.5 | 40 |
| 89 | Endothelial and Smooth Muscle Cells from Abdominal Aortic Aneurysm Have Increased Oxidative Stress and Telomere Attrition. <i>PLoS ONE</i> , 2012, 7, e35312. | 2.5 | 87 |
| 90 | Cytokines in neuroblastoma: from pathogenesis to treatment. <i>Immunotherapy</i> , 2011, 3, 895-907. | 2.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 91 | Loss of 10q26.1â€“q26.3 in association with 7q34â€“q36.3 gain or 17q24.3â€“q25.3 gain predict poor outcome in pediatric medulloblastoma. <i>Cancer Letters</i> , 2011, 308, 215-224. | 7.2 | 3 |
| 92 | Synergistic Interactions between HDAC and Sirtuin Inhibitors in Human Leukemia Cells. <i>PLoS ONE</i> , 2011, 6, e22739. | 2.5 | 68 |
| 93 | Soluble HLA-G dampens CD94/NKG2A expression and function and differentially modulates chemotaxis and cytokine and chemokine secretion in CD56bright and CD56dim NK cells. <i>Blood</i> , 2011, 118, 5840-5850. | 1.4 | 65 |
| 94 | HOXB7 expression by myeloma cells regulates their pro-angiogenic properties in multiple myeloma patients. <i>Leukemia</i> , 2011, 25, 527-537. | 7.2 | 39 |
| 95 | A novel role of the CX3CR1/CX3CL1 system in the cross-talk between chronic lymphocytic leukemia cells and tumor microenvironment. <i>Leukemia</i> , 2011, 25, 1268-1277. | 7.2 | 47 |
| 96 | Serum levels of cytoplasmic melanoma-associated antigen at diagnosis may predict clinical relapse in neuroblastoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1485-1495. | 4.2 | 21 |
| 97 | Emerging topics and new perspectives on HLA-G. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 433-451. | 5.4 | 69 |
| 98 | Damageâ€“associated molecular patterns (DAMPs) and mesenchymal stem cells: A matter of attraction and excitement. <i>European Journal of Immunology</i> , 2011, 41, 1828-1831. | 2.9 | 22 |
| 99 | Disclosing the mysteries of the central nervous system sanctuary for acute lymphoblastic leukemia cells. <i>Leukemia Research</i> , 2011, 35, 699-700. | 0.8 | 3 |
| 100 | Cytokines as Anti-Angiogenic Agents in Haematological Malignancies. <i>Current Cancer Drug Targets</i> , 2011, 11, 997-1004. | 1.6 | 3 |
| 101 | Oct-4+/Tenascin C+ neuroblastoma cells serve as progenitors of tumor-derived endothelial cells. <i>Cell Research</i> , 2011, 21, 1470-1486. | 12.0 | 66 |
| 102 | HLA-G and HLA-E in patients with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2011, 50, 966-972. | 1.9 | 38 |
| 103 | Identification of Novel Prognostic Markers in Relapsing Localized Resectable Neuroblastoma. <i>OMICS A Journal of Integrative Biology</i> , 2011, 15, 113-121. | 2.0 | 4 |
| 104 | Dexamethasone Prophylaxis in Pediatric Open Heart Surgery Is Associated with Increased Blood Long Pentraxin PTX3: Potential Clinical Implications. <i>Clinical and Developmental Immunology</i> , 2011, 2011, 1-6. | 3.3 | 11 |
| 105 | Immunosuppressive cells and tumour microenvironment: focus on mesenchymal stem cells and myeloid derived suppressor cells. <i>Histology and Histopathology</i> , 2011, 26, 941-51. | 0.7 | 88 |
| 106 | Frizzled receptor 6 marks rare, highly tumorigenic stem-like cells in mouse and human neuroblastomas. <i>Oncotarget</i> , 2011, 2, 976-983. | 1.8 | 68 |
| 107 | Transient depletion of CD4⁺ T cells augments ILâ€“21â€“based immunotherapy of disseminated neuroblastoma in syngeneic mice. <i>International Journal of Cancer</i> , 2010, 127, 1141-1150. | 5.1 | 24 |
| 108 | Potential of mesenchymal stem cells for the therapy of autoimmune diseases. <i>Expert Review of Clinical Immunology</i> , 2010, 6, 211-218. | 3.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | IL-21: a new player in the control of isotype switch in Peyer's patches. <i>Journal of Leukocyte Biology</i> , 2009, 85, 739-743. | 3.3 | 5 |
| 110 | Interleukin-12 Receptor β 2: From Cytokine Receptor to Gatekeeper Gene in Human B-Cell Malignancies. <i>Journal of Clinical Oncology</i> , 2009, 27, 4809-4816. | 1.6 | 27 |
| 111 | Anti-IL-10R antibody improves the therapeutic efficacy of targeted liposomal oligonucleotides. <i>Journal of Controlled Release</i> , 2009, 138, 122-127. | 9.9 | 13 |
| 112 | Immunogenicity of Human Mesenchymal Stem Cells in HLA-Class I-Restricted T-Cell Responses Against Viral or Tumor-Associated Antigens. <i>Stem Cells</i> , 2008, 26, 1275-1287. | 3.2 | 134 |
| 113 | Tumor Origin of Endothelial Cells in Human Neuroblastoma. <i>Journal of Clinical Oncology</i> , 2007, 25, 376-383. | 1.6 | 131 |
| 114 | Human Neuroblastoma Cells Trigger an Immunosuppressive Program in Monocytes by Stimulating Soluble HLA-G Release. <i>Cancer Research</i> , 2007, 67, 6433-6441. | 0.9 | 100 |
| 115 | Soluble HLA-G: Are they clinically relevant?. <i>Seminars in Cancer Biology</i> , 2007, 17, 469-479. | 9.6 | 167 |
| 116 | Lymphoproliferative Disorders and Chemokines. <i>Current Drug Targets</i> , 2006, 7, 81-90. | 2.1 | 12 |
| 117 | Angiogenesis in a human neuroblastoma xenograft model: mechanisms and inhibition by tumour-derived interferon- β . <i>British Journal of Cancer</i> , 2006, 94, 1845-1852. | 6.4 | 42 |
| 118 | Lack of HLA class I antigens in human neuroblastoma cells: analysis of its relationship to TAP and tapasin expression. <i>Tissue Antigens</i> , 2001, 57, 110-117. | 1.0 | 61 |
| 119 | Flow cytometric and functional characterization of AC133+ cells from human umbilical cord blood. <i>British Journal of Haematology</i> , 2000, 108, 793-800. | 2.5 | 36 |
| 120 | Stromal Cell-Derived Factor-1 as a Chemoattractant for Follicular Center Lymphoma B Cells. <i>Journal of the National Cancer Institute</i> , 2000, 92, 628-635. | 6.3 | 92 |
| 121 | The Granulocyte Colony-Stimulating Factor (G-CSF)/G-CSF Receptor (G-CSFR) System in B-Cell Chronic Lymphocytic Leukemia. <i>Leukemia and Lymphoma</i> , 1997, 27, 239-246. | 1.3 | 4 |
| 122 | Functional and molecular characterization of tumour-infiltrating lymphocytes and clones thereof from a major-histocompatibility-complex-negative human tumour: neuroblastoma. <i>Cancer Immunology, Immunotherapy</i> , 1996, 42, 170-178. | 4.2 | 44 |
| 123 | Interferon Alfa Therapy in an Infant with Juvenile Chronic Myelogenous Leukemia. <i>Pediatric Hematology and Oncology</i> , 1995, 12, 189-194. | 0.8 | 3 |