

# John F Hancock

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7440491/publications.pdf>

Version: 2024-02-01

174  
papers

20,907  
citations

10351

72  
h-index

10127

140  
g-index

180  
all docs

180  
docs citations

180  
times ranked

15604  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Lipidomic atlas of mammalian cell membranes reveals hierarchical variation induced by culture conditions, subcellular membranes, and cell lineages. <i>Soft Matter</i> , 2021, 17, 288-297.  | 1.2 | 66        |
| 2  | Caveolin-1 and cavin1 act synergistically to generate a unique lipid environment in caveolae. <i>Journal of Cell Biology</i> , 2021, 220, .  | 2.3 | 37        |
| 3  | Super-Resolution Imaging and Spatial Analysis of RAS on Intact Plasma Membrane Sheets. <i>Methods in Molecular Biology</i> , 2021, 2262, 217-232.  | 0.4 | 5         |
| 4  | The KRAS and other prenylated polybasic domain membrane anchors recognize phosphatidylserine acyl chain structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .                                     | 3.3 | 23        |
| 5  | Monoubiquitination of KRAS at Lysine104 and Lysine147 Modulates Its Dynamics and Interaction with Partner Proteins. <i>Journal of Physical Chemistry B</i> , 2021, 125, 4681-4691.   | 1.2 | 3         |
| 6  | Regulation of longevity by depolarization-induced activation of PLC- $\beta$ 3 R signaling in neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .   | 3.3 | 21        |
| 7  | Scaffold repurposing of fendiline: Identification of potent KRAS plasma membrane localization inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2021, 217, 113381.  | 2.6 | 7         |
| 8  | RAS Nanoclusters Selectively Sort Distinct Lipid Headgroups and Acyl Chains. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 686338.  | 1.6 | 12        |
| 9  | p53 mitigates the effects of oncogenic HRAS in urothelial cells via the repression of MCOLN1. <i>IScience</i> , 2021, 24, 102701.  | 1.9 | 5         |
| 10 | Osimertinib-resistant NSCLC cells activate ERBB2 and YAP/TAZ and are killed by neratinib. <i>Biochemical Pharmacology</i> , 2021, 190, 114642.   | 2.0 | 12        |
| 11 | The development of multi-kinase inhibitors as pancreatic cancer therapeutics. <i>Anti-Cancer Drugs</i> , 2021, 32, 779-785.  | 0.7 | 2         |
| 12 | Oncogenic KRAS is dependent upon an EFR3A-PI4KA signaling axis for potent tumorigenic activity. <i>Nature Communications</i> , 2021, 12, 5248.   | 5.8 | 24        |
| 13 | Lipid Profiles of RAS Nanoclusters Regulate RAS Function. <i>Biomolecules</i> , 2021, 11, 1439.  | 1.8 | 13        |
| 14 | Building insights into KRAS signaling complexes. <i>Nature Structural and Molecular Biology</i> , 2021, 28, 773-774.   | 3.6 | 3         |
| 15 | Components of the phosphatidylserine endoplasmic reticulum to plasma membrane transport mechanism as targets for KRAS inhibition in pancreatic cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 23        |
| 16 | Neratinib degrades MST4 via autophagy that reduces membrane stiffness and is essential for the inactivation of PI3K, ERK1/2, and YAP/TAZ signaling. <i>Journal of Cellular Physiology</i> , 2020, 235, 7889-7899.  | 2.0 | 27        |
| 17 | Enhanced signaling via ERBB3/PI3K plays a compensatory survival role in pancreatic tumor cells exposed to [neratinib + valproate]. <i>Cellular Signalling</i> , 2020, 68, 109525.  | 1.7 | 6         |
| 18 | Dynamics of Oncogenic KRAS Mutants on Bilayer Surfaces. <i>Biophysical Journal</i> , 2020, 118, 498a.  | 0.2 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Fingolimod Augments Monomethylfumarate Killing of GBM Cells. <i>Frontiers in Oncology</i> , 2020, 10, 22.   | 1.3 | 7         |
| 20 | (Curcumin+sildenafil) enhances the efficacy of 5FU and anti-EPD1 therapies in vivo. <i>Journal of Cellular Physiology</i> , 2020, 235, 6862-6874.   | 2.0 | 29        |
| 21 | RAS Function in cancer cells: translating membrane biology and biochemistry into new therapeutics. <i>Biochemical Journal</i> , 2020, 477, 2893-2919.   | 1.7 | 12        |
| 22 | Identification of EGFR and RAS Inhibitors using <i>Caenorhabditis elegans</i> . <i>Journal of Visualized Experiments</i> , 2020, , .  | 0.2 | 3         |
| 23 | Abstract 1085: Interrogating the RAS interactome identifies EFR3A as a novel enhancer of RAS oncogenesis. , 2020, , .   |     | 1         |
| 24 | Neratinib inhibits Hippo/YAP signaling, reduces mutant K-RAS expression, and kills pancreatic and blood cancer cells. <i>Oncogene</i> , 2019, 38, 5890-5904.  | 2.6 | 63        |
| 25 | Acylpeptide hydrolase is a novel regulator of KRAS plasma membrane localization and function. <i>Journal of Cell Science</i> , 2019, 132, .   | 1.2 | 16        |
| 26 | Distinct Binding Preferences between Ras and Raf Family Members and the Impact on Oncogenic Ras Signaling. <i>Molecular Cell</i> , 2019, 76, 872-884.e5.  | 4.5 | 76        |
| 27 | Signaling alterations caused by drugs and autophagy. <i>Cellular Signalling</i> , 2019, 64, 109416.   | 1.7 | 20        |
| 28 | Three distinct regions of cRaf kinase domain interact with membrane. <i>Scientific Reports</i> , 2019, 9, 2057.   | 1.6 | 9         |
| 29 | Discovery of High-Affinity Noncovalent Allosteric KRAS Inhibitors That Disrupt Effector Binding. <i>ACS Omega</i> , 2019, 4, 2921-2930.   | 1.6 | 67        |
| 30 | HRAS-driven cancer cells are vulnerable to TRPML1 inhibition. <i>EMBO Reports</i> , 2019, 20, .   | 2.0 | 59        |
| 31 | Neratinib augments the lethality of [regorafenib+sildenafil]. <i>Journal of Cellular Physiology</i> , 2019, 234, 4874-4887.   | 2.0 | 32        |
| 32 | Neratinib and entinostat combine to rapidly reduce the expression of K-RAS, N-RAS, G <sub>12q</sub> and G <sub>11</sub> and kill uveal melanoma cells. <i>Cancer Biology and Therapy</i> , 2019, 20, 700-710. | 1.5 | 37        |
| 33 | Dynamics of Membrane-Bound G12V-KRAS from Simulations and Single-Molecule FRET in Native Nanodiscs. <i>Biophysical Journal</i> , 2019, 116, 179-183.  | 0.2 | 56        |
| 34 | Kinase inhibitors: look beyond the label on the bottle. , 2019, 2, 1032-1043.   |     | 0         |
| 35 | Targeting plasma membrane phosphatidylserine content to inhibit oncogenic KRAS function. <i>Life Science Alliance</i> , 2019, 2, e201900431.  | 1.3 | 29        |
| 36 | Ras and the Plasma Membrane: A Complicated Relationship. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2018, 8, a031831.   | 2.9 | 66        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | A novel prenyl-polybasic domain code determines lipid-binding specificity of the K-Ras membrane anchor. <i>Small GTPases</i> , 2018, 11, 1-5.   | 0.7  | 11        |
| 38 | Clustering of Rac1: Selective Lipid Sorting Drives Signaling. <i>Trends in Biochemical Sciences</i> , 2018, 43, 75-77.  | 3.7  | 6         |
| 39 | Sphingomyelin Metabolism Is a Regulator of K-Ras Function. <i>Molecular and Cellular Biology</i> , 2018, 38, .  | 1.1  | 40        |
| 40 | Deciphering lipid codes: K-Ras as a paradigm. <i>Traffic</i> , 2018, 19, 157-165.   | 1.3  | 48        |
| 41 | Electron microscopy combined with spatial analysis: quantitative mapping of the nano-assemblies of plasma membrane-associating proteins and lipids. <i>Biophysics Reports</i> , 2018, 4, 320-328.                       | 0.2  | 5         |
| 42 | Rac1 Nanoscale Organization on the Plasma Membrane Is Driven by Lipid Binding Specificity Encoded in the Membrane Anchor. <i>Molecular and Cellular Biology</i> , 2018, 38, .   | 1.1  | 43        |
| 43 | An oxanthroquinone derivative that disrupts RAS plasma membrane localization inhibits cancer cell growth. <i>Journal of Biological Chemistry</i> , 2018, 293, 13696-13706.  | 1.6  | 20        |
| 44 | Computational and biochemical characterization of two partially overlapping interfaces and multiple weak-affinity K-Ras dimers. <i>Scientific Reports</i> , 2017, 7, 40109.   | 1.6  | 85        |
| 45 | Deubiquitinase USP18 Loss Mislocalizes and Destabilizes KRAS in Lung Cancer. <i>Molecular Cancer Research</i> , 2017, 15, 905-914.  | 1.5  | 28        |
| 46 | The G protein-coupled receptor GPR31 promotes membrane association of KRAS. <i>Journal of Cell Biology</i> , 2017, 216, 2329-2338.  | 2.3  | 24        |
| 47 | Ras Proteolipid Nanoassemblies on the Plasma Membrane Sort Lipids With High Selectivity. <i>Advances in Biomembranes and Lipid Self-Assembly</i> , 2017, 25, 41-62.   | 0.3  | 3         |
| 48 | Lipid-Sorting Specificity Encoded in K-Ras Membrane Anchor Regulates Signal Output. <i>Cell</i> , 2017, 168, 239-251.e16.   | 13.5 | 235       |
| 49 | Lipid sorting and the activity of Arf signaling complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11266-11267.   | 3.3  | 1         |
| 50 | Spatiotemporal Analysis of K-Ras Plasma Membrane Interactions Reveals Multiple High Order Homo-oligomeric Complexes. <i>Journal of the American Chemical Society</i> , 2017, 139, 13466-13475.                          | 6.6  | 73        |
| 51 | ω-3 polyunsaturated fatty acids direct differentiation of the membrane phenotype in mesenchymal stem cells to potentiate osteogenesis. <i>Science Advances</i> , 2017, 3, eaao1193.                                     | 4.7  | 105       |
| 52 | Inhibition of RAS function through targeting an allosteric regulatory site. <i>Nature Chemical Biology</i> , 2017, 13, 62-68.   | 3.9  | 237       |
| 53 | Computational Equilibrium Thermodynamic and Kinetic Analysis of K-Ras Dimerization through an Effector Binding Surface Suggests Limited Functional Role. <i>Journal of Physical Chemistry B</i> , 2016, 120, 8547-8556. | 1.2  | 45        |
| 54 | AMPK and Endothelial Nitric Oxide Synthase Signaling Regulates K-Ras Plasma Membrane Interactions via Cyclic GMP-Dependent Protein Kinase 2. <i>Molecular and Cellular Biology</i> , 2016, 36, 3086-3099.               | 1.1  | 57        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | VPS35 binds farnesylated N-Ras in the cytosol to regulate N-Ras trafficking. <i>Journal of Cell Biology</i> , 2016, 214, 445-458.   | 2.3 | 44        |
| 56 | Epac1 interacts with importin $\beta$ 1 and controls neurite outgrowth independently of cAMP and Rap1. <i>Scientific Reports</i> , 2016, 6, 36370.  | 1.6 | 13        |
| 57 | Inhibition of Acid Sphingomyelinase Depletes Cellular Phosphatidylserine and Mislocalizes K-Ras from the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2016, 36, 363-374.  | 1.1 | 92        |
| 58 | Oncogenic K-Ras Binds to an Anionic Membrane in Two Distinct Orientations: A Molecular Dynamics Analysis. <i>Biophysical Journal</i> , 2016, 110, 1125-1138.  | 0.2 | 122       |
| 59 | Binding hotspots on K-ras: Consensus ligand binding sites and other reactive regions from probe-based molecular dynamics analysis. <i>Proteins: Structure, Function and Bioinformatics</i> , 2015, 83, 898-909.                     | 1.5 | 58        |
| 60 | Ras nanoclusters: Versatile lipid-based signaling platforms. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 841-849.  | 1.9 | 194       |
| 61 | Membrane potential modulates plasma membrane phospholipid dynamics and K-Ras signaling. <i>Science</i> , 2015, 349, 873-876.  | 6.0 | 243       |
| 62 | Specific cancer-associated mutations in the switch III region of Ras increase tumorigenicity by nanocluster augmentation. <i>ELife</i> , 2015, 4, e08905.   | 2.8 | 45        |
| 63 | Caveolae regulate the nanoscale organization of the plasma membrane to remotely control Ras signaling. <i>Journal of Cell Biology</i> , 2014, 204, 777-792.   | 2.3 | 112       |
| 64 | Rare <i>Streptomyces</i> sp. polyketides as modulators of K-Ras localisation. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 4872-4878.  | 1.5 | 15        |
| 65 | Signal Integration by Lipid-Mediated Spatial Cross Talk between Ras Nanoclusters. <i>Molecular and Cellular Biology</i> , 2014, 34, 862-876.  | 1.1 | 119       |
| 66 | Temporal Production of the Signaling Lipid Phosphatidic Acid by Phospholipase D2 Determines the Output of Extracellular Signal-Regulated Kinase Signaling in Cancer Cells. <i>Molecular and Cellular Biology</i> , 2014, 34, 84-95. | 1.1 | 104       |
| 67 | Rare <i>Streptomyces</i> N-Formyl Amino-salicylamides Inhibit Oncogenic K-Ras. <i>Organic Letters</i> , 2014, 16, 5036-5039.  | 2.4 | 26        |
| 68 | Ras Nanoclusters. , 2014, , 189-210.  |     | 1         |
| 69 | Bile Acids Modulate Signaling by Functional Perturbation of Plasma Membrane Domains. <i>Journal of Biological Chemistry</i> , 2013, 288, 35660-35670.   | 1.6 | 96        |
| 70 | Caveolin-1 Is Necessary for Hepatic Oxidative Lipid Metabolism: Evidence for Crosstalk between Caveolin-1 and Bile Acid Signaling. <i>Cell Reports</i> , 2013, 4, 238-247.  | 2.9 | 56        |
| 71 | Inhibitors of K-Ras Plasma Membrane Localization. <i>The Enzymes</i> , 2013, 33 Pt A, 249-265.  | 0.7 | 13        |
| 72 | Fendiline Inhibits K-Ras Plasma Membrane Localization and Blocks K-Ras Signal Transmission. <i>Molecular and Cellular Biology</i> , 2013, 33, 237-251.  | 1.1 | 94        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Another Surprise from Metformin: Novel Mechanism of Action via K-Ras Influences Endometrial Cancer Response to Therapy. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 2847-2856.                                   | 1.9  | 72        |
| 74 | Andrographolide derivatives inhibit guanine nucleotide exchange and abrogate oncogenic Ras function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 10201-10206. | 3.3  | 134       |
| 75 | Ras nanoclusters. <i>Small GTPases</i> , 2013, 4, 57-60.  | 0.7  | 22        |
| 76 | Staurosporine. <i>Communicative and Integrative Biology</i> , 2013, 6, e24746.  | 0.6  | 8         |
| 77 | Single-molecule analysis reveals self assembly and nanoscale segregation of two distinct cavin subcomplexes on caveolae. <i>ELife</i> , 2013, 3, e01434.  | 2.8  | 114       |
| 78 | Nonsteroidal Anti-inflammatory Drugs Alter the Spatiotemporal Organization of Ras Proteins on the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2012, 287, 16586-16595.                                   | 1.6  | 51        |
| 79 | Staurosporines Disrupt Phosphatidylserine Trafficking and Mislocalize Ras Proteins. <i>Journal of Biological Chemistry</i> , 2012, 287, 43573-43584.  | 1.6  | 89        |
| 80 | Constitutive Formation of Caveolae in a Bacterium. <i>Cell</i> , 2012, 150, 752-763.  | 13.5 | 126       |
| 81 | Ras trafficking, localization and compartmentalized signalling. <i>Seminars in Cell and Developmental Biology</i> , 2012, 23, 145-153.  | 2.3  | 191       |
| 82 | Structure-Based Reassessment of the Caveolin Signaling Model: Do Caveolae Regulate Signaling through Caveolin-Protein Interactions?. <i>Developmental Cell</i> , 2012, 23, 11-20.                                     | 3.1  | 127       |
| 83 | The Effects of Transmembrane Sequence and Dimerization on Cleavage of the p75 Neurotrophin Receptor by $\text{I}^3$ -Secretase. <i>Journal of Biological Chemistry</i> , 2012, 287, 43810-43824.                      | 1.6  | 45        |
| 84 | Co-Regulation of Cell Polarization and Migration by Caveolar Proteins PTRF/Cavin-1 and Caveolin-1. <i>PLoS ONE</i> , 2012, 7, e43041.   | 1.1  | 49        |
| 85 | Organization, dynamics, and segregation of Ras nanoclusters in membrane domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8097-8102.                       | 3.3  | 160       |
| 86 | Raf Inhibitors Target Ras Spatiotemporal Dynamics. <i>Current Biology</i> , 2012, 22, 945-955.  | 1.8  | 65        |
| 87 | Therapeutic Levels of the Hydroxymethylglutaryl-Coenzyme A Reductase Inhibitor Lovastatin Activate Ras Signaling via Phospholipase D2. <i>Molecular and Cellular Biology</i> , 2011, 31, 1110-1120.                   | 1.1  | 36        |
| 88 | Signalling ballet in space and time. <i>Nature Reviews Molecular Cell Biology</i> , 2010, 11, 414-426.  | 16.1 | 563       |
| 89 | H-Ras Nanocluster Stability Regulates the Magnitude of MAPK Signal Output. <i>PLoS ONE</i> , 2010, 5, e11991.   | 1.1  | 38        |
| 90 | Clathrin-independent carriers form a high capacity endocytic sorting system at the leading edge of migrating cells. <i>Journal of Cell Biology</i> , 2010, 190, 675-691.  | 2.3  | 263       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | An N-Terminal Polybasic Motif of $G_{i\pm q}$ Is Required for Signaling and Influences Membrane Nanodomain Distribution. <i>Molecular Pharmacology</i> , 2010, 78, 767-777.                     | 1.0  | 18        |
| 92  | Epidermal Growth Factor Receptor Activation Remodels the Plasma Membrane Lipid Environment To Induce Nanocluster Formation. <i>Molecular and Cellular Biology</i> , 2010, 30, 3795-3804.        | 1.1  | 87        |
| 93  | The Anti-inflammatory Drug Indomethacin Alters Nanoclustering in Synthetic and Cell Plasma Membranes. <i>Journal of Biological Chemistry</i> , 2010, 285, 35188-35195.                          | 1.6  | 42        |
| 94  | Nucleophosmin and nucleolin regulate K-Ras signaling. <i>Communicative and Integrative Biology</i> , 2010, 3, 188-190.  | 0.6  | 14        |
| 95  | Mathematical Modeling of K-Ras Nanocluster Formation on the Plasma Membrane. <i>Biophysical Journal</i> , 2010, 99, 534-543.  | 0.2  | 43        |
| 96  | Ras membrane orientation and nanodomain localization generate isoform diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1130-1135. | 3.3  | 209       |
| 97  | The Nonsteroidal Anti-Inflammatory Drug Indomethacin Induces Heterogeneity in Lipid Membranes: Potential Implication for Its Diverse Biological Action. <i>PLoS ONE</i> , 2010, 5, e8811.       | 1.1  | 36        |
| 98  | Nucleophosmin and Nucleolin Regulate K-Ras Plasma Membrane Interactions and MAPK Signal Transduction. <i>Journal of Biological Chemistry</i> , 2009, 284, 28410-28419.                          | 1.6  | 61        |
| 99  | Localized Diacylglycerol-dependent Stimulation of Ras and Rap1 during Phagocytosis. <i>Journal of Biological Chemistry</i> , 2009, 284, 28522-28532.  | 1.6  | 34        |
| 100 | MURC/Cavin-4 and cavin family members form tissue-specific caveolar complexes. <i>Journal of Cell Biology</i> , 2009, 185, 1259-1273.   | 2.3  | 243       |
| 101 | Hydrophobic and Basic Domains Target Proteins to Lipid Droplets. <i>Traffic</i> , 2009, 10, 1785-1801.  | 1.3  | 67        |
| 102 | On the Use of Ripley's K-Function and Its Derivatives to Analyze Domain Size. <i>Biophysical Journal</i> , 2009, 97, 1095-1103.   | 0.2  | 228       |
| 103 | Ras acylation, compartmentalization and signaling nanoclusters (Review). <i>Molecular Membrane Biology</i> , 2009, 26, 80-92.   | 2.0  | 113       |
| 104 | A novel switch region regulates H-ras membrane orientation and signal output. <i>EMBO Journal</i> , 2008, 27, 727-735.  | 3.5  | 182       |
| 105 | An agonist-induced conformational change in the growth hormone receptor determines the choice of signalling pathway. <i>Nature Cell Biology</i> , 2008, 10, 740-747.                            | 4.6  | 90        |
| 106 | Using plasma membrane nanoclusters to build better signaling circuits. <i>Trends in Cell Biology</i> , 2008, 18, 364-371.   | 3.6  | 125       |
| 107 | Mtx2 directs zebrafish morphogenetic movements during epiboly by regulating microfilament formation. <i>Developmental Biology</i> , 2008, 314, 12-22.   | 0.9  | 27        |
| 108 | PTRF-Cavin, a Conserved Cytoplasmic Protein Required for Caveola Formation and Function. <i>Cell</i> , 2008, 132, 113-124.  | 13.5 | 647       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Activation of the MAPK Module from Different Spatial Locations Generates Distinct System Outputs. <i>Molecular Biology of the Cell</i> , 2008, 19, 4776-4784.                           | 0.9 | 78        |
| 110 | Evolutionary analysis and molecular dissection of caveola biogenesis. <i>Journal of Cell Science</i> , 2008, 121, 2075-2086.  | 1.2 | 110       |
| 111 | Ras nanoclusters: Combining digital and analog signaling. <i>Cell Cycle</i> , 2008, 7, 127-134.   | 1.3 | 68        |
| 112 | System output of the MAPK module is spatially regulated. <i>Communicative and Integrative Biology</i> , 2008, 1, 178-179.   | 0.6 | 5         |
| 113 | Mechanisms of Ras membrane organization and signaling: Ras on a rocker. <i>Cell Cycle</i> , 2008, 7, 2667-2673.   | 1.3 | 68        |
| 114 | Electrostatic Interactions Positively Regulate K-Ras Nanocluster Formation and Function. <i>Molecular and Cellular Biology</i> , 2008, 28, 4377-4385.                                   | 1.1 | 102       |
| 115 | Caveolin Regulates Endocytosis of the Muscle Repair Protein, Dysferlin. <i>Journal of Biological Chemistry</i> , 2008, 283, 6476-6488.  | 1.6 | 80        |
| 116 | Galectin-1 Is a Novel Structural Component and a Major Regulator of H-Ras Nanoclusters. <i>Molecular Biology of the Cell</i> , 2008, 19, 1404-1414.                                     | 0.9 | 132       |
| 117 | K-Ras Nanoclustering Is Subverted by Overexpression of the Scaffold Protein Galectin-3. <i>Cancer Research</i> , 2008, 68, 6608-6616.   | 0.4 | 123       |
| 118 | Ras nanoclusters: Molecular structure and assembly. <i>Seminars in Cell and Developmental Biology</i> , 2007, 18, 599-607.  | 2.3 | 125       |
| 119 | Lipid rafts and membrane traffic. <i>FEBS Letters</i> , 2007, 581, 2098-2104.   | 1.3 | 271       |
| 120 | Structure and Dynamics of the Full-Length Lipid-Modified H-Ras Protein in a 1,2-Dimyristoylglycero-3-phosphocholine Bilayer. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 674-684. | 2.9 | 189       |
| 121 | Sources of Anomalous Diffusion on Cell Membranes: A Monte Carlo Study. <i>Biophysical Journal</i> , 2007, 92, 1975-1987.  | 0.2 | 119       |
| 122 | PA promoted to manager. <i>Nature Cell Biology</i> , 2007, 9, 615-617.  | 4.6 | 34        |
| 123 | Plasma membrane nanoswitches generate high-fidelity Ras signal transduction. <i>Nature Cell Biology</i> , 2007, 9, 905-914.   | 4.6 | 372       |
| 124 | Cholesterol-Sensitive Cdc42 Activation Regulates Actin Polymerization for Endocytosis via the GEEC Pathway. <i>Traffic</i> , 2007, 8, 702-717.  | 1.3 | 166       |
| 125 | Reassessing the Role of Phosphocaveolin-1 in Cell Adhesion and Migration. <i>Traffic</i> , 2007, 8, 1695-1705.  | 1.3 | 32        |
| 126 | Human Sin1 contains Ras-binding and pleckstrin homology domains and suppresses Ras signalling. <i>Cellular Signalling</i> , 2007, 19, 1279-1289.  | 1.7 | 94        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Lipid rafts: contentious only from simplistic standpoints. <i>Nature Reviews Molecular Cell Biology</i> , 2006, 7, 456-462.  | 16.1 | 719       |
| 128 | Biogenesis of caveolae: a structural model for caveolin-induced domain formation. <i>Journal of Cell Science</i> , 2006, 119, 787-796.   | 1.2  | 253       |
| 129 | Identifying Optimal Lipid Raft Characteristics Required To Promote Nanoscale Protein-Protein Interactions on the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2006, 26, 313-323.   | 1.1  | 174       |
| 130 | Subcellular Localization Determines MAP Kinase Signal Output. <i>Current Biology</i> , 2005, 15, 869-873.  | 1.8  | 155       |
| 131 | Ultrastructural identification of uncoated caveolin-independent early endocytic vehicles. <i>Journal of Cell Biology</i> , 2005, 168, 465-476.   | 2.3  | 385       |
| 132 | Zebrafish as a model for caveolin-associated muscle disease; caveolin-3 is required for myofibril organization and muscle cell patterning. <i>Human Molecular Genetics</i> , 2005, 14, 1727-1743.  | 1.4  | 86        |
| 133 | H-ras, K-ras, and inner plasma membrane raft proteins operate in nanoclusters with differential dependence on the actin cytoskeleton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 15500-15505. | 3.3  | 423       |
| 134 | Individual Palmitoyl Residues Serve Distinct Roles in H-Ras Trafficking, Microlocalization, and Signaling. <i>Molecular and Cellular Biology</i> , 2005, 25, 6722-6733.  | 1.1  | 187       |
| 135 | Ras plasma membrane signalling platforms. <i>Biochemical Journal</i> , 2005, 389, 1-11.  | 1.7  | 219       |
| 136 | Electron microscopic imaging of Ras signaling domains. <i>Methods</i> , 2005, 37, 165-172.   | 1.9  | 49        |
| 137 | Lipid rafts and plasma membrane microorganization: insights from Ras. <i>Trends in Cell Biology</i> , 2004, 14, 141-147.   | 3.6  | 180       |
| 138 | Three Separable Domains Regulate GTP-Dependent Association of H-ras with the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2004, 24, 6799-6810.   | 1.1  | 150       |
| 139 | GPI-Anchor Synthesis. <i>Developmental Cell</i> , 2004, 6, 743-745.  | 3.1  | 17        |
| 140 | Ras proteins: different signals from different locations. <i>Nature Reviews Molecular Cell Biology</i> , 2003, 4, 373-385.   | 16.1 | 778       |
| 141 | C-terminal sequences in R-Ras are involved in integrin regulation and in plasma membrane microdomain distribution. <i>Biochemical and Biophysical Research Communications</i> , 2003, 311, 829-838.  | 1.0  | 24        |
| 142 | Direct visualization of Ras proteins in spatially distinct cell surface microdomains. <i>Journal of Cell Biology</i> , 2003, 160, 165-170.   | 2.3  | 699       |
| 143 | Identification of Residues and Domains of Raf Important for Function in Vivo and in Vitro. <i>Journal of Biological Chemistry</i> , 2003, 278, 45519-45527.  | 1.6  | 18        |
| 144 | Caveolin Interacts with the Angiotensin II Type 1 Receptor during Exocytic Transport but Not at the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2003, 278, 23738-23746.  | 1.6  | 110       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Mechanism of Mitosis-specific Activation of MEK1. <i>Journal of Biological Chemistry</i> , 2003, 278, 16747-16754.   | 1.6 | 49        |
| 146 | Observing Cell Surface Signaling Domains Using Electron Microscopy. <i>Science Signaling</i> , 2003, 2003, pl9-pl9.  | 1.6 | 58        |
| 147 | The Linker Domain of the Ha-Ras Hypervariable Region Regulates Interactions with Exchange Factors, Raf-1 and Phosphoinositide 3-Kinase. <i>Journal of Biological Chemistry</i> , 2002, 277, 272-278. | 1.6 | 76        |
| 148 | Flotillin-1/Reggie-2 Traffics to Surface Raft Domains via a Novel Golgi-independent Pathway. <i>Journal of Biological Chemistry</i> , 2002, 277, 48834-48841.  | 1.6 | 200       |
| 149 | H-Ras Signaling and K-Ras Signaling Are Differentially Dependent on Endocytosis. <i>Molecular and Cellular Biology</i> , 2002, 22, 5128-5140.  | 1.1 | 128       |
| 150 | Inhibition of Lipid Raft-dependent Signaling by a Dystrophy-associated Mutant of Caveolin-3. <i>Journal of Biological Chemistry</i> , 2002, 277, 17944-17949.  | 1.6 | 43        |
| 151 | Protein phosphatases 1 and 2A promote Raf-1 activation by regulating 14-3-3 interactions. <i>Oncogene</i> , 2001, 20, 3949-3958.   | 2.6 | 170       |
| 152 | GTP-dependent segregation of H-ras from lipid rafts is required for biological activity. <i>Nature Cell Biology</i> , 2001, 3, 368-375.  | 4.6 | 492       |
| 153 | Which Ras rides the raft? - Reply. <i>Nature Cell Biology</i> , 2001, 3, E172-E172.  | 4.6 | 4         |
| 154 | Human Papillomavirus Type 6b Virus-Like Particles Are Able To Activate the Ras-MAP Kinase Pathway and Induce Cell Proliferation. <i>Journal of Virology</i> , 2001, 75, 4150-4157.                   | 1.5 | 35        |
| 155 | Caveolin and ras function. <i>Methods in Enzymology</i> , 2001, 333, 172-183.  | 0.4 | 24        |
| 156 | Cell regulation: Cellular aspects of signal transduction. <i>Current Opinion in Cell Biology</i> , 2000, 12, 153-156.  | 2.6 | 4         |
| 157 | Characterization of RasGRP2, a Plasma Membrane-targeted, Dual Specificity Ras/Rap Exchange Factor. <i>Journal of Biological Chemistry</i> , 2000, 275, 32260-32267.                                  | 1.6 | 109       |
| 158 | H-ras but Not K-ras Traffics to the Plasma Membrane through the Exocytic Pathway. <i>Molecular and Cellular Biology</i> , 2000, 20, 2475-2487.   | 1.1 | 397       |
| 159 | Dominant-negative caveolin inhibits H-Ras function by disrupting cholesterol-rich plasma membrane domains. <i>Nature Cell Biology</i> , 1999, 1, 98-105.   | 4.6 | 411       |
| 160 | Interactions of c-Raf-1 with phosphatidylserine and 14-3-3. <i>Oncogene</i> , 1999, 18, 3862-3869.   | 2.6 | 66        |
| 161 | Ras Isoforms Vary in Their Ability to Activate Raf-1 and Phosphoinositide 3-Kinase. <i>Journal of Biological Chemistry</i> , 1998, 273, 24052-24056.   | 1.6 | 393       |
| 162 | 14-3-3 Facilitates Ras-Dependent Raf-1 Activation In Vitro and In Vivo. <i>Molecular and Cellular Biology</i> , 1998, 18, 3947-3955.   | 1.1 | 124       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | Activity of Plasma Membrane-recruited Raf-1 Is Regulated by Ras via the Raf Zinc Finger. Journal of Biological Chemistry, 1997, 272, 20139-20145.                           | 1.6  | 97        |
| 164 | [10] Stimulation of nucleotide exchange on Ras- and Rho-related proteins by small GTP-binding protein GDP dissociation stimulator. Methods in Enzymology, 1995, 256, 85-90. | 0.4  | 3         |
| 165 | [7] Reticulocyte lysate assay for in Vitro translation and posttranslational modification of Ras proteins. Methods in Enzymology, 1995, 255, 60-65.                         | 0.4  | 22        |
| 166 | [24] Prenylation and palmitoylation analysis. Methods in Enzymology, 1995, 255, 237-245.  | 0.4  | 33        |
| 167 | [2] Purification of baculovirus-expressed recombinant ras and rap proteins. Methods in Enzymology, 1995, 255, 13-21.  | 0.4  | 29        |
| 168 | Anti-Ras drugs come of age. Current Biology, 1993, 3, 770-772.  | 1.8  | 28        |
| 169 | COS Cell Expression. , 1992, 8, 153-158.  |      | 6         |
| 170 | The ras Superfamily: Post-Translational Modifications and Functional Regulation. , 1992, , 1-5.   |      | 0         |
| 171 | A polybasic domain or palmitoylation is required in addition to the CAAX motif to localize p21ras to the plasma membrane. Cell, 1990, 63, 133-139.                          | 13.5 | 1,046     |
| 172 | Conformational effects of nucleotide exchange in ras p21 proteins as studied by fluorescence spectroscopy. FEBS Letters, 1990, 262, 127-130.                                | 1.3  | 12        |
| 173 | All ras proteins are polyisoprenylated but only some are palmitoylated. Cell, 1989, 57, 1167-1177.  | 13.5 | 1,826     |
| 174 | The cytoplasmic protein GAP is implicated as the target for regulation by the ras gene product. Nature, 1988, 332, 548-551.   | 13.7 | 414       |