

Caroline Marie Fairhurst

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7442875/publications.pdf>

Version: 2024-02-01

96
papers

1,167
citations

430874

18
h-index

526287

27
g-index

103
all docs

103
docs citations

103
times ranked

1634
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Smoking behaviours and indoor air quality: a comparative analysis of smoking-permitted versus smoke-free homes in Dhaka, Bangladesh. <i>Tobacco Control</i> , 2022, 31, 444-451. | 3.2 | 10 |
| 2 | Recruitment patterns in multicentre randomised trials fit more closely to Price's Law than the Pareto Principle: A review of trials funded and published by the United Kingdom Health Technology Assessment Programme. <i>Contemporary Clinical Trials</i> , 2022, 113, 106665. | 1.8 | 6 |
| 3 | Scaling up Quality Improvement for Surgical Teams (QIST) – avoiding surgical site infection and anaemia at the time of surgery: a cluster randomised controlled trial of the effectiveness of quality improvement collaboratives to introduce change in the NHS. <i>Implementation Science</i> , 2022, 17, 22. | 6.9 | 1 |
| 4 | Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 T fully-powered pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263856. | 2.5 | 7 |
| 5 | Relationship between age, workplace slips and the effectiveness of slip-resistant footwear among healthcare workers. <i>Injury Prevention</i> , 2022, 28, 256-258. | 2.4 | 0 |
| 6 | Current practice in the measurement and interpretation of intervention adherence in randomised controlled trials: A systematic review. <i>Contemporary Clinical Trials</i> , 2022, 118, 106788. | 1.8 | 2 |
| 7 | Smoking cessation in severe mental illness: combined long-term quit rates from the UK SCIMITAR trials programme. <i>British Journal of Psychiatry</i> , 2021, 218, 95-97. | 2.8 | 13 |
| 8 | Evaluating –Enhancing Pragmatic Language skills for Young children with Social communication impairments –™ (E-PLAYS): a feasibility cluster-randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2021, 7, 5. | 1.2 | 3 |
| 9 | Slip-resistant footwear to reduce slips among health-care workers: the SSHeW RCT. <i>Public Health Research</i> , 2021, 9, 1-150. | 1.3 | 1 |
| 10 | Randomised controlled feasibility trial of an active communication education programme plus hearing aid provision versus hearing aid provision alone (ACE To HEAR). <i>BMJ Open</i> , 2021, 11, e043364. | 1.9 | 0 |
| 11 | Yoga for older adults with multimorbidity (the Gentle Years Yoga Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 269. | 1.6 | 5 |
| 12 | A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment rates in a randomised controlled trial of yoga for older adults with multimorbidity. <i>F1000Research</i> , 2021, 10, 326. | 1.6 | 2 |
| 13 | Efficacy and cost-effectiveness of a community-based smoke-free-home intervention with or without indoor-air-quality feedback in Bangladesh (MCLASS II): a three-arm, cluster-randomised, controlled trial. <i>The Lancet Global Health</i> , 2021, 9, e639-e650. | 6.3 | 7 |
| 14 | Cost-effectiveness of surgery versus cast immobilization for adults with a bicortical fracture of the scaphoid waist. <i>Bone and Joint Journal</i> , 2021, 103-B, 1277-1283. | 4.4 | 5 |
| 15 | Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-118. | 2.8 | 8 |
| 16 | Slip-resistant footwear reduces slips among National Health Service workers in England: a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2021, 78, 472-478. | 2.8 | 6 |
| 17 | Hearing dogs for people with severe and profound hearing loss: a wait-list design randomised controlled trial investigating their effectiveness and cost-effectiveness. <i>Trials</i> , 2021, 22, 700. | 1.6 | 3 |
| 18 | Negative pressure wound therapy versus usual care for surgical wounds healing by secondary intention (SWHSI-2 trial): study protocol for a pragmatic, multicentre, cross surgical specialty, randomised controlled trial. <i>Trials</i> , 2021, 22, 739. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. PLoS Medicine, 2021, 18, e1003779. | 8.4 | 31 |
| 20 | Using pairwise randomisation to reduce the risk of bias. Research Methods in Medicine & Health Sciences, 2020, 1, 2-6. | 1.2 | 3 |
| 21 | Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. Lancet, The, 2020, 396, 390-401. | 13.7 | 62 |
| 22 | Preoperative iron treatment in anaemic patients undergoing elective total hip or knee arthroplasty: a systematic review and meta-analysis. BMJ Open, 2020, 10, e036592. | 1.9 | 10 |
| 23 | No excess harms from sustained-release morphine: a randomised placebo-controlled trial in chronic breathlessness. BMJ Supportive and Palliative Care, 2020, 10, 421-428. | 1.6 | 9 |
| 24 | E-cigarette use and associated factors among smokers with severe mental illness. Addictive Behaviors, 2020, 108, 106456. | 3.0 | 5 |
| 25 | Scaling up Quality Improvement for Surgical Teams (QIST) – avoiding surgical site infection and anaemia at the time of surgery: protocol for a cluster randomised controlled trial. Trials, 2020, 21, 234. | 1.6 | 4 |
| 26 | Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. Trials, 2020, 21, 348. | 1.6 | 2 |
| 27 | Cost-effectiveness of a specialist smoking cessation package compared with standard smoking cessation services for people with severe mental illness in England: a trial-based economic evaluation from the SCIMITAR+ study. Addiction, 2020, 115, 2113-2122. | 3.3 | 8 |
| 28 | Effectiveness of pre-operative anaemia screening and increased Tranexamic acid dose policies on outcomes following unilateral primary, elective total hip or knee replacement: a statistical analysis plan for an interrupted time series and regression discontinuity study. F1000Research, 2020, 9, 224. | 1.6 | 0 |
| 29 | An evaluation of a personalised text message reminder compared to a standard text message on postal questionnaire response rates: an embedded randomised controlled trial. F1000Research, 2020, 9, 154. | 1.6 | 14 |
| 30 | Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. F1000Research, 2020, 9, 577. | 1.6 | 10 |
| 31 | Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 2020, 9, 623. | 1.6 | 5 |
| 32 | Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. Health Technology Assessment, 2020, 24, 1-234. | 2.8 | 11 |
| 33 | Effectiveness and Cost-Effectiveness of Receiving a Hearing Dog on Mental Well-Being and Health in People With Hearing Loss: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e15452. | 1.0 | 1 |
| 34 | Effectiveness of pre-operative anaemia screening and increased Tranexamic acid dose on outcomes following unilateral primary, elective total hip or knee replacement: a statistical analysis plan for an interrupted time series and regression discontinuity study. F1000Research, 2020, 9, 224. | 1.6 | 0 |
| 35 | The epidemiology, management and impact of surgical wounds healing by secondary intention: a research programme including the SWHSI feasibility RCT. Programme Grants for Applied Research, 2020, 8, 1-122. | 1.0 | 0 |
| 36 | Oral modified release morphine for breathlessness in chronic heart failure: a randomized placebo-controlled trial. ESC Heart Failure, 2019, 6, 1149-1160. | 3.1 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Brushing Reminder 4 Good oral Health (BRIGHT) trial: does an SMS behaviour change programme with a classroom-based session improve the oral health of young people living in deprived areas? A study protocol of a randomised controlled trial. <i>Trials</i> , 2019, 20, 452. | 1.6 | 15 |
| 38 | Affective and enjoyment responses to 12 weeks of high intensity interval training and moderate continuous training in adults with Crohn's disease. <i>PLoS ONE</i> , 2019, 14, e0222060. | 2.5 | 9 |
| 39 | Oral melatonin for non-respiratory sleep disturbance in children with neurodisabilities: systematic review and meta-analyses. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 880-890. | 2.1 | 36 |
| 40 | Evaluating 'enhancing pragmatic language skills for young children with social communication impairments' (E-PLAYS): protocol for a feasibility randomised controlled trial study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 75. | 1.2 | 4 |
| 41 | Knee Replacement Bandaging Study (KReBS) evaluating the effect of a two-layer compression bandage system on knee function following total knee arthroplasty: study protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 261. | 1.6 | 6 |
| 42 | Smoking cessation for people with severe mental illness (SCIMITAR+): a pragmatic randomised controlled trial. <i>Lancet Psychiatry</i> , 2019, 6, 379-390. | 7.4 | 126 |
| 43 | Outcome domains and outcome measures used in studies assessing the effectiveness of interventions to manage non-respiratory sleep disturbances in children with neurodisabilities: a systematic review. <i>BMJ Open</i> , 2019, 9, e027205. | 1.9 | 3 |
| 44 | Feasibility study of early outpatient review and early cardiac rehabilitation after cardiac surgery: mixed-methods research design—a study protocol. <i>BMJ Open</i> , 2019, 9, e035787. | 1.9 | 4 |
| 45 | Muslim Communities Learning About Second-hand Smoke in Bangladesh (MCLASS II): study protocol for a cluster randomised controlled trial of a community-based smoke-free homes intervention, with or without Indoor Air Quality feedback. <i>Trials</i> , 2019, 20, 11. | 1.6 | 12 |
| 46 | Assessing the impact of retraction on the citation of randomized controlled trial reports: an interrupted time-series analysis. <i>Journal of Health Services Research and Policy</i> , 2019, 24, 44-51. | 1.7 | 24 |
| 47 | Using pens as an incentive for trial recruitment of older adults: An embedded randomised controlled trial. <i>F1000Research</i> , 2019, 8, 315. | 1.6 | 11 |
| 48 | Does handwriting the name of a potential trial participant on an invitation letter improve recruitment rates? A randomised controlled study within a trial. <i>F1000Research</i> , 2019, 8, 659. | 1.6 | 6 |
| 49 | The effectiveness of a contingent financial incentive to improve trial follow up; a randomised study within a trial (SWAT). <i>F1000Research</i> , 2019, 8, 1937. | 1.6 | 4 |
| 50 | A bespoke smoking cessation service compared with treatment as usual for people with severe mental ill health: the SCIMITAR+ RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-116. | 2.8 | 10 |
| 51 | Protocol for a factorial randomised controlled trial, embedded within WHITE 8 COPAL, of an Enhanced Trainee Principal Investigator Package and Additional Digital Nudge to increase recruitment rates. <i>F1000Research</i> , 2019, 8, 1153. | 1.6 | 3 |
| 52 | SCIMITAR+ Trial: A randomised study within a trial (SWAT) of a contingent financial reward to improve trial follow-up. <i>F1000Research</i> , 2019, 8, 1937. | 1.6 | 3 |
| 53 | Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 13-21. | 5.0 | 8 |
| 54 | A simple technique investigating baseline heterogeneity helped to eliminate potential bias in meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2018, 95, 55-62. | 5.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Psychometric validation of the needs assessment tool: progressive disease in interstitial lung disease. <i>Thorax</i> , 2018, 73, 880-883. | 5.6 | 15 |
| 56 | Randomised controlled feasibility trial of the Active Communication Education programme plus hearing aid provision versus hearing aid provision alone (ACE to HEAR): a study protocol. <i>BMJ Open</i> , 2018, 8, e021502. | 1.9 | 7 |
| 57 | SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e026023. | 1.9 | 6 |
| 58 | Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e022488. | 1.9 | 18 |
| 59 | Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REducing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. <i>Gerontology</i> , 2018, 64, 503-512. | 2.8 | 10 |
| 60 | Non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 1076-1092. | 2.1 | 17 |
| 61 | A study update newsletter or Post-it® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. <i>F1000Research</i> , 2018, 7, 1083. | 1.6 | 3 |
| 62 | Pharmacological and non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Health Technology Assessment</i> , 2018, 22, 1-296. | 2.8 | 25 |
| 63 | A nested randomised controlled trial of a newsletter and Post-it® note did not increase postal questionnaire response rates in a falls prevention trial. <i>F1000Research</i> , 2018, 7, 1083. | 1.6 | 3 |
| 64 | Smoking Cessation Intervention for Severe Mental Ill Health Trial (SCIMITAR+): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 44. | 1.6 | 15 |
| 65 | An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. <i>Trials</i> , 2017, 18, 144. | 1.6 | 30 |
| 66 | Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). <i>PLoS ONE</i> , 2017, 12, e0168712. | 2.5 | 37 |
| 67 | Unloading shoes for intermittent claudication: a randomised crossover trial. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 283. | 1.7 | 3 |
| 68 | Undertaking a randomised controlled trial in the police setting: methodological and practical challenges. <i>Trials</i> , 2017, 18, 615. | 1.6 | 5 |
| 69 | Effectiveness of a training program for police officers who come into contact with people with mental health problems: A pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2017, 12, e0184377. | 2.5 | 17 |
| 70 | Youth social behaviour and network therapy (Y-SBNT): adaptation of a family and social network intervention for young people who misuse alcohol and drugs – a randomised controlled feasibility trial. <i>Health Technology Assessment</i> , 2017, 21, 1-260. | 2.8 | 8 |
| 71 | Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> 21, 1-198. | 2.8 | 17 |
| 72 | Negative pressure wound therapy versus usual care for Surgical Wounds Healing by Secondary Intention (SWHSI trial): study protocol for a randomised controlled pilot trial. <i>Trials</i> , 2016, 17, 535. | 1.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Sodium channel-inhibiting drugs and cancer survival: protocol for a cohort study using the CPRD primary care database. <i>BMJ Open</i> , 2016, 6, e011661. | 1.9 | 13 |
| 74 | Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 248. | 1.9 | 25 |
| 75 | Enclosing a pen reduced time to response to questionnaire mailings. <i>Journal of Clinical Epidemiology</i> , 2016, 74, 144-150. | 5.0 | 18 |
| 76 | Effects of a lifestyle intervention on endothelial function in men on long-term androgen deprivation therapy for prostate cancer. <i>British Journal of Cancer</i> , 2016, 114, 401-408. | 6.4 | 48 |
| 77 | Sodium channel-inhibiting drugs and survival of breast, colon and prostate cancer: a population-based study. <i>Scientific Reports</i> , 2015, 5, 16758. | 3.3 | 30 |
| 78 | EverT2â€”needling versus non-surgical debridement for the treatment of verrucae: study protocol for a single-centre randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e009406. | 1.9 | 6 |
| 79 | Muslim communities learning about second-hand smoke: a pilot cluster randomised controlled trial and cost-effectiveness analysis. <i>Npj Primary Care Respiratory Medicine</i> , 2015, 25, 15052. | 2.6 | 9 |
| 80 | ADAPTA: A pilot randomised controlled trial of an alcohol-focused intervention versus a healthy living intervention for problem drinkers identified in a general hospital setting. <i>Drug and Alcohol Dependence</i> , 2015, 154, 117-124. | 3.2 | 9 |
| 81 | Important outcome predictors showed greater baseline heterogeneity than age in two systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 175-181. | 5.0 | 10 |
| 82 | Does home oxygen therapy (HOT) in addition to standard care reduce disease severity and improve symptoms in people with chronic heart failure? A randomised trial of home oxygen therapy for patients with chronic heart failure. <i>Health Technology Assessment</i> , 2015, 19, 1-120. | 2.8 | 23 |
| 83 | The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMJ Open</i> , 2014, 4, e006977. | 1.9 | 21 |
| 84 | Exposure to sodium channel-inhibiting drugs and cancer survival: protocol for a cohort study using the QResearch primary care database: TableÂ1. <i>BMJ Open</i> , 2014, 4, e006604. | 1.9 | 19 |
| 85 | Use of the h-index to measure the quality of the output of health services researchers. <i>Journal of Health Services Research and Policy</i> , 2014, 19, 102-109. | 1.7 | 20 |
| 86 | Factor analysis of treatment outcomes from a UK specialist addiction service: Relationship between the Leeds Dependence Questionnaire, Social Satisfaction Questionnaire and 10-item Clinical Outcomes in Routine Evaluation. <i>Drug and Alcohol Review</i> , 2014, 33, 643-650. | 2.1 | 7 |
| 87 | Primary Thromboprophylaxis in Hospices: The Association Between Risk of Venous Thromboembolism and Development of Symptoms. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 56-64. | 1.2 | 18 |
| 88 | Randomized cohort trial was shown to be feasible for evaluating treatments in low back pain. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 940-946. | 5.0 | 9 |
| 89 | A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1016-1024. | 5.0 | 18 |
| 90 | Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. <i>F1000Research</i> , 0, 10, 500. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | An embedded randomised controlled retention trial of personalised text messages compared to non-personalised text messages in an orthopaedic setting. F1000Research, 0, 9, 591. | 1.6 | 3 |
| 92 | Using pens as an incentive for questionnaire return in an orthopaedic trial: an embedded randomised controlled retention trial. F1000Research, 0, 9, 321. | 1.6 | 6 |
| 93 | Using pens as an incentive for questionnaire return in an orthopaedic trial: an embedded randomised controlled retention trial. F1000Research, 0, 9, 321. | 1.6 | 5 |
| 94 | An embedded randomised controlled retention trial of personalised text messages compared to non-personalised text messages in an orthopaedic setting. F1000Research, 0, 9, 591. | 1.6 | 8 |
| 95 | Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 0, 9, 623. | 1.6 | 4 |
| 96 | A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment in a randomised controlled trial of yoga for older adults with multimorbidity. F1000Research, 0, 10, 326. | 1.6 | 4 |